


Obesity among adults by county, Oregon, 2012–2015



Obesity among adults by county, Oregon, 2012–2015

County	Percent of adults (age-adjusted)	Number of respondents (N)
Baker	31.2%	254
Benton	21.6%	1,137
Clackamas	25.9%	3,771
Clatsop	30.5%	467
Columbia	32.4%	599
Coos	31.1%	865
Crook	31.2%	269
Curry	38.0%	291
Deschutes	21.1%	1,588
Douglas	34.4%	1,362
Gilliam / Sherman / Wasco	30.9%	347
Grant	38.7%	153
Harney	50.3%	111
Hood River	24.5%	244
Jackson	24.1%	2,209
Jefferson	36.4%	201
Josephine	29.1%	1,033
Klamath	26.4%	753
Lake	28.4%	135
Lane	26.9%	3,884
Lincoln	26.3%	668
Linn	33.9%	1,354
Malheur	32.6%	281
Marion	33.8%	2,699
Morrow	32.5%	132
Multnomah	22.0%	6,813
Polk	32.7%	780
Tillamook	28.3%	325
Umatilla	36.2%	684
Union	30.3%	332
Wallowa	17.4%†	142
Washington	25.9%	4,556
Wheeler	46.1%	34
Yamhill	29.6%	963
Frontier ZIP codes	34.4%	1,185
Rural ZIP codes	30.3%	14,453
Urban ZIP codes	25.2%	22,956
<i>Oregon State</i>	<i>27.1%</i>	<i>39,436</i>

† Rates with a relative standard error (RSE) ≥ 30 are considered unreliable.

About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

Data Notes:

Adults = age 18+

Number of respondents (N) is unweighted; percentages are weighted

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

Body Mass Index (BMI) is calculated using height and weight. For adults, obese is defined as having a BMI of 30 or greater.

Date: April 12, 2018