

Are you or your partner doing anything currently now to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		63.6	58.2	73.9	69.1	52.9	40.6
No		21.4	15.2	17.7	17.3	33.1	41.9
No partner/Not sexually active		14.5	26.6	8.2	12.5	12.6	17.6
Same sex partner		.6		.2	1.1	1.4	
MALE	Yes	57.5	53.1	68.4	62.8	52.9	40.6
	No	26.6	19.6	19.5	24.1	33.1	41.9
	No partner/Not sexually active	15.4	27.2	12.2	12.5	12.6	17.6
	Same sex partner	.5			.5	1.4	
FEMALE	Yes	74.3	63.7	80.2	76.2		
	No	12.0	10.5	15.6	9.7		
	No partner/Not sexually active	12.9	25.8	3.8	12.5		
	Same sex partner	.8		.4	1.7		

Denominator is:
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Are you or your partner doing anything currently now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,499	168	298	532	305	196
Yes		905	97	212	360	162	74
No		329	27	53	87	91	71
No partner/Not sexually active		221	42	27	67	41	44
Same sex partner		13		1	7	5	
Don't know/Not sure		4			1	1	2
Refused		27	2	5	10	5	5
MALE	Total	964	92	137	234	305	196
	Yes	517	49	89	143	162	74
	No	259	19	27	51	91	71
	No partner/Not sexually active	160	22	18	35	41	44
	Same sex partner	7			2	5	
	Don't know/Not sure	3				1	2
	Refused	18	2	3	3	5	5
FEMALE	Total	535	76	161	298		
	Yes	388	48	123	217		
	No	70	8	26	36		
	No partner/Not sexually active	61	20	9	32		
	Same sex partner	6		1	5		
	Don't know/Not sure	1			1		
	Refused	9		2	7		

Denominator is:
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (or female sterilization)	14.6		14.4	20.6	18.8	14.9
Vasectomy (or male sterilization)	22.8	1.1	8.4	32.0	48.4	68.9
Birth control pills, any kind	21.3	36.2	24.9	18.3	6.6	4.0
Male condoms	18.2	31.5	21.6	13.3	9.3	5.2
Female condoms	.1			.3		
Contractive implant (for example, Implanon)	1.5		4.3	.4		
Shots (for example, Depo-Provera)	1.7	5.4	1.8	.3	.8	
Contraceptive ring (for example, Nuvaring)	1.3	4.3	1.7			
Contraceptive patch (for example, Ortho Evra)	.4	2.0			.4	
Diaphragm, cervical cap, or sponge	.2				1.3	1.3
Foam, jelly, or cream	.3		.7		.6	
IUD (for example, Mirena)	9.1	10.3	11.8	8.4	6.0	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	2.0	1.0	2.5	2.4	1.9	
Other method	6.0	8.3	7.7	4.1	4.1	3.7
Hysterectomy	.4		.1		1.8	2.0
MALE Tubes tied (or female sterilization)	12.2		7.9	16.6	18.8	14.9
Vasectomy (or male sterilization)	26.9		4.9	33.2	48.4	68.9
Birth control pills, any kind	20.5	43.2	25.9	20.4	6.6	4.0
Male condoms	18.6	34.6	27.0	13.5	9.3	5.2
Female condoms	.1			.4		
Contractive implant (for example, Implanon)	1.6		5.6			
Shots (for example, Depo-Provera)	1.0	4.1	.9		.8	
Contraceptive ring (for example, Nuvaring)	1.3	5.2	2.1			
Contraceptive patch (for example, Ortho Evra)	.1	.4			.4	
Diaphragm, cervical cap, or sponge	.4				1.3	1.3
Foam, jelly, or cream	.5		1.4		.6	
IUD (for example, Mirena)	7.2	3.5	10.9	8.1	6.0	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	2.6	2.1	2.7	4.3	1.9	
Other method	6.1	6.9	10.4	3.6	4.1	3.7
Hysterectomy	.7		.3		1.8	2.0

What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Tubes tied (or female sterilization)	17.8		20.8	24.3		
	Vasectomy (or male sterilization)	17.2	2.0	11.9	30.9		
	Birth control pills, any kind	22.3	29.8	24.0	16.4		
	Male condoms	17.7	28.7	16.4	13.0		
	Female condoms	.1			.2		
	Contractive implant (for example, Implanon)	1.5		3.0	.7		
	Shots (for example, Depo-Provera)	2.6	6.5	2.6	.5		
	Contraceptive ring (for example, Nuvaring)	1.3	3.5	1.4			
	Contraceptive patch (for example, Ortho Evra)	.7	3.5				
	Diaphragm, cervical cap, or sponge						
	Foam, jelly, or cream						
	IUD (for example, Mirena)	11.9	16.5	12.6	8.6		
	Emergency contraceptive (morning after pill)						
	Withdrawal (or pulling out)	1.2		2.2	.8		
	Other method	5.8	9.5	5.1	4.5		
	Hysterectomy						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	902	96	212	359	162	73
Tubes tied (or female sterilization)	136		29	66	29	12
Vasectomy (or male sterilization)	254	1	21	115	73	44
Birth control pills, any kind	166	32	54	66	11	3
Male condoms	142	31	44	48	17	2
Female condoms	2			2		
Contractive implant (for example, Implanon)	6		5	1		
Shots (for example, Depo-Provera)	9	4	3	1	1	
Contraceptive ring (for example, Nuvaring)	8	4	4			
Contraceptive patch (for example, Ortho Evra)	3	2			1	
Diaphragm, cervical cap, or sponge	4				3	1
Foam, jelly, or cream	2		1		1	
IUD (for example, Mirena)	76	8	28	29	11	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	18	1	8	7	2	
Other method	42	6	10	15	5	6
Don't know/Not sure	4	1			2	1
Hysterectomy	4		1		2	1
Refused	26	6	4	9	4	3
MALE Total	514	48	89	142	162	73
Tubes tied (or female sterilization)	69		7	21	29	12
Vasectomy (or male sterilization)	168		6	45	73	44
Birth control pills, any kind	87	18	23	32	11	3
Male condoms	84	18	26	21	17	2
Female condoms	1			1		
Contractive implant (for example, Implanon)	3		3			
Shots (for example, Depo-Provera)	3	1	1		1	
Contraceptive ring (for example, Nuvaring)	5	3	2			
Contraceptive patch (for example, Ortho Evra)	2	1			1	
Diaphragm, cervical cap, or sponge	4				3	1
Foam, jelly, or cream	2		1		1	
IUD (for example, Mirena)	30	2	8	9	11	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	11	1	3	5	2	
Other method	22	1	6	4	5	6
Don't know/Not sure	3				2	1
Hysterectomy	4		1		2	1
Refused	16	3	2	4	4	3

What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Total	388	48	123	217		
	Tubes tied (or female sterilization)	67		22	45		
	Vasectomy (or male sterilization)	86	1	15	70		
	Birth control pills, any kind	79	14	31	34		
	Male condoms	58	13	18	27		
	Female condoms	1			1		
	Contractive implant (for example, Implanon)	3		2	1		
	Shots (for example, Depo-Provera)	6	3	2	1		
	Contraceptive ring (for example, Nuvaring)	3	1	2			
	Contraceptive patch (for example, Ortho Evra)	1	1				
	Diaphragm, cervical cap, or sponge						
	Foam, jelly, or cream						
	IUD (for example, Mirena)	46	6	20	20		
	Emergency contraceptive (morning after pill)						
	Withdrawal (or pulling out)	7		5	2		
	Other method	20	5	4	11		
	Don't know/Not sure	1	1				
	Hysterectomy						
	Refused	10	3	2	5		

Denominator is:
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

When you have intercourse, how often do you, or your partner, use a method to prevent pregnancy?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
	Some of the time	4.2	6.6	3.6	3.6		2.8
	Most of the time	12.0	12.0	13.5	10.3	10.2	6.8
	Or every time	83.8	81.4	82.9	86.0	89.8	90.4
MALE	Some of the time	3.2	6.2	2.2	3.5		2.8
	Most of the time	11.6	9.4	13.3	12.1	10.2	6.8
	Or every time	85.2	84.4	84.5	84.4	89.8	90.4
FEMALE	Some of the time	5.4	6.9	5.3	3.7		
	Most of the time	12.5	14.2	13.8	8.5		
	Or every time	82.1	78.9	80.9	87.7		

Denominator is:
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

When you have intercourse, how often do you, or your partner, use a method to prevent pregnancy?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		500	94	155	177	58	16
Some of the time		13	7	3	2		1
Most of the time		48	10	14	17	5	2
Or every time		413	73	131	154	47	8
Don't know/Not sure		17	1	7	3	3	3
Refused		9	3		1	3	2
MALE	Total	268	47	71	76	58	16
	Some of the time	5	2	1	1		1
	Most of the time	29	5	8	9	5	2
	Or every time	216	38	59	64	47	8
	Don't know/Not sure	11		3	2	3	3
	Refused	7	2			3	2
FEMALE	Total	232	47	84	101		
	Some of the time	8	5	2	1		
	Most of the time	19	5	6	8		
	Or every time	197	35	72	90		
	Don't know/Not sure	6	1	4	1		
	Refused	2	1		1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Didn't think going to have sex/No regular partner	4.1	14.1	1.8	4.9	1.1	2.2
You want a pregnancy	20.9	11.4	62.5	17.3	2.8	
Don't want to use birth control	1.5	11.0		.2		
Don't like birth control/fear side effects	.9	6.3				
You can't pay for birth control	1.6	3.6	4.3	.3		.3
Religious reasons						
Lapse in use of method	.2			.8		
Don't think can get pregnant	20.7	8.3	3.7	23.8	35.7	28.4
Had tubes tied (sterilization)	5.0	3.0	.5	5.0	10.6	3.9
You or your partner had a vasectomy	3.1			4.2	2.7	10.0
You or your partner had a hysterectomy	11.5		1.5	10.7	23.0	19.4
You or your partner are too old	3.3			.9	4.2	14.5
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	.3		1.1			
Other reason	22.4	40.0	9.9	28.0	20.0	21.4
Don't care if you get pregnant	.9		2.5	1.2		
Partner is pregnant now	3.8	2.4	12.2	2.5		
MALE Didn't think going to have sex/No regular partner	4.1	13.2	2.1	6.7	1.1	2.2
You want a pregnancy	15.8	10.5	66.3	11.1	2.8	
Don't want to use birth control						
Don't like birth control/fear side effects	1.1	8.9				
You can't pay for birth control	.7	5.1		.4		.3
Religious reasons						
Lapse in use of method	.2			1.1		
Don't think can get pregnant	22.7	4.9	1.9	25.2	35.7	28.4
Had tubes tied (sterilization)	5.7	4.3	.9	4.4	10.6	3.9
You or your partner had a vasectomy	2.8			1.0	2.7	10.0
You or your partner had a hysterectomy	14.3		2.6	14.3	23.0	19.4
You or your partner are too old	3.8				4.2	14.5
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	.3		1.9			
Other reason	22.7	49.8	.2	30.5	20.0	21.4
Don't care if you get pregnant	.9		3.3	1.7		
Partner is pregnant now	4.7	3.4	20.9	3.5		

What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Didn't think going to have sex/No regular partner	3.9	16.3	1.2			
	You want a pregnancy	41.4	13.6	57.3	34.7		
	Don't want to use birth control	7.8	37.0		.8		
	Don't like birth control/fear side effects						
	You can't pay for birth control	5.0		10.3			
	Religious reasons						
	Lapse in use of method						
	Don't think can get pregnant	12.5	16.3	6.3	19.7		
	Had tubes tied (sterilization)	2.0			6.4		
	You or your partner had a vasectomy	4.1			13.3		
	You or your partner had a hysterectomy	.2			.6		
	You or your partner are too old	1.0			3.3		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason	21.5	16.7	23.5	21.3		
	Don't care if you get pregnant	.7		1.4			
	Partner is pregnant now						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	327	27	53	86	91	70
Didn't think going to have sex/No regular partner	14	5	2	3	2	2
You want a pregnancy	56	4	31	18	3	
Don't want to use birth control	2	1		1		
Don't like birth control/fear side effects	2	2				
You can't pay for birth control	5	1	2	1		1
Religious reasons						
Lapse in use of method	1			1		
Don't think can get pregnant	72	2	2	19	29	20
Had tubes tied (sterilization)	19	1	1	4	9	4
You or your partner had a vasectomy	10			5	1	4
You or your partner had a hysterectomy	41		1	6	18	16
You or your partner are too old	21			1	9	11
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	1		1			
Other reason	68	9	7	22	18	12
Don't care if you get pregnant	4		2	2		
Partner is pregnant now	8	1	4	3		
Don't know/Not sure	3	1			2	
Refused						
MALE Total	257	19	27	50	91	70
Didn't think going to have sex/No regular partner	12	4	1	3	2	2
You want a pregnancy	27	2	16	6	3	
Don't want to use birth control						
Don't like birth control/fear side effects	2	2				
You can't pay for birth control	3	1		1		1
Religious reasons						
Lapse in use of method	1			1		
Don't think can get pregnant	62	1	1	11	29	20
Had tubes tied (sterilization)	17	1	1	2	9	4
You or your partner had a vasectomy	7			2	1	4
You or your partner had a hysterectomy	40		1	5	18	16
You or your partner are too old	20				9	11
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum	1		1			
Other reason	52	7	1	14	18	12
Don't care if you get pregnant	3		1	2		
Partner is pregnant now	8	1	4	3		
Don't know/Not sure	2				2	
Refused						

What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Total	70	8	26	36		
	Didn't think going to have sex/No regular partner	2	1	1			
	You want a pregnancy	29	2	15	12		
	Don't want to use birth control	2	1		1		
	Don't like birth control/fear side effects						
	You can't pay for birth control	2		2			
	Religious reasons						
	Lapse in use of method						
	Don't think can get pregnant	10	1	1	8		
	Had tubes tied (sterilization)	2			2		
	You or your partner had a vasectomy	3			3		
	You or your partner had a hysterectomy	1			1		
	You or your partner are too old	1			1		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason	16	2	6	8		
	Don't care if you get pregnant	1		1			
	Partner is pregnant now						
	Don't know/Not sure	1	1				
	Refused						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
	To prevent pregnancy up to three days after sex	58.9	56.9	66.7	59.0	43.6	42.9
	To end a pregnancy several weeks after it has begun	.6	1.2	.4	.6		
	Both of the above	13.9	12.0	7.8	19.1	23.6	22.5
	Neither of the above	26.7	29.8	25.2	21.3	32.9	34.6
MALE	To prevent pregnancy up to three days after sex	52.7	59.1	61.5	44.9	43.6	42.9
	To end a pregnancy several weeks after it has begun						
	Both of the above	16.6	8.5	11.1	24.5	23.6	22.5
	Neither of the above	30.7	32.4	27.4	30.6	32.9	34.6
FEMALE	To prevent pregnancy up to three days after sex	67.4	54.8	71.9	74.5		
	To end a pregnancy several weeks after it has begun	1.4	2.4	.9	1.2		
	Both of the above	10.1	15.3	4.3	13.2		
	Neither of the above	21.1	27.4	22.9	11.0		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		747	116	204	245	121	61
To prevent pregnancy up to three days after sex		360	55	115	128	41	21
To end a pregnancy several weeks after it has begun		3	1	1	1		
Both of the above		93	12	15	33	24	9
Neither of the above		156	30	42	41	30	13
Don't know/Not sure		124	17	31	36	24	16
Refused		11	1		6	2	2
MALE	Total	451	63	92	114	121	61
	To prevent pregnancy up to three days after sex	181	27	46	46	41	21
	To end a pregnancy several weeks after it has begun						
	Both of the above	66	7	7	19	24	9
	Neither of the above	108	19	22	24	30	13
	Don't know/Not sure	87	9	17	21	24	16
	Refused	9	1		4	2	2
FEMALE	Total	296	53	112	131		
	To prevent pregnancy up to three days after sex	179	28	69	82		
	To end a pregnancy several weeks after it has begun	3	1	1	1		
	Both of the above	27	5	8	14		
	Neither of the above	48	11	20	17		
	Don't know/Not sure	37	8	14	15		
	Refused	2			2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

In the last year, have you, or your partner, used emergency birth control pills?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		7.9	20.6	7.1	1.2		
No		92.1	79.4	92.9	98.8	100.0	100.0
MALE	Yes	5.6	16.2	6.5	1.3		
	No	94.4	83.8	93.5	98.7	100.0	100.0
FEMALE	Yes	11.5	25.1	7.9	1.1		
	No	88.5	74.9	92.1	98.9		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

In the last year, have you, or your partner, used emergency birth control pills?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		745	116	204	245	120	60
Yes		38	22	14	2		
No		700	93	190	240	119	58
Don't know/Not sure		4	1		2		1
Refused		3			1	1	1
MALE	Total	449	63	92	114	120	60
	Yes	15	8	6	1		
	No	428	54	86	111	119	58
	Don't know/Not sure	4	1		2		1
	Refused	2				1	1
FEMALE	Total	296	53	112	131		
	Yes	23	14	8	1		
	No	272	39	104	129		
	Don't know/Not sure						
	Refused	1			1		

Denominator is:
 All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

How do you feel about having a child now or sometime in the future?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
You don't want to have one		43.3	9.6	26.5	70.3	91.7	95.0
You do want, less than 12 months from now		10.1	3.1	18.7	10.0	2.3	
You do want, between 12 months to less than 2 years		13.2	14.2	21.1	7.5	3.3	
You do want, between 2-5 years from now		17.3	22.3	27.7	7.2	1.4	.7
You do want, 5 or more years from now		16.1	50.8	5.9	5.0	1.4	4.3
MALE	You don't want to have one	48.8	3.6	29.2	64.8	91.7	95.0
	You do want, less than 12 months from now	10.6	4.6	22.4	9.1	2.3	
	You do want, between 12 months to less than 2 years	10.8	10.9	19.0	8.8	3.3	
	You do want, between 2-5 years from now	13.2	15.2	23.7	10.6	1.4	.7
	You do want, 5 or more years from now	16.5	65.6	5.8	6.7	1.4	4.3
FEMALE	You don't want to have one	34.8	15.2	23.3	77.6		
	You do want, less than 12 months from now	9.3	1.7	14.2	11.2		
	You do want, between 12 months to less than 2 years	16.9	17.2	23.7	5.8		
	You do want, between 2-5 years from now	23.7	28.8	32.8	2.9		
	You do want, 5 or more years from now	15.3	37.1	6.0	2.6		

Denominator is:
 All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

How do you feel about having a child now or sometime in the future?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		755	118	208	246	122	61
You don't want to have one		377	10	51	165	101	50
You do want, less than 12 months from now		70	5	38	23	4	
You do want, between 12 months to less than 2 years		70	13	38	15	4	
You do want, between 2-5 years from now		100	31	48	17	3	1
You do want, 5 or more years from now		79	53	14	8	1	3
Don't know/Not sure		45	5	15	14	7	4
Refused		14	1	4	4	2	3
MALE	Total	455	63	95	114	122	61
	You don't want to have one	248	3	23	71	101	50
	You do want, less than 12 months from now	38	3	21	10	4	
	You do want, between 12 months to less than 2 years	31	6	14	7	4	
	You do want, between 2-5 years from now	52	13	23	12	3	1
	You do want, 5 or more years from now	49	34	6	5	1	3
	Don't know/Not sure	27	3	6	7	7	4
	Refused	10	1	2	2	2	3
FEMALE	Total	300	55	113	132		
	You don't want to have one	129	7	28	94		
	You do want, less than 12 months from now	32	2	17	13		
	You do want, between 12 months to less than 2 years	39	7	24	8		
	You do want, between 2-5 years from now	48	18	25	5		
	You do want, 5 or more years from now	30	19	8	3		
	Don't know/Not sure	18	2	9	7		
	Refused	4		2	2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.