

Oregon 2010 BRFS

**(PRELIMINARY) Are you or your partner doing anything currently now to keep from getting pregnant?**

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Yes	62.8	43.6	74.8	69.8	60.9	44.7
No	22.3	21.2	18.8	19.2	28.5	39.7
No partner/Not sexually active	14.2	35.3	6.0	9.4	9.3	15.6
Same sex partner	.8		.4	1.6	1.3	
MALE Yes	57.6	35.3	69.4	64.7	60.9	44.7
No	26.7	27.0	21.6	24.0	28.5	39.7
No partner/Not sexually active	15.2	37.8	8.9	10.4	9.3	15.6
Same sex partner	.6			1.0	1.3	
FEMALE Yes	71.8	53.6	80.5	75.6		
No	14.6	14.2	15.8	13.7		
No partner/Not sexually active	12.4	32.2	2.9	8.3		
Same sex partner	1.2		.8	2.4		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant.

**(PRELIMINARY) Are you or your partner doing anything currently now to keep from getting pregnant?**

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	1,197	91	205	449	268	184
Yes	714	41	146	304	151	72
No	274	21	38	76	74	65
No partner/Not sexually active	172	29	16	53	34	40
Same sex partner	12		1	7	4	
Don't know/Not sure	3				1	2
Refused	22		4	9	4	5
MALE Total	778	49	87	190	268	184
Yes	414	18	55	118	151	72
No	214	15	19	41	74	65
No partner/Not sexually active	127	16	11	26	34	40
Same sex partner	6			2	4	
Don't know/Not sure	3				1	2
Refused	14		2	3	4	5
FEMALE Total	419	42	118	259		
Yes	300	23	91	186		
No	60	6	19	35		
No partner/Not sexually active	45	13	5	27		
Same sex partner	6		1	5		
Don't know/Not sure						
Refused	8		2	6		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Oregon 2010 BRFSS

**(PRELIMINARY) What are you, or your partner, doing NOW to keep from getting pregnant?**

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (or female sterilization)	14.3		14.8	16.5	20.6	14.5
Vasectomy (or male sterilization)	25.6		10.8	35.0	48.5	67.0
Birth control pills, any kind	19.8	28.6	22.4	21.7	7.2	4.3
Male condoms	18.2	44.7	19.3	13.1	8.7	2.7
Female condoms	.2			.6		
Contractive implant (for example, Implanon)	1.6		4.4	.3		
Shots (for example, Depo-Provera)	1.6	4.3	2.5	.3	.6	
Contraceptive ring (for example, Nuvaring)	1.8	7.6	2.5			
Contraceptive patch (for example, Ortho Evra)	.1				.4	
Diaphragm, cervical cap, or sponge	.3				1.8	.7
Foam, jelly, or cream	.1				.8	
IUD (for example, Mirena)	9.1	7.6	14.4	7.2	5.2	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	2.3	3.1	3.9	1.0	1.2	
Other method	4.4	4.3	4.0	4.4	3.9	9.3
Hysterectomy	.6		1.1		1.2	1.4
<b>MALE</b> Tubes tied (or female sterilization)	11.9		5.6	13.4	20.6	14.5
Vasectomy (or male sterilization)	29.8		7.8	34.5	48.5	67.0
Birth control pills, any kind	18.9	32.9	20.8	27.8	7.2	4.3
Male condoms	18.2	51.3	26.1	11.7	8.7	2.7
Female condoms	.2			.8		
Contractive implant (for example, Implanon)	1.8		6.5			
Shots (for example, Depo-Provera)	.6		1.5		.6	
Contraceptive ring (for example, Nuvaring)	2.1	9.1	4.1			
Contraceptive patch (for example, Ortho Evra)	.1				.4	
Diaphragm, cervical cap, or sponge	.5				1.8	.7
Foam, jelly, or cream	.2				.8	
IUD (for example, Mirena)	6.7		12.6	6.3	5.2	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	3.0	6.8	5.6	1.5	1.2	
Other method	4.9		7.4	4.0	3.9	9.3
Hysterectomy	1.1		2.2		1.2	1.4
<b>FEMALE</b> Tubes tied (or female sterilization)	17.8		23.3	19.5		
Vasectomy (or male sterilization)	19.8		13.6	35.4		
Birth control pills, any kind	21.0	25.2	23.8	15.9		
Male condoms	18.0	39.2	13.0	14.3		
Female condoms	.1			.3		
Contractive implant (for example, Implanon)	1.3		2.5	.5		
Shots (for example, Depo-Provera)	3.0	7.7	3.4	.5		
Contraceptive ring (for example, Nuvaring)	1.5	6.4	1.0			
Contraceptive patch (for example, Ortho Evra)						
Diaphragm, cervical cap, or sponge						
Foam, jelly, or cream						
IUD (for example, Mirena)	12.5	13.7	16.0	8.2		
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	1.3		2.4	.5		
Other method	3.6	7.7	1.0	4.7		
Hysterectomy						

Oregon 2010 BRFSS

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

**(PRELIMINARY) What are you, or your partner, doing NOW to keep from getting pregnant?**

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	714	41	146	304	151	72
Tubes tied (or female sterilization)	114		23	52	27	12
Vasectomy (or male sterilization)	231		17	102	69	43
Birth control pills, any kind	115	10	33	58	11	3
Male condoms	102	17	26	41	16	2
Female condoms	2			2		
Contractive implant (for example, Implanon)	6		5	1		
Shots (for example, Depo-Provera)	7	2	3	1	1	
Contraceptive ring (for example, Nuvaring)	5	2	3			
Contraceptive patch (for example, Ortho Evra)	1				1	
Diaphragm, cervical cap, or sponge	4				3	1
Foam, jelly, or cream	1				1	
IUD (for example, Mirena)	57	2	24	22	9	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	12	1	6	3	2	
Other method	29	2	3	13	5	6
Don't know/Not sure	2				1	1
Hysterectomy	4		1		2	1
Refused	22	5	2	9	3	3
<b>MALE Total</b>	<b>414</b>	<b>18</b>	<b>55</b>	<b>118</b>	<b>151</b>	<b>72</b>
Tubes tied (or female sterilization)	58		3	16	27	12
Vasectomy (or male sterilization)	155		4	39	69	43
Birth control pills, any kind	61	5	12	30	11	3
Male condoms	58	9	16	15	16	2
Female condoms	1			1		
Contractive implant (for example, Implanon)	3		3			
Shots (for example, Depo-Provera)	2		1		1	
Contraceptive ring (for example, Nuvaring)	3	1	2			
Contraceptive patch (for example, Ortho Evra)	1				1	
Diaphragm, cervical cap, or sponge	4				3	1
Foam, jelly, or cream	1				1	
IUD (for example, Mirena)	23		7	7	9	
Emergency contraceptive (morning after pill)						
Withdrawal (or pulling out)	8	1	3	2	2	
Other method	17		2	4	5	6
Don't know/Not sure	2				1	1
Hysterectomy	4		1		2	1
Refused	13	2	1	4	3	3

Oregon 2010 BRFSS

**(PRELIMINARY) What are you, or your partner, doing NOW to keep from getting pregnant?**

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Total	300	23	91	186		
	Tubes tied (or female sterilization)	56		20	36		
	Vasectomy (or male sterilization)	76		13	63		
	Birth control pills, any kind	54	5	21	28		
	Male condoms	44	8	10	26		
	Female condoms	1			1		
	Contractive implant (for example, Implanon)	3		2	1		
	Shots (for example, Depo-Provera)	5	2	2	1		
	Contraceptive ring (for example, Nuvaring)	2	1	1			
	Contraceptive patch (for example, Ortho Evra)						
	Diaphragm, cervical cap, or sponge						
	Foam, jelly, or cream						
	IUD (for example, Mirena)	34	2	17	15		
	Emergency contraceptive (morning after pill)						
	Withdrawal (or pulling out)	4		3	1		
	Other method	12	2	1	9		
	Don't know/Not sure						
	Hysterectomy						
	Refused	9	3	1	5		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

**(PRELIMINARY) When you have intercourse, how often do you, or your partner, use a method to prevent pregnancy?**

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
	Some of the time	1.5	5.3				12.2
	Most of the time	9.8	11.1	8.8	10.4	7.5	16.6
	Or every time	88.7	83.6	91.2	89.6	92.5	71.2
MALE	Some of the time	1.4	5.7				12.2
	Most of the time	9.1	4.1	10.2	11.5	7.5	16.6
	Or every time	89.5	90.2	89.8	88.5	92.5	71.2
FEMALE	Some of the time	1.6	5.0				
	Most of the time	10.6	16.4	7.2	9.2		
	Or every time	87.8	78.6	92.8	90.8		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

Oregon 2010 BRFSS

**(PRELIMINARY) When you have intercourse, how often do you, or your partner, use a method to prevent pregnancy?**

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	358	41	99	149	53	16
Some of the time	4	3				1
Most of the time	32	4	8	14	4	2
Or every time	302	33	86	132	43	8
Don't know/Not sure	13		5	2	3	3
Refused	7	1		1	3	2
MALE Total	193	18	43	63	53	16
Some of the time	2	1				1
Most of the time	18	1	4	7	4	2
Or every time	158	15	37	55	43	8
Don't know/Not sure	9		2	1	3	3
Refused	6	1			3	2
FEMALE Total	165	23	56	86		
Some of the time	2	2				
Most of the time	14	3	4	7		
Or every time	144	18	49	77		
Don't know/Not sure	4		3	1		
Refused	1			1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

Oregon 2010 BRFSS

**(PRELIMINARY) What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?**

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
	Didn't think going to have sex/No regular partner	5.5	17.3	2.4	3.6	1.2	3.1
	You want a pregnancy	22.9	13.3	64.6	18.0	1.9	
	Don't want to use birth control	1.7	7.6		.9		
	Don't like birth control/fear side effects	2.0	10.0				
	You can't pay for birth control	2.6	5.4	4.7	.7		1.5
	Religious reasons						
	Lapse in use of method	.3			1.4		
	Don't think can get pregnant	18.5	7.3	2.8	20.8	38.7	29.6
	Had tubes tied (sterilization)	5.6	3.6		7.2	12.4	5.4
	You or your partner had a vasectomy	2.3			5.6	1.9	5.2
	You or your partner had a hysterectomy	9.5		2.8	8.7	19.3	23.9
	You or your partner are too old	3.5			1.3	6.7	16.1
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	.7		2.8			
	Other reason	20.5	31.9	11.5	24.7	18.0	15.1
	Don't care if you get pregnant	1.8		4.7	2.7		
	Partner is pregnant now	2.7	3.6	3.8	4.3		
MALE	Didn't think going to have sex/No regular partner	5.7	18.2	2.3	5.4	1.2	3.1
	You want a pregnancy	17.6	10.4	70.4	9.5	1.9	
	Don't want to use birth control						
	Don't like birth control/fear side effects	2.6	14.4				
	You can't pay for birth control	1.9	7.8		1.1		1.5
	Religious reasons						
	Lapse in use of method	.5			2.2		
	Don't think can get pregnant	22.2	10.4	4.6	21.5	38.7	29.6
	Had tubes tied (sterilization)	6.7	5.2		7.6	12.4	5.4
	You or your partner had a vasectomy	2.0			3.3	1.9	5.2
	You or your partner had a hysterectomy	12.2		4.6	11.8	19.3	23.9
	You or your partner are too old	4.2				6.7	16.1
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	.9		4.6			
	Other reason	18.4	28.4	2.3	27.0	18.0	15.1
	Don't care if you get pregnant	1.7		4.6	4.1		
	Partner is pregnant now	3.5	5.2	6.4	6.5		
FEMALE	Didn't think going to have sex/No regular partner	4.7	15.0	2.4			
	You want a pregnancy	39.8	20.0	56.3	34.6		
	Don't want to use birth control	7.2	25.0		2.7		
	Don't like birth control/fear side effects						
	You can't pay for birth control	4.7		11.6			
	Religious reasons						
	Lapse in use of method						
	Don't think can get pregnant	6.7			19.6		
	Had tubes tied (sterilization)	2.2			6.4		
	You or your partner had a vasectomy	3.5			10.1		
	You or your partner had a hysterectomy	.9			2.7		
	You or your partner are too old	1.3			3.7		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason	27.0	40.0	24.8	20.1		

Oregon 2010 BRFSS

**(PRELIMINARY) What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?**

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
FEMALE Don't care if you get pregnant Partner is pregnant now	2.0		4.9			

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

Oregon 2010 BRFSS

**(PRELIMINARY) What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?**

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		272	21	38	75	74	64
Didn't think going to have sex/No regular partner		14	5	2	3	2	2
You want a pregnancy		44	4	22	16	2	
Don't want to use birth control		2	1		1		
Don't like birth control/fear side effects		1	1				
You can't pay for birth control		5	1	2	1		1
Religious reasons							
Lapse in use of method		1			1		
Don't think can get pregnant		63	1	1	15	27	19
Had tubes tied (sterilization)		16	1		4	7	4
You or your partner had a vasectomy		9			5	1	3
You or your partner had a hysterectomy		34		1	5	14	14
You or your partner are too old		17			1	6	10
You or your partner are currently breast-feeding							
You or your partner just had a baby/postpartum		1		1			
Other reason		56	6	6	18	15	11
Don't care if you get pregnant		4		2	2		
Partner is pregnant now		5	1	1	3		
Don't know/Not sure							
Refused							
MALE	Total	212	15	19	40	74	64
	Didn't think going to have sex/No regular partner	12	4	1	3	2	2
	You want a pregnancy	20	2	12	4	2	
	Don't want to use birth control						
	Don't like birth control/fear side effects	1	1				
	You can't pay for birth control	3	1		1		1
	Religious reasons						
	Lapse in use of method	1			1		
	Don't think can get pregnant	56	1	1	8	27	19
	Had tubes tied (sterilization)	14	1		2	7	4
	You or your partner had a vasectomy	6			2	1	3
	You or your partner had a hysterectomy	33		1	4	14	14
	You or your partner are too old	16				6	10
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum	1		1			
	Other reason	41	4	1	10	15	11
	Don't care if you get pregnant	3		1	2		
	Partner is pregnant now	5	1	1	3		
	Don't know/Not sure						
	Refused						
FEMALE	Total	60	6	19	35		
	Didn't think going to have sex/No regular partner	2	1	1			
	You want a pregnancy	24	2	10	12		
	Don't want to use birth control	2	1		1		
	Don't like birth control/fear side effects						
	You can't pay for birth control	2		2			
	Religious reasons						
	Lapse in use of method						
	Don't think can get pregnant	7			7		

Oregon 2010 BRFSS

**(PRELIMINARY) What is your, or your partner's, main reason for not doing anything to keep from getting pregnant?**

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
FEMALE Had tubes tied (sterilization)	2			2		
You or your partner had a vasectomy	3			3		
You or your partner had a hysterectomy	1			1		
You or your partner are too old	1			1		
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum						
Other reason	15	2	5	8		
Don't care if you get pregnant	1		1			
Partner is pregnant now						
Don't know/Not sure						
Refused						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

**(PRELIMINARY) From your understanding, would you say emergency birth control pills can be used . . . ?**

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
To prevent pregnancy up to three days after sex	56.9	49.8	63.7	59.9	44.8	49.8
To end a pregnancy several weeks after it has begun	.9	1.9	.9	.6		
Both of the above	14.6	16.0	8.9	16.9	25.0	15.5
Neither of the above	27.6	32.3	26.6	22.6	30.2	34.7
MALE To prevent pregnancy up to three days after sex	50.9	41.8	59.4	52.0	44.8	49.8
To end a pregnancy several weeks after it has begun						
Both of the above	14.6	11.8	5.7	20.6	25.0	15.5
Neither of the above	34.5	46.5	34.9	27.4	30.2	34.7
FEMALE To prevent pregnancy up to three days after sex	65.5	57.9	68.2	68.9		
To end a pregnancy several weeks after it has begun	2.2	3.8	1.8	1.3		
Both of the above	14.7	20.3	12.3	12.7		
Neither of the above	17.6	18.0	17.7	17.1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

Oregon 2010 BRFSS

**(PRELIMINARY) From your understanding, would you say emergency birth control pills can be used . . . ?**

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		566	59	137	207	105	58
To prevent pregnancy up to three days after sex		267	25	75	108	39	20
To end a pregnancy several weeks after it has begun		3	1	1	1		
Both of the above		73	6	10	28	22	7
Neither of the above		124	18	31	36	26	13
Don't know/Not sure		91	9	20	29	17	16
Refused		8			5	1	2
MALE Total		346	31	60	92	105	58
To prevent pregnancy up to three days after sex		136	10	30	37	39	20
To end a pregnancy several weeks after it has begun							
Both of the above		51	3	3	16	22	7
Neither of the above		88	13	17	19	26	13
Don't know/Not sure		65	5	10	17	17	16
Refused		6			3	1	2
FEMALE Total		220	28	77	115		
To prevent pregnancy up to three days after sex		131	15	45	71		
To end a pregnancy several weeks after it has begun		3	1	1	1		
Both of the above		22	3	7	12		
Neither of the above		36	5	14	17		
Don't know/Not sure		26	4	10	12		
Refused		2			2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

**(PRELIMINARY) In the last year, have you, or your partner, used emergency birth control pills?**

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		5.3	15.0	3.8	1.5		
No		94.7	85.0	96.2	98.5	100.0	100.0
MALE Yes		3.0	4.7	5.4	1.4		
No		97.0	95.3	94.6	98.6	100.0	100.0
FEMALE Yes		8.8	26.4	2.0	1.6		
No		91.2	73.6	98.0	98.4		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

Oregon 2010 BRFSS

**(PRELIMINARY) In the last year, have you, or your partner, used emergency birth control pills?**

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		565	59	137	207	104	58
Yes		14	7	5	2		
No		546	52	132	203	103	56
Don't know/Not sure		2			1		1
Refused		3			1	1	1
MALE Total		345	31	60	92	104	58
Yes		5	1	3	1		
No		336	30	57	90	103	56
Don't know/Not sure		2			1		1
Refused		2				1	1
FEMALE Total		220	28	77	115		
Yes		9	6	2	1		
No		210	22	75	113		
Don't know/Not sure							
Refused		1			1		

Denominator is:  
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant,not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

**(PRELIMINARY) How do you feel about having a child now or sometime in the future?**

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
You don't want to have one		42.2	7.7	23.4	73.1	90.7	92.7
You do want, less than 12 months from now		12.0	7.2	20.7	9.3	3.6	
You do want, between 12 months to less than 2 years		12.4	13.3	22.1	3.9	2.0	
You do want, between 2-5 years from now		18.6	26.5	26.6	9.5	2.4	1.0
You do want, 5 or more years from now		14.7	45.3	7.2	4.2	1.3	6.2
MALE You don't want to have one		46.6	8.4	19.9	70.9	90.7	92.7
You do want, less than 12 months from now		12.1	9.6	23.8	7.6	3.6	
You do want, between 12 months to less than 2 years		10.8	9.9	23.8	2.8	2.0	
You do want, between 2-5 years from now		17.8	27.9	26.7	12.9	2.4	1.0
You do want, 5 or more years from now		12.7	44.1	5.7	5.7	1.3	6.2
FEMALE You don't want to have one		35.4	6.9	27.7	76.0		
You do want, less than 12 months from now		11.7	4.5	16.8	11.5		
You do want, between 12 months to less than 2 years		14.9	17.0	20.0	5.2		
You do want, between 2-5 years from now		20.0	25.0	26.4	5.2		
You do want, 5 or more years from now		18.0	46.6	9.0	2.1		

Denominator is:  
All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant,not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

Oregon 2010 BRFSS

**(PRELIMINARY) How do you feel about having a child now or sometime in the future?**

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		573	60	141	208	106	58
You don't want to have one		316	4	36	141	88	47
You do want, less than 12 months from now		55	5	27	19	4	
You do want, between 12 months to less than 2 years		44	7	25	9	3	
You do want, between 2-5 years from now		66	16	30	16	3	1
You do want, 5 or more years from now		48	25	11	8	1	3
Don't know/Not sure		31	3	8	11	5	4
Refused		13		4	4	2	3
MALE	Total	350	31	63	92	106	58
	You don't want to have one	210	2	13	60	88	47
	You do want, less than 12 months from now	29	3	15	7	4	
	You do want, between 12 months to less than 2 years	20	3	11	3	3	
	You do want, between 2-5 years from now	39	9	15	11	3	1
	You do want, 5 or more years from now	26	13	4	5	1	3
	Don't know/Not sure	17	1	3	4	5	4
	Refused	9		2	2	2	3
FEMALE	Total	223	29	78	116		
	You don't want to have one	106	2	23	81		
	You do want, less than 12 months from now	26	2	12	12		
	You do want, between 12 months to less than 2 years	24	4	14	6		
	You do want, between 2-5 years from now	27	7	15	5		
	You do want, 5 or more years from now	22	12	7	3		
	Don't know/Not sure	14	2	5	7		
	Refused	4		2	2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.