

APPENDIX A

FREQUENCIES FROM THE 1999 YOUTH RISK BEHAVIOR SURVEY (YRBS)

1999 Oregon Youth Risk Behavior Survey

High School Questionnaire

Total Sample = 22, 913

The first four questions ask about demographics.

The next questions ask about safety.

<p>1. How old are you? <u>n</u> <u>%</u></p> <p>a. 12 years old or younger 0 0.0</p> <p>b. 13 years old 11 0.0</p> <p>c. 14 years old 1,833 7.4</p> <p>d. 15 years old 6,340 26.1</p> <p>e. 16 years old 6,480 27.1</p> <p>f. 17 years old 5,642 24.0</p> <p>g. 18 years old or older 2,590 15.3</p> <p style="padding-left: 20px;">Missing = 17</p> <p>2. What is your sex? <u>n</u> <u>%</u></p> <p>a. Female 11,597 50.9</p> <p>b. Male 11,316 49.1</p> <p style="padding-left: 20px;">Missing = 0</p> <p>3. In what grade are you? <u>n</u> <u>%</u></p> <p>a. 9th grade 7,002 28.1</p> <p>b. 10th grade 6,070 26.4</p> <p>c. 11th grade 6,380 24.1</p> <p>d. 12th grade 3,461 21.4</p> <p style="padding-left: 20px;">Missing = 0</p> <p>4. What race does this student consider himself/ herself? <u>n</u> <u>%</u></p> <p>a. White 19,638 86.0</p> <p>b. Black or African American 409 2.1</p> <p>c. Hispanic or Latino 1,553 7.3</p> <p style="padding-left: 20px;">Asian 777 3.9</p> <p>d. Native Hawaiian or Other Pacific Islander 329 1.5</p> <p>e. American Indian or Alaska Native 889 3.7</p> <p style="padding-left: 20px;">Missing = 303</p>	<p>7. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</p> <p>a. I did not ride a bicycle during <u>n</u> <u>%</u> the past 12 months 6,800 30.7</p> <p>b. Never wore a helmet 8,416 36.5</p> <p>c. Rarely wore a helmet 1,830 8.0</p> <p>d. Sometimes wore a helmet 1,385 5.9</p> <p>e. Most of the time wore a helmet 1,750 7.2</p> <p>f. Always wore a helmet 2,624 11.6</p> <p style="padding-left: 20px;">Missing = 108</p> <p>8. How often do you wear a seat belt when riding in a car driven by someone else?</p> <p style="text-align: right;"><u>n</u> <u>%</u></p> <p>a. Never 275 1.2</p> <p>b. Rarely 760 3.1</p> <p>c. Sometimes 1,596 6.7</p> <p>d. Most of the time 5,863 24.9</p> <p>e. Always 14,332 64.2</p> <p style="padding-left: 20px;">Missing = 87</p> <p>9. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</p> <p style="text-align: right;"><u>n</u> <u>%</u></p> <p>a. 0 times 16,948 74.5</p> <p>b. 1 time 2,517 11.1</p> <p>c. 2 or 3 times 2,048 8.9</p> <p>d. 4 or 5 times 516 2.3</p> <p>e. 6 or more times 755 3.2</p> <p style="padding-left: 20px;">Missing = 129</p>
--	---

Note: Students were allowed to choose multiple answers, and 3.9% selected more than one race. Therefore, percents do not add up to 100.

10. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	<u>n</u>	<u>%</u>
a. 0 times	20,368	90.0
b. 1 time	1,208	5.4
c. 2 or 3 times	659	3.0
d. 4 or 5 times	171	0.7
e. 6 or more times	193	0.9
Missing = 314		

The next questions ask about harassment.

11. During the past 12 months, have you been harassed at school (or on the way to or from school) because of your race or ethnic background?	<u>n</u>	<u>%</u>
a. Yes	1,983	8.7
b. No	20,893	91.3
Missing = 37		

12. During the past 12 months, have you ever been harassed at school (or on the way to or from school) because someone thought you were gay, lesbian or bisexual ?	<u>n</u>	<u>%</u>
a. Yes	1,584	6.8
b. No	21,265	93.2
Missing = 64		

13. During the past 12 months, have you received unwanted sexual comments or attention at school (or on your way to or from school)?	<u>n</u>	<u>%</u>
a. Yes	4,876	21.7
b. No	17,903	78.3
Missing = 134		

The next questions ask about weapons carrying, violence, and abuse.

14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife or club?	<u>n</u>	<u>%</u>
a. 0 days	19,128	86.0
b. 1 day	643	2.8
c. 2 or 3 days	721	3.0
d. 4 or 5 days	282	1.2
e. 6 or more days	1,707	7.1
Missing = 432		

15. During the past 30 days, on how many days did you carry a gun?	<u>n</u>	<u>%</u>
a. 0 days	21,458	95.9
b. 1 day	299	1.2
c. 2 or 3 days	292	1.2
d. 4 or 5 days	122	0.4
e. 6 or more days	332	1.4
Missing = 410		

16. If you carried a gun in the last 30 days, who did the gun belong to?	<u>n</u>	<u>%</u>
a. I did not carry a gun	21,438	95.8
b. Gun belongs to me	748	2.9
c. Gun belongs to another person who lives in my home	141	0.6
d. Gun belongs to someone that does not live in my home	172	0.7
Missing = 414		

17. During the past 30 days, on how many days did you carry a gun as a weapon on school property?	<u>n</u>	<u>%</u>
a. 0 days	22,552	99.2
b. 1 day	52	0.2
c. 2 or 3 days	39	0.2
d. 4 or 5 days	13	0.0
e. 6 or more days	71	0.3
Missing = 186		

18. During the past 30 days, on how many days did you carry a weapon (other than a gun) such as a knife or club on school property?	<u>n</u>	<u>%</u>
a. 0 days	20,799	92.1
b. 1 day	360	1.5
c. 2 or 3 days	351	1.5
d. 4 or 5 days	140	0.6
e. 6 or more days	1,043	4.3
Missing = 220		

19. During the past 30 days, how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?	<u>n</u>	<u>%</u>
a. 0 days	21,292	91.3
b. 1 day	1,046	6.1
c. 2 or 3 days	350	1.7
d. 4 or 5 days	71	0.4
e. 6 or more days	121	0.5
Missing = 33		

NOTE: Percentages may not always add to 100%, due to rounding.

20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

	<u>n</u>	<u>%</u>
a. 0 times	21,471	93.8
b. 1 time	660	2.8
c. 2 or 3 times	405	1.8
d. 4 or 5 times	113	0.5
e. 6 or 7 times	51	0.2
f. 8 or 9 times	29	0.1
g. 10 or 11 times	18	0.1
h. 12 or more times	133	0.6
Missing = 33		

21. During the past 12 months, how many times were you in a physical fight?

	<u>n</u>	<u>%</u>
a. 0 times	17,122	75.8
b. 1 time	2,672	11.5
c. 2 or 3 times	1,764	7.5
d. 4 or 5 times	464	2.1
e. 6 or 7 times	214	1.1
f. 8 or 9 times	119	0.5
g. 10 or 11 times	49	0.2
h. 12 or more times	336	1.4
Missing = 173		

22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?

	<u>n</u>	<u>%</u>
a. 0 times	22,275	97.6
b. 1 time	435	1.8
c. 2 or 3 times	78	0.4
d. 4 or 5 times	17	0.1
e. 6 or more times	30	0.1
Missing = 78		

23. During the past 12 months, how many times were you in a physical fight on school property?

	<u>n</u>	<u>%</u>
a. 0 times	20,116	89.0
b. 1 time	1,730	7.2
c. 2 or 3 times	648	2.8
d. 4 or 5 times	126	0.5
e. 6 or 7 times	42	0.1
f. 8 or 9 times	33	0.2
g. 10 or 11 times	8	0.0
h. 12 or more times	49	0.2
Missing = 161		

24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?

	<u>n</u>	<u>%</u>
a. Yes	1,610	7.2
b. No	14,956	65.8
c. Did not have a boyfriend or girlfriend during last 12 months		
	6,245	27.1
Missing = 102		

25. During the past 12 months did any adult family member ever hit slap or physically hurt you on purpose?

	<u>n</u>	<u>%</u>
a. Yes	3,085	13.2
b. No	19,718	86.8
Missing = 110		

26. Have you ever been forced to have sexual intercourse when you did not want to?

	<u>n</u>	<u>%</u>
a. Yes	1,333	5.9
b. No	21,500	94.1
Missing = 80		

27. Other than forced sexual intercourse, have you ever been touched sexually when you did not want to be touched?

	<u>n</u>	<u>%</u>
a. Yes	3,988	17.9
b. No	18,815	82.1
Missing = 110		

The next questions ask about feelings of depression or sadness that might lead to suicidal thoughts or suicide attempts.

28. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

	<u>n</u>	<u>%</u>
a. Yes	5,493	23.9
b. No	17,361	76.1
Missing = 59		

29. During the past 12 months, did you ever seriously consider attempting suicide?

	<u>n</u>	<u>%</u>
a. Yes	3,730	16.0
b. No	19,108	84.0
Missing = 75		

NOTE: Percentages may not always add to 100%, due to rounding.

30. During the past 12 months, how many times did you actually attempt suicide?	<u>n</u>	<u>%</u>
a. 0 times	19,941	93.6
b. 1 time	789	3.7
c. 2 or 3 times	429	1.9
d. 4 or 5 times	77	0.3
e. 6 or more times	103	0.5
Missing = 1,574		

31. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	<u>n</u>	<u>%</u>
a. I did not attempt suicide during the past 12 months	19,795	93.5
b. Yes	360	1.7
c. No	1,039	4.8
Missing = 1,719		

The next questions ask about smoking on and off school property.

32. If one of your best friends were to offer you a cigarette, would you try it?	<u>n</u>	<u>%</u>
a. Definitely no	12,383	55.2
b. Probably no	3,879	16.9
c. Probably yes	3,530	15.2
d. Definitely yes	3,005	12.7
Missing = 116		

33. How old were you when you smoked a whole cigarette for the first time?	<u>n</u>	<u>%</u>
a. I have never smoked a whole cigarette	11,285	50.6
b. 8 years old or younger	884	3.7
c. 9 or 10 years old	1,239	5.1
d. 11 or 12 years old	2,940	12.5
e. 13 or 14 years old	4,033	17.6
f. 15 or 16 years old	1,938	9.0
g. 17 years old or more	304	1.6
Missing = 290		

34. During the past 30 days, on how many days did you smoke cigarettes?	<u>n</u>	<u>%</u>
a. 0 days	16,548	75.4
b. 1 or 2 days	1,287	5.8
c. 3 to 5 days	660	2.9
d. 6 to 9 days	527	2.4
e. 10 to 19 days	665	2.9
f. 20 to 29 days	776	3.3
g. All 30 days	1,671	7.3
Missing = 779		

35. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?	<u>n</u>	<u>%</u>
a. I did not smoke cigarettes during the past 30 days	16,522	75.4
b. Less than 1 cigarette per day	988	4.5
c. 1 cigarette per day	1,074	4.7
d. 2 to 5 cigarettes per day	2,292	10.1
e. 6 to 10 cigarettes per day	800	3.3
f. 11 to 20 cigarettes per day	378	1.8
g. More than 20 cigarettes per day	62	0.3
Missing = 797		

36. Mark all that apply: During the past 30 days, have you bought cigarettes from ANY of the following sources?	<u>n</u>	<u>%</u>
a. Did not smoke in past 30 days	16,305	73.3
b. Did not buy cigarettes in past 30 days	8,088	35.8
c. Bought from grocery store	1,152	5.4
d. Bought from convenience store	1,707	7.9
e. Bought from gas station	1,542	7.7
f. Bought from vending machine	275	1.1
Missing = 549		

37. During the past 30 days, how many times have you bought cigarettes from any store or gas station?	<u>n</u>	<u>%</u>
a. None	19,753	87.8
b. 1 time	521	2.5
c. 2 times	444	2.2
d. 3 times	359	1.7
e. 4 times	303	1.5
f. 5 - 9 times	420	2.0
g. 10 - 14 times	175	0.8
h. 15 or more times	335	1.6
Missing = 603		

NOTE: Percentages may not always add to 100%, due to rounding.

38. During the past 30 days, how many times has any store or gas station refused to sell you cigarettes?	<u>n</u>	<u>%</u>	41. During the past 30 days, where have you most often gotten your cigarettes?	<u>n</u>	<u>%</u>
a. I did not try to buy cigarettes	19,756	87.8	a. I haven't smoked in the past 30 days	16,490	82.2
b. None (I was able to buy cigarettes each time I tried)	1,858	9.2	b. From friends	793	3.7
c. 1 time	295	1.3	c. From family members	410	1.7
d. 2 times	186	0.8	d. Gave someone money to buy for me	1,068	4.8
e. 3 times	84	0.3	e. Bought from store, gas station, convenience store	1,013	5.9
f. 4 times	40	0.2	f. Bought from a vending machine	26	0.1
g. 5 times	21	0.1	g. Stole from grocery store, gas station or a convenience store	47	0.2
h. 6 or more times	77	0.3	h. Other	292	1.4
Missing = 596			Missing = 2,774		
39. When you bought cigarettes in a store during the past 30 days, were you ever asked to show proof of age?	<u>n</u>	<u>%</u>	42. During the past 30 days, on how many days did you smoke cigarettes on school property?	<u>n</u>	<u>%</u>
a. I did not smoke cigarettes during the past 30 days	13,979	68.4	a. 0 days	20,998	92.3
b. I did not buy cigarettes in a store during the past 30 days	3,869	17.8	b. 1 or 2 days	661	2.9
c. Yes, I was asked to show proof of age	1,437	7.9	c. 3 to 5 days	282	1.2
d. No, I was not asked to show proof of age	1,229	6.0	d. 6 to 9 days	185	0.8
Missing = 2,399			e. 10 to 19 days	234	1.0
40. Mark all that apply: During the past 30 days, have you gotten cigarettes from ANY of the following sources?	<u>n</u>	<u>%</u>	f. 20 to 29 days	152	0.7
a. Did not smoke cigarettes in past 30 days	16,584	74.5	g. All 30 days	238	1.0
b. From a friend, 18+ years of age	3,346	14.5	Missing = 163		
c. From a friend, <18 years of age	3,231	13.5	43. Have you ever smoked regularly, that is, at least one cigarette every day for 30 days?	<u>n</u>	<u>%</u>
d. From family members	682	2.6	a. Yes	4,349	18.8
e. Stole or took without permission from family members	988	4.1	b. No	18,283	81.2
f. Gave someone money to buy them	2,220	9.0	Missing = 281		
g. Stole from grocery store, gas station, or convenience store	270	1.1	44. Have you ever succeeded in quitting smoking cigarettes for at least 3 months?	<u>n</u>	<u>%</u>
h. Some other method	1,545	7.0	a. I have never smoked	14,434	66.1
Missing = 430			b. I smoke now and have never quit for 3 months	1,964	8.5
			c. I smoke now, have quit for at least 3 months at one time	2,510	11.0
			d. I used to smoke, but I quit 3 or more months ago	3,261	14.4
			Missing = 744		

NOTE: Percentages may not always add to 100%, due to rounding.

45. Does someone living in your house (other than you) smoke cigarettes?	<u>n</u>	<u>%</u>	49. Are you seriously thinking of stopping smoking in the next 30 days?	<u>n</u>	<u>%</u>
a. Nobody smokes	14,369	64.2	a. I don't smoke	17,979	81.5
b. Somebody smokes, but not inside the house	4,496	19.8	b. I smoke and plan to stop	2,188	9.4
c. Someone smokes inside the house	3,860	16.0	c. I smoke and don't plan on stopping	2,096	9.1
Missing = 188			Missing = 650		
46. During the past 30 days, on how many days did you use chewing tobacco or snuff, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?	<u>n</u>	<u>%</u>	50. Is there a rule at your school that students are not allowed to smoke on school property?	<u>n</u>	<u>%</u>
a. 0 days	20,762	91.9	a. Yes	19,932	87.8
b. 1 or 2 days	763	3.2	b. No	156	0.7
c. 3 to 5 days	305	1.3	c. Don't know	2,325	11.5
d. 6 to 9 days	202	0.8	Missing = 500		
e. 10 to 19 days	166	0.6	51. How strictly are the non-smoking rules for students enforced at your school?	<u>n</u>	<u>%</u>
f. 20 to 29 days	160	0.6	a. Very strictly enforced	6,928	29.7
g. All 30 days	396	1.5	b. Somewhat enforced	8,051	35.8
Missing = 159			c. Not enforced at all	1,143	5.1
47. During the past 30 days, on how many days did you use chewing tobacco or snuff on school property?	<u>n</u>	<u>%</u>	d. I don't know	6,206	29.0
a. 0 days	21,753	96.0	e. There are no rules	68	0.3
b. 1 or 2 days	348	1.4	Missing = 517		
c. 3 to 5 days	147	0.6	52. During the past school year have you seen teachers or staff smoke on school property?	<u>n</u>	<u>%</u>
d. 6 to 9 days	104	0.4	a. Yes	4,078	17.7
e. 10 to 19 days	110	0.4	b. No	18,692	82.3
f. 20 to 29 days	102	0.4	Missing = 143	22,770	100.0
g. All 30 days	197	0.8	53. During the past school year have you participated in any organized activities, outside the classroom, to prevent tobacco use (for example, after school or in the community)?	<u>n</u>	<u>%</u>
Missing = 152			a. Yes	2,730	11.5
48. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?	<u>n</u>	<u>%</u>	b. No	20,042	88.5
a. 0 days	20,080	88.0	Missing = 141	22,772	100.0
b. 1 or 2 days	1,762	7.8	54. During this school year have you encouraged any smoker (for example, family or friends) to try to quit smoking?	<u>n</u>	<u>%</u>
c. 3 to 5 days	559	2.5	a. Yes	13,951	61.3
d. 6 to 9 days	205	0.9	b. No	8,830	38.7
e. 10 to 19 days	110	0.5	Missing = 132		
f. 20 to 29 days	34	0.1			
g. All 30 days	62	0.3			
Missing = 101					

NOTE: Percentages may not always add to 100%, due to rounding.

The next questions ask about drinking alcohol on and off school property.

55. During your life, on how many days have you had at least one drink of alcohol?

	<u>n</u>	<u>%</u>
a. 0 days	5,247	23.6
b. 1 or 2 days	3,046	13.5
c. 3 to 9 days	3,667	16.1
d. 10 to 19 days	2,558	11.3
e. 20 to 39 days	2,534	11.2
f. 40 to 99 days	2,434	10.8
g. 100 or more days	3,093	13.6
Missing = 334		

56. How old were you when you had your first drink of alcohol other than a few sips?

	<u>n</u>	<u>%</u>
a. I have never had a drink of alcohol other than a few sips	6,303	28.2
b. 8 years old or younger	2,226	9.3
c. 9 or 10 years old	1,384	6.0
d. 11 or 12 years old	2,926	12.6
e. 13 or 14 years old	5,710	24.9
f. 15 or 16 years old	3,498	16.2
g. 17 years old or older	489	2.7
Missing = 377		

57. During the past 30 days, on how many days did you have at least one drink of alcohol?

	<u>n</u>	<u>%</u>
a. 0 days	12,453	56.2
b. 1 or 2 days	4,491	19.8
c. 3 to 5 days	2,453	11.0
d. 6 to 9 days	1,568	7.0
e. 10 to 19 days	1,000	4.4
f. 20 to 29 days	263	1.1
g. All 30 days	105	0.5
Missing = 580		

58. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

	<u>n</u>	<u>%</u>
a. 0 days	15,851	70.4
b. 1 day	2,111	9.2
c. 2 days	1,532	6.8
d. 3 to 5 days	1,618	7.1
e. 6 to 9 days	931	4.0
f. 10 to 19 days	438	1.9
g. 20 or more days	130	0.6
Missing = 302		

59. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

	<u>n</u>	<u>%</u>
a. 0 days	21,716	95.6
b. 1 or 2 days	732	3.3
c. 3 to 5 days	150	0.6
d. 6 to 9 days	70	0.3
e. 10 to 19 days	29	0.1
f. 20 to 29 days	7	0.0
g. All 30 days	17	0.1
Missing = 192		

The next questions ask about marijuana, other drugs, and inhalants on and off school property.

60. During your life, how many times have you used marijuana?

	<u>n</u>	<u>%</u>
a. 0 times	13,231	58.2
b. 1 or 2 times	1,871	8.3
c. 3 to 9 times	1,816	8.1
d. 10 to 19 times	1,116	4.9
e. 20 to 39 times	1,137	5.0
f. 40 to 99 times	1,181	5.2
g. 100 or more times	2,404	10.4
Missing = 157		

61. How old were you when you tried marijuana for the first time?"

	<u>n</u>	<u>%</u>
a. I have never tried marijuana	13,146	57.7
b. 8 years old or younger	276	1.1
c. 9 or 10 years old	446	1.8
d. 11 or 12 years old	1,776	7.7
e. 13 or 14 years old	4,071	17.5
f. 15 or 16 years old	2,673	12.2
g. 17 years old or older	385	2.0
Missing = 140		

62. During the past 30 days, how many times did you use marijuana?

	<u>n</u>	<u>%</u>
a. 0 times	17,755	78.7
b. 1 or 2 times	1,782	7.8
c. 3 to 9 times	1,243	5.4
d. 10 to 19 times	679	2.7
e. 20 to 39 times	539	2.3
f. 40 or more times	704	3.1
Missing = 211		

63. During the past 30 days, how many times did you use marijuana on school property?

	<u>n</u>	<u>%</u>
a. 0 times	21,557	95.2
b. 1 or 2 times	572	2.4
c. 3 to 9 times	320	1.3
d. 10 to 19 times	158	0.6
e. 20 to 39 times	54	0.2
f. 40 or more times	76	0.3
Missing = 176		

64. During your life, how many times have you used any form of cocaine including powder, crack, or freebase?

	<u>n</u>	<u>%</u>
a. 0 times	21,400	94.0
b. 1 or 2 times	674	2.8
c. 3 to 9 times	318	1.4
d. 10 to 19 times	142	0.6
e. 20 to 39 times	108	0.5
f. 40 or more times	149	0.6
Missing = 122		

65. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or free base?

	<u>n</u>	<u>%</u>
a. 0 times	22,377	98.3
b. 1 or 2 times	247	1.0
c. 3 to 9 times	93	0.4
d. 10 to 19 times	30	0.1
e. 20 to 39 times	16	0.1
f. 40 or more times	14	0.1
Missing = 136		

67. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

	<u>n</u>	<u>%</u>
a. 0 times	19,788	87.6
b. 1 or 2 times	1,678	7.0
c. 3 to 9 times	764	3.2
d. 10 to 19 times	286	1.1
e. 20 to 39 times	138	0.6
f. 40 or more times	115	0.5
Missing = 144		

68. During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

	<u>n</u>	<u>%</u>
a. 0 times	22,236	97.9
b. 1 or 2 times	377	1.6
c. 3 to 9 times	109	0.4
d. 10 to 19 times	23	0.1
e. 20 to 39 times	8	0.0
f. 40 or more times	6	0.0
Missing = 154		

69. During your life, how many times have you used heroin (also called smack, junk or China White)?

	<u>n</u>	<u>%</u>
a. 0 times	22,425	98.4
b. 1 or 2 times	246	0.9
c. 3 to 9 times	64	0.3
d. 10 to 19 times	27	0.2
e. 20 to 39 times	13	0.1
f. 40 or more times	32	0.1
Missing = 106		

70. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

	<u>n</u>	<u>%</u>
a. 0 times	20,999	92.4
b. 1 or 2 times	775	3.4
c. 3 to 9 times	396	1.7
d. 10 to 19 times	191	0.8
e. 20 to 39 times	135	0.6
f. 40 or more times	295	1.2
Missing = 122		

71. During your life, how many times have you taken steroid pills or shots without a doctors prescription?

	<u>n</u>	<u>%</u>
a. 0 times	22,287	98.0
b. 1 or 2 times	252	1.0
c. 3 to 9 times	108	0.4
d. 10 to 19 times	52	0.2
e. 20 to 39 times	22	0.1
f. 40 or more times	62	0.2
Missing = 130		

72. During your life, how many times have you used a needle to inject any illegal drug into your body?

	<u>n</u>	<u>%</u>
a. 0 times	22,456	98.7
b. 1 time	154	0.7
c. 2 or more times	150	0.6
Missing = 153		

73. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

	<u>n</u>	<u>%</u>
a. Yes	5,417	24.0
b. No	17,289	76.0
Missing = 207		

The next questions ask about STARS Program involvement.

74. Many middle school students take the STARS (Students Today Aren't Ready for Sex) classes. These classes teach refusal skills to limit sexual involvement. Were you in a STARS class in middle school?

	<u>n</u>	<u>%</u>
a. Yes	3,274	12.7
b. No	17,763	79.9
c. Don't know	1,688	7.4
Missing = 188		

75. Many high school students become teen leaders for the STARS Program. Were you ever a teen leader for the STARS Program?

	<u>n</u>	<u>%</u>
a. Yes	686	3.1
b. No	21,336	93.8
c. Don't know	716	3.1
Missing = 175		

The next questions ask about sexual activity and behavior.

76. If a classmate, your same age and gender, asked you for your advice about whether to start having sexual intercourse, what would you probably say?

	<u>n</u>	<u>%</u>
a. Wait until you're married	7,149	33.7
b. Wait until you are older	8,740	38.9
c. Go ahead and do it	6,098	27.4
Missing = 926		

77. What percentage of your classmates, your same age and gender, have had sexual intercourse? Would you guess:

	<u>n</u>	<u>%</u>
a. less than 20%	3,543	14.5
b. 20%-29%	3,024	13.0
c. 30%-39%	3,636	16.1
d. 40%-49%	3,053	13.7
e. 50%-59%	3,369	15.3
f. 60%-69%	2,633	12.1
g. 70%-79%	1,765	8.4
h. more than 80%	1,427	6.8
Missing = 463		

78. Have you ever had sexual intercourse?

	<u>n</u>	<u>%</u>
a. Yes	7,920	36.0
b. No	14,395	64.0
Missing = 598		

79. How old were you when you had sexual intercourse for the first time?

	<u>n</u>	<u>%</u>
a. I have never had sexual intercourse	14,387	63.9
b. 11 years old or younger	458	2.0
c. 12 years old	438	1.8
d. 13 years old	887	3.7
e. 14 years old	1,638	7.2
f. 15 years old	2,100	9.4
g. 16 years old	1,607	7.4
h. 17 years old or older	800	4.6
Missing = 598		

80. When did you first go to a medical office or clinic to get a method for preventing pregnancy?

	<u>n</u>	<u>%</u>
a. I have never had sexual intercourse	14,147	63.7
b. Before my first sexual intercourse	1,229	5.7
c. Less than one month after first sexual intercourse	658	3.1
d. 1 to 3 months after my first sexual intercourse	527	2.6
e. 4 to 12 months after my first sexual intercourse	488	2.3
f. More than 12 months after my first sexual intercourse	578	2.7
g. I have never gone	4,401	20.0
Missing = 885		

81. During your life, with how many people have you had sexual intercourse?	<u>n</u>	<u>%</u>	85. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?	<u>n</u>	<u>%</u>
a. I have never had sexual intercourse	14,383	63.9	a. I have never had sexual intercourse	14,384	64.6
b. 1 person	3,399	15.3	b. No method was used to prevent pregnancy	1,151	5.1
c. 2 people	1,530	7.0	c. Birth control pills	1,256	6.2
d. 3 people	966	4.5	d. Condoms	3,934	17.8
e. 4 people	579	2.6	e. Birth control shot (Depo Provera)	432	2.0
f. 5 people	378	1.7	f. Withdrawal	597	2.8
g. 6 or more people	1,077	4.9	g. Some other method	133	0.7
Missing = 601			h. Not sure	188	0.8
82. During the past 3 months, with how many people did you have sexual intercourse?	<u>n</u>	<u>%</u>	Missing = 838		
a. I have never had sexual intercourse	14,432	63.9	86. How many times have you been pregnant or gotten someone pregnant?	<u>n</u>	<u>%</u>
b. I have had sexual intercourse, but not in the past 3 months	2,591	11.6	a. 0 times	21,589	95.5
c. 1 person	4,207	19.2	b. 1 time	681	3.1
d. 2 people	670	3.1	c. 2 or more times	117	0.6
e. 3 people	226	1.1	d. Not sure	177	0.8
f. 4 people	81	0.3	Missing = 349		
g. 5 people	30	0.2	87. If you have had sexual intercourse, did you talk with your partner about HIV and other STDs?	<u>n</u>	<u>%</u>
h. 6 or more people	155	0.7	a. Never had sexual intercourse	14,410	63.9
Missing = 521			b. Yes, talked with my partner(s) about STD's and HIV	4,223	19.8
83. Did you drink alcohol or use drugs before you had sexual intercourse the last time?	<u>n</u>	<u>%</u>	c. No, didn't talk about HIV and STD's	3,223	13.9
a. I have never had sexual intercourse	14,376	63.7	d. Answer varies on partner	496	2.3
b. Yes	2,162	9.6	Missing = 561		
c. No	5,817	26.7	84. The last time you had sexual intercourse, did you or your partner use a condom?		
Missing = 558			a. I have never had sexual intercourse	<u>n</u>	<u>%</u>
84. The last time you had sexual intercourse, did you or your partner use a condom?			b. Yes	14,318	63.8
a. I have never had sexual intercourse			c. No	4,691	21.3
b. Yes			Missing = 665	3,239	14.9
c. No					

NOTE: Percentages may not always add to 100%, due to rounding.

The next questions ask about weight and body image.

88. What do you consider to be the one most reliable or accurate source from where you have gotten your information about AIDS/HIV infection?

	<u>n</u>	<u>%</u>
a. From classroom instruction	11,362	50.6
b. From a teacher or school counselor	2,382	10.3
c. From parents or other adults in my family	2,000	9.0
d. From friends	469	2.2
e. From brochures available at schools or school health centers	1,380	6.5
f. From TV or radio	2,093	9.6
g. Other sources not mentioned above	2,450	11.9
Missing = 777		

89. During the last 12 months have you ever been taught about AIDS or HIV infection in school?

	<u>n</u>	<u>%</u>
a. Yes	14,831	65.3
b. No	6,283	28.3
c. Not sure	1,496	6.4
Missing = 303		

90. If you wanted them, where would you go to get condoms?

	<u>n</u>	<u>%</u>
a. Parent or other family member	1,067	4.5
b. Friend	2,001	8.8
c. Pharmacy or store	9,390	43.5
d. Vending machine	1,285	5.6
e. School health center	615	3.3
f. County or community health program	1,634	7.2
g. It's hard to get condoms in my community	237	0.9
h. Not sure; haven't really thought about it	5,880	26.3
Missing = 804		

91. How do you describe your weight?

	<u>n</u>	<u>%</u>
a. Very underweight	312	1.3
b. Slightly underweight	3,108	14.2
c. About the right weight	12,142	54.3
d. Slightly overweight	6,093	26.7
e. Very overweight	809	3.5
Missing = 449		

92. Which of the following are you trying to do about your weight?

	<u>n</u>	<u>%</u>
a. Lose weight	9,510	47.2
b. Gain weight	2,636	13.1
c. Stay the same weight	4,138	20.8
d. I am not trying to do anything about my weight	3,748	18.9
Missing = 2,881		

93. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?

	<u>n</u>	<u>%</u>
a. Yes	11,110	54.6
b. No	9,111	45.4
Missing = 2,692		

94. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?

	<u>n</u>	<u>%</u>
a. Yes	8,758	39.1
b. No	13,542	60.9
Missing = 613		

95. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

	<u>n</u>	<u>%</u>
a. Yes	2,330	10.1
b. No	20,096	89.9
Missing = 487		

96. During the past 30 days, did you take any diet pills, powders, or liquids without a doctors advice to lose weight or to keep from gaining weight?

	<u>n</u>	<u>%</u>
a. Yes	1,316	5.9
b. No	21,104	94.1
Missing = 493		

NOTE: Percentages may not always add to 100%, due to rounding.

97. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?

	<u>n</u>	<u>%</u>
a. Yes	911	4.0
b. No	21,491	96.0
Missing = 511		

The next questions ask about diet and exercise.

98. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, or grape juice?

	<u>n</u>	<u>%</u>
a. I did not drink 100% fruit juice	3,600	15.6
b. 1 - 3 times	7,754	34.8
c. 4 - 6 times	4,352	19.2
d. 1 time per day	1,967	8.9
e. 2 times per day	2,471	11.0
f. 3 times per day	1,169	5.2
g. 4 or more times per day	1,148	5.2
Missing = 452		

99. During the past 7 days, how many times did you eat fruit?

	<u>n</u>	<u>%</u>
a. I did not eat fruit	1,738	7.8
b. 1 - 3 times	7,972	35.8
c. 4 - 6 times	5,082	22.7
d. 1 time per day	2,859	12.5
e. 2 times per day	2,693	11.8
f. 3 times per day	1,151	5.0
g. 4 or more times per day	945	4.3
Missing = 473		

100. In the past 7 days, how many times did you eat raw or cooked vegetables (including green salad)?

	<u>n</u>	<u>%</u>
a. I did not eat fruit	1,845	8.2
b. 1 - 3 times	6,879	30.7
c. 4 - 6 times	5,514	24.7
d. 1 time per day	3,935	17.6
e. 2 times per day	2,573	11.5
f. 3 times per day	895	3.9
g. 4 or more times per day	779	3.5
Missing = 493		

101. In the past 7 days, how many days did you eat breakfast?

	<u>n</u>	<u>%</u>
a. 0 days	2,618	12.0
b. 1 day	1,789	8.1
c. 2 days	2,312	10.4
d. 3 days	2,010	9.0
e. 4 days	1,609	7.1
f. 5 days	1,842	8.1
g. 6 days	1,588	7.2
h. 7 days	8,681	38.2
Missing = 464		

102. How many times during the past 7 days did you eat a meal with your family?

	<u>n</u>	<u>%</u>
a. 0 times	2,417	10.9
b. 1 time	1,694	7.8
c. 2 times	2,066	9.6
d. 3 times	2,394	10.9
e. 4 times	3,026	13.7
f. 5 - 6 times	4,528	19.9
g. 7 or more times	6,052	26.2
h. I was away from home and not with my family	242	1.0
Missing = 494		

103. During the past 7 days, how many glasses of milk did you drink?

	<u>n</u>	<u>%</u>
a. I did not drink milk	2,706	12.4
b. 1 - 3 glasses	4,479	20.3
c. 4 - 6 glasses	3,535	15.8
d. 1 glass per day	2,891	13.1
e. 2 glasses per day	4,005	17.6
f. 3 glasses per day	2,497	10.9
g. 4 or more glasses per day	2,308	9.9
Missing = 492		

104. On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, etc.?

	<u>n</u>	<u>%</u>
a. 0 days	2,621	12.1
b. 1 day	1,465	6.9
c. 2 days	1,892	8.8
d. 3 days	2,797	12.9
e. 4 days	2,448	10.8
f. 5 days	3,522	15.2
g. 6 days	2,179	9.7
h. 7 days	5,443	23.6
Missing = 546		

NOTE: Percentages may not always add to 100%, due to rounding.

105. On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?

	<u>n</u>	<u>%</u>
a. 0 days	3,895	17.6
b. 1 day	2,102	9.3
c. 2 days	2,812	12.7
d. 3 days	3,024	13.7
e. 4 days	2,245	9.9
f. 5 days	2,325	10.4
g. 6 days	1,219	5.3
h. 7 days	4,691	20.9

Missing = 600

106. During the past 12 months, on how many sports teams did you play?

	<u>n</u>	<u>%</u>
a. 0 teams	8,886	42.1
b. 1 team	5,110	22.7
c. 2 teams	4,110	17.8
d. 3 or more teams	4,247	17.4

Missing = 560

The next questions ask about other weekly activities.

107. On an average school day, how many hours do you watch TV?

	<u>n</u>	<u>%</u>
a. I do not watch TV on an average school day	2,574	12.1
b. Less than 1 per day	4,109	18.4
c. 1 hour per day	3,818	17.1
d. 2 hours per day	5,684	25.0
e. 3 hours per day	3,416	15.2
f. 4 hours per day	1,479	6.6
g. 5 or more hours per day	1,253	5.6

Missing = 580

108. Thinking back over the last month, in an average week how many hours do you spend in volunteer work, religious activities, youth groups, music, drama or special school activities such as year book, both at school and away from school?

	<u>n</u>	<u>%</u>
a. 0 hours	7,916	36.7
b. 1 - 2 hours	3,810	17.3
c. 3 - 5 hours	3,379	15.2
d. 6 - 10 hours	2,706	12.3
e. 11 - 17 hours	1,483	6.8
f. 18 - 24 hours	896	4.0
g. 25 or more hours	1,632	7.6

Missing = 1,091

109. Thinking back over the last month, in an average week, how many hours do you spend working at a job for which you receive a paycheck or wages?

	<u>n</u>	<u>%</u>
a. 0 hours	11,847	53.7
b. 1 - 2 hours	1,138	4.9
c. 3 - 5 hours	1,396	6.4
d. 6 - 10 hours	1,761	7.9
e. 11 - 17 hours	1,861	8.7
f. 18 - 24 hours	1,509	7.3
g. 25 or more hours	2,198	11.1

Missing = 1,203

The next questions ask about health and health care needs.

110. When did you last go to a doctor or nurse practitioner?

	<u>n</u>	<u>%</u>
a. During the past 12 months	16,787	75.2
b. Within the past two years	2,344	10.7
c. Within the past five years	639	3.0
d. More than five years ago	285	1.3
e. Never been to doctor	164	0.8
f. Don't know	2,047	9.0

Missing = 647

111. When did you last go to a dentist?

	<u>n</u>	<u>%</u>
a. During the past 12 months	17,298	78.2
b. Within the past two years	2,759	12.2
c. Within the past five years	1,006	4.4
d. More than five years ago	578	2.5
e. Never been to dentist	269	1.1
f. Don't know if I've been to dentist	351	1.6

Missing = 652

NOTE: Percentages may not always add to 100%, due to rounding.

<p>112. Mark all that apply: Has a doctor, nurse or other professional ever told you that you have one or more of the following?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. A Medical condition</td> <td style="text-align: right;">4,164</td> <td style="text-align: right;">19.9</td> </tr> <tr> <td>b. Depression, anxiety, or an eating disorder</td> <td style="text-align: right;">1,858</td> <td style="text-align: right;">8.9</td> </tr> <tr> <td>c. A learning disorder, ADD, or ADHD</td> <td style="text-align: right;">1,183</td> <td style="text-align: right;">5.4</td> </tr> <tr> <td>d. Never been told that I have a condition</td> <td style="text-align: right;">14,938</td> <td style="text-align: right;">70.7</td> </tr> <tr> <td colspan="3">Missing = 1,776</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. A Medical condition	4,164	19.9	b. Depression, anxiety, or an eating disorder	1,858	8.9	c. A learning disorder, ADD, or ADHD	1,183	5.4	d. Never been told that I have a condition	14,938	70.7	Missing = 1,776			<p>115. Mark all that apply: During the past 12 months, did you have any of the following health care needs?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. Check-up/physical</td> <td style="text-align: right;">10,354</td> <td style="text-align: right;">45.8</td> </tr> <tr> <td>b. Injury or accident</td> <td style="text-align: right;">6,068</td> <td style="text-align: right;">27.5</td> </tr> <tr> <td>c. Illness</td> <td style="text-align: right;">8,861</td> <td style="text-align: right;">40.1</td> </tr> <tr> <td>d. Immunization</td> <td style="text-align: right;">4,090</td> <td style="text-align: right;">19.1</td> </tr> <tr> <td>e. Reproductive health services</td> <td style="text-align: right;">1,881</td> <td style="text-align: right;">8.9</td> </tr> <tr> <td>f. Pregnancy test or STD test</td> <td style="text-align: right;">1,294</td> <td style="text-align: right;">6.2</td> </tr> <tr> <td>g. Alcohol or drug problem</td> <td style="text-align: right;">535</td> <td style="text-align: right;">2.3</td> </tr> <tr> <td>h. Personal or emotional problem</td> <td style="text-align: right;">1,895</td> <td style="text-align: right;">8.8</td> </tr> <tr> <td>i. Other needs</td> <td style="text-align: right;">2,974</td> <td style="text-align: right;">13.7</td> </tr> <tr> <td>j. No needs</td> <td style="text-align: right;">4,081</td> <td style="text-align: right;">19.6</td> </tr> <tr> <td colspan="3">Missing = 1,126</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. Check-up/physical	10,354	45.8	b. Injury or accident	6,068	27.5	c. Illness	8,861	40.1	d. Immunization	4,090	19.1	e. Reproductive health services	1,881	8.9	f. Pregnancy test or STD test	1,294	6.2	g. Alcohol or drug problem	535	2.3	h. Personal or emotional problem	1,895	8.8	i. Other needs	2,974	13.7	j. No needs	4,081	19.6	Missing = 1,126					
	<u>n</u>	<u>%</u>																																																								
a. A Medical condition	4,164	19.9																																																								
b. Depression, anxiety, or an eating disorder	1,858	8.9																																																								
c. A learning disorder, ADD, or ADHD	1,183	5.4																																																								
d. Never been told that I have a condition	14,938	70.7																																																								
Missing = 1,776																																																										
	<u>n</u>	<u>%</u>																																																								
a. Check-up/physical	10,354	45.8																																																								
b. Injury or accident	6,068	27.5																																																								
c. Illness	8,861	40.1																																																								
d. Immunization	4,090	19.1																																																								
e. Reproductive health services	1,881	8.9																																																								
f. Pregnancy test or STD test	1,294	6.2																																																								
g. Alcohol or drug problem	535	2.3																																																								
h. Personal or emotional problem	1,895	8.8																																																								
i. Other needs	2,974	13.7																																																								
j. No needs	4,081	19.6																																																								
Missing = 1,126																																																										
<p>113. Mark all that apply: Does your physical, learning or emotional condition keep you from doing some things other kids your age do?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. No Limitations/Does not apply</td> <td style="text-align: right;">19,373</td> <td style="text-align: right;">89.3</td> </tr> <tr> <td>b. Yes, limits my ability to go to school/do school work</td> <td style="text-align: right;">879</td> <td style="text-align: right;">4.0</td> </tr> <tr> <td>c. Yes, limits my ability to do strenuous activities</td> <td style="text-align: right;">1,247</td> <td style="text-align: right;">5.7</td> </tr> <tr> <td>d. Yes, limits my ability to make friends</td> <td style="text-align: right;">438</td> <td style="text-align: right;">1.9</td> </tr> <tr> <td>e. Yes, it causes me difficulty with personal care</td> <td style="text-align: right;">133</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td colspan="3">Missing = 1,195</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. No Limitations/Does not apply	19,373	89.3	b. Yes, limits my ability to go to school/do school work	879	4.0	c. Yes, limits my ability to do strenuous activities	1,247	5.7	d. Yes, limits my ability to make friends	438	1.9	e. Yes, it causes me difficulty with personal care	133	0.6	Missing = 1,195			<p>116. Mark all that apply: During the past 12 months, did you have any of the following health care needs that were not met?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. Check-up/physical</td> <td style="text-align: right;">1,148</td> <td style="text-align: right;">6.4</td> </tr> <tr> <td>b. Injury or accident</td> <td style="text-align: right;">1,081</td> <td style="text-align: right;">6.1</td> </tr> <tr> <td>c. Illness</td> <td style="text-align: right;">1,331</td> <td style="text-align: right;">7.8</td> </tr> <tr> <td>d. Immunization</td> <td style="text-align: right;">386</td> <td style="text-align: right;">2.2</td> </tr> <tr> <td>e. Reproductive health services</td> <td style="text-align: right;">382</td> <td style="text-align: right;">2.2</td> </tr> <tr> <td>f. Pregnancy test or STD test</td> <td style="text-align: right;">329</td> <td style="text-align: right;">1.8</td> </tr> <tr> <td>g. Alcohol or drug problem</td> <td style="text-align: right;">310</td> <td style="text-align: right;">1.8</td> </tr> <tr> <td>h. Personal or emotional problem</td> <td style="text-align: right;">842</td> <td style="text-align: right;">4.7</td> </tr> <tr> <td>i. Other needs</td> <td style="text-align: right;">1,093</td> <td style="text-align: right;">6.4</td> </tr> <tr> <td>j. No needs</td> <td style="text-align: right;">12,151</td> <td style="text-align: right;">71.4</td> </tr> <tr> <td colspan="3">Missing = 5,750</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. Check-up/physical	1,148	6.4	b. Injury or accident	1,081	6.1	c. Illness	1,331	7.8	d. Immunization	386	2.2	e. Reproductive health services	382	2.2	f. Pregnancy test or STD test	329	1.8	g. Alcohol or drug problem	310	1.8	h. Personal or emotional problem	842	4.7	i. Other needs	1,093	6.4	j. No needs	12,151	71.4	Missing = 5,750		
	<u>n</u>	<u>%</u>																																																								
a. No Limitations/Does not apply	19,373	89.3																																																								
b. Yes, limits my ability to go to school/do school work	879	4.0																																																								
c. Yes, limits my ability to do strenuous activities	1,247	5.7																																																								
d. Yes, limits my ability to make friends	438	1.9																																																								
e. Yes, it causes me difficulty with personal care	133	0.6																																																								
Missing = 1,195																																																										
	<u>n</u>	<u>%</u>																																																								
a. Check-up/physical	1,148	6.4																																																								
b. Injury or accident	1,081	6.1																																																								
c. Illness	1,331	7.8																																																								
d. Immunization	386	2.2																																																								
e. Reproductive health services	382	2.2																																																								
f. Pregnancy test or STD test	329	1.8																																																								
g. Alcohol or drug problem	310	1.8																																																								
h. Personal or emotional problem	842	4.7																																																								
i. Other needs	1,093	6.4																																																								
j. No needs	12,151	71.4																																																								
Missing = 5,750																																																										
<p>114. Do you think that other people can tell that you have a physical, learning, or emotional condition?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. No, never or does not apply</td> <td style="text-align: right;">18,282</td> <td style="text-align: right;">83.6</td> </tr> <tr> <td>b. Yes, sometimes</td> <td style="text-align: right;">3,253</td> <td style="text-align: right;">14.5</td> </tr> <tr> <td>c. Yes, always</td> <td style="text-align: right;">387</td> <td style="text-align: right;">1.8</td> </tr> <tr> <td colspan="3">Missing = 991</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. No, never or does not apply	18,282	83.6	b. Yes, sometimes	3,253	14.5	c. Yes, always	387	1.8	Missing = 991			<p>117. During the past 12 months, where did you usually go to meet your health care needs?</p> <table border="0"> <thead> <tr> <th></th> <th style="text-align: right;"><u>n</u></th> <th style="text-align: right;"><u>%</u></th> </tr> </thead> <tbody> <tr> <td>a. Emergency room</td> <td style="text-align: right;">1,050</td> <td style="text-align: right;">5.0</td> </tr> <tr> <td>b. Family doctor</td> <td style="text-align: right;">12,028</td> <td style="text-align: right;">56.4</td> </tr> <tr> <td>c. County or community health clinic</td> <td style="text-align: right;">2,368</td> <td style="text-align: right;">10.7</td> </tr> <tr> <td>d. School-based Health Center</td> <td style="text-align: right;">422</td> <td style="text-align: right;">2.2</td> </tr> <tr> <td>e. Other place not listed</td> <td style="text-align: right;">1,104</td> <td style="text-align: right;">5.1</td> </tr> <tr> <td>f. I needed care, but didn't see anyone</td> <td style="text-align: right;">516</td> <td style="text-align: right;">2.3</td> </tr> <tr> <td>g. I did not need care</td> <td style="text-align: right;">3,795</td> <td style="text-align: right;">18.3</td> </tr> <tr> <td colspan="3">Missing = 1,630</td> </tr> </tbody> </table>		<u>n</u>	<u>%</u>	a. Emergency room	1,050	5.0	b. Family doctor	12,028	56.4	c. County or community health clinic	2,368	10.7	d. School-based Health Center	422	2.2	e. Other place not listed	1,104	5.1	f. I needed care, but didn't see anyone	516	2.3	g. I did not need care	3,795	18.3	Missing = 1,630																	
	<u>n</u>	<u>%</u>																																																								
a. No, never or does not apply	18,282	83.6																																																								
b. Yes, sometimes	3,253	14.5																																																								
c. Yes, always	387	1.8																																																								
Missing = 991																																																										
	<u>n</u>	<u>%</u>																																																								
a. Emergency room	1,050	5.0																																																								
b. Family doctor	12,028	56.4																																																								
c. County or community health clinic	2,368	10.7																																																								
d. School-based Health Center	422	2.2																																																								
e. Other place not listed	1,104	5.1																																																								
f. I needed care, but didn't see anyone	516	2.3																																																								
g. I did not need care	3,795	18.3																																																								
Missing = 1,630																																																										

NOTE: Percentages may not always add to 100%, due to rounding.

118. Does your school have a School-Based Health Center?

	<u>n</u>	<u>%</u>
a. Yes	5,897	31.0
b. No	5,869	24.4
c. Don't know	9,344	44.6
Missing = 1,803		

119. Have you registered or do you have permission to use the School-Based Health Center?

	<u>n</u>	<u>%</u>
a. Yes	4,594	25.0
b. No	7,198	36.9
c. Don't have a School-Based Health Center	8,526	38.1
Missing = 2,595		

120. Have you used the School-Based Health Center services at this school?

	<u>n</u>	<u>%</u>
a. Yes	3,198	17.1
b. No	10,088	49.4
c. Don't have a School-Based Health Center	7,809	33.5
Missing = 1,818		

121. When you are scared, worried, or concerned about yourself or your friends, is there a caring adult you can talk to?

	<u>n</u>	<u>%</u>
a. No, there is no adult	3,496	15.8
b. Yes, 1 adult	4,583	20.9
c. Yes, 2 or 3 adults	7,960	36.3
d. Yes, 4 or more adults	5,710	26.9
Missing = 1,164		