

**TABLE 6-7.
DEATH RATES FOR SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995**

9TH REV. ICD	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
ALL CAUSES		900.1	613.4	37.1	21.6	92.2	125.8	216.1	397.5	1037.5	2398.4	4717.2	11002.7
	MALE	925.0	627.2	39.1	23.1	127.6	185.3	304.3	496.8	1256.4	2961.5	5897.8	12447.7
	FEMALE	875.8	598.9	34.9	20.2	55.0	65.1	129.4	298.4	831.8	1929.9	3852.5	10204.1
I. INFECTIVE AND PARASITIC DISEASE		18.8	9.4	3.2	0.2	1.9	21.5	32.4	23.1	20.1	25.1	35.6	71.7
	MALE	28.2	9.2	4.1	-	1.4	35.3	59.9	42.2	25.5	35.6	40.7	68.0
	FEMALE	9.8	9.6	2.2	0.5	2.4	7.5	5.3	4.0	15.1	16.4	31.8	73.7
010-018, 137	TUBERCULOSIS, ALL FORMS	0.8	-	-	-	-	-	-	0.2	0.4	2.6	6.9	11.2
	MALE	0.8	-	-	-	-	-	-	-	0.8	2.8	5.4	15.7
	FEMALE	0.9	-	-	-	-	-	-	0.5	-	2.3	7.9	8.7
038	SEPTICEMIA	2.9	-	-	-	-	0.5	0.4	0.5	5.3	8.1	17.2	34.4
	MALE	2.8	-	-	-	-	0.9	0.4	1.0	6.8	10.3	21.7	28.8
	FEMALE	3.0	-	-	-	-	-	0.4	-	4.0	6.2	13.9	37.6
042-044	AIDS	10.6	-	-	-	0.7	20.2	29.1	17.9	5.8	2.1	-	-
	MALE	19.7	-	-	-	0.9	33.5	55.6	33.8	10.2	4.7	-	-
	FEMALE	1.8	-	-	-	0.5	6.6	3.0	2.0	1.6	-	-	-
070	VIRAL HEPATITIS	2.0	-	-	-	-	0.5	2.5	3.5	5.3	4.7	5.7	5.6
	MALE	2.6	-	-	-	-	0.9	3.5	6.5	4.2	5.6	5.4	7.8
	FEMALE	1.5	-	-	-	-	-	1.5	0.5	6.4	3.9	6.0	4.3
RESIDUAL OF 001-139	OTHER INFECTIVE & PARASITIC DISEASES	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	2.5	9.4	3.2	0.2	1.2	0.5	0.4	1.0	3.3	7.7	5.7	20.5
	FEMALE	2.3	9.2	4.1	-	0.5	-	0.4	1.0	3.4	12.2	8.1	15.7
	FEMALE	2.6	9.6	2.2	0.5	1.9	0.9	0.4	1.0	3.2	3.9	4.0	23.1
II. NEOPLASMS		220.6	4.7	4.8	1.8	5.2	6.5	38.1	133.7	412.1	864.2	1309.8	1792.2
	MALE	230.4	4.6	4.1	1.3	6.0	6.9	32.1	124.2	436.9	1022.1	1660.3	2531.9
	FEMALE	211.1	4.8	5.4	2.3	4.4	6.1	44.0	143.2	388.8	732.8	1053.0	1383.4
140-208	MALIGNANT NEOPLASMS	217.9	2.3	3.7	1.6	5.2	6.5	37.9	133.0	410.1	857.4	1292.5	1753.1
	MALE	227.7	4.6	3.1	0.9	6.0	6.9	31.7	124.2	434.4	1013.7	1641.3	2477.0
	FEMALE	208.4	-	4.4	2.3	4.4	6.1	44.0	141.8	387.2	727.4	1037.1	1353.0
140-149	BUCCAL CAVITY & PHARYNX	3.0	-	-	-	-	-	0.6	3.5	5.8	14.0	11.5	17.7
	MALE	3.9	-	-	-	-	-	1.2	5.5	5.9	20.6	19.0	26.2
	FEMALE	2.1	-	-	-	-	-	-	1.5	5.6	8.6	6.0	13.0
150-159	DIGESTIVE ORGANS AND PERITONEUM	49.3	-	1.1	-	0.2	0.7	8.0	22.6	93.7	184.5	289.0	456.2
	MALE	53.9	-	1.0	-	-	0.9	6.6	27.3	129.8	239.6	363.5	559.7
	FEMALE	44.7	-	1.1	-	0.5	0.5	9.5	17.8	59.8	138.6	234.4	399.0

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
150	ESOPHAGUS		4.5	-	-	-	-	0.5	0.4	2.7	9.9	19.6	28.7	27.9
		MALE	7.3	-	-	-	-	0.5	0.8	5.0	17.8	34.6	48.8	60.2
		FEMALE	1.8	-	-	-	-	0.5	-	0.5	2.4	7.0	13.9	10.1
151	STOMACH		4.2	-	-	-	-	0.2	1.1	2.2	5.8	13.2	27.5	44.7
		MALE	5.2	-	-	-	-	0.5	1.2	3.0	8.5	17.8	43.4	65.4
		FEMALE	3.3	-	-	-	-	-	1.1	1.5	3.2	9.3	15.9	33.2
153	LARGE INTESTINE (EXC. RECTUM)		19.4	-	-	-	0.2	-	3.1	6.7	34.1	73.1	118.1	190.9
		MALE	19.8	-	-	-	-	-	1.5	7.5	49.2	88.0	141.1	217.1
		FEMALE	18.9	-	-	-	0.5	-	4.6	5.9	19.9	60.7	101.3	176.4
154	RECTUM		3.3	-	-	-	-	-	0.4	2.2	6.6	13.2	12.6	31.7
		MALE	4.0	-	-	-	-	-	0.4	2.5	8.5	22.5	16.3	41.8
		FEMALE	2.6	-	-	-	-	-	0.4	2.0	4.8	5.5	9.9	26.0
157	PANCREAS		11.6	-	-	-	-	-	1.7	6.0	24.7	42.5	76.8	95.9
		MALE	11.0	-	-	-	-	-	1.2	6.0	31.4	45.9	86.8	94.2
		FEMALE	12.2	-	-	-	-	-	2.3	5.9	18.3	39.7	69.5	96.9
160-165	RESPIRATORY/INTRATHORACIC ORGANS		64.5	-	-	-	0.2	0.7	5.0	38.5	145.0	306.1	441.6	351.9
		MALE	72.5	-	-	-	0.5	0.5	7.0	39.7	158.6	391.3	558.9	541.4
		FEMALE	56.8	-	-	-	-	0.9	3.0	37.2	132.3	235.2	355.6	247.2
162.2-.9	BRONCHUS & LUNG		62.5	-	-	-	0.2	0.5	4.8	38.0	142.2	295.0	427.8	338.0
		MALE	69.5	-	-	-	0.5	0.5	6.6	39.2	155.3	373.5	537.2	507.4
		FEMALE	55.7	-	-	-	-	0.5	3.0	36.7	129.9	229.7	347.7	244.3
170-175	BONE, CONNECTIVE TISSUE, SKIN & BREAST		23.2	2.3	-	-	1.4	1.9	8.4	26.8	53.0	71.8	95.2	166.7
		MALE	7.6	4.6	-	-	1.8	1.8	2.3	10.4	20.4	15.9	43.4	65.4
		FEMALE	38.3	-	-	-	1.0	1.9	14.4	43.1	83.7	118.4	133.1	222.6
172	MALIGNANT MELANOMA		3.4	-	-	-	0.5	0.9	1.7	5.0	8.2	10.2	10.3	15.8
		MALE	4.2	-	-	-	0.9	1.4	1.9	7.5	12.7	10.3	19.0	18.3
		FEMALE	2.5	-	-	-	-	0.5	1.5	2.5	4.0	10.1	4.0	14.5
173	OTHER SKIN		0.8	-	-	-	-	-	-	0.5	1.6	1.3	3.4	12.1
		MALE	1.2	-	-	-	-	-	-	1.0	0.8	2.8	8.1	23.5
		FEMALE	0.4	-	-	-	-	-	-	-	2.4	-	-	5.8
174-175	BREAST		17.1	-	-	-	-	0.7	5.7	18.9	37.4	57.4	70.0	129.4
		MALE	0.5	-	-	-	-	-	-	-	0.8	0.9	5.4	7.8
		FEMALE	33.2	-	-	-	-	1.4	11.4	37.7	71.7	104.4	117.2	196.6

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
179-187	GENITAL ORGANS		25.9	-	-	-	-	0.2	4.2	10.9	25.5	84.2	174.3	308.2
	MALE		31.7	-	-	-	-	-	0.8	4.0	17.0	105.8	293.0	622.5
	FEMALE		20.2	-	-	-	-	0.5	7.6	17.8	33.5	66.2	87.4	134.4
179-182	CERVIX & UTERUS		4.1	-	-	-	-	0.2	2.3	2.2	8.6	9.4	22.9	39.1
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		8.0	-	-	-	-	0.5	4.6	4.5	16.7	17.1	39.7	60.7
180	CERVIX UTERI		1.5	-	-	-	-	0.2	2.1	1.5	3.7	4.3	5.7	4.7
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		3.0	-	-	-	-	0.5	4.2	3.0	7.2	7.8	9.9	7.2
182	UTERUS		1.3	-	-	-	-	-	-	-	3.3	2.6	12.6	15.8
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		2.6	-	-	-	-	-	-	-	6.4	4.7	21.9	24.6
183	OVARY		5.5	-	-	-	-	-	1.3	6.5	7.4	23.4	24.1	42.8
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		10.9	-	-	-	-	-	2.7	12.9	14.3	42.8	41.7	66.5
185	PROSTATE		15.4	-	-	-	-	-	-	1.5	8.2	47.6	122.7	219.7
	MALE		31.2	-	-	-	-	-	-	3.0	17.0	104.8	290.3	617.3
	FEMALE		-	-	-	-	-	-	-	-	-	-	-	-
188-189	URINARY ORGANS		10.2	-	-	0.2	-	-	1.0	5.0	16.8	35.3	64.2	107.1
	MALE		14.1	-	-	-	-	-	1.9	7.5	22.1	57.1	95.0	196.2
	FEMALE		6.5	-	-	0.5	-	-	-	2.5	12.0	17.1	41.7	57.8
188	BLADDER		5.0	-	-	-	-	-	0.2	1.0	2.9	16.2	39.0	68.9
	MALE		7.7	-	-	-	-	-	0.4	1.5	5.1	30.9	59.7	141.2
	FEMALE		2.5	-	-	-	-	-	-	0.5	0.8	3.9	23.8	28.9
190-199	OTHER & UNSPECIFIED SITES		19.5	-	1.1	0.7	0.7	1.6	3.6	15.6	39.0	75.2	89.5	151.8
	MALE		18.7	-	1.0	-	0.5	2.8	4.6	18.9	43.3	68.3	95.0	188.3
	FEMALE		20.2	-	1.1	1.4	1.0	0.5	2.7	12.4	35.1	81.0	85.4	131.5
191	BRAIN		7.0	-	1.1	0.4	0.7	1.2	2.5	9.2	17.7	28.1	27.5	22.3
	MALE		8.0	-	1.0	-	0.5	1.8	3.9	12.9	24.6	21.5	35.3	41.8
	FEMALE		6.0	-	1.1	0.9	1.0	0.5	1.1	5.5	11.2	33.5	21.9	11.6
200-208	LYMPHATIC & HEMATOPOIETIC TISSUES		22.3	-	1.6	0.7	2.6	1.4	7.1	10.2	31.2	86.3	127.3	193.7
	MALE		25.3	-	1.0	0.9	3.2	0.9	7.3	10.9	37.3	115.1	173.6	277.3
	FEMALE		19.4	-	2.2	0.5	1.9	1.9	6.8	9.4	25.5	62.3	93.4	147.4
202	LYMPHOMA		8.0	-	-	-	0.5	0.7	1.9	3.5	10.7	33.6	45.9	72.6
	MALE		9.2	-	-	-	0.5	0.9	1.5	4.5	14.4	44.0	76.0	88.9
	FEMALE		6.9	-	-	-	0.5	0.5	2.3	2.5	7.2	24.9	23.8	63.6

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203	MULTIPLE MYELOMA		4.0	-	-	-	-	-	0.8	1.5	9.5	16.6	18.4	34.4
	MALE		4.3	-	-	-	-	-	0.4	1.5	11.0	20.6	24.4	49.7
	FEMALE		3.7	-	-	-	-	-	1.1	1.5	8.0	13.2	13.9	26.0
204-208	LEUKEMIA		8.7	-	1.6	0.7	1.7	0.5	3.4	4.2	8.6	31.5	56.2	73.5
	MALE		10.2	-	1.0	0.9	2.3	-	3.9	4.0	10.2	44.0	67.8	125.5
	FEMALE		7.2	-	2.2	0.5	1.0	0.9	3.0	4.5	7.2	21.0	47.7	44.8
204	LYMPHATIC LEUKEMIA		2.3	-	1.1	0.2	0.2	-	1.1	0.7	1.6	6.8	9.2	27.9
	MALE		3.0	-	1.0	-	-	-	1.5	1.0	1.7	10.3	16.3	52.3
	FEMALE		1.6	-	1.1	0.5	0.5	-	0.8	0.5	1.6	3.9	4.0	14.5
205	MYELOID LEUKEMIA		4.2	-	0.5	-	1.2	0.5	1.9	2.5	4.9	13.6	34.4	26.1
	MALE		4.5	-	-	-	1.8	-	1.9	2.0	6.8	18.7	29.8	44.5
	FEMALE		3.8	-	1.1	-	0.5	0.9	1.9	3.0	3.2	9.3	37.8	15.9
210-229	BENIGN NEOPLASMS		0.9	-	1.1	0.2	-	-	-	0.2	0.4	3.0	5.7	10.2
	MALE		1.1	-	1.0	0.4	-	-	-	-	0.8	3.7	10.9	15.7
	FEMALE		0.7	-	1.1	-	-	-	-	0.5	-	2.3	2.0	7.2
230-239	IN SITU, UNCERTAIN BEHAVIOR & UNSPECIFIED NATURE NEOPLASMS		1.9	2.3	-	-	-	-	0.2	0.5	1.6	3.8	11.5	28.9
	MALE		1.7	-	-	-	-	-	0.4	-	1.7	4.7	8.1	39.2
	FEMALE		2.0	4.8	-	-	-	-	-	1.0	1.6	3.1	13.9	23.1
III.	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES		29.0	9.4	-	0.4	1.9	3.0	4.6	13.9	43.6	93.5	178.9	296.1
	MALE		26.6	13.7	-	0.4	2.3	3.7	6.6	15.9	46.7	106.7	181.8	285.1
	FEMALE		31.2	4.8	-	0.5	1.5	2.3	2.7	11.9	40.6	82.6	176.8	302.1
250	DIABETES MELLITUS		22.5	-	-	-	0.7	1.6	3.4	9.4	34.9	77.4	146.8	227.2
	MALE		21.2	-	-	-	0.5	2.8	5.4	10.9	37.3	85.2	162.8	232.8
	FEMALE		23.8	-	-	-	1.0	0.5	1.5	7.9	32.7	70.9	135.1	224.1
RESIDUAL OF 240-279	OTHER ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES		6.4	9.4	-	0.4	1.2	1.4	1.1	4.5	8.6	16.2	32.1	68.9
	MALE		5.4	13.7	-	0.4	1.8	0.9	1.2	5.0	9.3	21.5	19.0	52.3
	FEMALE		7.4	4.8	-	0.5	0.5	1.9	1.1	4.0	8.0	11.7	41.7	78.1
IV.	DISEASES OF THE BLOOD-FORMING ORGANS		3.0	2.3	0.5	-	-	-	0.4	1.2	3.3	4.3	13.8	50.3
	MALE		3.3	-	1.0	-	-	-	0.4	1.5	4.2	5.6	32.6	60.2
	FEMALE		2.6	4.8	-	-	-	-	0.4	1.0	2.4	3.1	-	44.8

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	ANEMIAS	1.2	-	0.5	-	-	-	0.2	0.5	2.5	0.9	-	23.3
	MALE	1.1	-	1.0	-	-	-	-	0.5	2.5	1.9	-	26.2
	FEMALE	1.3	-	-	-	-	-	0.4	0.5	2.4	-	-	21.7
RESIDUAL OF 280-289	OTHER DISEASES OF THE BLOOD & BLOOD-FORMING ORGANS	1.8	2.3	-	-	-	-	0.2	0.7	0.8	3.4	13.8	27.0
	MALE	2.2	-	-	-	-	-	0.4	1.0	1.7	3.7	32.6	34.0
	FEMALE	1.4	4.8	-	-	-	-	-	0.5	-	3.1	-	23.1
	V. MENTAL DISORDERS	28.7	-	-	-	0.2	2.5	8.2	7.9	11.5	36.1	119.3	554.9
	MALE	22.6	-	-	-	0.5	3.2	13.1	10.4	16.1	42.1	143.8	442.0
	FEMALE	34.7	-	-	-	-	1.9	3.4	5.5	7.2	31.2	101.3	617.2
290.1	ALZHEIMER'S DEMENTIA	9.2	-	-	-	-	-	-	-	1.2	9.4	44.7	209.5
	MALE	7.1	-	-	-	-	-	-	-	-	10.3	48.8	209.2
	FEMALE	11.3	-	-	-	-	-	-	-	2.4	8.6	41.7	209.6
291	ALCOHOLIC PSYCHOSIS	0.3	-	-	-	-	-	-	-	0.8	1.3	2.3	1.9
	MALE	0.5	-	-	-	-	-	-	-	1.7	1.9	5.4	5.2
	FEMALE	0.1	-	-	-	-	-	-	-	-	0.8	-	-
303	ALCOHOLISM	3.3	-	-	-	-	0.9	4.8	6.2	5.3	12.3	5.7	1.9
	MALE	4.8	-	-	-	-	1.4	7.0	8.4	8.5	18.7	13.6	2.6
	FEMALE	1.8	-	-	-	-	0.5	2.7	4.0	2.4	7.0	-	1.4
304	DRUG DEPENDENCE	0.7	-	-	-	-	0.9	2.3	1.0	-	0.4	-	-
	MALE	1.1	-	-	-	-	0.9	4.2	1.5	-	0.9	-	-
	FEMALE	0.3	-	-	-	-	0.9	0.4	0.5	-	-	-	-
305	NON-DEPENDENT DRUG ABUSE	0.4	-	-	-	0.2	-	1.0	0.2	0.8	1.3	1.1	-
	MALE	0.5	-	-	-	0.5	-	1.5	-	0.8	-	2.7	-
	FEMALE	0.4	-	-	-	-	-	0.4	0.5	0.8	2.3	-	-
RESIDUAL OF 290-319	OTHER MENTAL DISORDERS	14.8	-	-	-	-	0.7	0.2	0.5	3.3	11.5	65.4	341.7
	MALE	8.7	-	-	-	-	0.9	0.4	0.5	5.1	10.3	73.2	224.9
	FEMALE	20.8	-	-	-	-	0.5	-	0.5	1.6	12.5	59.6	406.2
	VI. DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	29.5	18.7	1.6	2.0	1.4	2.5	5.6	7.4	17.7	59.9	156.0	473.9
	MALE	26.1	18.3	2.1	2.2	1.4	3.2	6.2	8.9	17.0	60.8	170.9	520.5
	FEMALE	32.9	19.2	1.1	1.8	1.5	1.9	4.9	5.9	18.3	59.2	145.0	448.1

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
320-322	MENINGITIS	0.4	2.3	0.5	-	-	0.2	0.4	-	0.8	0.9	1.1	2.8
	MALE	0.6	4.6	1.0	-	-	0.5	0.8	-	0.8	0.9	-	5.2
	FEMALE	0.3	-	-	-	-	-	-	-	0.8	0.8	2.0	1.4
331.0	ALZHEIMER'S DISEASE	12.7	-	-	-	-	-	-	0.2	2.1	15.7	60.8	282.1
	MALE	8.2	-	-	-	-	-	-	0.5	1.7	13.1	54.3	232.8
	FEMALE	17.2	-	-	-	-	-	-	-	2.4	17.9	65.6	309.3
332	PARKINSON'S DISEASE	7.4	-	-	-	-	-	-	-	1.6	14.5	57.3	134.1
	MALE	8.4	-	-	-	-	-	-	-	2.5	17.8	78.7	206.6
	FEMALE	6.4	-	-	-	-	-	-	-	0.8	11.7	41.7	94.0
345	EPILEPSY	0.9	-	-	-	0.9	0.9	1.1	1.5	1.2	0.9	-	3.7
	MALE	1.2	-	-	-	0.5	1.4	1.5	2.5	0.8	1.9	-	5.2
	FEMALE	0.7	-	-	-	1.5	0.5	0.8	0.5	1.6	-	-	2.9
RESIDUAL OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	8.0	16.4	1.1	2.0	0.5	1.4	4.0	5.7	11.9	28.1	36.7	51.2
	MALE	7.7	13.7	1.0	2.2	0.9	1.4	3.9	6.0	11.0	27.1	38.0	70.6
	FEMALE	8.4	19.2	1.1	1.8	-	1.4	4.2	5.5	12.7	28.8	35.8	40.5
VII.	DISEASES OF THE CIRCULATORY SYSTEM	349.0	14.0	0.5	0.4	2.4	6.7	28.1	97.8	320.1	856.6	1955.5	5440.8
	MALE	345.1	9.2	-	0.4	3.2	7.3	40.2	144.1	456.4	1164.4	2482.3	5777.9
	FEMALE	352.8	19.2	1.1	0.5	1.5	6.1	16.3	51.5	192.0	600.5	1569.6	5254.6
390-448	MAJOR CARDIOVASCULAR DISEASES	348.0	14.0	0.5	0.4	2.4	6.7	27.8	96.8	318.8	854.0	1948.6	5428.7
	MALE	344.2	9.2	-	0.4	3.2	7.3	39.4	143.1	455.6	1160.6	2476.9	5770.0
	FEMALE	351.6	19.2	1.1	0.5	1.5	6.1	16.3	50.6	190.4	598.9	1561.7	5240.1
390-398, 402, 404-429	DISEASES OF THE HEART	240.8	9.4	0.5	0.2	1.7	5.6	22.8	81.1	252.3	631.7	1343.0	3526.7
	MALE	257.1	9.2	-	-	2.3	6.9	34.8	127.7	374.1	897.6	1814.9	4001.9
	FEMALE	224.9	9.6	1.1	0.5	1.0	4.2	11.0	34.7	137.8	410.4	997.4	3264.0
390-398	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE	3.3	-	-	-	0.2	0.7	0.2	1.2	3.3	9.8	20.6	40.0
	MALE	2.0	-	-	-	-	0.9	-	1.0	0.8	5.6	21.7	31.4
	FEMALE	4.5	-	-	-	0.5	0.5	0.4	1.5	5.6	13.2	19.9	44.8
402,404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	6.7	-	-	-	-	-	1.0	2.5	4.9	12.8	34.4	114.5
	MALE	4.7	-	-	-	-	-	1.2	4.5	5.1	15.0	29.8	73.2
	FEMALE	8.6	-	-	-	-	-	0.8	0.5	4.8	10.9	37.8	137.3

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	ISCHEMIC HEART DISEASE		163.7	-	-	-	-	2.5	11.5	58.8	192.3	467.6	943.9	2259.6
	MALE		187.9	-	-	-	-	3.2	20.5	95.9	299.5	691.7	1356.4	2756.9
	FEMALE		140.2	-	-	-	-	1.9	2.7	21.8	91.6	281.1	641.8	1984.7
	MYOCARDIAL INFARCTION		64.2	-	-	-	-	1.2	4.6	21.1	81.4	199.8	386.5	829.5
	MALE		73.7	-	-	-	-	0.9	7.7	34.3	119.6	280.8	534.4	1067.2
	FEMALE		54.9	-	-	-	-	1.4	1.5	7.9	45.4	132.4	278.2	698.2
411	OTHER ACUTE & SUBACUTE ISCHEMIC HEART DISEASE		0.2	-	-	-	-	-	-	-	-	0.4	-	5.6
	MALE		0.3	-	-	-	-	-	-	-	-	0.9	-	7.8
	FEMALE		0.2	-	-	-	-	-	-	-	-	-	-	4.3
412-414	CHRONIC ISCHEMIC HEART DISEASE		99.3	-	-	-	-	1.4	6.9	37.7	110.9	267.4	557.4	1424.4
	MALE		113.9	-	-	-	-	2.3	12.7	61.6	179.9	410.0	822.0	1681.8
	FEMALE		85.0	-	-	-	-	0.5	1.1	13.9	46.2	148.8	363.6	1282.2
415-429	ALL OTHER FORMS		67.2	9.4	0.5	0.2	1.4	2.3	10.1	18.6	51.8	141.6	344.1	1112.6
	MALE		62.5	9.2	-	-	2.3	2.8	13.1	26.3	68.7	185.3	406.9	1140.4
	FEMALE		71.7	9.6	1.1	0.5	0.5	1.9	7.2	10.9	35.9	105.1	298.0	1097.2
401, 403	HYPERTENSION		6.2	-	-	-	-	-	-	1.0	2.1	14.0	32.1	114.5
	MALE		4.9	-	-	-	-	-	-	0.5	2.5	17.8	35.3	102.0
	FEMALE		7.4	-	-	-	-	-	-	1.5	1.6	10.9	29.8	121.4
430-438	CEREBROVASCULAR DISEASE		79.3	2.3	-	0.2	0.2	1.2	3.4	11.7	50.1	152.6	439.3	1439.3
	MALE		59.4	-	-	0.4	-	0.5	3.1	10.9	60.2	163.8	436.8	1247.6
	FEMALE		98.6	4.8	-	-	0.5	1.9	3.8	12.4	40.6	143.3	441.1	1545.3
430	SUBARACHNOID HEMORRHAGE		2.9	-	-	-	-	0.5	1.7	4.5	8.6	6.0	10.3	17.7
	MALE		1.7	-	-	-	-	0.5	0.8	2.0	5.9	5.6	5.4	13.1
	FEMALE		4.1	-	-	-	-	0.5	2.7	6.9	11.2	6.2	13.9	20.2
431-432	INTRACEREBRAL & INTRACRANIAL HEMORRHAGES		9.1	2.3	-	0.2	0.2	0.5	1.0	3.5	11.1	32.7	51.6	104.3
	MALE		8.0	-	-	0.4	-	-	1.5	4.5	13.6	38.4	51.5	86.3
	FEMALE		10.2	4.8	-	-	0.5	0.9	0.4	2.5	8.8	28.0	51.7	114.2
434	CEREBRAL THROMBOSIS & EMBOLISM		8.4	-	-	-	-	0.2	0.2	0.2	4.5	15.7	55.1	153.6
	MALE		6.3	-	-	-	-	-	-	0.5	5.9	16.8	67.8	120.3
	FEMALE		10.5	-	-	-	-	0.5	0.4	-	3.2	14.8	45.7	172.0
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE		47.0	-	-	-	-	-	0.2	3.0	19.7	82.5	260.3	920.8
	MALE		33.8	-	-	-	-	-	0.4	3.5	25.5	88.9	236.0	787.3
	FEMALE		59.8	-	-	-	-	-	-	2.5	14.3	77.1	278.2	994.5

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	5.7	-	-	-	-	-	0.2	0.2	2.1	7.7	20.6	125.7
	MALE	4.5	-	-	-	-	-	-	0.5	1.7	9.4	29.8	117.7
	FEMALE	6.9	-	-	-	-	-	0.4	-	2.4	6.2	13.9	130.1
440	ARTERIOSCLEROSIS	9.5	-	-	-	-	-	0.2	0.5	4.5	17.4	57.3	179.7
	MALE	9.5	-	-	-	-	-	0.4	1.0	5.9	27.1	89.5	193.6
	FEMALE	9.6	-	-	-	-	-	-	-	3.2	9.3	33.8	172.0
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES	12.2	2.3	-	-	0.5	-	1.3	2.5	9.9	38.3	76.8	168.5
	MALE	13.4	-	-	-	0.9	-	1.2	3.0	12.7	54.3	100.4	224.9
	FEMALE	11.0	4.8	-	-	-	-	1.5	2.0	7.2	24.9	59.6	137.3
441	AORTIC ANEURYSM	7.1	-	-	-	0.5	-	0.6	0.7	6.2	25.5	45.9	93.1
	MALE	8.8	-	-	-	0.9	-	0.8	1.0	8.5	35.6	67.8	149.1
	FEMALE	5.5	-	-	-	-	-	0.4	0.5	4.0	17.1	29.8	62.2
451-453	VENOUS THROMBOSIS & EMBOLISM	0.4	-	-	-	-	-	0.2	0.7	0.4	1.3	1.1	4.7
	MALE	0.4	-	-	-	-	-	0.4	1.0	0.8	0.9	-	2.6
	FEMALE	0.5	-	-	-	-	-	-	0.5	-	1.6	2.0	5.8
RESIDUAL OF 390-459	OTHER DISEASES OF THE CIRCULATORY SYSTEM	0.6	-	-	-	-	-	0.2	0.2	0.8	1.3	5.7	7.4
	MALE	0.5	-	-	-	-	-	0.4	-	-	2.8	5.4	5.2
	FEMALE	0.8	-	-	-	-	-	-	0.5	1.6	-	6.0	8.7
VIII.	DISEASES OF THE RESPIRATORY SYSTEM	84.9	7.0	1.1	0.2	-	2.8	3.4	14.9	77.2	257.2	535.6	1213.1
	MALE	84.8	13.7	1.0	-	-	2.3	2.7	13.9	80.6	278.9	705.4	1598.1
	FEMALE	85.0	-	1.1	0.5	-	3.3	4.2	15.9	74.1	239.1	411.3	1000.3
480-487	PNEUMONIA & INFLUENZA	28.7	2.3	-	-	-	1.6	1.7	3.5	13.1	43.8	139.9	568.8
	MALE	27.3	4.6	-	-	-	1.4	0.8	4.0	17.0	59.9	176.3	677.4
	FEMALE	30.0	-	-	-	-	1.9	2.7	3.0	9.6	30.4	113.3	508.8
480-486	PNEUMONIA	28.5	2.3	-	-	-	1.6	1.7	3.5	13.1	42.5	139.9	566.1
	MALE	27.2	4.6	-	-	-	1.4	0.8	4.0	17.0	59.0	176.3	674.8
	FEMALE	29.8	-	-	-	-	1.9	2.7	3.0	9.6	28.8	113.3	505.9
487	INFLUENZA	0.2	-	-	-	-	-	-	-	-	1.3	-	2.8
	MALE	0.1	-	-	-	-	-	-	-	-	0.9	-	2.6
	FEMALE	0.3	-	-	-	-	-	-	-	-	1.6	-	2.9

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH	AGE GROUPS												
	TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE & ALLIED CONDITIONS	46.6	-	-	0.2	-	0.9	1.3	9.7	53.8	191.7	350.9	485.1
	MALE	48.2	-	-	-	-	0.9	1.5	7.9	50.1	198.4	463.9	732.4
	FEMALE	45.1	-	-	0.5	-	0.9	1.1	11.4	57.4	186.1	268.2	348.4
490-491	CHRONIC & UNSPECIFIED BRONCHITIS	1.8	-	-	-	-	-	-	0.2	2.5	6.0	11.5	22.3
	MALE	1.9	-	-	-	-	-	-	-	2.5	3.7	16.3	41.8
	FEMALE	1.6	-	-	-	-	-	-	0.5	2.4	7.8	7.9	11.6
492	EMPHYSEMA	9.9	-	-	-	-	-	0.2	1.2	14.4	41.2	80.3	95.0
	MALE	10.1	-	-	-	-	-	-	0.5	15.3	44.0	108.5	130.8
	FEMALE	9.7	-	-	-	-	-	0.4	2.0	13.5	38.9	59.6	75.2
493	ASTHMA	2.7	-	-	0.2	-	0.9	0.8	3.2	4.1	8.1	11.5	23.3
	MALE	2.0	-	-	-	-	0.9	0.8	2.5	1.7	5.6	8.1	28.8
	FEMALE	3.5	-	-	0.5	-	0.9	0.8	4.0	6.4	10.1	13.9	20.2
494	BRONCHIECTASIS	0.5	-	-	-	-	-	0.2	0.2	-	2.1	3.4	5.6
	MALE	0.3	-	-	-	-	-	0.4	-	-	-	5.4	2.6
	FEMALE	0.8	-	-	-	-	-	-	0.5	-	3.9	2.0	7.2
496	CHRONIC AIRWAY OBSTRUCTION NOT ELSEWHERE CLASSIFIED (COPD)	31.6	-	-	-	-	-	0.2	4.7	32.9	134.3	244.3	337.0
	MALE	33.9	-	-	-	-	-	0.4	5.0	30.5	145.1	325.5	525.7
	FEMALE	29.5	-	-	-	-	-	-	4.5	35.1	125.4	184.8	232.7
RESIDUAL OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	9.6	4.7	1.1	-	-	0.2	0.4	1.7	10.3	21.7	44.7	161.1
	MALE	9.3	9.2	1.0	-	-	-	0.4	2.0	13.6	20.6	65.1	190.9
	FEMALE	10.0	-	1.1	-	-	0.5	0.4	1.5	7.2	22.6	29.8	144.6
IX.	DISEASES OF THE DIGESTIVE SYSTEM	29.7	14.0	1.1	0.4	0.5	2.5	12.3	21.3	51.4	74.0	141.1	311.0
	MALE	28.8	13.7	2.1	0.4	-	2.8	17.8	25.8	56.8	83.3	149.2	321.7
	FEMALE	30.5	14.4	-	0.5	1.0	2.3	6.8	16.9	46.2	66.2	135.1	305.0
531	ULCER OF THE STOMACH	0.6	-	-	-	-	-	-	-	0.4	1.7	3.4	11.2
	MALE	0.5	-	-	-	-	-	-	-	-	1.9	-	13.1
	FEMALE	0.8	-	-	-	-	-	-	-	0.8	1.6	6.0	10.1
532	ULCER OF THE DUODENUM	0.5	-	-	-	-	-	-	-	2.1	1.7	3.4	2.8
	MALE	0.8	-	-	-	-	-	-	-	4.2	3.7	5.4	2.6
	FEMALE	0.2	-	-	-	-	-	-	-	-	-	2.0	2.9

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
533	PEPTIC ULCER	1.1	-	-	-	-	-	0.2	0.2	2.9	1.3	5.7	14.9
	MALE	0.8	-	-	-	-	-	-	-	2.5	0.9	8.1	15.7
	FEMALE	1.3	-	-	-	-	-	0.4	0.5	3.2	1.6	4.0	14.5
550-553, 560	HERNIA & INTESTINAL OBSTRUCTION	2.6	7.0	-	0.2	-	-	0.2	0.5	2.1	3.8	13.8	44.7
	MALE	2.0	9.2	-	0.4	-	-	0.4	1.0	-	3.7	10.9	44.5
	FEMALE	3.1	4.8	-	-	-	-	-	-	4.0	3.9	15.9	44.8
571	CIRRHOSIS OF THE LIVER	9.6	-	-	-	-	1.6	9.6	15.4	27.1	28.1	21.8	28.9
	MALE	12.2	-	-	-	-	2.3	14.7	19.4	33.9	36.5	35.3	36.6
	FEMALE	7.1	-	-	-	-	0.9	4.6	11.4	20.7	21.0	11.9	24.6
571.0-.3	ALCOHOLIC CIRRHOSIS OF THE LIVER	7.4	-	-	-	-	1.2	8.8	14.6	24.2	18.3	12.6	9.3
	MALE	10.7	-	-	-	-	1.8	13.5	19.4	33.1	30.9	24.4	15.7
	FEMALE	4.3	-	-	-	-	0.5	4.2	9.9	15.9	7.8	4.0	5.8
574-576	DISEASES OF THE GALLBLADDER	1.5	2.3	-	-	-	-	0.2	0.5	0.8	3.4	4.6	27.9
	MALE	1.2	4.6	-	-	-	-	0.4	0.5	-	2.8	5.4	28.8
	FEMALE	1.8	-	-	-	-	-	-	0.5	1.6	3.9	4.0	27.5
577	DISEASES OF THE PANCREAS	0.9	-	-	-	-	-	0.2	0.7	2.1	2.6	6.9	7.4
	MALE	1.1	-	-	-	-	-	0.4	1.0	2.5	3.7	8.1	10.5
	FEMALE	0.8	-	-	-	-	-	-	0.5	1.6	1.6	6.0	5.8
RESIDUAL OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	12.8	4.7	1.1	0.2	0.5	0.9	1.9	4.0	14.0	31.5	81.4	173.2
	MALE	10.2	-	2.1	-	-	0.5	1.9	4.0	13.6	30.0	76.0	170.0
	FEMALE	15.4	9.6	-	0.5	1.0	1.4	1.9	4.0	14.3	32.7	85.4	174.9
X.	DISEASES OF THE GENITOURINARY SYSTEM	10.1	2.3	-	-	-	-	0.2	3.5	5.3	19.6	59.6	176.0
	MALE	8.8	4.6	-	-	-	-	0.4	5.5	5.1	23.4	65.1	177.9
	FEMALE	11.3	-	-	-	-	-	-	1.5	5.6	16.4	55.6	174.9
580-589	NEPHRITIS & NEPHROSIS	4.4	-	-	-	-	-	0.2	2.5	2.5	12.8	33.3	56.8
	MALE	4.4	-	-	-	-	-	0.4	4.0	1.7	16.8	40.7	62.8
	FEMALE	4.3	-	-	-	-	-	-	1.0	3.2	9.3	27.8	53.5
590	INFECTIONS OF THE KIDNEY	0.6	-	-	-	-	-	-	0.2	0.4	0.9	3.4	10.2
	MALE	0.3	-	-	-	-	-	-	-	-	-	2.7	10.5
	FEMALE	0.8	-	-	-	-	-	-	0.5	0.8	1.6	4.0	10.1
599.0	URINARY TRACT INFECTION	3.7	-	-	-	-	-	-	0.5	0.8	4.7	16.1	81.9
	MALE	2.3	-	-	-	-	-	-	1.0	0.8	3.7	13.6	62.8
	FEMALE	5.1	-	-	-	-	-	-	-	0.8	5.5	17.9	92.5

WARNING: Rates based on 5 or less events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH		AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
600-608	DISEASES OF MALE GENITAL ORGANS	0.4	-	-	-	-	-	-	-	0.4	-	3.4	8.4
	MALE	0.8	-	-	-	-	-	-	-	0.8	-	8.1	23.5
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
614-629	DISEASES OF THE UTERUS & OTHER FEMALE GENITAL ORGANS	0.1	-	-	-	-	-	-	-	-	-	-	1.9
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	0.1	-	-	-	-	-	-	-	-	-	-	2.9
RESIDUAL OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	0.9	2.3	-	-	-	-	-	0.2	1.2	1.3	3.4	16.8
	MALE	0.9	4.6	-	-	-	-	-	0.5	1.7	2.8	-	18.3
	FEMALE	0.9	-	-	-	-	-	-	-	0.8	-	6.0	15.9
630-676	XI. COMPLICATIONS OF PREGNANCY, CHILD BIRTH & THE PUERPERIUM	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
680-709	XII. DISEASES OF THE SKIN & SUBCUTANEOUS TISSUE	0.8	-	-	-	-	-	0.4	0.7	-	1.7	2.3	12.1
	MALE	0.7	-	-	-	-	-	0.8	1.5	-	2.8	-	7.8
	FEMALE	0.8	-	-	-	-	-	-	-	-	0.8	4.0	14.5
710-739	XIII. MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DISEASES	5.3	-	-	0.4	-	0.2	1.7	2.7	6.6	7.2	21.8	84.7
	MALE	2.8	-	-	-	-	0.5	0.4	1.5	5.1	3.7	16.3	57.5
	FEMALE	7.7	-	-	0.9	-	-	3.0	4.0	8.0	10.1	25.8	99.7
745-746	XIV. CONGENITAL ANOMALIES	4.7	126.4	4.2	2.5	1.2	1.2	1.1	3.5	2.9	2.6	11.5	18.6
	MALE	5.3	123.6	6.2	3.0	1.8	0.9	1.5	4.5	3.4	2.8	16.3	26.2
	FEMALE	4.0	129.4	2.2	1.8	0.5	1.4	0.8	2.5	2.4	2.3	7.9	14.5
RESIDUAL OF 740-759	OTHER CONGENITAL ANOMALIES	3.2	89.0	2.6	1.8	0.5	0.2	0.2	2.7	2.1	1.7	10.3	15.8
	MALE	3.6	77.8	4.1	2.2	0.9	-	0.4	3.0	2.5	1.9	16.3	23.5
	FEMALE	2.9	100.6	1.1	1.4	-	0.5	-	2.5	1.6	1.6	6.0	11.6

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
760-779	XV. PERINATAL CONDITION		2.4	175.6	-	0.2	-	-	-	-	-	-	-	-
	MALE		2.7	192.3	-	-	-	-	-	-	-	-	-	-
	FEMALE		2.1	158.1	-	0.5	-	-	-	-	-	-	-	-
	XVI. SYMPTOMS & ILL-DEFINED CONDITIONS		18.3	187.3	-	-	0.2	0.9	1.3	5.0	19.7	37.8	61.9	252.3
	MALE		17.3	187.7	-	-	0.5	1.4	1.9	7.5	31.4	44.0	81.4	230.2
	FEMALE		19.3	186.9	-	-	-	0.5	0.8	2.5	8.8	32.7	47.7	264.5
797	SENILITY		1.3	-	-	-	-	-	-	-	-	0.4	-	38.2
	MALE		1.0	-	-	-	-	-	-	-	-	-	-	39.2
	FEMALE		1.7	-	-	-	-	-	-	-	-	0.8	-	37.6
798.0	SUDDEN INFANT DEATH SYNDROME		2.4	177.9	-	-	-	-	-	-	-	-	-	-
	MALE		2.5	178.5	-	-	-	-	-	-	-	-	-	-
	FEMALE		2.3	177.3	-	-	-	-	-	-	-	-	-	-
RESIDUAL OF 780-799	OTHER SYMPTOMS & ILL-DEFINED CONDITIONS		14.5	4.7	-	-	0.2	0.9	1.3	5.0	19.7	37.4	61.9	214.1
	MALE		13.7	4.6	-	-	0.5	1.4	1.9	7.5	31.4	44.0	81.4	190.9
	FEMALE		15.2	4.8	-	-	-	0.5	0.8	2.5	8.8	31.9	47.7	227.0
	XVII. ACCIDENTS, POISONING & VIOLENCE		65.3	46.8	20.1	12.9	77.3	75.3	78.3	60.8	46.0	58.7	114.7	255.1
	MALE		91.5	41.2	18.5	15.2	110.5	117.9	120.5	89.4	71.3	85.2	151.9	342.6
	FEMALE		39.8	52.7	21.8	10.5	42.3	31.8	36.8	32.2	22.3	36.6	87.4	206.7
800-949	ACCIDENTS		41.3	25.8	16.9	10.7	44.8	41.0	45.6	33.2	30.0	36.6	82.6	216.9
	MALE		53.7	32.0	15.4	12.6	57.8	66.1	69.5	46.2	48.4	47.7	86.8	248.5
	FEMALE		29.3	19.2	18.5	8.7	31.1	15.4	22.0	20.3	12.7	27.3	79.5	199.5
810-825	MOTOR VEHICLE ACCIDENTS		18.6	7.0	7.4	6.5	32.2	24.6	18.0	16.4	14.8	14.9	26.4	37.2
	MALE		23.8	9.2	7.2	7.0	37.9	39.0	23.9	20.4	22.1	15.0	29.8	52.3
	FEMALE		13.5	4.8	7.6	6.0	26.3	9.8	12.1	12.4	8.0	14.8	23.8	28.9
830-838	WATER TRANSPORT ACCIDENTS		0.7	-	-	-	1.2	1.2	1.5	0.5	0.4	0.4	-	-
	MALE		1.1	-	-	-	1.4	1.8	2.3	1.0	0.8	0.9	-	-
	FEMALE		0.3	-	-	-	1.0	0.5	0.8	-	-	-	-	-
840-845	AIR TRANSPORT ACCIDENTS		0.6	-	-	-	0.5	0.2	0.6	2.0	0.8	0.9	2.3	-
	MALE		1.1	-	-	-	0.5	0.5	0.8	3.5	1.7	1.9	5.4	-
	FEMALE		0.2	-	-	-	0.5	-	0.4	0.5	-	-	-	-
850-869	POISONING ACCIDENTS		5.2	-	0.5	-	1.7	8.6	14.2	7.7	1.6	2.6	-	2.8
	MALE		8.0	-	1.0	-	1.8	13.3	23.9	10.9	2.5	1.9	-	2.6
	FEMALE		2.5	-	-	-	1.5	3.7	4.6	4.5	0.8	3.1	-	2.9

WARNING: Rates based on less than 5 events are unreliable.

**TABLE 6-7.
DEATH RATES FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1995 (CONTINUED)**

CAUSE OF DEATH			AGE GROUPS											
			TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	ACCIDENTAL FALLS		7.4	2.3	-	-	0.7	1.6	1.7	1.5	3.7	9.8	33.3	134.1
	MALE		6.7	4.6	-	-	0.9	2.8	2.7	2.0	6.8	15.0	24.4	130.8
	FEMALE		8.1	-	-	-	0.5	0.5	0.8	1.0	0.8	5.5	39.7	135.9
890-899	FIRE & FLAME ACCIDENTS		1.0	2.3	2.1	0.4	0.5	0.2	0.6	0.5	1.6	2.1	2.3	5.6
	MALE		1.3	-	3.1	0.4	0.9	0.5	0.8	1.0	2.5	2.8	5.4	2.6
	FEMALE		0.8	4.8	1.1	0.5	-	-	0.4	-	0.8	1.6	-	7.2
910	DROWNING & SUBMERSION		1.8	4.7	4.2	1.8	3.3	1.6	1.3	1.0	1.2	-	1.1	1.9
	MALE		2.8	9.2	4.1	2.6	5.5	3.2	1.9	1.5	2.5	-	-	2.6
	FEMALE		0.8	-	4.4	0.9	1.0	-	0.8	0.5	-	-	2.0	1.4
950-959	SUICIDES		16.8	-	-	1.1	20.1	22.5	22.0	20.8	12.7	20.4	28.7	33.5
	MALE		27.9	-	-	1.3	33.7	35.8	35.5	33.8	19.5	35.6	62.4	86.3
	FEMALE		6.0	-	-	0.9	5.8	8.9	8.7	7.9	6.4	7.8	4.0	4.3
960-978	HOMICIDES		5.0	9.4	1.6	0.9	10.9	9.0	6.3	4.5	1.6	1.3	2.3	1.9
	MALE		7.0	4.6	1.0	0.9	16.2	12.8	8.9	6.5	1.7	0.9	-	5.2
	FEMALE		3.1	14.4	2.2	0.9	5.4	5.1	3.8	2.5	1.6	1.6	4.0	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED		2.2	11.7	1.6	0.2	1.4	2.8	4.4	2.2	1.6	0.4	1.1	2.8
	MALE		2.9	4.6	2.1	0.4	2.8	3.2	6.6	3.0	1.7	0.9	2.7	2.6
	FEMALE		1.4	19.2	1.1	-	-	2.3	2.3	1.5	1.6	-	-	2.9
990-999	INJURY RESULTING FROM OPERATIONS OF WAR		-	-	-	-	-	-	-	-	-	-	-	-
	MALE		-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE		-	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

Rates per 100,000 population.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

WARNING: Rates based on less than 5 events are unreliable.