

TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
All Causes	Male	28,750	256	61	91	353	468	966	1,696	2,534	5,392	4,120	12,813
	Female	14,269	148	40	52	257	329	636	1,030	1,458	3,029	2,194	5,096
		14,481	108	21	39	96	139	330	666	1,076	2,363	1,926	7,717
I. Infective and Parasitic Disease	Male	376	9	3	2	2	29	57	54	32	60	43	85
	Female	228	8	2	1	1	21	44	42	19	33	24	33
		148	1	1	1	1	8	13	12	13	27	19	52
010-018, 137	Male	10	-	-	-	-	-	1	-	2	1	-	6
	Female	3	-	-	-	-	-	-	-	1	-	-	2
		7	-	-	-	-	-	-	-	1	-	-	4
038	Male	99	-	-	-	-	1	1	6	10	24	19	38
	Female	49	-	-	-	-	-	-	3	3	14	12	17
		50	-	-	-	-	1	1	3	7	10	7	21
042-044	Male	93	-	-	-	2	24	40	19	5	2	-	1
	Female	81	-	-	-	1	19	36	18	4	2	-	1
		12	-	-	-	1	5	4	1	1	-	-	-
070	Male	62	-	-	-	-	-	12	21	7	12	4	6
	Female	41	-	-	-	-	-	6	19	5	7	3	1
		21	-	-	-	-	-	6	2	2	5	1	5
Residual of 001-139	Male	112	9	3	2	-	4	3	8	8	21	20	34
	Female	54	8	2	1	-	2	2	2	6	10	9	12
		58	1	1	1	-	2	1	6	2	11	11	22
II. Neoplasms	Male	6,874	1	9	12	14	55	185	547	1,009	1,940	1,129	1,973
	Female	3,554	1	6	7	6	24	72	258	511	1,059	613	997
		3,320	-	3	5	8	31	113	289	498	881	516	976
140-208	Male	6,790	1	7	12	14	55	182	541	1,003	1,927	1,117	1,931
	Female	3,522	1	6	7	6	24	71	254	507	1,053	608	985
		3,268	-	1	5	8	31	111	287	496	874	509	946
140-149	Male	123	-	-	-	-	2	4	12	19	35	17	34
	Female	64	-	-	-	-	-	3	7	10	21	7	16
		59	-	-	-	-	2	1	5	9	14	10	18
150-159	Male	1,443	-	-	1	2	5	28	111	189	408	214	485
	Female	765	-	-	1	1	4	14	62	124	233	113	213
		678	-	-	-	1	1	14	49	65	175	101	272

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision" published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups												
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
150	Esophagus	Male	144	-	-	-	-	-	1	10	32	46	21	34
		Female	117	-	-	-	-	-	-	10	31	36	16	24
151	Stomach	Male	116	-	-	-	3	2	11	10	36	17	37	
		Female	72	-	-	-	2	2	7	8	24	9	20	
153	Large Intestine (Exc. Rectum)	Male	44	-	-	-	1	-	4	2	12	8	17	
		Female	539	-	-	-	1	9	36	66	130	78	218	
154	Rectum	Male	268	-	-	-	1	5	17	41	69	44	90	
		Female	271	-	-	-	-	4	19	25	61	34	128	
157	Pancreas	Male	119	-	-	-	1	2	15	24	28	8	41	
		Female	61	-	-	-	1	-	5	14	17	5	19	
160-165	Respiratory/Intrathoracic Organs	Male	58	-	-	-	-	2	10	10	11	3	22	
		Female	328	-	-	-	-	6	21	33	110	59	99	
162.2-.9	Bronchus & Lung	Male	141	-	-	-	-	2	13	16	52	22	36	
		Female	187	-	-	-	-	4	8	17	58	37	63	
170-175	Bone, Connective Tissue, Skin & Breast	Male	2,101	-	-	-	1	33	136	397	702	383	448	
		Female	1,229	-	-	-	1	13	79	222	430	229	254	
172	Malignant Melanoma	Male	872	-	-	-	-	20	57	175	272	154	194	
		Female	2,038	-	-	-	1	32	131	389	686	372	427	
173	Other Skin	Male	1,182	-	-	-	1	13	74	217	418	220	239	
		Female	856	-	-	-	-	19	57	172	268	152	188	
174-175	Breast	Male	687	-	1	3	18	40	109	138	158	77	142	
		Female	112	-	-	1	2	6	18	21	23	16	24	
175	Breast	Male	575	-	1	2	16	34	91	117	135	61	118	
		Female	101	-	-	-	4	8	20	20	19	11	19	
176	Breast	Male	58	-	-	-	1	4	13	14	10	6	10	
		Female	43	-	-	-	3	4	7	6	9	5	9	
177	Breast	Male	31	-	1	-	-	-	4	3	5	5	13	
		Female	20	-	-	-	-	-	3	1	4	3	9	
178	Breast	Male	11	-	1	-	-	-	1	2	1	2	4	
		Female	487	-	-	-	9	29	79	108	115	50	97	
179	Breast	Male	3	-	-	-	-	-	1	-	1	1	-	
		Female	484	-	-	-	9	29	78	108	114	49	97	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Total	Age Groups										
			< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
179-187	Genital Organs	812	-	-	-	-	6	16	41	59	237	138	315
		485	-	-	-	3	4	5	18	130	85	240	
		327	-	-	-	3	12	36	41	107	53	75	
179-182	Cervix & Uterus	129	-	-	-	-	1	6	20	12	40	21	29
		-	-	-	-	1	6	20	12	40	21	29	
180	Cervix Uteri	58	-	-	-	-	5	17	5	14	10	7	7
		58	-	-	-	-	5	17	5	14	10	7	7
182	Uterus	30	-	-	-	-	-	2	5	13	3	7	7
		30	-	-	-	-	-	2	5	13	3	7	7
183.0	Ovary	176	-	-	-	-	2	6	15	28	57	29	39
		176	-	-	-	-	2	6	15	28	57	29	39
185	Prostate	475	-	-	-	-	-	2	4	17	129	83	240
		475	-	-	-	-	-	2	4	17	129	83	240
188-189	Urinary Organs	308	-	-	-	-	-	3	18	35	85	61	106
		200	-	-	-	-	2	13	22	58	43	62	
		108	-	-	-	-	-	1	5	13	27	18	44
188	Bladder	163	-	-	-	-	-	2	10	15	36	33	67
		119	-	-	-	-	2	6	13	30	23	45	
		44	-	-	-	-	-	-	4	2	6	10	22
190-199	Other & Unspecified Sites	576	1	3	5	3	11	26	56	81	134	87	169
		291	1	3	3	1	8	15	33	41	68	47	71
		285	-	-	2	2	3	11	23	40	66	40	98
191	Brain	182	1	1	5	3	7	14	27	27	45	26	26
		101	1	1	3	1	5	10	17	11	25	15	12
		81	-	-	2	2	4	4	10	16	20	11	14
200-208	Lymphatic & Hematopoietic Tissues	740	-	3	3	7	12	32	58	85	168	140	232
		376	-	3	2	2	6	14	37	49	90	68	105
		364	-	-	1	5	6	18	21	36	78	72	127
202.8	Lymphoma	263	-	-	-	1	16	16	16	32	60	53	85
		125	-	-	-	1	5	12	19	24	22	42	
		138	-	-	-	-	11	11	4	13	36	31	43

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Total	Age Groups										
			< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	Multiple Myeloma	146	-	-	-	-	-	3	11	16	40	26	50
	Male	86	-	-	-	-	-	2	8	12	23	20	21
	Female	60	-	-	-	-	1	3	4	17	6	29	
204-208	Leukemia	282	-	3	3	6	8	8	22	34	58	59	81
	Male	141	-	3	2	1	4	2	12	17	38	24	38
	Female	141	-	-	1	5	4	6	10	17	20	35	43
204	Lymphatic Leukemia	80	-	1	-	1	2	1	5	11	22	11	26
	Male	44	-	1	-	-	1	1	4	4	14	6	14
	Female	36	-	-	1	1	2	-	1	7	8	5	12
205	Myeloid Leukemia	147	-	2	2	4	4	6	15	18	30	36	30
	Male	77	-	2	1	1	2	1	7	10	21	16	16
	Female	70	-	-	1	3	2	5	8	8	9	20	14
210-229	Benign Neoplasms	19	-	1	-	-	-	2	-	2	2	3	9
	Male	5	-	-	-	-	-	-	-	1	2	-	2
	Female	14	-	1	-	-	-	2	-	1	1	3	7
230-239	In Situ, Uncertain Behavior & Unspecified Nature Neoplasms	65	-	1	-	-	-	1	6	4	11	9	33
	Male	27	-	-	-	-	-	1	4	3	4	5	10
	Female	38	-	1	-	-	-	-	2	1	7	4	23
III. Endocrine, Nutritional, and Metabolic Diseases		1,088	5	-	3	7	14	24	78	114	257	176	410
	Male	471	2	-	2	2	7	15	45	49	126	76	147
	Female	617	3	-	1	5	7	9	33	65	131	100	263
250 Diabetes Mellitus		816	-	-	-	2	8	13	60	87	205	144	297
	Male	353	-	-	-	-	3	7	33	38	101	62	109
	Female	463	-	-	-	2	5	6	27	49	104	82	188
Residual of 240-279 Other Endocrine, Nutritional, & Metabolic Diseases		272	5	-	3	5	6	11	18	27	52	32	113
	Male	118	2	-	2	2	4	8	12	11	25	14	38
	Female	154	3	-	1	3	2	3	6	16	27	18	75
IV. Diseases of the Blood-forming Organs		120	1	1	-	-	3	3	9	4	21	22	56
	Male	50	1	1	-	-	3	1	3	1	10	12	18
	Female	70	-	-	-	-	2	2	6	3	11	10	38

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	Anemias	35	-	1	-	-	1	1	2	-	2	5	23
	Male	14	-	1	-	-	1	-	1	-	1	3	7
	Female	21	-	-	-	-	-	1	1	-	1	2	16
Residual of 280-289	Other Diseases of the Blood-forming Organs	85	1	-	-	-	2	2	7	4	19	17	33
	Male	36	1	-	-	-	2	1	2	1	9	9	11
	Female	49	-	-	-	-	-	1	5	3	10	8	22
V. Mental Disorders		1,059	-	-	-	5	12	43	30	59	82	113	715
	Male	427	-	-	-	4	5	33	25	48	45	60	207
	Female	632	-	-	-	1	7	10	5	11	37	53	508
290.1	Alzheimer's Dementia	300	-	-	-	-	-	-	-	2	17	38	243
	Male	89	-	-	-	-	-	-	-	1	9	15	64
	Female	211	-	-	-	-	-	-	-	1	8	23	179
291	Alcoholic Psychosis	5	-	-	-	-	-	-	-	-	3	-	2
	Male	3	-	-	-	-	-	-	-	-	2	-	1
	Female	2	-	-	-	-	-	-	-	-	1	-	1
303	Alcoholism	123	-	-	-	2	3	18	23	43	20	10	4
	Male	98	-	-	-	2	1	12	18	37	16	8	4
	Female	25	-	-	-	-	2	6	5	6	4	2	-
304	Drug Dependence	22	-	-	-	2	5	13	2	-	-	-	-
	Male	18	-	-	-	2	2	12	2	-	-	-	-
	Female	4	-	-	-	-	3	1	-	-	-	-	-
305	Non-dependent Drug Abuse	31	-	-	-	-	4	7	3	6	6	3	2
	Male	23	-	-	-	-	2	7	3	5	3	2	1
	Female	8	-	-	-	-	2	-	-	1	3	1	1
Residual of 290-319	Other Mental Disorders	578	-	-	-	1	-	5	2	8	36	62	464
	Male	196	-	-	-	-	-	2	2	5	15	35	137
	Female	382	-	-	-	1	-	3	-	3	21	27	327
IV. Diseases of the Nervous System & Sense Organs		937	3	4	8	11	3	18	34	40	125	143	548
	Male	390	1	4	4	9	3	11	16	23	63	67	189
	Female	547	2	-	4	2	-	7	18	17	62	76	359

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups														
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+			
320-322	Meningitis	9	2	-	-	-	-	-	-	-	2	-	-	-	3	1
	Male	6	1	-	-	-	-	-	-	-	1	-	-	-	2	1
	Female	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-
331.0	Alzheimer's Disease	418	-	-	-	-	-	-	-	-	1	-	-	3	57	332
	Male	117	-	-	-	-	-	-	-	-	1	-	-	2	15	89
	Female	301	-	-	-	-	-	-	-	-	-	-	-	1	42	243
332	Parkinson's Disease	214	-	-	-	-	-	-	-	-	-	-	-	2	46	137
	Male	119	-	-	-	-	-	-	-	-	-	-	-	1	30	66
	Female	95	-	-	-	-	-	-	-	-	-	-	-	1	16	71
345	Epilepsy	18	-	1	-	5	-	2	-	2	4	2	2	-	1	1
	Male	14	-	1	-	5	-	2	-	2	4	2	1	-	1	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Residual of 320-389	Other Disease of the Blood-forming Organs	278	1	3	8	6	8	2	11	32	34	69	36	77		
	Male	134	-	3	4	4	4	1	5	16	19	30	19	33		
	Female	144	1	-	4	2	4	-	6	16	15	39	17	44		
VII.	Diseases of the Circulatory System	10,966	5	3	2	8	2	39	154	416	748	1,798	1,636	6,157		
	Male	5,263	4	2	1	4	1	22	104	289	505	1,101	903	2,328		
	Female	5,703	1	1	1	4	1	17	50	127	243	697	733	3,829		
390-448	Major Cardiovascular Diseases	10,924	5	3	2	8	2	39	152	411	745	1,791	1,628	6,140		
	Male	5,247	4	2	1	4	1	22	102	288	504	1,097	900	2,323		
	Female	5,677	1	1	1	4	1	17	50	123	241	694	728	3,817		
390-398, 402, 404-429	Diseases of the Heart	7,511	2	3	2	4	2	30	125	333	595	1,300	1,138	3,979		
	Male	3,854	2	2	1	3	1	18	89	243	410	831	673	1,582		
	Female	3,657	-	1	1	1	1	12	36	90	185	469	465	2,397		
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	80	-	-	-	-	-	-	-	2	7	16	12	43		
	Male	25	-	-	-	-	-	-	-	2	3	2	5	13		
	Female	55	-	-	-	-	-	-	-	-	4	14	7	30		
402, 404	Hypertensive Heart Disease With or Without Renal Disease	254	-	-	-	-	-	-	3	8	15	31	29	168		
	Male	102	-	-	-	-	-	-	2	8	11	20	15	46		
	Female	152	-	-	-	-	-	-	1	-	4	11	14	122		

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	Ischemic Heart Disease	4,861	-	-	1	1	10	66	242	435	938	798	2,370
	Male	2,732	-	-	-	1	7	52	185	322	628	508	1,029
	Female	2,129	-	-	1	-	3	14	57	113	290	1,341	
410	Myocardial Infarction	1,845	-	-	-	-	6	16	80	196	399	311	837
	Male	1,039	-	-	-	-	3	11	59	141	267	191	367
	Female	806	-	-	-	-	3	5	21	55	132	120	470
411	Other Acute & Subacute Ischemic Heart Disease	3	-	-	-	-	-	-	-	1	-	-	2
	Male	1	-	-	-	-	-	-	-	-	-	-	1
	Female	2	-	-	-	-	-	-	-	1	-	-	1
412-414	Chronic Ischemic Heart Disease	3,013	-	-	1	1	4	50	162	238	539	487	1,531
	Male	1,692	-	-	-	1	4	41	126	181	361	317	661
	Female	1,321	-	-	1	-	-	9	36	57	178	170	870
415-429	All Other Forms	2,316	2	3	1	3	20	56	81	138	315	299	1,398
	Male	995	2	2	-	2	11	35	48	74	181	145	494
	Female	1,321	-	1	-	1	9	21	33	64	134	154	904
401, 403	Hypertension	229	-	-	-	-	-	1	6	12	34	31	145
	Male	95	-	-	-	-	-	-	6	5	18	16	50
	Female	134	-	-	-	-	-	1	-	7	16	15	95
430-438	Cerebrovascular Disease	2,582	3	-	-	2	7	24	59	91	348	363	1,685
	Male	996	2	-	-	1	3	11	33	58	175	158	555
	Female	1,586	1	-	-	1	4	13	26	33	173	205	1,130
430	Subarachnoid Hemorrhage	99	-	-	-	1	3	12	18	13	25	9	18
	Male	29	-	-	-	1	1	6	7	2	6	1	5
	Female	70	-	-	-	-	2	6	11	11	19	8	13
431-432	Intracerebral & Intracranial Hemorrhages	304	-	-	-	-	3	9	23	25	66	64	114
	Male	135	-	-	-	-	2	4	14	14	33	26	42
	Female	169	-	-	-	-	1	5	9	11	33	38	72
434	Cerebral Thrombosis & Embolism	279	-	-	-	-	-	-	1	3	30	33	212
	Male	113	-	-	-	-	-	-	1	3	16	14	79
	Female	166	-	-	-	-	-	-	-	-	14	19	133
436	Acute but Ill-defined Cerebrovascular Disease	1,504	-	-	-	-	1	1	14	37	196	210	1,045
	Male	554	-	-	-	-	-	-	9	28	103	91	323
	Female	950	-	-	-	-	1	1	5	9	93	119	722

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	Generalized Ischemic Cerebrovascular Disease	189	3	-	-	1	-	1	3	7	15	21	138
	Male	84	2	-	-	-	-	1	2	6	8	13	52
	Female	105	1	-	-	1	-	-	1	1	7	8	86
440	Arteriosclerosis	237	-	-	-	-	-	-	-	9	31	30	167
	Male	100	-	-	-	-	-	-	-	8	20	14	58
	Female	137	-	-	-	-	-	-	-	1	11	16	109
441-448	Other Diseases of the Arteries, Arterioles, and Capillaries	365	-	-	-	2	2	2	13	38	78	66	164
	Male	202	-	-	-	1	1	2	6	23	53	39	78
	Female	163	-	-	-	2	1	-	7	15	25	27	86
441	Aortic Aneurysm	223	-	-	-	2	1	2	7	25	52	42	92
	Male	137	-	-	-	1	1	2	4	18	36	27	49
	Female	86	-	-	-	2	-	-	3	7	16	15	43
451-453	Venous Thrombosis & Embolism	20	-	-	-	-	-	1	5	2	2	3	7
	Male	5	-	-	-	-	-	1	1	1	-	1	1
	Female	15	-	-	-	-	-	-	4	1	2	2	6
Residual of 390-459	Other Diseases of the Circulatory System	22	-	-	-	-	-	1	-	1	5	5	10
	Male	11	-	-	-	-	-	1	-	-	4	2	4
	Female	11	-	-	-	-	-	-	-	1	1	3	6
VIII.	Diseases of the Respiratory System	2,883	6	2	1	5	9	19	68	173	614	494	1,492
	Male	1,397	3	-	1	3	7	12	34	92	322	253	670
	Female	1,486	3	2	-	2	2	7	34	81	292	241	822
480-487	Pneumonia & Influenza	909	5	1	-	3	4	11	15	29	93	100	648
	Male	389	3	-	-	2	4	7	5	17	48	51	252
	Female	520	2	1	-	1	-	4	10	12	45	49	396
480-486	Pneumonia	889	4	1	-	3	4	10	15	29	92	99	632
	Male	381	3	-	-	2	4	6	5	17	48	50	246
	Female	508	1	1	-	1	-	4	10	12	44	49	386
487	Influenza	20	1	-	-	-	-	1	-	-	1	1	16
	Male	8	-	-	-	-	-	1	-	-	-	1	6
	Female	12	1	-	-	-	-	-	-	-	1	-	10

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
490-496	Chronic Obstructive Pulmonary Disease & Allied Conditions	1,648	-	-	1	2	5	6	40	130	464	340	660
		840	-	-	1	1	3	3	21	66	245	170	330
	Female	808	-	-	-	1	3	3	19	64	219	170	330
490-491	Chronic & Unspecified Bronchitis	52	-	-	-	-	-	1	1	3	13	9	26
		26	-	-	-	-	-	-	1	1	8	4	12
	Female	26	-	-	-	-	-	-	-	2	5	5	14
492	Emphysema	344	-	-	-	-	1	7	32	116	74	114	
		181	-	-	-	-	-	3	17	63	44	54	
	Female	163	-	-	-	-	1	4	15	53	30	60	
493	Asthma	87	-	-	1	2	5	14	10	13	12	27	
		37	-	-	1	1	2	3	7	4	4	11	
	Female	50	-	-	-	1	2	7	6	9	8	16	
494	Bronchiectasis	20	-	-	-	-	-	-	-	5	1	14	
		5	-	-	-	-	-	-	-	-	3	2	
	Female	15	-	-	-	-	-	-	-	2	1	12	
496	Chronic Airway Obstruction Not Elsewhere Classified (COPD)	1,143	-	-	-	-	-	18	85	317	243	478	
		589	-	-	-	-	2	10	44	167	117	250	
	Female	554	-	-	-	1	-	8	41	150	126	228	
Residual of 460-519	Other Diseases of the Respiratory System	328	1	1	-	-	2	13	14	57	55	185	
		170	-	-	-	-	-	8	9	29	33	89	
	Female	158	1	1	-	-	-	5	5	28	22	96	
IX. Diseases of the Digestive System	Diseases of the Digestive System	959	5	-	1	2	9	102	115	183	100	387	
		445	5	-	1	1	4	38	62	86	46	138	
	Female	514	-	-	-	1	17	40	51	97	54	249	
531	Ulcer of the Stomach	32	-	-	-	-	-	-	8	8	4	12	
		15	-	-	-	-	-	-	-	4	2	4	
	Female	17	-	-	-	-	-	-	4	3	2	8	
532	Ulcer of the Duodenum	23	-	-	-	-	1	1	-	2	2	17	
		12	-	-	-	-	-	-	1	-	2	8	
	Female	11	-	-	-	-	1	-	-	-	1	9	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
533	Peptic Ulcer	24	-	-	-	-	-	1	1	4	2	3	13
	Male	10	-	-	-	-	-	1	2	1	1	2	3
	Female	14	-	-	-	-	-	-	2	3	1	1	10
550-553, 560	Hernia & Intestinal Obstruction	66	1	-	-	-	-	-	3	-	5	7	50
	Male	24	1	-	-	-	-	-	1	-	3	2	17
	Female	42	-	-	-	-	-	-	2	-	2	5	33
571	Cirrhosis of the Liver	302	-	-	-	-	6	42	71	63	71	24	25
	Male	174	-	-	-	3	3	32	42	38	38	16	5
	Female	128	-	-	-	3	3	10	29	25	33	8	20
571-0.3	Alcoholic Cirrhosis of the Liver	237	-	-	-	-	6	38	65	55	53	14	6
	Male	152	-	-	-	3	3	29	38	34	33	11	4
	Female	85	-	-	-	3	3	9	27	21	20	3	2
574-576	Diseases of the Gallbladder	60	-	-	-	-	-	3	3	1	11	8	34
	Male	26	-	-	-	-	-	2	2	1	2	4	15
	Female	34	-	-	-	-	-	1	1	-	9	4	19
577	Diseases of the Pancreas	27	-	-	-	-	-	1	4	6	6	1	9
	Male	14	-	-	-	-	-	1	3	2	5	-	3
	Female	13	-	-	-	-	-	-	1	4	1	1	6
Residual of 520-579	Other Diseases of the Digestive System	425	4	-	1	2	2	8	19	33	78	51	227
	Male	170	4	-	1	1	1	2	12	17	30	19	83
	Female	255	-	-	-	1	1	6	7	16	48	32	144
	X. Diseases of the Genitourinary System	380	-	-	-	-	2	9	14	16	38	54	247
	Male	154	-	-	-	-	1	3	7	10	15	26	92
	Female	226	-	-	-	-	1	6	7	6	23	28	155
580-589	Nephritis & Nephrosis	166	-	-	-	-	2	7	7	10	18	28	94
	Male	89	-	-	-	-	1	3	5	7	8	16	49
	Female	77	-	-	-	-	1	4	2	3	10	12	45
590	Infections of the Kidney	11	-	-	-	-	-	1	-	-	2	1	7
	Male	2	-	-	-	-	-	-	-	-	-	-	2
	Female	9	-	-	-	-	-	1	-	-	2	1	5
599.0	Urinary Tract Infection	140	-	-	-	-	-	1	3	2	7	14	113
	Male	34	-	-	-	-	-	-	-	1	4	5	24
	Female	106	-	-	-	-	-	1	3	1	3	9	89

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

**TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)**

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	Accidental Falls	266	-	1	1	3	5	8	13	7	28	31	169
	Male	112	-	1	1	2	5	7	7	3	15	14	57
	Female	154	-	-	-	1	-	1	6	4	13	17	112
890-899	Fire & Flame Accidents	40	-	4	5	2	6	5	2	3	6	1	6
	Male	22	-	2	3	1	3	3	2	2	4	-	2
	Female	18	-	2	2	1	3	2	-	1	2	1	4
910	Drowning & Submersion	66	1	6	8	8	13	9	6	4	1	4	6
	Male	53	1	4	4	8	11	7	4	4	1	4	5
	Female	13	-	2	4	-	2	2	2	-	-	-	1
950-959	Suicides	538	-	-	7	61	85	107	107	55	48	22	46
	Male	419	-	-	4	48	69	85	74	40	38	21	40
	Female	119	-	-	3	13	16	22	33	15	10	1	6
960-978	Homicides	131	4	5	8	23	28	30	15	10	6	1	1
	Male	99	4	2	5	20	23	22	10	6	6	-	1
	Female	32	-	3	3	3	5	8	5	4	-	1	-
980-989	Injuries Undetermined Whether Accidentally or Purposely Inflicted	50	4	-	1	4	5	21	12	2	-	-	1
	Male	35	2	-	1	4	5	10	10	2	-	-	1
	Female	15	2	-	-	-	-	11	2	-	-	-	-
990-999	Injury Resulting From Operations of War	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision" published by the World Health Organization, 1977, Geneva, Switzerland.