

TABLE 7-2. Infant Deaths by Cause and Age, Oregon Residents, Death Cohort 2000

Selected Causes of Death (and their ICD-10 codes)	Total Infant Deaths ¹	Neonatal Deaths ²				Post- Neonatal Deaths ³
		Under 1 Day	1-6 Days	7-27 Days	Total Neonatal	
Total	255	86	44	35	165	90
Rate ⁴	5.6	1.9	1.0	0.8	3.6	2.0
Infections & parasitic disease (A00-B99)	8	1	—	2	3	5
Whooping cough (A37)	1	—	—	—	—	1
Septicaemia (A40-A41)	3	—	—	1	1	2
Malignant neoplasms (C00-C97)	3	—	—	—	—	3
Leukemia (C91-C95)	1	—	—	—	—	1
Endocrine, Nutritional, & Metabolic Disease (E00-E88)	2	—	—	1	1	1
Diseases of the Nervous System (G00-G99)	5	—	—	1	1	4
Meningitis (G00,G03)	2	—	—	—	—	2
Diseases of the Circulatory System (I00-I99)	1	—	1	—	1	—
Diseases of the heart (I00-I09, I11, I13, I20-I51)	1	—	1	—	1	—
Diseases of the Respiratory System (J00-J99)	3	—	—	1	1	2
Diseases of the Digestive System (K00-K92)	4	—	1	—	1	3
Certain Conditions Originating in the Perinatal Period (P00-P96)	102	59	23	15	97	5
Fetus & newborn affected by maternal factors (P00-P04)	25	21	3	1	25	—
Gestation & fetal growth (P05-P08)	33	24	7	2	33	—
Intrauterine hypoxia & asphyxia (P20-P21)	10	3	4	2	9	1
Respiratory Distress (P22)	8	1	3	2	6	2
Bacterial sepsis of newborn (P36)	4	2	1	1	4	—
Haemorrhagic disorders of newborn (P50-61)	7	3	2	2	7	—
Congenital Malformations, Deformations & Chromosomal Abnormalities (Q00-Q99)	64	25	19	10	54	10
Congenital hydrocephalus & spina bifida (Q03, Q05)	2	1	1	—	2	—
Malformation of the heart (Q20-Q24)	16	1	7	5	13	3
Down's syndrome & other chromosomal (Q90-Q99)	9	2	4	3	9	—
Symptoms, Signs Not Elsewhere Classified (R00-R99)	54	—	—	5	5	49
Sudden infant death syndrome (R95)	51	—	—	5	5	46
External Causes of Death (V01-Y89)	9	1	—	—	1	8
Accidents (V01-X59, Y85-Y86)	6	—	—	—	—	6
Transport accidents (V01-V99, Y85)	1	—	—	—	—	1
Nontransport accidents (W00-X59, Y86)	5	—	—	—	—	5
Falls (W00-W19)	1	—	—	—	—	1
Assault (homicide) (X85-Y09, Y87.1)	2	1	—	—	1	1
Events of undetermined intent (Y10-Y34, Y87.2, Y89.9)	1	—	—	—	—	1

¹ Infant death is the death of a child prior to its first birthday.

² Neonatal deaths occur during the first 27 days of live.

³ Postneonatal deaths occur from day 28 through 364 after birth.

⁴ Rates per 1,000 live births.

— Quantity is zero.