

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	30,201	252	51	76	350	388	937	2,123	3,140	4,766	8,794	9,324
Male	14,876	154	29	45	243	268	576	1,339	1,840	2,574	4,305	3,503
Female	15,325	98	22	31	107	120	361	784	1,300	2,192	4,489	5,821
Infections & Parasitic Disease (A00-B99)	545	2	–	–	3	10	54	121	86	63	119	87
Male	309	2	–	–	2	6	40	86	51	34	53	35
Female	236	–	–	–	1	4	14	35	35	29	66	52
Tuberculosis (A16-A19)	9	–	–	–	–	–	1	–	–	4	4	–
Male	6	–	–	–	–	–	1	–	–	3	2	–
Female	3	–	–	–	–	–	–	–	–	1	2	–
Meningococcal infection (A39)	4	–	–	–	2	–	1	–	–	–	–	1
Male	3	–	–	–	2	–	1	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1
Septicemia (A40-A41)	191	–	–	–	1	3	7	20	25	30	54	51
Male	92	–	–	–	–	1	3	13	12	15	22	26
Female	99	–	–	–	1	2	4	7	13	15	32	25
Creutzfeldt-Jacob disease (A81.0)	5	–	–	–	–	–	–	–	2	–	3	–
Male	3	–	–	–	–	–	–	–	1	–	2	–
Female	2	–	–	–	–	–	–	–	1	–	1	–
Viral hepatitis (B15-B19)	107	–	–	–	–	–	10	49	28	12	7	1
Male	67	–	–	–	–	–	7	37	17	5	1	–
Female	40	–	–	–	–	–	3	12	11	7	6	1
HIV/AIDS (B20-B24) ²	65	–	–	–	–	6	29	22	6	1	1	–
Male	57	–	–	–	–	5	25	20	5	1	1	–
Female	8	–	–	–	–	1	4	2	1	–	–	–
Malignant Neoplasms (C00-C97)	7,227	1	6	10	27	34	146	597	1,191	1,784	2,270	1,161
Male	3,713	1	2	7	18	19	66	315	609	962	1,164	550
Female	3,514	–	4	3	9	15	80	282	582	822	1,106	611
Lip, oral cavity & pharynx (C00-C14)	94	–	–	–	–	1	2	8	18	27	27	11
Male	58	–	–	–	–	1	2	6	14	18	14	3
Female	36	–	–	–	–	–	–	2	4	9	13	8
Digestive Organs (C15-C26)	1,652	–	1	–	2	5	31	147	262	407	493	304
Male	901	–	–	–	1	2	20	97	165	242	250	124
Female	751	–	1	–	1	3	11	50	97	165	243	180
Esophagus (C15)	205	–	–	–	–	2	4	21	33	59	65	21
Male	161	–	–	–	–	2	3	19	29	45	48	15
Female	44	–	–	–	–	–	1	2	4	14	17	6

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	122	—	—	—	—	1	7	15	22	26	29	22
Male	65	—	—	—	—	—	4	8	14	14	15	10
Female	57	—	—	—	—	1	3	7	8	12	14	12
Colon, rectum & anus (C18-C21)	646	—	—	—	—	1	10	48	93	143	195	156
Male	328	—	—	—	—	—	7	28	49	79	98	67
Female	318	—	—	—	—	1	3	20	44	64	97	89
Colon (C18)	510	—	—	—	—	1	6	29	65	114	163	132
Male	264	—	—	—	—	—	4	20	29	63	86	62
Female	246	—	—	—	—	1	2	9	36	51	77	70
Rectosigmoid junction (C19)	40	—	—	—	—	—	1	1	9	5	11	13
Male	17	—	—	—	—	—	—	1	5	5	4	2
Female	23	—	—	—	—	—	1	—	4	—	7	11
Rectum (C20)	83	—	—	—	—	—	3	14	17	20	18	11
Male	45	—	—	—	—	—	3	7	13	11	8	3
Female	38	—	—	—	—	—	—	7	4	9	10	8
Liver & intrahepatic bile ducts (C22)	171	—	1	—	2	1	4	29	31	45	54	4
Male	115	—	—	—	1	—	3	21	25	32	31	2
Female	56	—	1	—	1	1	1	8	6	13	23	2
Pancreas (C25)	430	—	—	—	—	—	5	31	77	114	123	80
Male	196	—	—	—	—	—	3	20	44	61	47	21
Female	234	—	—	—	—	—	2	11	33	53	76	59
Respiratory, intrathoracic organs (C30-C39)	2,133	—	—	—	1	—	22	149	403	674	670	214
Male	1,135	—	—	—	1	—	9	94	214	364	351	102
Female	998	—	—	—	—	—	13	55	189	310	319	112
Larynx (C32)	43	—	—	—	—	—	—	4	12	10	15	2
Male	26	—	—	—	—	—	—	3	6	6	10	1
Female	17	—	—	—	—	—	—	1	6	4	5	1
Trachea, bronchus & lung (C33-C34)	2,075	—	—	—	1	—	21	142	387	660	653	211
Male	1,100	—	—	—	1	—	9	88	205	356	340	101
Female	975	—	—	—	—	—	12	54	182	304	313	110
Bronchus & lung (C34)	2,074	—	—	—	1	—	21	141	387	660	653	211
Male	1,099	—	—	—	1	—	9	87	205	356	340	101
Female	975	—	—	—	—	—	12	54	182	304	313	110
Skin (C43-C44)	152	—	—	—	2	—	7	18	30	28	45	22
Male	94	—	—	—	1	—	4	9	18	20	28	14
Female	58	—	—	—	1	—	3	9	12	8	17	8

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	120	—	—	—	1	—	7	18	28	22	32	12
Male	74	—	—	—	—	—	4	9	17	16	19	9
Female	46	—	—	—	1	—	3	9	11	6	13	3
Mesothelioma (C45)	38	—	—	—	—	—	—	—	3	10	19	6
Male	33	—	—	—	—	—	—	—	3	9	16	5
Female	5	—	—	—	—	—	—	—	—	1	3	1
Breast (C50)	515	—	—	—	—	4	23	79	110	90	124	85
Male	3	—	—	—	—	—	—	1	—	—	1	1
Female	512	—	—	—	—	4	23	78	110	90	123	84
Female genital organs (C51-C58)	376	—	—	—	1	—	11	39	71	77	115	62
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	376	—	—	—	1	—	11	39	71	77	115	62
Cervix uteri (C53)	29	—	—	—	—	—	4	5	10	7	3	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	29	—	—	—	—	—	4	5	10	7	3	—
Corpus uteri (C54-C55) ³	78	—	—	—	—	—	2	3	17	14	26	16
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	78	—	—	—	—	—	2	3	17	14	26	16
Ovary (C56)	244	—	—	—	1	—	4	28	41	48	81	41
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	244	—	—	—	1	—	4	28	41	48	81	41
Male genital organs (C60-C63)	415	—	—	—	2	1	3	9	31	64	184	121
Male	415	—	—	—	2	1	3	9	31	64	184	121
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	406	—	—	—	—	—	—	8	31	62	184	121
Male	406	—	—	—	—	—	—	8	31	62	184	121
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	158	—	—	—	1	—	—	17	31	37	46	26
Male	101	—	—	—	1	—	—	12	22	25	25	16
Female	57	—	—	—	—	—	—	5	9	12	21	10
Bladder (C67)	191	—	—	—	—	—	1	10	26	42	67	45
Male	138	—	—	—	—	—	—	8	21	28	47	34
Female	53	—	—	—	—	—	1	2	5	14	20	11
Brain, etc. (C70-C72) ⁴	207	1	1	1	1	7	7	37	55	46	34	17
Male	116	1	1	1	—	5	3	29	31	24	15	6
Female	91	—	—	—	1	2	4	8	24	22	19	11

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	27	–	–	2	–	1	1	1	4	9	4	5
Male	15	–	–	1	–	–	1	1	–	5	4	3
Female	12	–	–	1	–	1	–	–	4	4	–	2
Lymphoid & hematopoietic (C81-C96)	740	–	4	4	9	10	23	54	78	152	254	152
Male	419	–	1	3	7	6	17	32	49	93	141	70
Female	321	–	3	1	2	4	6	22	29	59	113	82
Hodgkin's disease (C81)	11	–	–	–	–	2	3	2	–	1	3	–
Male	8	–	–	–	–	1	3	1	–	1	2	–
Female	3	–	–	–	–	1	–	1	–	–	1	–
Non-Hodgkin's lymphoma (C82-C85)	316	–	–	–	1	2	10	25	35	68	102	73
Male	180	–	–	–	1	2	7	15	19	44	58	34
Female	136	–	–	–	–	–	3	10	16	24	44	39
Leukemia (C91-C95)	267	–	4	4	8	6	9	18	26	48	90	54
Male	155	–	1	3	6	3	6	9	21	28	53	25
Female	112	–	3	1	2	3	3	9	5	20	37	29
Lymphoid leukemia (C91)	75	–	1	2	–	2	2	5	7	16	21	19
Male	51	–	1	2	–	2	2	4	6	9	16	9
Female	24	–	–	–	–	–	–	1	1	7	5	10
Myeloid leukemia (C92)	134	–	1	–	4	4	7	10	18	22	46	22
Male	75	–	–	–	4	1	4	3	14	13	25	11
Female	59	–	1	–	–	3	3	7	4	9	21	11
Multiple myeloma (C88, C90) ⁵	146	–	–	–	–	–	1	9	17	35	59	25
Male	76	–	–	–	–	–	1	7	9	20	28	11
Female	70	–	–	–	–	–	–	2	8	15	31	14
Neoplas. Not Specif. as Malig. (D00-D48) ⁶	184	–	–	2	1	1	3	7	16	27	62	65
Male	84	–	–	1	–	–	1	5	11	7	29	30
Female	100	–	–	1	1	1	2	2	5	20	33	35
Myelodysplastic syndromes (D46)	62	–	–	1	1	–	–	–	6	9	21	24
Male	35	–	–	1	–	–	–	–	5	2	12	15
Female	27	–	–	–	1	–	–	–	1	7	9	9
Diseases of the Blood (D50-89) ⁷	122	2	–	2	1	2	5	14	12	11	33	40
Male	53	1	–	1	–	1	3	9	5	4	12	17
Female	69	1	–	1	1	1	2	5	7	7	21	23
Anemias (D50-D64)	60	–	–	–	1	–	–	4	5	3	18	29
Male	26	–	–	–	–	–	–	3	2	1	10	10
Female	34	–	–	–	1	–	–	1	3	2	8	19

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,379	–	2	3	3	11	49	127	195	248	426	315
Male	695	–	1	3	2	6	25	87	118	119	210	124
Female	684	–	1	–	1	5	24	40	77	129	216	191
Diabetes mellitus (E10-E14)	1,072	–	–	1	3	8	34	96	151	205	339	235
Male	542	–	–	1	2	4	19	67	93	92	175	89
Female	530	–	–	–	1	4	15	29	58	113	164	146
Nutritional deficiencies (E40-E64)	23	–	–	–	–	–	–	2	2	2	6	11
Male	12	–	–	–	–	–	–	1	2	–	4	5
Female	11	–	–	–	–	–	–	1	–	2	2	6
Malnutrition (E40-E46)	19	–	–	–	–	–	–	1	2	2	6	8
Male	10	–	–	–	–	–	–	1	2	–	4	3
Female	9	–	–	–	–	–	–	–	–	2	2	5
Mental Disorders (F01-F99)⁹	1,116	–	–	–	3	16	55	95	78	88	255	526
Male	470	–	–	–	–	12	46	69	67	50	87	139
Female	646	–	–	–	3	4	9	26	11	38	168	387
Organic dementia (F01, F03)	755	–	–	–	–	–	–	1	7	36	213	498
Male	218	–	–	–	–	–	–	1	5	16	67	129
Female	537	–	–	–	–	–	–	–	2	20	146	369
Due to alcohol (F10)¹⁰	195	–	–	–	1	3	25	62	54	32	14	4
Male	154	–	–	–	–	3	21	46	46	24	11	3
Female	41	–	–	–	1	–	4	16	8	8	3	1
Due to psychoactive substance (F11-F19)	106	–	–	–	1	12	26	25	12	12	14	4
Male	75	–	–	–	–	9	22	17	12	7	7	1
Female	31	–	–	–	1	3	4	8	–	5	7	3
Nervous System Disease (G00-G99)	1,995	1	3	8	14	14	27	50	85	180	668	945
Male	783	1	1	5	5	9	12	26	39	91	295	299
Female	1,212	–	2	3	9	5	15	24	46	89	373	646
Meningitis (G00, G03)	6	–	–	–	2	–	1	–	1	–	2	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	6	–	–	–	2	–	1	–	1	–	2	–
Amyotrophic lateral sclerosis (G12.2)	107	–	–	–	1	–	3	10	19	33	35	6
Male	52	–	–	–	1	–	2	7	7	17	15	3
Female	55	–	–	–	–	–	1	3	12	16	20	3
Parkinson's disease (G20-G21)	321	–	–	–	–	–	–	3	5	44	154	115
Male	189	–	–	–	–	–	–	2	4	30	93	60
Female	132	–	–	–	–	–	–	1	1	14	61	55

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Alzheimer's disease (G30)	1,263	—	—	—	—	—	—	1	7	59	409	787
Male	410	—	—	—	—	—	—	—	6	23	158	223
Female	853	—	—	—	—	—	—	1	1	36	251	564
Multiple sclerosis (G35)	62	—	—	—	—	—	6	10	23	12	10	1
Male	19	—	—	—	—	—	1	2	8	4	4	—
Female	43	—	—	—	—	—	5	8	15	8	6	1
Epilepsy (G40-G41)	21	—	—	2	2	4	4	2	2	—	2	3
Male	13	—	—	2	—	2	3	2	2	—	—	2
Female	8	—	—	—	2	2	1	—	—	—	2	1
Circulatory System Diseases (I00-I99)	9,945	12	1	6	9	34	133	407	764	1,326	3,127	4,126
Male	4,728	9	—	2	4	20	84	298	511	767	1,564	1,469
Female	5,217	3	1	4	5	14	49	109	253	559	1,563	2,657
Major cardiovascular disease (I00-I78)	9,880	10	1	6	9	33	132	404	753	1,316	3,110	4,106
Male	4,700	8	—	2	4	20	83	295	505	760	1,556	1,467
Female	5,180	2	1	4	5	13	49	109	248	556	1,554	2,639
Heart disease (I00-I09, I11, I13, I20-I51)	6,687	10	1	4	5	19	96	303	581	939	2,059	2,670
Male	3,384	8	—	2	3	13	59	230	401	575	1,077	1,016
Female	3,303	2	1	2	2	6	37	73	180	364	982	1,654
Rheumatic heart disease (I00-I09) ¹¹	63	—	—	—	—	—	1	3	9	7	30	13
Male	23	—	—	—	—	—	1	1	4	3	12	2
Female	40	—	—	—	—	—	—	2	5	4	18	11
Hypertensive heart disease (I11)	188	—	—	—	—	—	8	6	14	15	42	103
Male	61	—	—	—	—	—	5	4	9	8	14	21
Female	127	—	—	—	—	—	3	2	5	7	28	82
Hypertensive heart & renal dis. (I13)	36	—	—	—	—	—	—	1	1	7	9	18
Male	15	—	—	—	—	—	—	1	—	3	5	6
Female	21	—	—	—	—	—	—	—	1	4	4	12
Ischemic heart disease (I20-I25)	4,271	—	—	—	1	15	43	220	428	666	1,385	1,513
Male	2,416	—	—	—	1	12	30	176	309	445	791	652
Female	1,855	—	—	—	—	3	13	44	119	221	594	861
Myocardial infarction (I21-I22)	1,468	—	—	—	1	4	12	73	138	253	509	478
Male	791	—	—	—	1	3	8	51	92	165	284	187
Female	677	—	—	—	—	1	4	22	46	88	225	291
Other acute ischemic hrt. dis. (I24)	8	—	—	—	—	—	—	—	—	3	2	3
Male	3	—	—	—	—	—	—	—	—	2	1	—
Female	5	—	—	—	—	—	—	—	—	1	1	3

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Chronic isch. heart dis. (I20, I25)	2,795	–	–	–	–	11	31	147	290	410	874	1,032
Male	1,622	–	–	–	–	9	22	125	217	278	506	465
Female	1,173	–	–	–	–	2	9	22	73	132	368	567
Atheroscler. cardiovascular dis. ¹²	323	–	–	–	–	–	3	14	30	36	101	139
Male	159	–	–	–	–	–	2	13	22	26	41	55
Female	164	–	–	–	–	–	1	1	8	10	60	84
Other chr. ischemic heart dis. ¹³	2,472	–	–	–	–	11	28	133	260	374	773	893
Male	1,463	–	–	–	–	9	20	112	195	252	465	410
Female	1,009	–	–	–	–	2	8	21	65	122	308	483
Nonrheumatic mitral valve dis. (I34)	57	–	–	–	–	1	1	1	3	2	21	28
Male	20	–	–	–	–	–	–	1	1	–	8	10
Female	37	–	–	–	–	1	1	–	2	2	13	18
Nonrheumatic aortic valve dis. (I35)	307	–	–	–	–	–	1	3	10	21	92	180
Male	128	–	–	–	–	–	1	2	8	12	43	62
Female	179	–	–	–	–	–	–	1	2	9	49	118
Cardiomyopathy (I42)	209	2	1	2	1	1	16	18	30	44	49	45
Male	116	2	–	1	1	–	9	14	18	29	22	20
Female	93	–	1	1	–	1	7	4	12	15	27	25
Heart failure (I50)	733	2	–	–	–	–	2	3	21	65	210	430
Male	287	1	–	–	–	–	1	2	13	29	92	149
Female	446	1	–	–	–	–	1	1	8	36	118	281
Congestive heart failure (I50.0)	713	2	–	–	–	–	2	3	17	64	205	420
Male	277	1	–	–	–	–	1	2	9	28	90	146
Female	436	1	–	–	–	–	1	1	8	36	115	274
Left ventricular heart failure (I50.1)	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Heart failure, unspecified (I50.9)	20	–	–	–	–	–	–	–	4	1	5	10
Male	10	–	–	–	–	–	–	–	4	1	2	3
Female	10	–	–	–	–	–	–	–	–	–	3	7
Hypertension & hyp. renal dis. (I10, I12)	358	–	–	–	–	1	1	20	21	29	98	188
Male	138	–	–	–	–	–	1	16	13	10	39	59
Female	220	–	–	–	–	1	–	4	8	19	59	129
Cerebrovascular disease (I60-I69)	2,322	–	–	2	4	11	26	64	117	245	778	1,075
Male	933	–	–	–	1	5	18	38	67	116	355	333
Female	1,389	–	–	2	3	6	8	26	50	129	423	742

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Subarachnoid hemorrhage (I60)	69	–	–	–	3	4	4	18	15	11	9	5
Male	27	–	–	–	1	2	2	6	6	3	5	2
Female	42	–	–	–	2	2	2	12	9	8	4	3
Intracerebral hemorrhage (I61-I62) ¹⁴	375	–	–	–	1	3	12	24	34	61	134	106
Male	171	–	–	–	–	2	10	13	19	30	57	40
Female	204	–	–	–	1	1	2	11	15	31	77	66
Cerebral infarction (I63)	162	–	–	–	–	1	1	3	7	13	53	84
Male	59	–	–	–	–	1	1	3	6	8	22	18
Female	103	–	–	–	–	–	–	–	1	5	31	66
Stroke (type not specified) (I64)	1,194	–	–	1	–	1	5	16	45	123	397	606
Male	467	–	–	–	–	–	2	13	28	62	187	175
Female	727	–	–	1	–	1	3	3	17	61	210	431
Atherosclerosis (I70)	174	–	–	–	–	–	–	3	7	19	53	92
Male	72	–	–	–	–	–	–	1	4	12	25	30
Female	102	–	–	–	–	–	–	2	3	7	28	62
Aortic aneurysm & dissection (I71)	199	–	–	–	–	1	8	8	15	47	84	36
Male	106	–	–	–	–	1	5	6	11	27	44	12
Female	93	–	–	–	–	–	3	2	4	20	40	24
Diseases of arteries (I72-I78) ¹⁵	140	–	–	–	–	1	1	6	12	37	38	45
Male	67	–	–	–	–	1	–	4	9	20	16	17
Female	73	–	–	–	–	–	1	2	3	17	22	28
Respiratory System Diseases (J00-J99)	2,845	3	4	–	1	4	20	79	233	578	1,012	911
Male	1,414	3	3	–	–	2	11	50	125	301	489	430
Female	1,431	–	1	–	1	2	9	29	108	277	523	481
Influenza & pneumonia (J10-J18)	554	1	–	–	1	3	7	22	28	42	155	295
Male	251	1	–	–	–	1	2	15	17	22	69	124
Female	303	–	–	–	1	2	5	7	11	20	86	171
Influenza (J10-J11)	2	–	–	–	–	–	–	–	1	–	–	1
Male	2	–	–	–	–	–	–	–	1	–	–	1
Female	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia (J12-J18)	552	1	–	–	1	3	7	22	27	42	155	294
Male	249	1	–	–	–	1	2	15	16	22	69	123
Female	303	–	–	–	1	2	5	7	11	20	86	171
Other acute lower resp. infect'ns (J20-J22)	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Acute bronchitis (J20-J21) ¹⁶	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁷	1,770	1	1	—	—	—	7	37	159	459	692	414
Male	877	1	1	—	—	—	5	21	83	228	339	199
Female	893	—	—	—	—	—	2	16	76	231	353	215
Bronchitis, chronic & unspec. (J40-J42)	10	—	—	—	—	—	—	—	2	2	3	3
Male	4	—	—	—	—	—	—	—	1	—	2	1
Female	6	—	—	—	—	—	—	—	1	2	1	2
Emphysema (J43)	234	—	—	—	—	—	1	3	32	69	89	40
Male	118	—	—	—	—	—	1	1	16	33	46	21
Female	116	—	—	—	—	—	—	2	16	36	43	19
Asthma (J45-J46)	49	—	1	—	—	—	4	4	8	8	15	9
Male	21	—	1	—	—	—	2	2	2	6	6	2
Female	28	—	—	—	—	—	2	2	6	2	9	7
Other CLRD (J44, J47)	1,477	1	—	—	—	—	2	30	117	380	585	362
Male	734	1	—	—	—	—	2	18	64	189	285	175
Female	743	—	—	—	—	—	—	12	53	191	300	187
Bronchiectasis (J47)	17	—	—	—	—	—	—	1	1	5	7	3
Male	3	—	—	—	—	—	—	—	—	2	1	—
Female	14	—	—	—	—	—	—	1	1	3	6	3
Pneumoconioses (J60-J66, J68) ¹⁸	11	—	—	—	—	—	—	—	2	4	4	1
Male	11	—	—	—	—	—	—	—	2	4	4	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonitis due to solids & liquids (J69)	171	—	—	—	—	—	1	4	7	18	48	93
Male	94	—	—	—	—	—	1	4	4	11	21	53
Female	77	—	—	—	—	—	—	—	3	7	27	40
Digestive System Diseases (K00-K92)	1,148	—	—	—	3	7	68	179	159	160	258	314
Male	548	—	—	—	1	4	36	110	95	88	117	97
Female	600	—	—	—	2	3	32	69	64	72	141	217
Peptic ulcer (K25-K28)	63	—	—	—	1	—	1	3	4	14	18	22
Male	25	—	—	—	1	—	1	2	1	7	6	7
Female	38	—	—	—	—	—	—	1	3	7	12	15
Diseases of the appendix (K35-K38)	3	—	—	—	—	—	—	1	—	—	—	2
Male	1	—	—	—	—	—	—	1	—	—	—	—
Female	2	—	—	—	—	—	—	—	—	—	—	2

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Appendicitis (K35-K37)	3	—	—	—	—	—	—	1	—	—	—	2
Male	1	—	—	—	—	—	—	1	—	—	—	—
Female	2	—	—	—	—	—	—	—	—	—	—	2
Hernia (K40-K46)	23	—	—	—	1	—	3	1	1	3	7	7
Male	10	—	—	—	—	—	1	1	1	1	4	2
Female	13	—	—	—	1	—	2	—	—	2	3	5
Vascular disorders of the intestine (K55)	98	—	—	—	—	—	2	5	10	12	29	40
Male	36	—	—	—	—	—	2	5	4	4	10	11
Female	62	—	—	—	—	—	—	—	6	8	19	29
Chronic liver disease (K70, K73-K74) ¹⁹	387	—	—	—	—	6	44	122	102	65	37	11
Male	232	—	—	—	—	4	22	74	64	43	19	6
Female	155	—	—	—	—	2	22	48	38	22	18	5
Alcoholic liver disease (K70) ²⁰	302	—	—	—	—	4	38	111	86	42	19	2
Male	189	—	—	—	—	3	17	67	56	31	13	2
Female	113	—	—	—	—	1	21	44	30	11	6	—
Cholelithiasis (K80-K82) ²¹	58	—	—	—	—	—	3	5	1	4	19	26
Male	28	—	—	—	—	—	1	2	1	2	12	10
Female	30	—	—	—	—	—	2	3	—	2	7	16
Diseases of the Skin (L00-L98) ²²	34	—	—	—	—	1	2	1	7	5	5	13
Male	19	—	—	—	—	1	1	—	6	2	4	5
Female	15	—	—	—	—	—	1	1	1	3	1	8
Musculoskeletal Disease (M00-M99) ²³	222	—	—	—	2	1	4	13	15	34	59	94
Male	75	—	—	—	—	1	2	7	7	13	22	23
Female	147	—	—	—	2	—	2	6	8	21	37	71
Genitourinary System Dis. (N00-N99)	550	1	—	—	2	4	8	20	26	74	166	249
Male	243	—	—	—	1	2	4	12	13	24	81	106
Female	307	1	—	—	1	2	4	8	13	50	85	143
Nephritis (N00-N07, N17-N19, N25-N27) ²⁴	306	—	—	—	1	2	8	15	17	46	101	116
Male	151	—	—	—	—	1	4	10	7	14	54	61
Female	155	—	—	—	1	1	4	5	10	32	47	55
Acute nephrotic syndr. (N00-N01, N04) ²⁵	2	—	—	—	—	—	—	1	—	—	1	—
Male	1	—	—	—	—	—	—	1	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁶	9	—	—	—	—	—	—	—	2	2	5	—
Male	5	—	—	—	—	—	—	—	—	1	4	—
Female	4	—	—	—	—	—	—	—	2	1	1	—

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Renal failure (N17-N19)	295	–	–	–	1	2	8	14	15	44	95	116
Male	145	–	–	–	–	1	4	9	7	13	50	61
Female	150	–	–	–	1	1	4	5	8	31	45	55
Kidney infect'ns (N10-N12, N13.6, N15.1)	15	–	–	–	–	–	–	1	–	1	4	9
Male	2	–	–	–	–	–	–	–	–	–	–	2
Female	13	–	–	–	–	–	–	1	–	1	4	7
Urinary tract infection (N39.0)	167	–	–	–	–	–	–	1	3	20	46	97
Male	48	–	–	–	–	–	–	–	2	6	15	25
Female	119	–	–	–	–	–	–	1	1	14	31	72
Hyperplasia of prostate (N40)	12	–	–	–	–	–	–	–	–	1	3	8
Male	12	–	–	–	–	–	–	–	–	1	3	8
Female	–	–	–	–	–	–	–	–	–	–	–	–
Female pelvic inflam. dis. (N70-N76)²⁷	1	–	–	–	–	–	–	–	–	–	–	1
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	–	–	–	–	–	1
Pregnancy & Childbirth (O00-O99)²⁸	6	–	–	–	1	2	3	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	6	–	–	–	1	2	3	–	–	–	–	–
Perinatal Conditions (P00-P96)	112	112	–	–	–	–	–	–	–	–	–	–
Male	66	66	–	–	–	–	–	–	–	–	–	–
Female	46	46	–	–	–	–	–	–	–	–	–	–
Congenital Malformations (Q00-Q99)²⁹	136	64	5	3	5	6	12	10	6	11	4	10
Male	81	40	3	3	4	5	6	4	2	8	2	4
Female	55	24	2	–	1	1	6	6	4	3	2	6
Malformation of the heart (Q20-Q24)	39	17	1	1	3	3	4	4	1	–	–	5
Male	28	14	1	1	2	3	3	2	–	–	–	2
Female	11	3	–	–	1	–	1	2	1	–	–	3
Other malf. of the circul. sys. (Q25-Q28)	12	3	–	1	–	–	2	–	–	3	2	1
Male	9	2	–	1	–	–	1	–	–	3	2	–
Female	3	1	–	–	–	–	1	–	–	–	–	1
Malf. of the respiratory system (Q30-Q34)	9	9	–	–	–	–	–	–	–	–	–	–
Male	7	7	–	–	–	–	–	–	–	–	–	–
Female	2	2	–	–	–	–	–	–	–	–	–	–
Symptoms & Signs (R00-R99)³⁰	416	20	1	2	2	2	22	31	34	39	79	184
Male	183	12	1	1	1	2	16	17	25	23	30	55
Female	233	8	–	1	1	–	6	14	9	16	49	129

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Senility (R54)	45	—	—	—	—	—	—	—	—	—	2	43
Male	14	—	—	—	—	—	—	—	—	—	1	13
Female	31	—	—	—	—	—	—	—	—	—	1	30
Sudden infant death syndrome (R95)	19	19	—	—	—	—	—	—	—	—	—	—
Male	11	11	—	—	—	—	—	—	—	—	—	—
Female	8	8	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,219	34	29	40	273	239	326	372	233	138	251	284
Male	1,412	19	18	22	205	178	223	244	156	81	146	120
Female	807	15	11	18	68	61	103	128	77	57	105	164
Accidents (V01-X59, Y85-Y86)	1,423	20	24	35	167	139	174	197	133	91	187	256
Male	838	11	15	19	117	107	117	132	79	43	99	99
Female	585	9	9	16	50	32	57	65	54	48	88	157
Transport accidents (V01-V99, Y85)	534	2	12	23	125	75	66	81	60	41	34	15
Male	357	1	7	12	86	60	43	57	38	23	22	8
Female	177	1	5	11	39	15	23	24	22	18	12	7
Motor vehicle acc. (Many codes) ³¹	489	2	11	23	114	70	62	71	54	34	34	14
Male	323	1	6	12	78	56	41	48	34	17	22	8
Female	166	1	5	11	36	14	21	23	20	17	12	6
Water transport accidents (V90-V94)	14	—	—	—	3	1	1	5	1	3	—	—
Male	10	—	—	—	2	—	—	5	—	3	—	—
Female	4	—	—	—	1	1	1	—	1	—	—	—
Air transport accidents (V95-V97)	10	—	—	—	4	2	—	1	3	—	—	—
Male	8	—	—	—	2	2	—	1	3	—	—	—
Female	2	—	—	—	2	—	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	889	18	12	12	42	64	108	116	73	50	153	241
Male	481	10	8	7	31	47	74	75	41	20	77	91
Female	408	8	4	5	11	17	34	41	32	30	76	150
Falls (W00-W19)	381	1	—	2	2	4	8	19	22	26	112	185
Male	161	1	—	1	2	3	5	11	14	10	50	64
Female	220	—	—	1	—	1	3	8	8	16	62	121
Firearms (W32-W34)	7	—	—	—	2	—	2	1	1	—	1	—
Male	7	—	—	—	2	—	2	1	1	—	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	59	—	6	5	14	11	10	4	5	3	1	—
Male	42	—	3	2	13	7	8	3	3	2	1	—
Female	17	—	3	3	1	4	2	1	2	1	—	—

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Exposure to smoke & fire (X00-X09)	34	–	2	1	2	1	4	7	5	7	3	2
Male	20	–	2	–	1	1	3	5	3	2	2	1
Female	14	–	–	1	1	–	1	2	2	5	1	1
Poisoning (X40-X49) ³²	224	–	–	–	12	38	67	69	28	3	4	3
Male	134	–	–	–	7	28	41	43	12	1	1	1
Female	90	–	–	–	5	10	26	26	16	2	3	2
Suicide (X60-X84, Y87.0)	555	–	–	2	68	65	108	121	85	34	50	22
Male	415	–	–	1	56	44	76	80	66	29	44	19
Female	140	–	–	1	12	21	32	41	19	5	6	3
Poisoning (X60-X69)	116	–	–	–	8	10	31	40	16	2	6	3
Male	49	–	–	–	2	3	14	15	8	1	3	3
Female	67	–	–	–	6	7	17	25	8	1	3	–
Hanging/suffocation (X70)	101	–	–	1	16	23	29	18	6	1	4	3
Male	79	–	–	–	14	18	24	13	5	1	3	1
Female	22	–	–	1	2	5	5	5	1	–	1	2
Firearm discharge (X72-X74)	300	–	–	1	36	31	40	54	57	28	38	15
Male	260	–	–	1	33	22	34	45	48	25	37	15
Female	40	–	–	–	3	9	6	9	9	3	1	–
Homicide (X85-Y09, Y87.1)	112	3	5	3	26	22	19	20	4	6	4	–
Male	87	2	3	2	23	18	14	15	4	5	1	–
Female	25	1	2	1	3	4	5	5	–	1	3	–
Firearm discharge (X93-X95)	64	–	–	2	17	18	11	9	2	3	2	–
Male	53	–	–	2	15	15	10	6	2	3	–	–
Female	11	–	–	–	2	3	1	3	–	–	2	–
Legal intervention (Y35, Y89.0)	10	–	–	–	1	4	3	2	–	–	–	–
Male	9	–	–	–	1	4	3	1	–	–	–	–
Female	1	–	–	–	–	–	–	1	–	–	–	–
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	91	11	–	–	10	9	19	27	10	3	2	–
Male	54	6	–	–	8	5	12	14	6	2	1	–
Female	37	5	–	–	2	4	7	13	4	1	1	–
War and its sequelae (Y36, Y89.1) ³³	–	–	–	–	–	–	–	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Medical care complica'ns (Y40-Y84, Y88)	28	–	–	–	1	–	3	5	1	4	8	6
Male	9	–	–	–	–	–	1	2	1	2	1	2
Female	19	–	–	–	1	–	2	3	–	2	7	4

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2004 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<i>Injury by firearms (Many codes)</i> ³⁴	383	–	–	3	57	54	56	66	60	31	41	15
Male	331	–	–	3	52	42	49	53	51	28	38	15
Female	52	–	–	–	5	12	7	13	9	3	3	–
<i>Alcohol-induced deaths (Many codes)</i> ^{35,36}	510	–	–	–	2	7	65	178	142	76	34	6
Male	355	–	–	–	1	6	40	118	104	56	25	5
Female	155	–	–	–	1	1	25	60	38	20	9	1
<i>Drug-induced deaths (Many codes)</i> ^{37,38}	471	–	–	–	26	63	131	144	59	18	22	8
Male	266	–	–	–	13	39	80	78	32	10	11	3
Female	205	–	–	–	13	24	51	66	27	8	11	5
<i>Injury at work</i> ³⁹	51	–	–	–	4	6	8	14	10	7	1	1
Male	43	–	–	–	4	5	6	11	9	6	1	1
Female	8	–	–	–	–	1	2	3	1	1	–	–

- 1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.
- 2 Human immunodeficiency virus/Acquired immune deficiency syndrome.
- 3 Including uterus, part unspecified.
- 4 Including meninges and other parts of the central nervous system.
- 5 Including immunoproliferative neoplasms.
- 6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 8 Including metabolic diseases.
- 9 Including behavioral disorders.
- 10 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 11 Including acute rheumatic fever.
- 12 The ICD-10 code is I25.0.
- 13 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 14 Including other intracranial hemorrhages.
- 15 Including diseases of the arterioles and capillaries.
- 16 Including acute bronchiolitis.
- 17 Formerly chronic obstructive pulmonary disease (COPD).
- 18 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 19 Including liver cirrhosis.
- 20 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 21 Including other diseases of the gallbladder.
- 22 Including subcutaneous tissues.
- 23 Including connective tissue.
- 24 Including nephrotic syndrome and nephrosis.
- 25 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 26 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 27 Inflammatory diseases of female pelvic organs.
- 28 Including the puerperium.

- 29 including congenital deformations and chromosomal abnormalities.
- 30 Including abnormal clinical and laboratory findings not elsewhere classified.
- 31 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 32 Including exposure to noxious substances.
- 33 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 34 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
- 35 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 36 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Note: The ICD-10 codes were changed for 2004 data causing minor differences in category totals.)
- 37 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
- 38 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Note: The ICD-10 codes were changed for 2004 data causing some differences in category totals.)
- 39 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.