

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2005

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	837.6	627.6	22.3	14.1	98.2	128.5	212.9	507.0	1,013.3	2,408.1	6,226.3	15,672.3
Infections & Parasitic Disease (A00-B99)	16.2	8.5	2.1	—	0.4	3.5	11.1	34.1	25.0	31.6	63.4	130.9
Tuberculosis (A16-A19)	0.1	—	—	—	—	—	—	—	—	—	1.5	4.4
Meningococcal infection (A39)	0.1	4.2	—	—	—	—	—	—	—	—	—	4.4
Septicemia (A40-A41)	4.3	—	2.1	—	0.4	1.2	0.4	3.3	2.5	9.3	44.2	74.2
Creutzfeldt-Jacob disease (A81.0)	0.1	—	—	—	—	—	0.4	—	0.5	—	—	—
Viral hepatitis (B15-B19)	3.8	—	—	—	—	0.4	0.8	13.0	11.0	5.6	1.5	4.4
HIV/AIDS (B20-B24) ³	2.7	—	—	—	—	2.0	8.4	5.2	3.5	0.9	—	—
Malignant Neoplasms (C00-C97)	209.9	—	1.1	3.6	5.0	12.6	25.3	112.3	350.6	894.1	1,689.2	2,444.0
Lip, oral cavity & pharynx (C00-C14)	4.0	—	—	—	—	—	0.8	4.1	11.5	17.7	23.6	8.7
Digestive organs (C15-26)	49.5	—	—	—	—	1.6	6.1	37.4	96.0	207.3	358.2	501.9
Esophagus (C15)	8.3	—	—	—	—	—	0.8	4.1	16.5	46.5	61.9	52.4
Stomach (C16)	4.0	—	—	—	—	0.4	1.5	3.3	8.5	13.0	29.5	30.6
Colon, rectum & anus (C18-C21)	17.5	—	—	—	—	0.4	2.7	9.6	29.0	69.7	141.5	235.7
Colon (C18)	13.1	—	—	—	—	—	2.7	6.7	19.0	46.5	113.5	205.1
Rectosigmoid junction (C19)	1.2	—	—	—	—	0.4	—	0.4	2.0	6.5	11.8	4.4
Rectum (C20)	3.0	—	—	—	—	—	—	2.6	7.5	13.9	16.2	26.2
Liver & intrahepatic bile ducts (C22)	6.5	—	—	—	—	0.4	0.4	11.9	16.0	19.5	35.4	30.6
Pancreas (C25)	11.6	—	—	—	—	0.4	0.8	7.4	23.0	53.9	79.6	122.2
Respiratory, intrathoracic org'ns (C30-C39)	64.4	—	—	—	—	—	4.6	28.9	117.0	329.0	536.5	532.4
Larynx (C32)	1.1	—	—	—	—	—	—	0.4	3.0	5.6	4.4	13.1
Trachea, bronchus & lung (C33-C34)	62.7	—	—	—	—	—	4.6	26.7	113.0	323.4	524.8	519.4
Bronchus & lung (C34)	62.6	—	—	—	—	—	4.6	26.3	113.0	322.5	524.8	519.4
Skin (C43-C44)	5.5	—	—	—	—	1.2	1.2	5.2	10.5	21.4	39.8	39.3
Melanoma of skin (C43)	4.6	—	—	—	—	1.2	1.2	4.4	8.0	17.7	35.4	26.2
Mesothelioma (C45)	1.7	—	—	—	—	—	—	—	1.5	7.4	17.7	30.6
Breast (C50)	0.3	—	—	—	—	—	—	0.7	0.5	0.9	2.9	—
Female genital organs (C51-58)	—	—	—	—	—	—	—	—	—	—	—	—
Cervix uteri (C53)	—	—	—	—	—	—	—	—	—	—	—	—
Corpus uteri (C54-C55) ⁴	—	—	—	—	—	—	—	—	—	—	—	—
Ovary (C56)	—	—	—	—	—	—	—	—	—	—	—	—
Male genital organs (C60-C63)	23.6	—	—	—	0.4	1.2	0.4	1.5	16.5	79.0	247.6	571.7
Prostate (C61)	23.2	—	—	—	—	—	—	1.5	16.5	79.0	247.6	567.4
Kidney & renal pelvis (C64-C65)	5.1	—	—	0.4	—	—	1.5	2.6	11.5	24.2	35.4	30.6

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	8.4	—	—	—	—	—	0.4	1.1	7.5	29.7	81.1	200.8
Brain, etc. (C70-C72) ⁵	7.7	—	1.1	0.8	0.8	2.0	3.5	8.5	17.0	27.0	39.8	30.6
Thyroid/endocrine gland (C73-C75)	0.7	—	—	0.8	—	0.4	0.4	1.1	1.5	0.9	1.5	—
Lymphoid & hematopoietic (C81-C96)	23.5	—	—	1.2	2.7	3.9	3.8	11.1	35.0	89.2	188.7	309.9
Hodgkin's disease (C81)	0.7	—	—	—	0.4	0.4	—	1.5	1.0	0.9	2.9	8.7
Non-Hodgkin's lymphoma (C82-C85)	8.5	—	—	0.4	—	2.0	1.5	4.4	10.5	34.4	60.4	144.0
Leukemia (C91-C95)	9.5	—	—	0.8	2.3	1.6	1.9	4.1	14.0	35.3	79.6	100.4
Lymphoid leukemia (C91)	3.3	—	—	0.4	1.2	—	—	1.1	4.0	9.3	29.5	65.5
Myeloid leukemia (C92)	4.8	—	—	0.4	0.8	0.8	1.5	2.6	7.0	20.4	39.8	30.6
Multiple myeloma (C88, C90) ⁶	4.8	—	—	—	—	—	0.4	1.1	9.5	17.7	45.7	56.7
Neopla. Not Specif. As Malig. (D00-D48)⁷	6.0	—	—	0.4	0.8	—	0.4	1.5	4.0	14.9	67.8	130.9
Myelodysplastic syndromes (D46)	2.8	—	—	0.4	—	—	—	0.4	1.5	6.5	28.0	87.3
Diseases of the Blood (D50-89)⁸	2.6	4.2	—	—	0.4	0.8	1.2	1.5	4.0	2.8	20.6	48.0
Anemias (D50-D64)	0.9	—	—	—	—	—	—	—	—	1.9	10.3	30.6
Endocrine & Nutritional Dis. (E00-E88)⁹	41.1	12.7	—	—	2.7	5.5	16.1	28.9	68.0	137.6	278.6	545.5
Diabetes mellitus (E10-E14)	30.3	—	—	—	0.8	3.9	10.4	19.3	49.5	106.0	222.6	405.9
Nutritional deficiencies (E40-E64)	0.4	—	—	—	—	—	0.4	0.4	—	1.9	1.5	8.7
Malnutrition (E40-E46)	0.4	—	—	—	—	—	0.4	0.4	—	1.9	1.5	8.7
Mental Disorders (F01-F99)¹⁰	30.0	—	—	—	2.3	6.3	8.8	24.8	26.5	58.6	185.7	824.9
Organic dementia (F01, F03) ¹¹	16.9	—	—	—	—	—	—	1.1	3.5	24.2	143.0	755.0
Due to alcohol (F10) ¹²	7.3	—	—	—	0.4	0.8	5.4	13.7	17.5	20.4	17.7	39.3
Due to psychoactive substance (F11-F19)	4.3	—	—	—	1.6	5.1	3.5	8.2	4.0	9.3	11.8	17.5
Nervous System Dis. (G00-G99)	43.4	21.2	—	1.2	3.5	2.0	4.2	13.3	25.0	91.1	387.7	1,326.8
Meningitis (G00, G03)	0.1	4.2	—	—	—	—	0.4	—	—	—	—	—
Amyotrophic lateral sclerosis (G12.2)	3.5	—	—	—	—	—	1.9	3.0	5.0	19.5	20.6	26.2
Parkinson's disease (G20-G21)	10.1	—	—	—	—	—	—	0.7	1.5	20.4	120.9	323.0
Alzheimer's disease (G30)	20.2	—	—	—	—	—	—	0.4	2.5	22.3	185.7	912.1
Multiple sclerosis (G35)	1.6	—	—	—	—	0.4	0.4	3.0	4.0	5.6	7.4	—
Epilepsy (G40-G41)	0.9	—	—	—	1.2	1.2	—	1.5	0.5	0.9	2.9	8.7
Circulatory System Diseases (I00-I99)	264.4	—	—	0.4	4.3	7.9	34.9	114.2	277.6	663.6	2,222.8	6,852.0
Major cardiovascular disease (I00-I78)	262.9	—	—	0.4	4.3	7.1	34.9	113.4	274.6	656.2	2,218.4	6,830.2
Heart disease (I00-I09, I11, I13, I20-I51)	191.4	—	—	—	3.9	5.5	29.5	91.2	214.6	497.2	1,525.6	4,861.9
Rheumatic heart disease (I00-I09) ¹³ ..	1.5	—	—	—	—	—	—	0.7	1.5	2.8	16.2	39.3
Hypertensive heart disease (I11)	3.9	—	—	—	—	—	1.9	3.3	4.0	4.6	20.6	130.9
Hypertensive heart & renal dis. (I13) ..	0.7	—	—	—	—	—	—	—	—	0.9	8.8	21.8

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	132.8	—	—	—	0.4	2.0	18.8	69.7	165.0	396.9	1,056.9	2,985.2
Myocardial infarction (I21-I22)	44.1	—	—	—	—	0.4	3.8	25.6	49.5	160.8	349.3	907.8
Other acute ischemic hrt. dis. (I24) ..	0.9	—	—	—	—	—	0.4	0.7	0.5	6.5	5.9	4.4
Chronic isch. heart dis. (I20, I25)	87.9	—	—	—	0.4	1.6	14.6	43.4	115.0	229.6	701.6	2,073.1
Atheroscler. cardiovascular dis. ¹⁴	8.9	—	—	—	0.4	—	3.1	4.8	11.0	16.7	73.7	213.9
Other chr. ischemic heart dis. ¹⁵ ...	79.0	—	—	—	—	1.6	11.5	38.5	104.0	212.8	627.9	1,859.2
Nonrheumatic mitral valve dis. (I34) ...	1.4	—	—	—	—	0.4	—	0.4	0.5	—	14.7	52.4
Nonrheumatic aortic valve dis. (I35) ...	7.6	—	—	—	—	0.4	—	0.4	1.5	5.6	64.9	357.9
Cardiomyopathy (I42)	8.2	—	—	—	2.3	1.2	3.5	5.2	14.5	22.3	53.1	117.8
Heart failure (I50)	17.1	—	—	—	0.4	0.4	0.4	1.5	5.5	29.7	129.7	746.3
Congestive heart failure (I50.0)	16.5	—	—	—	0.4	—	0.4	1.5	5.5	26.0	125.3	737.6
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	0.9	—	—
Heart failure, unspecified (I50.9)	0.5	—	—	—	—	0.4	—	—	—	2.8	4.4	8.7
Hypertension & hyp. renal dis. (I10, I12)	9.1	—	—	—	0.4	—	0.4	4.1	9.0	17.7	78.1	270.6
Cerebrovascular disease (I60-I69) ¹¹	48.4	—	—	0.4	—	1.6	4.6	15.2	38.0	99.4	473.2	1,361.7
Subarachnoid hemorrhage (I60)	1.5	—	—	—	—	—	1.2	2.6	4.5	3.7	2.9	13.1
Intracerebral hemorrhage (I61-I62) ¹⁶	9.8	—	—	0.4	—	1.2	2.3	6.7	13.0	27.0	89.9	144.0
Cerebral infarction (I63)	1.9	—	—	—	—	0.4	—	0.4	2.5	4.6	10.3	69.8
Stroke (type not specified) (I64)	24.6	—	—	—	—	—	0.8	4.1	14.0	45.5	249.1	811.8
Atherosclerosis (I70)	4.8	—	—	—	—	—	—	0.4	2.0	13.0	41.3	174.6
Aortic aneurysm & dissection (I71)	6.2	—	—	—	—	—	—	2.2	8.5	19.5	61.9	113.5
Diseases of arteries (I72-I78) ¹⁷	3.0	—	—	—	—	—	0.4	0.4	2.5	9.3	38.3	48.0
Respiratory System Diseases (J00-J99)	73.9	12.7	3.2	—	0.4	2.0	5.4	18.9	67.0	261.2	695.7	1,619.2
Influenza & pneumonia (J10-J18)	14.0	8.5	—	—	0.4	1.2	2.3	5.9	10.0	23.2	101.7	484.4
Influenza (J10-J11)	0.4	—	—	—	—	—	0.4	—	1.0	—	2.9	8.7
Pneumonia (J12-J18)	13.6	8.5	—	—	0.4	1.2	1.9	5.9	9.0	23.2	98.8	475.7
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	—	—	1.5	—
Acute bronchitis (J20-J21) ¹⁸	0.1	—	—	—	—	—	—	—	—	—	1.5	—
Chronic lower respiratory dis. (J40-J47) ¹⁹ ..	46.4	—	—	—	—	0.8	1.5	8.5	46.0	192.4	468.7	842.3
Bronchitis, chronic & unspec. (J40-J42)	0.1	—	—	—	—	—	—	—	—	0.9	1.5	—
Emphysema (J43)	6.5	—	—	—	—	—	—	1.9	8.0	27.9	69.3	82.9
Asthma (J45-J46)	0.9	—	—	—	—	0.8	—	1.9	0.5	0.9	4.4	21.8
Other CLRD (J44, J47)	38.9	—	—	—	—	—	1.5	4.8	37.5	162.6	393.6	737.6
Bronchiectasis (J47)	0.3	—	—	—	—	—	—	—	0.5	2.8	1.5	4.4
Pneumoconioses (J60-J66, J68) ²⁰	0.8	—	—	—	—	—	—	—	0.5	3.7	8.8	13.1

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonitis due to solids & liquids (J69)	4.8	—	—	—	—	—	0.8	0.7	4.5	8.4	32.4	187.7
Digestive System Diseases (K00-K92)	32.1	17.0	1.1	0.4	0.4	2.4	12.7	41.9	64.5	72.5	172.5	423.3
Peptic ulcer (K25-K28)	1.5	—	—	—	—	—	0.4	0.4	2.0	3.7	11.8	43.6
Diseases of the appendix (K35-K38)	0.3	—	—	—	—	—	0.4	—	—	0.9	1.5	8.7
Appendicitis (K35-K37)	0.3	—	—	—	—	—	0.4	—	—	0.9	1.5	8.7
Hernia (K40-K46)	0.3	—	—	—	—	—	—	—	0.5	0.9	4.4	4.4
Vascular disorders of the intestine (K55)	2.9	8.5	—	—	—	—	—	0.4	3.5	7.4	26.5	69.8
Chronic liver disease (K70, K73-K74) ²¹	13.9	—	—	—	—	0.8	8.8	33.0	35.5	31.6	42.7	17.5
Alcoholic liver disease (K70) ²²	12.0	—	—	—	—	0.8	6.1	31.1	32.5	30.7	23.6	4.4
Cholelithiasis (K80-K82) ²³	0.8	—	—	—	—	—	—	0.4	—	1.9	7.4	30.6
Diseases of the Skin (L00-L98)²⁴	1.0	—	—	—	0.4	0.4	0.4	—	—	1.9	10.3	26.2
Musculoskeletal Disease (M00-M99)²⁵	4.5	—	—	—	0.4	—	1.2	2.6	6.0	13.9	39.8	74.2
Genitourinary System Dis. (N00-N99)	13.2	—	—	—	—	0.8	2.3	1.1	7.5	34.4	112.0	432.1
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	8.0	—	—	—	—	0.4	1.5	1.1	6.0	22.3	70.8	231.3
Acute nephrotic syndrome ²⁷	0.1	—	—	—	—	—	—	—	—	0.9	—	—
Chronic nephritis ²⁸	0.1	—	—	—	—	—	0.4	—	—	—	1.5	—
Renal failure (N17-N19)	7.9	—	—	—	—	0.4	1.2	1.1	6.0	21.4	69.3	231.3
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.1	—	—	—	—	—	—	—	—	—	—	4.4
Urinary tract infection (N39.0)	3.1	—	—	—	—	—	0.4	—	0.5	6.5	25.1	130.9
Hyperplasia of prostate (N40)	0.5	—	—	—	—	—	—	—	—	—	7.4	17.5
Female pelvic inflam. dis. (N70-N76) ²⁹	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy & Childbirth (O00-O99)³⁰	—	—	—	—	—	—	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	4.3	318.0	2.1	—	—	—	—	0.4	—	—	—	—
Congenital Malformations (Q00-Q99)³¹ ..	3.1	97.5	2.1	0.8	1.2	2.0	3.1	0.7	0.5	4.6	2.9	13.1
Malformation of the heart (Q20-Q24)	1.1	25.4	1.1	0.8	0.4	1.2	1.9	—	—	—	—	4.4
Other malf. of the circul. sys. (Q25-Q28)	0.2	—	—	—	0.4	—	—	—	—	0.9	1.5	4.4
Malf. of the respiratory system (Q30-Q34)	0.3	17.0	1.1	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³²	9.7	72.1	—	—	1.6	1.6	3.1	5.2	10.5	17.7	51.6	231.3
Senility (R54)	0.3	—	—	—	—	—	—	—	—	—	2.9	17.5
Sudden infant death syndrome (R95)	0.8	63.6	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	82.4	63.6	10.6	7.2	74.5	81.0	82.9	105.6	76.0	107.8	225.5	549.9
Accidents (V01-X59, Y85-Y86)	49.8	25.4	7.4	6.0	43.1	45.6	46.0	61.2	41.0	61.3	153.3	471.3
Transport accidents (V01-V99, Y85)	20.9	8.5	5.3	3.6	27.9	22.8	18.8	26.3	19.5	28.8	44.2	48.0
Motor vehicle acc. (Many codes) ³³	18.8	8.5	5.3	3.6	26.4	20.0	16.9	24.1	17.0	24.2	38.3	43.6
Motor veh. traf. (Many codes) ³⁴	18.0	8.5	3.2	2.8	26.0	19.7	15.7	23.7	16.5	21.4	36.9	43.6

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2005 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Water transport accidents (V90-V94)	0.6	—	—	—	0.4	—	0.8	1.1	0.5	1.9	1.5	4.4
Air transport accidents (V95-V97)	0.7	—	—	—	0.4	1.6	0.8	—	1.5	1.9	1.5	—
Nontransport accidents (W00-X59,Y86)	28.9	17.0	2.1	2.4	15.1	22.8	27.2	34.8	21.5	32.5	109.1	423.3
Falls (W00-W19)	10.0	—	—	0.4	0.8	1.2	2.3	3.7	5.5	14.9	81.1	336.1
Firearms (W32-W34)	0.2	—	—	0.4	0.4	—	0.4	—	—	—	—	—
Drowning & submersion (W65-W74) ..	2.5	—	1.1	1.6	3.9	3.1	3.1	3.7	1.0	0.9	1.5	—
Exposure to smoke & fire (X00-X09) ..	0.7	—	—	—	—	—	0.4	1.1	1.0	2.8	1.5	8.7
Poisoning (X40-X49) ³⁵	10.3	—	—	—	7.0	15.3	18.4	20.8	8.5	5.6	2.9	4.4
Suicide (X60-X84, Y87.0)	24.5	—	—	1.2	20.9	22.8	25.7	36.0	29.0	42.8	63.4	74.2
Poisoning (X60-X69)	3.2	—	—	—	0.4	3.9	4.6	8.2	4.5	0.9	4.4	—
Hanging/suffocation (X70)	3.9	—	—	0.8	4.7	5.9	6.1	4.8	2.0	2.8	4.4	8.7
Firearm discharge (X72-X74)	15.9	—	—	0.4	14.7	11.0	12.3	21.1	21.5	35.3	53.1	61.1
Homicide (X85-Y09, Y87.1)	3.8	—	2.1	—	7.0	6.7	5.4	4.1	2.0	—	1.5	4.4
Firearm discharge (X93-X95)	2.1	—	—	—	4.7	4.3	1.9	2.6	1.0	—	—	4.4
Legal intervention (Y35, Y89.0) ³⁶	1.1	—	—	—	1.6	2.0	3.1	0.7	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.4	33.9	1.1	—	1.6	3.5	2.7	3.7	2.0	—	1.5	—
War and its sequelae (Y36, Y89.1) ³⁷	0.1	—	—	—	—	—	—	—	0.5	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.8	4.2	—	—	0.4	0.4	—	—	1.5	3.7	5.9	—
<i>Injury by firearms (Many codes)³⁸</i>	19.3	—	—	0.8	21.7	16.9	17.6	24.8	22.5	35.3	53.1	65.5
<i>Alcohol-induced deaths (Many codes)^{39,40}</i>	20.6	—	—	—	1.2	3.5	11.9	46.3	52.5	53.9	44.2	48.0
<i>Drug-induced deaths (Many codes)^{41,42}</i>	17.5	—	1.1	—	8.9	23.2	25.3	38.2	18.0	13.0	14.7	21.8
<i>Injury at work⁴³</i>	2.9	—	—	—	2.3	2.0	5.0	5.2	5.0	2.8	1.5	4.4

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including *in situ* neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 13 Including acute rheumatic fever.
- 14 The ICD-10 code is I25.0.
- 15 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Including other intracranial hemorrhages.
- 17 Including diseases of the arterioles and capillaries.
- 18 Including acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 21 Including liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Including other diseases of the gallbladder.
- 24 Including subcutaneous tissues.
- 25 Including connective tissue.
- 26 Including nephrotic syndrome and nephrosis.
- 27 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Including the puerperium.
- 31 including congenital deformations and chromosomal abnormalities.
- 32 Including abnormal clinical and laboratory findings not elsewhere classified.
- 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Including exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 39 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively.
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 43 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.