

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2006

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	848.2	552.5	29.1	15.9	71.0	85.8	168.4	400.8	820.5	2,082.3	5,292.5	14,420.7
Infections & Parasitic Disease (A00-B99)	13.8	6.2	1.1	0.4	0.6	2.0	9.2	15.8	21.6	24.0	54.3	167.7
Tuberculosis (A16-A19)	0.2	-	-	-	-	0.2	-	0.2	-	-	0.6	5.7
Meningococcal infection (A39)	0.1	-	0.5	-	0.2	-	-	-	-	0.4	-	-
Septicemia (A40-A41)	5.2	-	-	0.4	0.2	0.6	1.8	1.8	6.0	13.1	27.8	95.2
Creutzfeldt-Jacob disease (A81.0)	0.2	-	-	-	-	-	-	-	0.5	-	1.9	1.4
Viral hepatitis (B15-B19)	2.4	-	-	-	-	0.2	1.6	6.3	7.9	3.9	1.2	1.4
HIV/AIDS (B20-B24) ³	1.4	-	-	-	-	1.0	4.7	2.0	1.6	1.3	-	-
Malignant Neoplasms (C00-C97)	197.7	-	2.7	2.0	4.5	10.2	28.6	99.8	308.1	749.1	1,361.4	1,786.6
Lip, oral cavity & pharynx (C00-C14)	2.6	-	-	-	0.2	-	0.4	2.5	5.1	7.9	14.8	21.3
Digestive organs (C15-26)	45.4	-	-	-	0.8	1.6	7.3	24.1	76.5	160.1	311.2	413.6
Esophagus (C15)	5.7	-	-	-	-	0.4	0.2	2.9	11.2	17.9	39.5	52.6
Stomach (C16)	3.1	-	-	-	-	0.2	1.0	1.1	4.2	8.3	26.5	29.8
Colon, rectum & anus (C18-C21)	17.1	-	-	-	0.4	0.6	2.7	9.0	26.3	53.2	114.8	199.0
Colon (C18)	13.7	-	-	-	0.4	0.4	2.0	6.3	19.3	42.8	95.7	170.6
Rectosigmoid junction (C19)	0.8	-	-	-	-	0.2	0.4	0.5	2.3	0.9	5.6	5.7
Rectum (C20)	2.3	-	-	-	-	-	0.2	2.2	4.0	8.3	12.3	21.3
Liver & intrahepatic bile ducts (C22)	5.0	-	-	-	0.4	0.2	1.6	4.7	12.6	17.0	25.9	17.1
Pancreas (C25)	12.5	-	-	-	-	-	1.2	5.7	18.4	56.3	89.5	99.5
Respiratory, intrathoracic org'ns (C30-C39)	58.3	-	-	-	-	0.2	3.9	23.0	90.9	275.7	452.0	352.5
Larynx (C32)	0.7	-	-	-	-	-	-	0.2	1.6	2.6	6.2	1.4
Trachea, bronchus & lung (C33-C34)	57.3	-	-	-	-	0.2	3.9	22.6	89.0	271.8	442.7	346.8
Bronchus & lung (C34)	57.3	-	-	-	-	0.2	3.9	22.6	89.0	271.8	442.7	346.8
Skin (C43-C44)	4.4	-	-	-	-	0.6	2.2	3.4	7.7	14.4	22.2	39.8
Melanoma of skin (C43)	3.2	-	-	-	-	0.6	2.0	2.9	5.8	10.9	14.8	21.3
Mesothelioma (C45)	1.2	-	-	-	-	-	-	0.4	1.4	5.7	9.9	12.8
Breast (C50)	14.1	-	-	-	-	1.2	4.9	13.3	26.7	40.6	71.6	130.8
Female genital organs (C51-58)	9.8	-	-	-	-	1.6	1.8	6.5	18.8	37.1	56.8	73.9
Cervix uteri (C53)	1.0	-	-	-	-	1.0	0.2	1.8	2.1	0.9	3.7	5.7
Corpus uteri (C54-C55) ⁴	2.5	-	-	-	-	-	0.6	1.4	4.4	10.5	12.3	24.2
Ovary (C56)	5.8	-	-	-	-	0.4	1.0	2.7	11.9	23.1	37.7	37.0
Male genital organs (C60-C63)	11.5	-	-	-	-	-	0.6	2.0	8.1	36.2	90.8	208.9
Prostate (C61)	11.4	-	-	-	-	-	0.2	1.6	7.9	36.2	90.8	208.9
Kidney & renal pelvis (C64-C65)	4.4	-	-	-	-	0.4	0.2	3.1	7.7	18.3	25.9	34.1

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	4.6	—	—	—	—	—	0.2	1.1	3.5	16.1	37.0	72.5
Brain, etc. (C70-C72) ⁵	4.7	—	0.5	0.4	0.4	0.6	1.6	5.9	11.4	17.0	19.1	9.9
Thyroid/endocrine gland (C73-C75)	0.8	—	1.1	0.6	—	0.2	0.2	0.7	1.6	0.9	3.1	8.5
Lymphoid & hematopoietic (C81-C96)	20.1	—	0.5	1.0	2.5	2.6	2.7	6.5	26.5	65.9	145.7	227.4
Hodgkin's disease (C81)	0.4	—	—	—	0.2	0.2	—	0.4	1.2	0.4	3.1	—
Non-Hodgkin's lymphoma (C82-C85)	7.3	—	—	0.2	0.8	0.4	0.6	2.0	11.2	20.9	58.0	81.0
Leukemia (C91-C95)	8.2	—	0.5	0.8	1.6	2.0	1.4	2.9	7.9	26.6	56.2	99.5
Lymphoid leukemia (C91)	2.7	—	—	0.8	0.4	0.8	0.6	0.7	1.9	6.1	16.1	49.7
Myeloid leukemia (C92)	3.9	—	0.5	—	1.0	0.8	0.4	2.2	4.7	14.0	29.0	31.3
Multiple myeloma (C88, C90) ⁶	4.2	—	—	—	—	—	0.8	1.3	6.0	17.9	27.8	46.9
Neopla. Not Specif. As Malign. (D00-D48)⁷	6.0	—	0.5	0.2	0.2	0.6	1.4	1.6	4.0	16.1	44.5	106.6
Myelodysplastic syndromes (D46)	2.2	—	—	—	—	0.2	—	0.2	0.7	5.2	16.1	56.9
Diseases of the Blood (D50-89)⁸	2.4	2.1	—	0.2	—	—	0.6	1.4	1.9	5.2	13.6	49.7
Anemias (D50-D64)	1.2	2.1	—	—	—	—	0.2	0.4	0.7	1.3	4.9	37.0
Endocrine & Nutritional Dis. (E00-E88)⁹	43.4	2.1	1.6	1.0	1.2	3.6	10.6	23.0	51.2	141.3	274.1	565.7
Diabetes mellitus (E10-E14)	30.9	—	—	—	1.0	1.8	7.1	14.0	38.4	103.8	209.3	382.3
Nutritional deficiencies (E40-E64)	1.0	—	—	0.2	—	—	0.4	0.7	0.2	2.2	6.2	21.3
Malnutrition (E40-E46)	0.9	—	—	—	—	—	0.4	0.7	0.2	2.2	5.6	19.9
Mental Disorders (F01-F99)¹⁰	45.9	—	—	—	1.4	2.8	6.3	17.8	21.2	38.0	241.4	1,381.5
Organic dementia (F01, F03) ¹¹	36.8	—	—	—	—	—	0.2	0.5	4.2	21.8	215.5	1,331.8
Due to alcohol (F10) ¹²	4.5	—	—	—	0.4	1.0	2.5	11.0	11.4	10.0	4.9	4.3
Due to psychoactive substance (F11-F19)	2.8	—	—	—	1.0	1.6	3.5	4.8	3.7	4.4	8.6	9.9
Nervous System Dis. (G00-G99)	55.9	14.4	1.1	1.4	1.4	1.8	3.5	14.9	26.3	81.1	379.1	1,446.9
Meningitis (G00, G03)	0.2	—	—	—	—	—	—	0.4	0.5	0.4	—	2.8
Amyotrophic lateral sclerosis (G12.2)	2.9	—	—	—	0.2	—	0.2	2.0	6.3	12.2	16.1	18.5
Parkinson's disease (G20-G21)	9.4	—	—	—	—	—	—	0.4	2.1	12.7	96.9	211.8
Alzheimer's disease (G30)	33.3	—	—	—	—	0.2	—	0.4	2.1	22.7	224.7	1,137.1
Multiple sclerosis (G35)	2.0	—	—	—	—	0.2	0.4	3.1	4.2	6.5	9.3	7.1
Epilepsy (G40-G41)	0.5	—	0.5	—	0.2	0.6	0.4	0.9	0.2	0.9	0.6	2.8
Circulatory System Diseases (I00-I99)	254.6	6.2	—	1.0	2.9	6.2	22.0	79.7	183.7	546.6	1,710.3	5,646.9
Major cardiovascular disease (I00-I78)	253.4	6.2	—	1.0	2.7	6.0	21.6	78.8	182.5	543.6	1,702.8	5,629.9
Heart disease (I00-I09, I11, I13, I20-I51)	178.5	6.2	—	0.8	1.8	5.0	15.9	61.4	138.1	397.4	1,153.3	3,910.1
Rheumatic heart disease (I00-I09) ¹³ ..	2.1	—	—	—	—	—	—	0.2	1.6	4.4	14.2	54.0
Hypertensive heart disease (I11)	6.8	—	—	—	—	0.4	1.0	2.7	3.7	6.5	40.1	187.6
Hypertensive heart & renal dis. (I13) ..	1.2	—	—	—	—	—	0.2	—	—	0.9	7.4	42.6

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	109.5	2.1	—	—	0.4	0.6	9.6	42.2	103.7	298.8	722.4	2,062.3
Myocardial infarction (I21-I22)	34.9	2.1	—	—	—	0.2	1.8	10.8	35.3	113.0	241.4	589.8
Other acute ischemic hrt. dis. (I24) ..	0.6	—	—	—	0.2	—	0.2	0.2	0.5	2.2	3.1	9.9
Chronic isch. heart dis. (I20, I25)	74.0	—	—	—	0.2	0.4	7.6	31.2	67.9	183.7	477.9	1,462.5
Atheroscler. cardiovascular dis. ¹⁴	7.5	—	—	—	—	—	1.6	5.0	8.1	17.9	43.2	133.6
Other chr. ischemic heart dis. ¹⁵ ...	66.5	—	—	—	0.2	0.4	6.1	26.2	59.8	165.8	434.7	1,328.9
Nonrheumatic mitral valve dis. (I34) ...	1.6	—	—	—	—	0.2	—	0.7	0.5	1.3	10.5	45.5
Nonrheumatic aortic valve dis. (I35) ...	9.5	—	—	—	—	—	0.4	0.7	1.9	9.6	65.4	298.5
Cardiomyopathy (I42)	5.6	2.1	—	—	0.4	1.4	2.2	4.1	5.1	14.0	34.0	78.2
Heart failure (I50)	21.2	—	—	—	—	0.2	0.2	2.9	5.3	21.8	122.2	700.7
Congestive heart failure (I50.0)	20.1	—	—	—	—	0.2	0.2	2.2	4.9	17.9	118.5	673.7
Left ventricular heart failure (I50.1)	0.1	—	—	—	—	—	—	—	—	—	0.6	1.4
Heart failure, unspecified (I50.9)	1.0	—	—	—	—	—	—	0.7	0.5	3.5	3.1	25.6
Hypertension & hyp. renal dis. (I10, I12)	9.8	—	—	—	0.2	—	0.8	2.7	6.5	21.4	57.4	244.5
Cerebrovascular disease (I60-I69) ¹¹	53.5	—	—	0.2	0.6	0.8	4.3	12.0	29.5	92.9	401.9	1,257.9
Subarachnoid hemorrhage (I60)	2.1	—	—	—	0.4	0.2	1.6	2.5	4.2	6.1	5.6	14.2
Intracerebral hemorrhage (I61-I62) ¹⁶	9.0	—	—	—	0.2	0.2	1.6	5.0	8.1	21.4	74.7	125.1
Cerebral infarction (I63)	2.3	—	—	—	—	—	0.6	0.2	1.6	3.5	22.2	41.2
Stroke (type not specified) (I64)	29.8	—	—	—	—	0.2	0.6	3.1	13.5	49.3	222.3	778.9
Atherosclerosis (I70)	3.2	—	—	—	—	—	—	0.7	1.9	4.8	18.5	92.4
Aortic aneurysm & dissection (I71)	5.6	—	—	—	0.2	0.2	0.6	1.6	4.0	17.5	47.5	83.9
Diseases of arteries (I72-I78) ¹⁷	2.8	—	—	—	—	—	—	0.4	2.6	9.6	24.1	41.2
Respiratory System Diseases (J00-J99)	78.6	14.4	1.6	—	1.0	1.6	2.7	17.8	60.9	246.1	630.4	1,306.2
Influenza & pneumonia (J10-J18)	14.1	4.1	—	—	0.4	0.8	1.2	2.7	5.6	23.6	85.8	392.3
Influenza (J10-J11)	0.1	—	—	—	0.2	—	—	—	—	—	1.2	2.8
Pneumonia (J12-J18)	14.0	4.1	—	—	0.2	0.8	1.2	2.7	5.6	23.6	84.6	389.4
Other acute lower resp. infect'ns (J20-J22)	<0.05	—	—	—	—	—	—	—	—	—	—	1.4
Chronic lower respiratory dis. (J40-J47) ¹⁸ ..	49.3	2.1	0.5	—	0.2	0.2	1.4	10.1	45.8	186.7	428.5	616.9
Bronchitis, chronic & unspec. (J40-J42)	0.2	2.1	—	—	—	—	—	0.2	0.2	0.4	1.2	4.3
Emphysema (J43)	5.8	—	—	—	—	—	—	1.1	6.0	22.7	60.5	44.1
Asthma (J45-J46)	2.1	—	0.5	—	0.2	0.2	1.2	2.0	2.3	3.5	11.7	28.4
Other CLRD (J44, J47)	41.2	—	—	—	—	—	0.2	6.8	37.2	160.1	355.0	540.1
Bronchiectasis (J47)	0.5	—	—	—	—	—	—	0.2	—	1.3	2.5	14.2
Pneumoconioses (J60-J66, J68) ¹⁹	0.4	—	—	—	—	—	—	—	—	0.4	5.6	4.3
Pneumonitis due to solids & liquids (J69) ...	4.4	—	—	—	0.4	—	—	1.6	1.2	10.0	21.6	127.9

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Digestive System Diseases (K00-K92)	35.7	6.2	—	0.4	0.8	1.2	12.0	34.1	47.0	88.6	173.5	520.2
Peptic ulcer (K25-K28)	1.8	—	—	—	—	0.2	—	1.4	1.6	3.5	6.2	44.1
Diseases of the appendix (K35-K38)	0.2	—	—	—	—	—	—	—	—	0.9	1.2	5.7
Appendicitis (K35-K37)	0.2	—	—	—	—	—	—	—	—	0.9	1.2	5.7
Hernia (K40-K46)	0.7	—	—	—	—	—	—	—	0.5	0.4	4.9	19.9
Vascular disorders of the intestine (K55)	3.3	—	—	—	0.2	—	—	1.4	3.0	8.7	27.2	52.6
Chronic liver disease (K70, K73-K74) ²⁰	11.5	—	—	—	—	0.6	8.6	22.3	28.6	32.3	30.3	11.4
Alcoholic liver disease (K70) ²¹	7.8	—	—	—	—	0.4	7.6	17.6	20.7	20.1	8.6	1.4
Cholelithiasis (K80-K82) ²²	1.1	—	—	—	0.2	—	—	—	0.5	2.6	6.8	28.4
Diseases of the Skin (L00-L98)²³	1.3	—	—	—	—	—	—	0.7	1.4	2.2	9.3	25.6
Musculoskeletal Disease (M00-M99)²⁴	8.0	—	—	—	—	1.0	1.4	4.1	4.0	14.8	51.9	179.1
Genitourinary System Dis. (N00-N99)	15.5	2.1	—	0.2	0.2	0.6	2.2	3.2	8.8	28.4	118.5	342.5
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	9.5	2.1	—	0.2	0.2	0.6	2.0	2.2	6.3	23.1	71.0	181.9
Acute nephrotic syndrome ²⁶	0.1	—	—	—	—	0.2	—	—	—	—	1.2	—
Chronic nephritis ²⁷	0.9	—	—	0.2	—	—	0.2	—	0.7	1.3	5.6	25.6
Renal failure (N17-N19)	8.5	2.1	—	—	0.2	0.4	1.8	2.2	5.6	21.8	64.2	156.3
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.2	—	—	—	—	—	—	—	0.2	0.4	0.6	8.5
Urinary tract infection (N39.0)	4.4	—	—	—	—	—	0.2	0.5	1.6	3.1	33.3	129.3
Hyperplasia of prostate (N40)	0.4	—	—	—	—	—	—	—	—	0.4	3.1	11.4
Female pelvic inflam. dis. (N70-N76) ²⁸	<0.05	—	—	—	—	—	—	0.2	—	—	—	—
Pregnancy & Childbirth (O00-O99)²⁹	0.2	—	—	—	0.2	1.0	0.6	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.3	246.5	0.5	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³⁰ ..	3.7	139.7	2.2	1.0	0.6	1.8	1.2	1.4	3.0	2.2	4.3	12.8
Malformation of the heart (Q20-Q24)	1.1	30.8	0.5	0.2	0.4	0.8	0.6	0.7	0.7	0.4	1.2	5.7
Other malf. of the circul. sys. (Q25-Q28)	0.2	4.1	—	0.2	—	—	—	—	0.2	0.4	0.6	4.3
Malf. of the respiratory system (Q30-Q34)	0.1	6.2	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	16.4	71.9	1.6	0.2	0.2	1.4	1.8	5.7	11.9	27.9	71.0	407.9
Senility (R54)	3.4	—	—	—	—	—	—	—	—	1.7	12.3	142.1
Sudden infant death syndrome (R95)	0.8	61.6	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	65.6	41.1	15.9	7.8	56.0	50.0	64.5	79.4	65.8	70.7	155.0	470.5
Accidents (V01-X59, Y85-Y86)	42.8	20.5	11.0	6.3	34.6	29.0	33.9	45.8	39.5	49.3	113.6	427.8
Transport accidents (V01-V99, Y85)	15.0	2.1	6.6	3.1	24.3	14.0	13.9	19.0	15.3	19.6	15.4	25.6
Motor vehicle acc. (Many codes) ³²	13.7	2.1	6.6	2.9	23.5	13.0	12.2	17.1	12.8	17.0	14.8	25.6
Motor veh. traf. (Many codes) ³³	12.9	2.1	5.5	2.7	22.3	12.4	12.0	16.9	10.9	15.3	14.2	22.7
Water transport accidents (V90-V94)	0.6	—	—	—	0.4	0.8	1.0	0.4	1.4	0.9	—	—

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2006 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Air transport accidents (V95-V97)	0.3	—	—	—	—	0.2	0.4	0.4	0.7	1.3	—	—
Nontransport accidents (W00-X59,Y86)	27.8	18.5	4.4	3.3	10.4	15.0	20.0	26.8	24.2	29.7	98.2	402.2
Falls (W00-W19)	9.5	—	—	0.2	1.0	—	1.2	3.1	5.8	14.0	60.5	237.4
Firearms (W32-W34)	0.1	—	—	—	—	0.2	0.2	—	—	—	—	—
Drowning & submersion (W65-W74) ..	1.8	—	1.6	1.8	2.9	1.2	1.6	1.6	1.9	1.7	2.5	2.8
Exposure to smoke & fire (X00-X09) ..	0.8	—	1.1	0.4	0.6	—	0.4	0.2	1.9	1.3	1.9	7.1
Poisoning (X40-X49) ³⁴	8.4	—	—	0.2	4.3	12.8	13.5	18.5	8.8	3.1	1.9	4.3
Suicide (X60-X84, Y87.0)	15.5	—	—	0.4	14.3	14.8	21.0	24.2	18.4	16.6	31.5	19.9
Poisoning (X60-X69)	3.4	—	—	—	2.2	1.6	6.7	8.3	4.7	1.3	1.9	2.8
Hanging/suffocation (X70)	2.6	—	—	0.2	3.9	4.0	4.5	3.2	1.9	1.7	1.9	—
Firearm discharge (X72-X74)	8.3	—	—	0.2	7.2	8.4	7.8	10.8	10.0	12.7	27.2	15.6
Homicide (X85-Y09, Y87.1)	3.0	8.2	3.8	1.0	4.9	2.8	3.7	2.7	3.0	1.7	1.9	2.8
Firearm discharge (X93-X95)	1.6	—	—	0.6	3.7	2.4	2.2	1.4	0.7	0.4	1.2	1.4
Legal intervention (Y35, Y89.0) ³⁵	0.4	—	—	—	0.8	1.0	0.4	0.5	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.9	10.3	0.5	—	1.4	2.2	5.5	5.9	3.3	1.7	1.2	1.4
Medical care complica'ns (Y40-Y84, Y88) ..	1.0	2.1	0.5	—	—	0.2	—	0.2	1.6	1.3	6.8	18.5
<i>Injury by firearms (Many codes)</i> ³⁶	10.3	—	—	0.8	11.5	12.0	10.6	12.6	10.7	13.1	28.4	17.1
<i>Alcohol-induced deaths (Many codes)</i> ^{37,38}	12.8	—	—	—	0.4	1.4	10.6	29.5	32.8	32.3	16.1	5.7
<i>Drug-induced deaths (Many codes)</i> ^{39,40}	15.7	—	—	—	8.2	16.6	25.9	35.0	18.4	8.7	11.1	14.2
<i>Injury at work</i> ⁴¹	2.1	—	—	—	1.4	2.2	3.3	3.6	2.8	2.2	1.2	4.3

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Including uterus, part unspecified.

⁵ Including meninges and other parts of the central nervous system.

⁶ Including immunoproliferative neoplasms.

⁷ Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Including diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Including metabolic diseases.

¹⁰ Including behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia.

¹² For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

¹³ Including acute rheumatic fever.

- 14 The ICD-10 code is I25.0.
- 15 Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Including other intracranial hemorrhages.
- 17 Including diseases of the arterioles and capillaries.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 34 Including exposure to noxious substances.
- 35 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 36 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
- 37 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 38 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively.
- 39 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
- 41 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.