



OREGON MILITARY DEPARTMENT
JOINT FORCE HEADQUARTERS, OREGON NATIONAL GUARD
1776 MILITIA WAY
P.O. BOX 14350
SALEM, OREGON 97309-5047

AGP

April 22, 2011

MEMORANDUM FOR RECORD

Subject: Safety Meeting for April 12, 2011

The Oregon Military Department Safety Committee met on 12 April 2011, at the Military Department in room 219. The meeting convened at 1:30 PM. The status of Member attendance was as follows:

Jeff Beck	AGI	Chairman	Present
Tim Gilbert	AGI	Vice Chair	Present
Robin Webb	AGP	Safety Manager/Recorder	Present
Bryce Dohrman	AGC	Risk Manager	Absent
Bruce Vollstedt	AGI	Member	Present
Terri Kroeker	DS-Air	Member	Present
Mike Wiley	Region 4	Member	Present
Mike Dalton	Region 4	Member	Present
John Unger	Region 5	Member	Present
Russell Turner	Region 6	Member	Present
Mark Fillman	Region 7	Member	Present
Vacant	Region 8	Member	Absent
Terry Sevey	RTI	Member	Present
George Wilson	Camp Withy	Member	Present
David Stuckey	OEM	Member	Absent
Cherie Cline	OEM	Alternate for OEM	Absent
Ryan Palmer	FED	Member	Absent

1. Review of Minutes: The first order of business was to review the Safety Meeting minutes from the March 8, 2011 meeting. A motion to approve the minutes was given by John Unger and a second by Mike Wiley.

2. Review of Accident/Incident Reports for the Agency for March: There were several that fall under this safety committee. The first was a cracked tooth which occurred at the Gresham Armory. A suggestion was to use a 90 degree stabilizer on the drill if it wasn't equipped with one. It was later determined that a stabilizer bar was being used; it was just a freak accident. The other was a left index finger crush. The injury occurred while pulling an appliance out of the dumpster, looks like employee was not wearing gloves at the time of incident. This probably should have been a two man carry as most appliances are heavy. The remainder of Incident/Accident reports did not fall under this safety committee so only a brief review was performed. They included a low back strain, two pulled muscles, hearing loss, and a smashed finger. No recommendations were required or given by this committee.

3. Hazard/Non Hazard Log Review: Robin indicated that the document provided for this meeting only reflected Jeff's completion items as she had not had a chance to make changes to Bruce's information. She also stated that she will add George's Region to the database so that he can also work off the same document. Jeff indicated if you see your name next to any "reported by" to get with your Supervisor and give them an update. Your supervisor will then give that information to Robin to update the Master List. There may also be some items on the list that are not your responsibility (maybe the Units) but may be something we can assist with (that would be preferred). You can still report back if you are aware that the Unit has taken care of them. Robin also indicated that she will try to fill in the Haz Number column with the number off the reports that Marc does as those items are actually assigned a number. That way you will be able to track that item back to the specific report.

Robin also indicated at the Executive Safety Committee meeting last Friday it was suggested that this document be on Share Point so everyone can make changes as they complete items. Robin explained to the Executive committee that she can't access Share Point but was told that she could have a copy of the report anytime she requested one. It was determined that it would be better to have limited access as having too many people involved mucks up the process. Items could be closed out thinking it's the Unit's responsibility, not the SFM's. Better to have it go through the supervisors. Robin also asked about the Quarterly Safety Inspections, should they be added to the Hazard Inspection database? The committee decided that the Supervisors will be responsible to send forward to Robin Quarterly Inspections that have action items that warrant going on the log.

4. April Safety Topics: Safety Topics for April include "What to do During an Earthquake", "OSHA Fact Sheet; Working Safely with Electricity", and a "Studded Tires" reminder that they need to be removed as of April 5th in Oregon. Topics were reviewed and discussed.

5. Due Outs:

- a. **AED Status & Maint:** Robin indicated she approached the Executive Safety Committee meeting on having the State Maintenance Workers do a monthly check on the AEDs to include the following:
 1. Assure the AED is in the Box
 2. Make sure the door alarm works
 3. Make sure the unit is not beeping any sort of fault
 4. Check the battery and PADs for expiration dates (maybe put it on the outside of the box so you don't have to open it up every month).
 5. Complete work order in Facility Ctr that indicates the checks are being done.
 6. Email Robin if you find anything that is not right, i.e. expiration date, etc.

Robin indicated that she will need to know what facilities won't be checked so that she can relay that information to COL Deckert to ensure that someone else is checking those AED's. Tim requested that everyone submit an email to Dennis Bjarnson as to where they have AED's and he will put it in a "PM".

- b. **Confined Space List:** Robin indicated she was charged with putting together a list of all of our confined spaces. She passed out the list she has compiled so far. She stated she spoke with Darryl Neet who sent her some information which she forwarded to Jared Huber. Hopefully Jared will be able to locate Darryl's prior lists for Camp Withycombe.

Robin also indicated that Darryl had put together a pretty good Confined Space plan for each of the Armories in his Region. She suggested maybe we look at doing something similar in our other Regions. She will send it out electronically.

- c. **Safety Committee Training dates:** Robin indicated she and Marc are ready to do Safety Committee Trng. She attached the available dates, July 12th and August 15th. She will need to know what of those dates will work for everyone. Jeff reminded everyone that this is a mandatory training.
- d. **Safety Committee Membership, Region 4:** Mike indicated that he is not having much luck on finding a replacement. He suggested talking to Ted Thornley to see if he can fill in. Jeff indicated he will take this as an action item.

6. New Business

- a. **MSDS Booklets:** Robin indicated she received a bunch of MSDS Pocket Dictionary's from the State Fire Marshall's office. She and Tim had discussed this earlier and an "Acknowledgement" form was recommended. Robin created the form and gave a bunch of booklets to Jeff to give to Tim.
- b. **Earthquake Drill:** Robin indicated the committee needs to schedule a date for the next Earthquake drill. May 24th at 1:00 PM was agreed to.
- c. **Safety Break Day:** Robin indicated Safety Break Day is scheduled for May 11th and requested some ideas from the committee as to what to do. It was suggested that we do a "Safety Event" on the drill floor from 1:00 PM to 3:00 PM. Maybe set up a table with some pamphlets, etc. Robin suggested for those who are not as close to this building such as George and Bruce, that they could put names in a hat for employees who have not had any workers comp claims this last year and give them a certificate. She also has some safety cups that she would be willing to donate. A suggestion came up to assign a special "parking spot" for those who are winners. Facilities indicated this

could become a sticky situation. Robin also suggested to those out there that are by themselves, maybe watch a safety related video. She will see if she can find something to put on her safety committee website. Robin and Jeff will cover the drill floor with some safety information for Safety Break Day.

Robin also indicated she could probably develop some type of contest game in which she emails it out to everyone or puts on the website and you email it back to her. If you get it right, she puts your name in a hat for a drawing and you win a safety prize.

- d. **Removal of OSHA Logs:** Robin reminded everyone that OSHA Logs need to be removed from your bulletin boards as of April 30th.
- e. **Fire Drill:** Just a reminder that we have a Fire Drill scheduled on May 5th at 2:00 PM.
- f. **Reminder of Fire Extinguisher Trng:** Robin reminded everyone that we have Fire Extinguisher training scheduled for June 14th at 1:30 PM. Same time as the Safety Committee Mtg.
- g. **Review of Injury Rates for 2005-2010 & 2011:** Robin briefly went over the Injury rates for 2005-2010 and 2010 only. She did point out that the 2009 Oregon Occupational Injury & Illness Survey indicated a DART rate for state government was 1.9 and if you look at the chart she put together, you can see our DART rate has been anywhere between 2.47 and 7.03 over the last five years. The Incident rate for State Government was 3.7 while our agency was between 8.72 and 11.38. As you can see, we are way above the state average. Robin indicated that we are going to try to put together a "test" program at Camp Withycombe in the automotive shop as they have the highest injury rate. She will be reviewing all of their incident reports, etc. to see if we can make a determination as to the cause.

Bruce suggested looking an on OSHA Sharp employer who has similar work environments to see what they are doing right. This way we are not recreating the wheel. Robin indicated she will check into it.

7. Next Meeting: The next meeting is scheduled for Tuesday at 1:30 PM, May 10, 2011 in the JAG Conference room 219. The call in number is 1-866-700-9253 and the PIN is 2280321. Meeting adjourned at 3:00 PM.

/s/

Robin Webb
Safety Manager & Recorder

AGENDA

JFHQ & Readiness Centers, Region 2 thru 8

Safety Committee Meeting

Location: JFHQ Conf. Room 219

Date: Tuesday, April 12, 2011

Time: 1:30 PM

1. Review and approve March meeting minutes – All
2. Review of Accident/Incident Reports for March
3. Hazard Log Review/Non Hazard Log
4. April Safety Topics
5. Due Outs:
 - a. AED Status & Maint. – Robin (Need TAG?)
 - b. Confined Space list – Robin
 - c. Safety Committee Training dates - Robin
 - d. Safety Committee Membership, Region 4 – Mike Wiley
6. New Business
 - a. MSDS Booklets
 - b. Earthquake Drill – Set date
 - c. Safety Break Day
 - d. Removal of OSHA Logs
 - e. Fire Drill – May 5th, 2:00 PM
 - f. Reminder of Fire Extinguisher Trng – June 14th
 - g. Review of Injury Rates for 2005-2010 & 2011
7. Next Meeting Date

W/C ✓

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- > PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- > IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- > FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. Section: AG-I-0-cw	3. DATE OF REPORT: 3-1-11
4. JOB TITLE: HVAC TECH		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: Crack tooth	
6. EXTENT OF INJURY (Body part or location of pain):			
7. LOCATION WHERE INJURY OCCURRED: Gresham Armory			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 3-1-11 2:15pm			
11. DATE REPORTED: 3-1-11		12. REPORTED TO WHOM: George Wilson	
13. WITNESS (attach statement if necessary) RELATIONSHIP: co-worker SUPERVISOR, CO-WORKER, ETC. NAME: [REDACTED] PHONE:		WITNESS (attach statement if necessary) RELATIONSHIP: [REDACTED] SUPERVISOR, CO-WORKER, ETC. NAME: PHONE:	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): Drilling through concrete - Bit got caught and flipped drill into mouth.			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: None			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED):		17. MEANS OF TRANSPORTATION:	
18. INJURED INDIVIDUALS WRITTEN COMMENTS:			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:		
UNSAFE ACTIONS: <i>NONE</i>	UNSAFE CONDITIONS: <i>NONE</i>	
<input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input type="checkbox"/> TAKING UNSAFE POSITION <input type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input type="checkbox"/> OTHER: _____	<input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____	
20. BACKGROUND: ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS?		
<i>NONE</i>		
GUIDES TO CORRECTIVE ACTION		
21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:		
22. ADDITIONAL SUPERVISOR COMMENTS:		
23. SUPERVISOR NAME (PRINT): <i>GEORGE M. WILSON JR</i>	24. SUPERVISOR SIGNATURE: <i>George M. Wilson Jr</i>	25. DATE: <i>3-3-11</i>
SAFETY COMMITTEE REVIEW		
26. SAFETY COMMITTEE RECOMMENDATIONS: <i>EMPLOYEE USED CORRECT EQUIPMENT & DEBU IT. WAS ALL CORRECT PPE ON.</i>		
27. SAFETY CHAIR SIGNATURE: <i>[Signature]</i>	28. DATE: <i>12 APR 11</i>	


REPORT OF INCIDENT/ACCIDENT/ILLNESS

W/C ✓

PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
 IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
 FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. Section: OMD/AGI	3. DATE OF REPORT: 3-12-11
4. JOB TITLE: CSC		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: CUT	
6. EXTENT OF INJURY(Body part or location of pain): LEFT INDEX FINGER			
7. LOCATION WHERE INJURY OCCURRED: OUTSIDE N PARKING AREA SALEM AUDITORIUM			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 3-12-11 4:30 PM			
11. DATE REPORTED: 3-14-11		12. REPORTED TO WHOM: SCOTT BAKER	
13. WITNESS (attach statement if necessary) RELATIONSHIP: <u>CATERER EMPLOYEE</u> SUPERVISOR, CO-WORKER, ETC. NAME: [REDACTED] PHONE: [REDACTED]		WITNESS (attach statement if necessary) RELATIONSHIP: <u>Contractor</u> SUPERVISOR, CO-WORKER, ETC. NAME: <u>CASEY CAMPBELL</u> PHONE: <u>503 559-1993</u>	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (Include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): <u>INJURY OCCURRED WHILE PULLING APPLIANCE OUT OF DUMPSTER, RUSTY APPLIANCE EDGE SMASHED FINGER ON TO DUMPSTER EDGE</u>			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: <u>WASHED WOUND APPLIED BAND AID WENT TO STAYTON ER WAS TOLD TETANUS SHOTS ARE GIVEN AS AN OUT PATIENT, RETURN ON MONDAY.</u> <u>SUNDAY 3-13-11 WENT TO SALEM ER TO BE TREATED</u>			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED):		17. MEANS OF TRANSPORTATION:	
18. INJURED INDIVIDUALS WRITTEN COMMENTS:			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:		
UNSAFE ACTIONS:	UNSAFE CONDITIONS:	
<input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input type="checkbox"/> TAKING UNSAFE POSITION <input checked="" type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input type="checkbox"/> OTHER: _____ <i>Should Have been wearing Gloves</i>	<input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____	
20. BACKGROUND: ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS?		
<i>N/A</i>		
GUIDES TO CORRECTIVE ACTION		
21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:		
<i>In this case Contractor should have removed items from dumpster.</i>		
22. ADDITIONAL SUPERVISOR COMMENTS:		
<i>When ever possible let the responsible party remove the unwanted items from the dumpster.</i>		
23. SUPERVISOR NAME (PRINT): <i>SCOTT BAKER</i>	24. SUPERVISOR SIGNATURE: 	25. DATE: <i>3-14-11</i>
SAFETY COMMITTEE REVIEW		
26. SAFETY COMMITTEE RECOMMENDATIONS:		
<i>Two or more people to lift heavy or large objects</i>		
27. SAFETY CHAIR SIGNATURE: 	28. DATE: <i>12 APR 11</i>	


✓
w/c

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- ▶ PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- ▶ IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- ▶ FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. Section: RSMS	3. DATE OF REPORT: 3-1-11
4. JOB TITLE: HEAVY EQUIPMENT TECH		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: LOWER BACK STRAIN	
6. EXTENT OF INJURY (Body part or location of pain): LOWER BACK STRAIN - OR - pulled muscles			
7. LOCATION WHERE INJURY OCCURRED: J-COMPOUND			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 2-28-11 800-830 AM			
11. DATE REPORTED: 3-1-11		12. REPORTED TO WHOM: ALAN HOCHSTRASSER / By work message p1	
13. WITNESS (attach statement if necessary) RELATIONSHIP: SELF CO-WORKER SUPERVISOR, CO-WORKER, ETC. NAME: [REDACTED] PHONE: [REDACTED]		WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, ETC. NAME: _____ PHONE: _____	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): FEB 28, 2011 I AND ANOTHER CO-WORKER DRIVEN A TOW MODE TO J-COMPOUND IN RAINY MUDDY CONDITIONS TO RETRIEVE TRAILERS AND GENERATOR SETS FOR DISSASSEMBLY. WE BOTH HAND PULLED TRAILERS INTO POSITION FOR TOW. DUE TO BEING BLOCKED BY OTHER DISABLE DISABLE EQUIPMENT. LOWER BACK BECAME TIGHT, HARD TO BEND OVER-OR-MOVE ABOUT 200 PM FEB 28, 2011 WENT TO WASSER MARCH 4, 2011			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: REST LOWER BACK, PAIN RELIEVERS, HOT SOAKS			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED):		17. MEANS OF TRANSPORTATION:	
18. INJURED INDIVIDUALS WRITTEN COMMENTS: THIS A PART OF MY NORMAL WORK DAY ROUTINE			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:		
UNSAFE ACTIONS: <ul style="list-style-type: none"> <input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input type="checkbox"/> TAKING UNSAFE POSITION <input type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input type="checkbox"/> OTHER: _____ 	UNSAFE CONDITIONS: <ul style="list-style-type: none"> <input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input checked="" type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____ 	
20. BACKGROUND: ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS? _____ _____		
GUIDES TO CORRECTIVE ACTION		
21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN: _____ _____		
22. ADDITIONAL SUPERVISOR COMMENTS: _____ _____		
23. SUPERVISOR NAME (PRINT): Aaron Hochstrasser	24. SUPERVISOR SIGNATURE: 	25. DATE: 3 Mar 2011
SAFETY COMMITTEE REVIEW		
26. SAFETY COMMITTEE RECOMMENDATIONS: _____ _____		
27. SAFETY CHAIR SIGNATURE:	28. DATE:	

WIC ✓

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- ▶ PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- ▶ IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- ▶ FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. Section: RSMS -	3. DATE OF REPORT: 3-18-11
4. JOB TITLE: Heavy Equip. Tech I		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: Pulled muscle in chest	
6. EXTENT OF INJURY (Body part or location of pain): Breast Bone and into right shoulder			
7. LOCATION WHERE INJURY OCCURRED: 10101 SE Clackamas Pk., Clackamas, OR., 97015 - Bldg. 6480, Bay # 22			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 3-11-11 / 9:00am			
11. DATE REPORTED: 3-14-11		12. REPORTED TO WHOM: Aaron Hochstrasser	
13. WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, ETC. NAME: _____ PHONE: _____		WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, ETC. NAME: _____ PHONE: _____	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): I was cleaning up my work area and picked up a 10-15 lb. scrap metal bucket and went to set it on a work bench. As I set it down I twisted to walk away. When I twisted the weight was all in my right hand, and I felt a very painful pull across my breast bone. <u>(was wearing coveralls, safety steel toed boots, safety glasses and hearing protection)</u>			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: Had EKG to make sure it was muscles and not my heart. Was prescribed anti-inflammatory for swelling.			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED): N/A		17. MEANS OF TRANSPORTATION: N/A	
18. INJURED INDIVIDUALS WRITTEN COMMENTS: _____ _____ _____			

THIS SIDE TO BE COMPLETED BY SUPERVISOR


19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:	
UNSAFE ACTIONS: <input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input checked="" type="checkbox"/> TAKING UNSAFE POSITION <input type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input type="checkbox"/> OTHER: _____	UNSAFE CONDITIONS: <input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input checked="" type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____

20. BACKGROUND:
 ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS?
Employee needs to take good body position when moving items

GUIDES TO CORRECTIVE ACTION

21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:
Corrected Employee on proper body ~~posture~~ position and lifting and lowering techniques.

22. ADDITIONAL SUPERVISOR COMMENTS:

23. SUPERVISOR NAME (PRINT): <i>Aaron Hochstrasser</i>	24. SUPERVISOR SIGNATURE: 	25. DATE: <i>18 Mar 2011</i>
---	---	---------------------------------

SAFETY COMMITTEE REVIEW

26. SAFETY COMMITTEE RECOMMENDATIONS:

27. SAFETY CHAIR SIGNATURE:	28. DATE:
-----------------------------	-----------

P.2
wlc ✓

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- ▶ PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- ▶ IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- ▶ FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. Section: KINGSLEY FIRE DEPT	3. DATE OF REPORT: 3-11-11
4. JOB TITLE: FIRE FIGHTER		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: HEARING LOSS - BOTH EARS	
6. EXTENT OF INJURY (Body part or location of pain): RT + LT EAR HEARING LOSS			
7. LOCATION WHERE INJURY OCCURRED: KINGSLEY FIELD			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: LATZIES			
11. DATE REPORTED: 3/14/11		12. REPORTED TO WHOM: Deputy Chief Hurst	
13. WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, ETC. NAME: _____ PHONE: _____		WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, ETC. NAME: _____ PHONE: _____	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (Include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): HEARING LOSS OVER TIME DUE TO HIGH VOLUME NOISE exposure from multiple sources including running military aircraft, emergency vehicle sirens, building alarms, firehouse emergency notification alarm, etc.			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: SEE ATTACHED DOCUMENT			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED):		17. MEANS OF TRANSPORTATION: ✓	
18. INJURED INDIVIDUALS WRITTEN COMMENTS: SEE ATTACHED DOCUMENT			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:		
UNSAFE ACTIONS: <i>N/A</i>	UNSAFE CONDITIONS: <i>N/A</i>	
<input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input type="checkbox"/> TAKING UNSAFE POSITION <input type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input type="checkbox"/> OTHER: _____	<input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____	
20. BACKGROUND:		
ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS? <i>N/A</i>		
GUIDES TO CORRECTIVE ACTION		
21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:		
<i>N/A</i>		
22. ADDITIONAL SUPERVISOR COMMENTS:		
<i>Being near and round aircraft running while on ramp and at work station which is next to ramp. Exposed to high noise levels. Also exposed to apparatus vehicle sirens and alarms while on calls and in work station. Un expected levels of noise that were unavoidable.</i>		
23. SUPERVISOR NAME (PRINT):	24. SUPERVISOR SIGNATURE:	25. DATE:
<i>Skip Fuller</i>	<i>Skip Fuller</i>	<i>3-14-11</i>
SAFETY COMMITTEE REVIEW		
26. SAFETY COMMITTEE RECOMMENDATIONS:		
27. SAFETY CHAIR SIGNATURE:	28. DATE:	

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- ▶ PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- ▶ IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- ▶ FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

1. NAME OF INDIVIDUAL: [REDACTED]		2. CLASS/PLATOON: N/A	3. DATE OF REPORT: 3/29/11
4. JOB TITLE: Commandant		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: Smashed Finger	
6. EXTENT OF INJURY (Body part or location of pain): Cut on Right Index Finger			
7. LOCATION WHERE INJURY OCCURRED: Weight Room			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 3/29/11 1155			
11. DATE REPORTED: 3/29/11		12. REPORTED TO WHOM: Dty Spt (Mr. Wolfe)	
13. WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, CADET ETC. NAME: _____ PHONE: _____		WITNESS (attach statement if necessary) RELATIONSHIP: _____ SUPERVISOR, CO-WORKER, CADET ETC. NAME: _____ PHONE: _____	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (Include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): While replacing a dumbbell weight on the rack it slipped and I smashed my right index finger causing a small cut			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: BAND-AID			
NURSE WAS NOTIFIED (circle one)? YES <input type="radio"/> NO <input checked="" type="radio"/>			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED): N/A		17. MEANS OF TRANSPORTATION: N/A	
18. INJURED INDIVIDUALS WRITTEN COMMENTS: SEE BLOCK 14			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:	
UNSAFE ACTIONS: <u>N/A</u> <input type="checkbox"/> DISTRACTION, TEASING, HORSEPLAY <input type="checkbox"/> OPERATING WITHOUT AUTHORITY <input type="checkbox"/> MAKING SAFETY DEVICES INOPERATIVE <input type="checkbox"/> TAKING UNSAFE POSITION <input type="checkbox"/> FAILURE TO USE PERSONAL PROTECTIVE DEVICES <input checked="" type="checkbox"/> OTHER: <u>unavailable - accident kn</u>	UNSAFE CONDITIONS: <u>N/A</u> <input type="checkbox"/> INADEQUATE SUPERVISION <input type="checkbox"/> DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE <input type="checkbox"/> HAZARDOUS ARRANGEMENT <input type="checkbox"/> SUB-STANDARD PHYSICAL CONDITIONING <input type="checkbox"/> UNSAFE CLOTHING <input type="checkbox"/> PREVIOUS INJURY <input type="checkbox"/> HAZARDOUS OBSTACLES <input type="checkbox"/> OTHER: _____
20. BACKGROUND: ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS?	
<u>weights were left out. I was pointing up the weight room. People need to get the weights away when they are done</u>	
21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:	
22. ADDITIONAL SUPERVISOR COMMENTS:	
23. SUPERVISOR NAME (PRINT): <u>COO FE</u>	24. SUPERVISOR SIGNATURE: 
25. DATE: <u>3/29/11</u>	
26. COMMANDANT'S COMMENTS: <u>SDS 14</u>	
27. COMMANDANT'S SIGNATURE: 	28. DATE: <u>3/29/11</u>
29. OYCP HEALTH CARE PROVIDER'S COMMENTS: CADET SEEN <input type="checkbox"/> NOT SEEN <input type="checkbox"/>	
30. HEALTH CARE PROVIDER'S SIGNATURE:	31. DATE:
32. SAFETY COMMITTEE RECOMMENDATIONS:	
33. SAFETY CHAIR SIGNATURE:	34. DATE:

REPORT OF INCIDENT/ACCIDENT/ILLNESS

- > PRINT OR TYPE ONLY. TO BE COMPLETED BY THE INJURED EMPLOYEE OR ATTENDING STAFF
- > IF A DOCTOR'S VISIT IS REQUIRED; COMPLETE SAIF 801 FORM IN ADDITION TO THIS FORM & FORWARD IMMEDIATELY.
- > FOLLOW THE GUIDELINES ON THE MEDICAL TRANSPORT CHECKLIST

MR 3/10/10

1. NAME OF INDIVIDUAL: [REDACTED]		2. CLASS/PLATOON:	3. DATE OF REPORT: 2 March 2011
4. JOB TITLE: Supply		5. TYPE OF INCIDENT/ACCIDENT/ILLNESS: BACK MUSCLE STRAIN	
6. EXTENT OF INJURY (Body part or location of pain): middle and lower back Muscle strain and stiffness			
7. LOCATION WHERE INJURY OCCURRED: 1ST TIME: HAZMAT RAMP 2ND TIME: Lifting BDU'S out of Jeep 6			
8. DATE & TIME OF INCIDENT/ACCIDENT/ILLNESS: 1ST TIME: 2/25/2011 @ 1400 2ND TIME: 3/1/2011 @ 1500			
11. DATE REPORTED: 1ST TIME: 2/25/2011 2ND TIME: 3/2/2011		12. REPORTED TO WHOM: 1ST TIME: DAVE NOLTE 2ND TIME: DAVE NOLTE AND PAT SHIELDS	
13. WITNESS (attach statement if necessary) RELATIONSHIP: Co-worker SUPERVISOR, CO-WORKER, CADET ETC. NAME: [REDACTED] PHONE: [REDACTED]		WITNESS (attach statement if necessary) RELATIONSHIP: SUPERVISOR, CO-WORKER, CADET ETC. NAME: PHONE:	
14. DESCRIBE INCIDENT/ACCIDENT/ILLNESS FULLY (Include how it occurred, conditions when it occurred (weather, clothing, safety equipment, etc), and describe how it felt to the individual when it occurred): 1ST TIME: PUSHING CART OF CHEMICALS UP THE RAMP OF HAZMAT. CART WHEELS GOT STUCK MIDWAY, I HAD TO PULL VIGOROUSLY TO GET THE CART UP THE RAMP. 2ND TIME: Lifting BOXES OF BDU'S OUT OF JEEP 6 TO DROP OFF FOR SEWING.			
15. DESCRIBE FIRST AID/MEDICAL TREATMENT: 1ST TIME: ICE AT HOME AND REST FELT BETTER BY MONDAY 2ND TIME: WOKE UP ON THE 2ND HAVING DIFFICULTY MOVING AND SITTING WITHOUT PAIN, I BUPROFEN.			
NURSE WAS NOTIFIED (circle one)? YES <input checked="" type="radio"/> NO			
16. WHERE WAS INDIVIDUAL SENT (IF TRANSPORTED):		17. MEANS OF TRANSPORTATION:	
18. INJURED INDIVIDUALS WRITTEN COMMENTS: Reported as directed by the commandant, I requested assistance from lifting until I could get my back to loosen up.			

THIS SIDE TO BE COMPLETED BY SUPERVISOR

19. CONTRIBUTING FACTORS OF INCIDENT/ACCIDENT/ILLNESS:

UNSAFE ACTIONS:

- DISTRACTION, TEASING, HORSEPLAY
- OPERATING WITHOUT AUTHORITY
- MAKING SAFETY DEVICES INOPERATIVE
- TAKING UNSAFE POSITION
- FAILURE TO USE PERSONAL PROTECTIVE DEVICES
- OTHER: _____

UNSAFE CONDITIONS:

- INADEQUATE SUPERVISION
- DEFECTIVE TOOLS, EQUIPMENT, OR SUBSTANCE
- HAZARDOUS ARRANGEMENT
- SUB-STANDARD PHYSICAL CONDITIONING
- UNSAFE CLOTHING
- PREVIOUS INJURY
- HAZARDOUS OBSTACLES
- OTHER: _____

20. BACKGROUND:

ARE THERE ANY CONTRIBUTING FACTORS, SUCH AS LEVEL OF TRAINING, PERSONAL CHARACTERISTICS, HABITS, FAILURE TO ADHERE TO SAFETY POLICIES, ETC. THAT CAUSED THE INCIDENT/ACCIDENT/ILLNESS?

21. IF AN UNSAFE ACTION AND/OR CONDITION WAS IDENTIFIED, LIST CORRECTIVE ACTION TAKEN:

22. ADDITIONAL SUPERVISOR COMMENTS:

23. SUPERVISOR NAME (PRINT):

SMILDS

24. SUPERVISOR SIGNATURE:

[Signature]

25. DATE:

3/2/11

26. COMMANDANT'S COMMENTS:

27. COMMANDANT'S SIGNATURE:

[Signature]

28. DATE:

3/2/11

29. OYCP HEALTH CARE PROVIDER'S COMMENTS: CADET SEEN NOT SEEN

30. HEALTH CARE PROVIDER'S SIGNATURE:

31. DATE:

32. SAFETY COMMITTEE RECOMMENDATIONS:

33. SAFETY CHAIR SIGNATURE:

Karen Rawnsley

34. DATE:

3/8/2011

**JFHQ & Readiness Centers, Region 2 Thru 8,
Safety Committee Hazard/Non-Hazard Tracking Log -2011**

HAZ. NO.	LOCATION	DESCRIPTION	QUARTERLY SAFETY INS. (QSI) OR ANNUAL INSPECTION (AI)	REPORTED BY	DATE REPORTED	RESPONSIBLE SUPERVISOR	DATE CORRECTED & REPORTED BY	REASON NOT CORRECTED
AASF#2		Room 124 - red extension cord to a double surge protector	AI	Gene Hansen	10-Aug-10	Bruce Vollstedt		
AASF#2		Tech supply - Modline heater fan blade guard inadequate	AI	Gene Hansen	10-Aug-10	Bruce Vollstedt		
Bend		Supply - HHT - black extension cord plugged into surge protector	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
Bend		Computer room - short extension cord plugged into surge protector	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
Bend		Motor Pool - vehicle wheels not chalked	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
Bend		Maint bay - Jack stands have not been inspected - still had 2008/2009 tags	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
Bend		Maint Bay office - area over office being used for storage and no max load/wt limit posted	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
Bend		Maint Bay - storage area over office - no fall protection	AI	Terry Wyatt	2-Aug-10	Bruce Vollstedt		
BLAK		No AED	QSI	Russell Turner	13-Jan-11	Bruce Vollstedt		Robin will check status
BLAK		Electrical panels not marked	QSI	Russell Turner	13-Jan-11	Bruce Vollstedt		Ongoing

BLAK	Annual Fire Alarm Check	QSI	Russell Turner	13-Jan-11	Bruce Vollstedt	Schedule Vendor
BLAK	SGT Candy's desk - daisy chained surge protectors	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Tmrg Site Range Control desk - daisy chained surge protectors	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Emergency schematics do not have AED or Fire Ext. Locations	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Tmrg site supply room - 2 orange extension cords in lieu of perm wiring	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Tmrg Site supply room - 2 gray storage racks in back of supply area	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Tmrg Site supply room - no light switch in area without going to another location	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Mezzanine area - floor openings between access floor and air handling equip greater than 12 inches and no covers	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	Mezzanine pump area - entrance to ladder not equipped with swing gate or standard guard railings	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	
BLAK	CHP Bldg - shop make work bench had extension cord with no GFI	AI	Russell Turner	4-Aug-10	Bruce Vollstedt	

BLAK	CHP Bldg - forklift storage racks not secured and weight limit not identified	AI	Russell Turner	4-Aug-10	Bruce Vollstedt		
BLAK	CHP Bldg - no protective covers on light fixtures over storage racks	AI	Russell Turner	4-Aug-10	Bruce Vollstedt		
BLAK	Firing range - Fire Extinguisher not inspected since 2007	AI	Russell Turner	4-Aug-10	Bruce Vollstedt		
BLAK	Propane tank location not ideal, next to latrine bldg	AI	Russell Turner	4-Aug-10	Bruce Vollstedt		
CORC - Prineville	Old control room - rodent feces	AI	Dan Hinkley	24-Aug-10	Bruce Vollstedt		
CORC - Prineville	Maint. Room storage rack unstable	AI	Dan Hinkley	24-Aug-10	Bruce Vollstedt		
CORC - Prineville	Install hearing protection sign in generator room and hearing protect when generator in use	AI	Dan Hinkley	24-Aug-10	Bruce Vollstedt		
CORC - Prineville	Billeting area and gym utility room missing wall outlets and switch covers	AI	Dan Hinkley	24-Aug-10	Bruce Vollstedt		
COUTES	Production control room - fan blade on Trane hr inadequately guarded	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		
COUTES	Prod Control Rm - no bottom shelves on storage racks to prevent tipping	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		
COUTES	North shop - no GFI in outlet next to water fountain	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		
COUTES	Bay area - 2 deluge levers not equipped with tag or inspection testing	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		

COUTES	Maint. Bay - home made 4 gang outlet box with extension cord	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		
COUTES	POL Rm - storage rack not equipped with bottom shelf tipping hazard	AI	Russell Turner	3-Aug-10	Bruce Vollstedt		
Hermiston	GFI for generator - replace	QSI	Dan Hinkley	1-Oct-10	Bruce Vollstedt		Part not ordered
Hermiston	Exit Light batteries - Need replace	QSI	Dan Hinkley	1-Oct-10	Bruce Vollstedt		Part not ordered
Hermiston	Supply room computer desk, red and black extension cord in lie of perm wiring	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
Hermiston	Supply area - daisy chain of extension cords	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
Hermiston	Maintenance Bay - Black extension cord left plugged in	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
Hermiston	Maintenance Bay - blue extension cord left plugged in	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
Hermiston	NBC room - extension cord left plugged in	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
Hermiston	Admin Office room 113 - carpeting has wrinkles and folds	AI	Dan Hinkley	2-Sep-10	Bruce Vollstedt		
LaGrande	Pit area not labeled with confined space tag	AI	Ken Long	11-Aug-10	Bruce Vollstedt		
LaGrande	Cpt Nicely's office - extension cord to surge protector	AI	Ken Long	11-Aug-10	Bruce Vollstedt		
LaGrande FMS	Tool storage room - electrical equipment with damaged cords	AI	Ken Long	12-Aug-10	Bruce Vollstedt		

LaGrande FMS	Overhead mechanical rm - landing not equipped with standard guard rail	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Welding room - bench grinder tongue guard out of adjustment	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Welding room - bench grinder rests not adjusted to within 1/8 inch	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Electrical room - computer panel/rack prevents adequate work space for electrical panel B & Transformer	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Unit storage bldg for vehicles - 3 out of 9 Hemet's not grounded	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Not all vehicles in yard chalked	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Orange extension cord left plugged in	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Bay 5 - vehicle not chalked	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	All bays - extension cords attached to each exhaust recovery system left plugged in	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Bay 4 - red extension cord with trouble light plugged in	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	Orange extension cord to Pepsi machine, outlet for machine damaged to water leak.	AI	Ken Long	12-Aug-10	Bruce Vollstedt		

LaGrande FMS	Small arms room - remove extension cord and repair outlet damaged by water leak	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
LaGrande FMS	7 1/2 ton bridge crane not receiving frequent inspections	AI	Ken Long	12-Aug-10	Bruce Vollstedt		
Pendleton	Room 105 - orange extension cord plugged into surge protector	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Room 106 - orange extension cord plugged into surge protector	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Room 116-1 supply - orange extension cord plugged into surge protector	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Mechanical room - no exit sign over exit	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Mechanical room - very cluttered, difficult to move in	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Drill floor - outlet under water fountain not GFI	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Room 152 - surge protectors daisy chained together	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Room 149 - orange and black extension cord to surge protector	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Pendleton	Aviation tin bldg - swamp cooler inclined belt drive and squirrel cage not guarded & side panels off	AI	Ken Long	10-Aug-10	Bruce Vollstedt		
Redmond	Women's bathroom - sink area outlets no GFI	AI	Terri Daly	3-Aug-10	Bruce Vollstedt		

Redmond	Room with NBC cage - blue and yellow stripped extension cord being used in lieu of perm wiring	AI	Terri Daly	3-Aug-10	Bruce Vollstedt		
Umatilla Bldg 30 - Sim Net	Receipt. Faceplate broken	QSI	Dan Hinkley	10-Jan-11	Bruce Vollstedt		Pending
Umatilla Bldg 30 - Sim Net	No AED	QSI	Dan Hinkley	10-Jan-11	Bruce Vollstedt		Robin will check status
AASF#1	Hanger 2 HHC Supply Rm - extension cord in lieu of perm. Wiring	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Rm 209 - Recor Treadmill had damaged electrical cord	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Rm 209 - extension cord being used in lieu of perm wiring	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - rm 216 - daisy chain of surge protectors	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - rm 200 - yellow extension cord used in lieu of perm wiring	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Aircraft hanger bay - 7 foot high work stand not equipped with guard rails - mid rail missing	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Avionics - soldering iron electrical cord damaged	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Avionics - damaged cord to DC power west wall at work bench	AI	Bill Wagers	27-Apr-10	Jeff Beck		

AASF#1	Hanger 2 rm 103 - Mr Braeme area surge protector piggy backed	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2, rm 116 - damaged cord at plug on surge protector in SW corner of rm	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Hanger 2 - Torch set - no flashback preventers	AI	Bill Wagers	27-Apr-10	Jeff Beck		
AASF#1	Counter drug - Rm 120 - Fire extinguisher without tag	AI	Bill Wagers	27-Apr-10	Jeff Beck		
ARC	1249th supply - rm 227 - vac pack damaged cord	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	1249th - rm 207 - unstable cabinet on top of 2 drawer lateral	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	JOC - 2 surge protectors daisy chained	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 119, wood bookcase unstable	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 135 - Halon fire extinguisher not inspected	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 138 - 3 surge protectors daisy chained	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Upstairs boiler room - 2 partially guarded shafts on baldr horizontal motors to #2 boiler	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	1249th supply rm 347 - surge protector plugged into an extension cord	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 347 - no flashback preventers on torch	AI	Jim Layne	4-May-10	Jeff Beck		

ARC	Room 343 - air vent on flammable storage locker blocked	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 341 - black truck jumper cable damaged at the plug	AI	Jim Layne	4-May-10	Jeff Beck		
ARC	Room 403 - area messy & cluttered with aisle partially blocked	AI	Jim Layne	4-May-10	Jeff Beck		
Grants Pass							
Cargo box blocking fire extinguisher	QSI	John Unger	29-Mar-10	Jeff Beck	Completed		
Grant Pass	Backyard items needing to be stowed	QSI	John Unger	12-Jan-10	Jeff Beck	Completed	
Grants Pass							
Indoor Fire range housekeeping	QSI	John Unger	12-Jan-10	Jeff Beck	Completed		
Grants Pass	Missing PPE	QSI	John Unger	12-Jan-10	Jeff Beck		
Grants Pass	Receptacle cover missing RMA #112	QSI	John Unger	Jan 12, Mar 31, 2010	Jeff Beck	Completed	
Grants Pass	Extension Cord - Permanent wiring	QSI	John Unger	12-Jan-10	Jeff Beck		
Grants Pass	MSDS for supply room	QSI	John Unger	Jan 12, Mar 31, 2010	Jeff Beck	Unit	
Grants Pass	Flam Liquids in USAR vault room	QSI	John Unger	Jan 12 2010	Jeff Beck	Unit	
Grants Pass	Broken recap. In locker room	QSI	John Unger	12-Jan-10	Jeff Beck	Completed	
JFHQ	Tt-Care office boxes on top of equipment	QSI	Mark Duncan	6-Oct-10	Jeff Beck		
JFHQ	Jag office - orange extension cord in lieu of perm wiring	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Jag office - rm 216 - 25 unstable bookcases	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	Janitor closet - 2nd fl - electrical cord to vacuum damaged	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Janitor closet - 2nd fl - bookcase unstable	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	PAO - daisy chain of power strips	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	PAO - orange extension cord used to connect TV in lieu of perm wiring	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Recruiting - vacuum has damaged cord	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Recruiting - daisy chain of surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Mechanical room for USPFO - air compressor - flexible cable was separated	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	USPFO break area - vacuum not equipped with ground	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Rom 56 - unstable bookshelves	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 60 - unstable bookcase	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	SSG Darrow - unstable book case	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	SSG Darrow - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	MSG Martinez - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Maj Chik - two missing outlet covers	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Nursing station - 2 broken outlet covers	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	PBO office - HQ Starc - bookcase unstable	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	Plan/Ops area - outlet covers missing on all outlets	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Plan/Ops - gray ext cord used in lie of perm wiring	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	SGT Philpot - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Education office - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCISM - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCISM - server rm - fire extinguisher needs to be installed	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Kristen Stanley - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCISM - strength mgmt cubicle - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCISM - SFC Ballif - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	CW3 Brundidge's old office - unstable bookcases	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	G-1 - orange ext cord used in lieu of perm wiring	AI	Mark Duncan	April 28, 2010	Jeff Beck		
JFHQ	G-1 - surge protector to extension cord and then two other surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	G-1 - Admin - surge protectors daisy chained	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	G-1 - left side of hall - unstable bookcase	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	Room 122 - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 124 - ext cord from outlet tot surge protector	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 124 - surge protector cord across walk area	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 124 - surge protector daisy chained at back desk area	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 124 - cluttered and messy	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 128 - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 134 - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 130 - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 149 - extension cord used in lieu of perm wiring	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HR - SPC Hagedorn -daisy chained surge protector	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Dale Brett's office - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 152 - extension cord used to attached surge protector	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 155 - vacuum has damaged plug - missing ground	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Robin Howards cubicle - extension cord to coffee bean grinder	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	Mike Wilson's cubicle - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 153 - cluttered and messy	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Server room - orange extension cord used in lieu of perm wiring	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Server Room - ladder blocking electrical panel	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Room 158 - Karl's office - surge protectors daisy chained	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ supply - orange extension cord to stereo	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ supply - refrigerator area - daisy chained surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ Supply - Bde S-4 - storage rack unstable	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ supply - storage rack for flags and poles unstable	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	SFC Cassel - rcig area - extension cords connected to surge protectors	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ supply - black extension cord from recruiting cage to office area	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	HQ supply - orange extension cord out of surge protector by Lexmark copier	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	Fire extinguishers in locked cabinets are not being inspected/tags turned	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Facility Maint shop - two vacuums had damage plugs	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Facilities Maint - Milwaukee 90 degree grinder electrical cord was cracked	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Boiler room - Pump p-2, p-1 breakers blocked by cart	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Mail room - storage rack unstable	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Drill floor - mail room end - missing cap to panic bar on door	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Drill floor stage - extension cord used to power raise platform	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	Drill floor - pedestal floor fan - cord is damaged	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCOPS - storage are behind FMS - raceway for fluorescent lights in back missing	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCOPS - storage - no loading/light posted	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCOPS storage - no guard rails on overhead storage area	AI	Mark Duncan	28-Apr-10	Jeff Beck		
JFHQ	DCOPS storage - no tube protectors on fluorescent lights	AI	Mark Duncan	28-Apr-10	Jeff Beck		

JFHQ	HQ Fueler back of FMS - 4 fuelers did not have static ground attached	AI	Mark Duncan	28-Apr-10	Jeff Beck		
Lane County FMS	POL Room - flammable storage cabinet door not working properly	AI	Mike Wiley	1-Jun-10	Jeff Beck	Completed	
Lane County FMS	Wash rack - closed due to oil/water separator & drainage	AI	Mike Wiley	1-Jun-10	Jeff Beck	Completed	
Lane County FMS	Room 202 - no MSDS sheets for flammable materials stored in room	AI	Mike Wiley	1-Jun-10	Jeff Beck	Unit	
Lebanon RC	Hand rail on stairs for storage area	QSI	Doug McClellan	18-Oct-10	Jeff Beck		
Medford	Unguarded area on roof for air conditioning units	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Surge Protectors daisy chained - room 106	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Surge Protectors daisy chained - room 126	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Room 134, no outlet covers on outlets	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Room 125 - Extension cord in lieu of perm. Wiring	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Room 117 - extension cord to computer - replace with surge protector	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Room 117 - daisy chained surge protector -r replace with longer cord	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Room 118- daisy chained surge protector	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	

Medford	Room A 1-186 supply room, extension cord plugged into surge protector	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	Fitness Center - Modline heater fan blade guard opening greater than 1/2 inch	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Room A 1-186 locker room, Modline heater fan blade guard opening greater than 1/2 inch	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Men's shower stalls east/south end has green mold/slim & heavy rust	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Kitchen area - needs "Not an Exit" sign on main door.	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Kitchen area - needs directional area sign at exit in back wash area.	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford	Boiler Room - flexible metal cable at Honeywell actuator was split at connection - repair flex cable	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford	F Co 141 BSB supply room - Fire Extinguisher not inspected since 2009	AI	Ray Osborne	27-Jul-10	Jeff Beck	Unit - Done	
Medford	A Co and F Co, ensure fire extinguishers in vehicles are inspected monthly	AI	Ray Osborne	27-Jul-10	Jeff Beck	Unit	
Medford	Flammable Storage building has no power source	AI	Ray Osborne	27-Jul-10	Jeff Beck		

Medford FMS	No fall protection for Srvc Panels - need railing	QSI	Ray Osborn	22-Dec-10	Jeff Beck		Pending
Medford FMS	No fall protection for HVAC	QSI	Ray Osborn	22-Dec-10	Jeff Beck	?	Pending
Medford FMS	Upstairs reset office - extension cord plugged into power strip	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford FMS	Upstairs reset office - extension cord to overhead light	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford FMS	Bay 3 - electrical box and cord to parts washer loose causing stress on wires	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford FMS	Blue trouble light had broken handle at electrical cord	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford FMS	Parts shed - black extension cord plugged into surge protector	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford FMS	Orange and green storage rack not secured to wall	AI	Ray Osborne	27-Jul-10	Jeff Beck	Completed	
Medford FMS	Wash rack area - no railing on stairs	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Medford FMS	Fumes funneling upstairs collecting in storage/parts area exposing employees	AI	Ray Osborne	27-Jul-10	Jeff Beck		
Roseburg	Room 115 - surge protectors daisy chained	AI	John Unger	18-Aug-10	Jeff Beck		
Roseburg	Kitchen area - no sign on "no exit door"	AI	John Unger	18-Aug-10	Jeff Beck		
Roseburg	Maint room - ladder blocking electrical panel	AI	John Unger	18-Aug-10	Jeff Beck	Completed	

Roseburg	Recruiting office - cover missing exposing inner energized conductors	AI	John Unger	18-Aug-10	Jeff Beck		
Roseburg	Update fire evac plan and schematics	AI	John Unger	18-Aug-10	Jeff Beck	Completed	
Salem 17th St Armory	Room 2- orange extension cord to surge protector	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Classroom - daisy chain of surge protectors	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 9 - daisy chained surge protectors	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Circulating pump room - 2 ft deep floor opening with no cover	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 11 - 2 orange extension cords plugged into surge protector	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 11 - heater below ft high - install guarding on fan	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 12 - Pace air handlers inclined belt drive not enclosed	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 15-c - 2 surge protectors daisy chained together	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 15-H - air handler belt drive not fully enclosed	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 17 - inclined belt drive on air handler not fully enclosed	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 17 - 2 fire extinguishers not inspected	AI	Doug McClellan	5-May-10	Jeff Beck		

Salem 17th St Armory	Room 21 - 2 daisy chained surge protectors	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 25 - extension cord to surge protector to extension cord	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 28 - orange extension cord used in lieu of permanent wire	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem 17th St Armory	Room 23-a - Kitchen/break area not equipped with GFI	AI	Doug McClellan	5-May-10	Jeff Beck		
Salem FMS	Fire extinguisher located in pressure washing area not inspected	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Rom 107a - 2 bookcases unstable	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Fire extinguisher near female restroom not inspected	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Upstairs - bookcases unstable	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	107a - roof - no fall protection	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	All fire extinguisher not been inspected	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 1 - North end - orange extension cord plugged into surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 1 - North end - yellow extension cord plugged into damaged surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 3 - North workbench - orange extension cord out of 4 gang drop cord to trouble light	AI	Mark Duncan	29-Apr-10	Jeff Beck		

Salem FMS	Bay 4 - North - workbench area - orange extension cord plugged into surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 4 - solvent tank located in passage way preventing minimum width of 28 inches	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 5 - North - black extension cord used to s surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 5 - no flash back preventers on torch	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 5 - South - orange extension cord plugged into surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 5 - South - electrical cord to work light damaged	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 4 - South - yellow extension cord plugged into surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 2 - South - yellow extension cord to surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 2 - North - extension cord to surge protector	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Salem FMS	Bay 2 - IBS retractable trouble light damaged for 3 inches at light	AI	Mark Duncan	29-Apr-10	Jeff Beck		
Springfield	BLM - 2 6ft high bookcases - unstable	AI	Mike Wiley	1-Jun-10	Jeff Beck	Completed	
Springfield	Room 276 - wood and glass bookcases unstable	AI	Mike Wiley	1-Jun-10	Jeff Beck	Completed	

Springfield	Navy area - upstairs - coffee area - extension cord with 3 outlet end used in lieu of wiring	AI	Mike Wiley	1-Jun-10	Jeff Beck	Completed	
Springfield	Marine area - rm 117 - 4 wood bookcases - unstable	AI	Mike Wiley	1-Jun-10	Jeff Beck		
Springfield	Room 122 - 6 ft metal bookcases unstable	AI	Mike Wiley	1-Jun-10	Jeff Beck		
Springfield	No published evac plan or routes	AI	Mike Wiley	1-Jun-10	Jeff Beck		
SRC	Room 120 - daisy chain surge protectors	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 120 - unstable book case	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 124A - switch plate missing by door	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 117 - book cases unstable	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Fire extinguisher's not updated/inspected	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 115 - book case unstable	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 107 - no GFI over sink area	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Janitor rm by kitchen - no tube protector over fluorescent light	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Kitchen - piping needs to be labeled to indicate what is carried inside	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Kitchen - Fire suppression system has not been inspected	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Men's shower area - mildew and swell issues in shower area	AI	Dave Provost	30-Aug-10	Jeff Beck		

SRC	Men's shower area fan - not clean and filter needs to be changed	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Upstairs - rm 202 - electrical panel has missing breaker with no blank installed	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 204 - broken outlet cover	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 204 - extension cord used in lieu of perm wiring	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 202 - storage racks unstable	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 204 - surge protectors daisy chained together	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Mainit Bays - extension cord used to charge high lift was left plugged into wall	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Freezer area - rm 103 - orange extension cord plugged into surge protector & daisy chained	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Room 101 - orange extension cord plugged into surge protector	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	South end - Exit sign not mounted	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	Bathroom - light bulb missing exposing inner energized conductor	AI	Dave Provost	30-Aug-10	Jeff Beck		
SRC	No published emergency action plan	AI	Dave Provost	30-Aug-10	Jeff Beck		

April is Earthquake Month

What to Do During an Earthquake

According to FEMA, stay as safe as possible during an earthquake. Be aware that some earthquakes are actually foreshocks and a larger earthquake might occur. Minimize your movements to a few steps to a nearby safe place and if you are indoors, stay there until the shaking has stopped and you are sure exiting is safe.

If indoors

- **DROP** to the ground; take **COVER** by getting under a sturdy table or other piece of furniture; and **HOLD ON** until the shaking stops. If there isn't a table or desk near you, cover your face and head with your arms and crouch in an inside corner of the building.
- Stay away from glass, windows, outside doors and walls, and anything that could fall, such as lighting fixtures or furniture.
- Stay in bed if you are there when the earthquake strikes. Hold on and protect your head with a pillow, unless you are under a heavy light fixture that could fall. In that case, move to the nearest safe place.
- Use a doorway for shelter only if it is in close proximity to you and if you know it is a strongly supported, load bearing doorway.
- Stay inside until the shaking stops and it is safe to go outside. Research has shown that most injuries occur when people inside buildings attempt to move to a different location inside the building or try to leave.
- Be aware that the electricity may go out or the sprinkler systems or fire alarms may turn on.
- **DO NOT** use the elevators.

If outdoors

- Stay there.
- Move away from buildings, streetlights, and utility wires.
- Once in the open, stay there until the shaking stops. The greatest danger exists directly outside buildings, at exits and alongside exterior walls. Many of the 120 fatalities from the 1933 Long Beach earthquake occurred when people ran outside of buildings only to be killed by falling debris from collapsing walls. Ground movement during an earthquake is seldom the direct cause of death or injury. Most earthquake-related casualties result from collapsing walls, flying glass, and falling objects.

If in a moving vehicle

- Stop as quickly as safety permits and stay in the vehicle. Avoid stopping near or under buildings, trees, overpasses, and utility wires.
- Proceed cautiously once the earthquake has stopped. Avoid roads, bridges, or ramps that might have been damaged by the earthquake.

If trapped under debris

- Do not light a match.
- Do not move about or kick up dust.
- Cover your mouth with a handkerchief or clothing.
- Tap on a pipe or wall so rescuers can locate you. Use a whistle if one is available. Shout only as a last resort. Shouting can cause you to inhale dangerous amounts of dust.

For more information check out FEMA's website at
http://www.fema.gov/hazard/earthquake/eq_during.shtm

OSHA FactSheet

Working Safely with Electricity

Working with electricity can be dangerous. Engineers, linemen, electricians, and others work with electricity directly, including overhead lines, cable harnesses, and circuit assemblies. Office workers and salespeople work with electricity indirectly and may also be exposed to electrical hazards.

Generators

One of the common tools utilized following the loss of power are portable generators. Most generators are gasoline powered and use internal combustion engines to produce electricity.

Carbon monoxide is a colorless and odorless gas produced during the operation of gasoline powered generators. When inhaled, the gas reduces your ability to utilize oxygen. Symptoms of carbon monoxide poisoning include headache, nausea, and tiredness that can lead to unconsciousness and ultimately prove fatal.

- DO NOT bring a generator indoors. Be sure it is located outdoors in a location where the exhaust gases cannot enter a home or building. Good ventilation is the key.
- Be sure that the main circuit breaker is OFF and locked out prior to starting any generator. This will prevent inadvertent energization of power lines from back feed electrical energy from generators and help protect utility line workers from possible electrocution.
- Turn off generators and let them cool prior to refueling.

Power Lines

Overhead and buried power lines are especially hazardous because they carry extremely high voltage. Fatal electrocution is the main risk, but burns and falls are also hazards.

- Look for overhead power lines and buried power line indicators.
- Stay at least 10 feet away from overhead power lines and assume they are energized.
- De-energize and ground lines when working near them.
- Use non-conductive wood or fiberglass ladders when working near power lines.

Extension Cords

Normal wear on cords can loosen or expose wires. Cords that are not 3-wire type, not designed for hard-usage, or that have been modified, increase your risk of contacting electrical current.

- Use only equipment that is approved to meet OSHA standards.
- Do not modify cords or use them incorrectly.
- Use factory-assembled cord sets and only extension cords that are 3-wire type.
- Use only cords, connection devices, and fittings that are equipped with strain relief.
- Remove cords from receptacles by pulling on the plugs, not the cords.

Equipment

Due to the dynamic, rugged nature of construction work, normal use of electrical equipment causes wear and tear that results in insulation breaks, short-circuits, and exposed wires. If there is no ground-fault protection, it can cause a ground-fault that sends current through the worker's body.


- Use ground-fault circuit interrupters (GFCIs) on all 120-volt, single-phase, 15- and 20-ampere receptacles, or have an assured equipment grounding conductor program (AEGCP).
- Use double-insulated tools and equipment, distinctively marked.
- Visually inspect all electrical equipment before use. Remove from service any equipment with frayed cords, missing ground prongs, cracked tool casings, etc.

Electrical Incidents

If the power supply to the electrical equipment is not grounded or the path has been broken, fault

STUDDING

Studded Tires in Oregon must be removed by 12:01 am on Tuesday, April 5. Anyone caught driving with studded tires after that deadline can be charged with a Class C traffic violation, which carries a minimum fee of \$190.



OREGON MILITARY DEPT. CONFINED SPACES

#	LOCATION	PERMIT?	Labeled?	Entrant	TYPE	CODE	ID #	REVIEWED	NEXT DUE	REMARKS
01	Bend Armyory	Yes	Faded Sign		Sewer Pumping Station	SPS				None at this facility
00	BLAK Burns	N/A	N/A	N/A		N/A	N/A	N/A	N/A	None at this facility
01	Armyory	Yes	No		Plumbing Chase	PC				Below floor around entire building,
00	COARC	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	None at this facility
00	COUTES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	None at this facility
	Hermiston			SMW & Contrac	Electrical System Vault	ESV				Atmospheric check before entry
01	Hermiston	No	No	SMW & Contrac		ESV	N/A	N/A	N/A	Atmospheric check before entry
01	Hillsboro	No	No	Contrac	Fire Sprinkler Vault	FSV	N/A	N/A	N/A	Atmospheric Check before entry
01	Hillsboro	Yes	Yes	Contrac	Boiler Pit	BP	N/A	N/A	N/A	Boiler Room
01	Hillsboro	Yes	Yes	Contrac	Steam Tunnel	ST	N/A	N/A	N/A	Below floor around entire building
01	Hood River	Yes	Yes	Contrac	Pump Chase	PC				Below floor around entire bldg
01	Jackson RC				Boiler Pit	BP				Located in Boiler Rm 30
01	Jackson RC				Sanitary Manhole	SMH				By North fence behind Readiness Ctr near fence to PANG
01	Jackson RC				Electrical System Vault	ESV				East POV Parking lot
01	Jackson RC				Sanitary Manhole	SMH				West side of FMS near fence to PANG
01	Jackson RC				Secondary Diverter Vault	SDV				West side of Pad
01	Jackson RC				Secondary Separator Vault	SSV				West side of Pad
01	Jackson RC				Secondary Overflow Vault	SOV				West side of Pad
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-1	4/14/2010	4/14/2011	North/West Bldg #4062
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-2	4/14/2010	4/14/2011	West of Bldg #333
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-3	4/14/2010	4/14/2011	West of Bldg #335

01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-4	4/14/2010	4/14/2011	South of Bldg #220
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-5	4/14/2010	4/14/2011	South of Bldg #207
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-6	4/14/2010	4/14/2011	North/West Bldg #210
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-7	4/14/2010	4/14/2011	East of Bldg #211
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-100	4/14/2010	4/14/2011	North/East Bldg #130
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-101	4/14/2010	4/14/2011	North of Bldg #130
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-101	4/14/2010	4/14/2011	North of Bldg #130
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-107	4/14/2010	4/14/2011	North/West Bldg #209
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-108	4/14/2010	4/14/2011	North of Bldg #209
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-109	4/14/2010	4/14/2011	North/East Bldg #209
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-110	4/14/2010	4/14/2011	North of Bldg #209
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-114	4/14/2010	4/14/2011	South/West Bldg #130
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-115	4/14/2010	4/14/2011	North/West Bldg #211
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-117	4/14/2010	4/14/2011	East of Bldg #220
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-118	4/14/2010	4/14/2011	South/East Bldg #302
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-120	4/14/2010	4/14/2011	South/West Bldg #302
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-122	4/14/2010	4/14/2011	West of Bldg #229
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-122	4/14/2010	4/14/2011	West of Bldg #229
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-123	4/14/2010	4/14/2011	West of Bldg #219
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-124	4/14/2010	4/14/2011	South/West Bldg #130
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-126	4/14/2010	4/14/2011	South/West Bldg #211
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-150	4/14/2010	4/14/2011	West of Bldg #127
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-201	4/14/2010	4/14/2011	South of Bldg #243
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-201	4/14/2010	4/14/2011	South of Bldg #243
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-201	4/14/2010	4/14/2011	West of Bldg #331
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-201	4/14/2010	4/14/2011	South/West Bldg #331
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-201	4/14/2010	4/14/2011	North/West Bldg #310
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-202	4/14/2010	4/14/2011	South/West Bldg #232
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-202	4/14/2010	4/14/2011	South/West Bldg #302
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-204	4/14/2010	4/14/2011	East of Bldg #223
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-205	4/14/2010	4/14/2011	West of Bldg #208
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-205	4/14/2010	4/14/2011	South of Bldg #207
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-206	4/14/2010	4/14/2011	South/West Bldg #207
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-206	4/14/2010	4/14/2011	North/West Bldg #209
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-210	4/14/2010	4/14/2011	South of Bldg #215
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-211	4/14/2010	4/14/2011	South of Bldg #215
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-212	4/14/2010	4/14/2011	North/West Bldg #127
01	K-Falls	Yes			Sanitary Manhole	SMH	SMH-212	4/14/2010	4/14/2011	West of Bldg #127
02	K-Falls	Yes			Barrier Pit	BAP	BAK-1	4/14/2010	4/14/2011	North End, West side
02	K-Falls	Yes			Barrier Pit	BAP	BAK-2	4/14/2010	4/14/2011	North End, East side

02	K-Falls	Yes		Barrier Pit	BAP	BAK-3	4/14/2010	4/14/2011	South End, West side
02	K-Falls	Yes		Barrier Pit	BAP	BAK-4	4/14/2010	4/14/2011	South End, East side
05	K-Falls	Yes		Plumbing Pit	PP	PP-12	4/14/2010	4/14/2011	North and East of Bldg 214 in Roadway
05	K-Falls	Yes		Plumbing Pit	PP	PP-13	4/14/2010	4/14/2011	North and East of Bldg 214 in Roadway
07	K-Falls	Yes		Fuel Tank Vehicles	FV	FV-1	4/14/2010	4/14/2011	POL Yard, 1200GL C-300 Refueler Tank
07	K-Falls	Yes		Fire Truck Vehicles	FTV	FTV-1	4/14/2010	4/14/2011	Fire Station, Bldg #216
09	K-Falls	Yes		Above Ground Fuel Tank	FAT	FT-3	4/14/2010	4/14/2011	Jet Fuel Tank POL Area #3151
09	K-Falls	Yes		Above Ground Fuel Tank	FAT	FT-4	4/14/2010	4/14/2011	Jet Fuel Tank POL Area #3152
09	K-Falls	Yes		Above Ground Fuel Tank	FAT	FT-5	4/14/2010	4/14/2011	Top of Fuel Tank 4 roof door to floating roof
09	K-Falls	Yes		Above Ground Fuel Tank	FAT	FT-6	4/14/2010	4/14/2011	Top of Fuel Tank-3 Roof door to floating roof
09	K-Falls	Yes		Electrical System Vault	ESV	EL-6	4/14/2010	4/14/2011	North of BAK-14
09	K-Falls	Yes		Electrical System Vault	ESV	EL-7	4/14/2010	4/14/2011	GSA Turntable
09	K-Falls	Yes		Fuel Valve Pit	FVP	FV-2	4/14/2010	4/14/2011	Dike drain hatch for POL fuel tanks 3 & 4
14	K-Falls	No		Sweeper Vehicle	SV	SV-1	4/14/2010	4/14/2011	Tymco sweeper, Vehicle Maint, Bldg #305
19	K-Falls	Yes		Boiler Pit	BP	BP-1	4/14/2010	4/14/2011	Mech Room Bldg #130
19	K-Falls	Yes		Boiler Pit	BP	BP-2	4/14/2010	4/14/2011	Mech Room Bldg #127
19	K-Falls	Yes		Boiler Pit	BP	BP-3	4/14/2010	4/14/2011	Mech Room Bldg #207
19	K-Falls	Yes		Boiler Pit	BP	BP-4	4/14/2010	4/14/2011	Mech Room Bldg #220
19	K-Falls	Yes		Boiler Pit	BP	BP-5	4/14/2010	4/14/2011	Mech Room Bldg #238
19	K-Falls	Yes		Boiler Pit	BP	BP-6	4/14/2010	4/14/2011	Mech Room Bldg #239
19	K-Falls	Yes		Boiler Pit	BP	BP-7	4/14/2010	4/14/2011	Mech Room Bldg #242
19	K-Falls	Yes		Boiler Pit	BP	BP-8	4/14/2010	4/14/2011	Mech Room Bldg #229
20	K-Falls	Yes		Plumbing Pit	PP	PP-1	4/14/2010	4/14/2011	Mech Room Bldg #223
20	K-Falls	Yes		Plumbing Pit	PP	PP-2	4/14/2010	4/14/2011	Backflow, Bldg #223
20	K-Falls	Yes		Plumbing Pit	PP	PP-3	4/14/2010	4/14/2011	Valve, Bldg #3031
20	K-Falls	Yes		Plumbing Pit	PP	PP-4	4/14/2010	4/14/2011	Valves, West Bldg #402
20	K-Falls	Yes		Plumbing Pit	PP	PP-5	4/14/2010	4/14/2011	North of Bldg 209- Vault
20	K-Falls	Yes		Plumbing Pit	PP	PP-6	4/14/2010	4/14/2011	West of Bldg 210 Vault
20	K-Falls	Yes		Plumbing Pit	PP	PP-7	4/14/2010	4/14/2011	North of Bldg 536 Vault
20	K-Falls	Yes		Plumbing Pit	PP	PP-8	4/14/2010	4/14/2011	Sump Pit, West of Bldg #335
20	K-Falls	Yes		Sanitary Lift Station	SLS	PP-8	4/14/2010	4/14/2011	Sewer Lift, West of Bldg #400

20	K-Falls	Yes		Sanitary Lift Station	SLS	PP-9	4/14/2010	4/14/2011	Sewer Lift, North of Bldg #573
20	K-Falls	Yes		Sanitary Lift Station	SLS	PP-10	4/14/2010	4/14/2011	Sewer Lift, Mech Room, Bldg #573
20	K-Falls	Yes		Plumbing Pit	PP	PP-11	4/14/2010	4/14/2011	Sump Pit, Mech Rm inside north of bldg 303
21	K-Falls	No		F15 Exhaust Ports	FP	FP-11	4/14/2010	4/14/2011	F15 aircraft engine exhaust ports
21	K-Falls	No		F15 Intake Ports	FP	F15-2	4/14/2010	4/14/2011	F15 aircraft engine intake ports
22	K-Falls	Yes		F15 Fuel Cells	FC	FC-1	4/14/2010	4/14/2011	F15 aircraft fuel cell #1, Fuselage
22	K-Falls	Yes		F15 Fuel Cells	FC	FC-2	4/14/2010	4/14/2011	F15 aircraft fuel cell #2, Fuselage
22	K-Falls	Yes		F15 Fuel Cells	FC	FC-3A	4/14/2010	4/14/2011	F15 aircraft fuel cell #3A, Fuselage
22	K-Falls	No		F15 Fuel Cells	FC	FC-3B	4/14/2010	4/14/2011	F15 aircraft fuel cell #3B, Fuselage
22	K-Falls	No		F15 Fuel Cells	FC	FC-LA	4/14/2010	4/14/2011	F15 aircraft fuel cell, Left Aux, Fuselage
22	K-Falls	No		F15 Fuel Cells	FC	FC-RA	4/14/2010	4/14/2011	F15 aircraft fuel cell, Right Aux, Fuselage
22	K-Falls	No		F15 Fuel Cells	FC	FC-LW	4/14/2010	4/14/2011	F15 aircraft fuel cell, Left Integral, Wing
22	K-Falls	No		F15 Fuel Cells	FC	FC-RW	4/14/2010	4/14/2011	F15 aircraft fuel cell, Right Integral, Wing
22	K-Falls	No		F15 Fuel Cells	FC	FC-EM	4/14/2010	4/14/2011	F15 aircraft fuel cell, externally mounted
23	K-Falls	No		Comm. Hand Hole	HH	HH-1	4/14/2010	4/14/2011	West side, Bldg #229
23	K-Falls	No		Comm. Hand Hole	HH	HH-2	4/14/2010	4/14/2011	East side, Bldg #243
23	K-Falls	No		Comm. Hand Hole	HH	HH-3	4/14/2010	4/14/2011	Harper Row
23	K-Falls	No		Comm. Hand Hole	HH	HH-4	4/14/2010	4/14/2011	Harper Row
23	K-Falls	No		Comm. Hand Hole	HH	HH-5	4/14/2010	4/14/2011	Harper Row
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-6	4/14/2010	4/14/2011	South end of Bldg #325
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-7	4/14/2010	4/14/2011	NE side of Bldg #219
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-8	4/14/2010	4/14/2011	Between Bldg #207 & #208
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-9	4/14/2010	4/14/2011	NE corner of civilian terminal (off base)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-10	4/14/2010	4/14/2011	NW corner of Bldg #331
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-11	4/14/2010	4/14/2011	West side of Bldg #332
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-12	4/14/2010	4/14/2011	NW corner of Bldg #220
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-13	4/14/2010	4/14/2011	NW of Bldg #223 (Supply)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-14	4/14/2010	4/14/2011	SW corner of Bldg #223 (Supply)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-15	4/14/2010	4/14/2011	East of Taxiway Delta
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-16	4/14/2010	4/14/2011	SW of Old Tower (Taxiways D & E)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-16A	4/14/2010	4/14/2011	NE of Old Tower
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-17	4/14/2010	4/14/2011	East of Runway 14

23	K-Falls	Yes		Comm. Hand Hole	HH	HH-18	4/14/2010	4/14/2011	East of Runway 14
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-19	4/14/2010	4/14/2011	Storage)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-20	4/14/2010	4/14/2011	East of Weapons Storage
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-21	4/14/2010	4/14/2011	East of Weapons Storage
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-22	4/14/2010	4/14/2011	NW of Bldg # 536 (Weapons
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-23	4/14/2010	4/14/2011	West of Bldg #539
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-24	4/14/2010	4/14/2011	West of New Tower
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-25	4/14/2010	4/14/2011	North of New Tower
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-26	4/14/2010	4/14/2011	East of South Gate
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-27	4/14/2010	4/14/2011	SW of Runway 25
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-28	4/14/2010	4/14/2011	Perimeter Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-29	4/14/2010	4/14/2011	Vanderberg Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-30	4/14/2010	4/14/2011	#570
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-30A	4/14/2010	4/14/2011	Perimeter Road & Bldg #570
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-31	4/14/2010	4/14/2011	Vanderberg Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-32	4/14/2010	4/14/2011	Vanderberg Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-33	4/14/2010	4/14/2011	Rapcon Rd.
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-34	4/14/2010	4/14/2011	Next to Rapcon Bldg
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-35	4/14/2010	4/14/2011	Perimeter Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-36	4/14/2010	4/14/2011	Corner of Perimeter Rd. & Rifle Rd.
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-37	4/14/2010	4/14/2011	Rifle Road (Firing Range)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-38	4/14/2010	4/14/2011	Rifle Road (NE of Range Bldg #585)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-39	4/14/2010	4/14/2011	Perimeter Road
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-40	4/14/2010	4/14/2011	NW corner of Bldg #4004 (Hush House)
23	K-Falls	Yes		Comm. Hand Hole	HH	HH-41	4/14/2010	4/14/2011	North of Bldg #4004 (Hush House)
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-1	4/14/2010	4/14/2011	Gentile St. b/wm. Arnold & Fairchild Sts.
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-1A	4/14/2010	4/14/2011	Corner of Gentile & Fairchild Sts.
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-2	4/14/2010	4/14/2011	Corner of Gentile & Vanderberg Sts.
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-2A	4/14/2010	4/14/2011	Gentile and Fire Dept.
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-3	4/14/2010	4/14/2011	Vanderberg near Engine shops driveway
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-4	4/14/2010	4/14/2011	NW corner of Vanderberg & Bong Sts.
24	K-Falls	Yes		Comm. Man Hole	CMH	CMH-5	4/14/2010	4/14/2011	Vanderberg Dr. at Motor Pool gate

24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-6	4/14/2010	4/14/2011	Vandenberg Dr. at old sewage plant
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-7	4/14/2010	4/14/2011	Arnold & Gentile Sts.
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-8	4/14/2010	4/14/2011	Arnold at F16 display
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-9	4/14/2010	4/14/2011	Arnold St. at Bldg #211 parking lot
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-10	4/14/2010	4/14/2011	Arnold Ave. at SW corner of Bldg #210
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-11	4/14/2010	4/14/2011	SW corner of Bldg #207
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-12	4/14/2010	4/14/2011	South of Bldg # 242
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-13	4/14/2010	4/14/2011	NE corner of Bldg #130
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-14	4/14/2010	4/14/2011	SW corner of Joe Wright Rd. & Altamont
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-15	4/14/2010	4/14/2011	Joe Wright Rd. inside Jeld Wen Co.
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-16	4/14/2010	4/14/2011	West of Bldg #402
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-17	4/14/2010	4/14/2011	South of Bldg #404 (inside locked cage)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-18	4/14/2010	4/14/2011	West of Bldg #400
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-19	4/14/2010	4/14/2011	Civilian terminal parking lot
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-20	4/14/2010	4/14/2011	North of Bldg #226 (SW corner of Bldg #238)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-21	4/14/2010	4/14/2011	Btwn. Bldgs #230 & #231(Btwn. Parachute & AV)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-22	4/14/2010	4/14/2011	
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-23	4/14/2010	4/14/2011	South yard of Bldg #243 (OPS)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-24	4/14/2010	4/14/2011	West of Runway 14 (EOR)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-25	4/14/2010	4/14/2011	West of Runway 14 (EOR)
24	K-Falls	Yes			Comm. Man Hole	CMH	CMH-26	4/14/2010	4/14/2011	East of Runway 14 (EOR)
25	K-Falls	No			Storage	SV	SV-1	4/14/2010	4/14/2011	Main Supply
26	K-Falls	Yes			Crawl Space	CS	CS-1	4/14/2010	4/14/2011	under Bldg. 127 (gymnasium)
26	K-Falls	Yes			Crawl Space	CS	CS-2	4/14/2010	4/14/2011	under Bldg. 130 (dining hall)
26	K-Falls	Yes			Crawl Space	CS	CS-3	4/14/2010	4/14/2011	under Bldg. 208 (billeting)
26	K-Falls	Yes			Crawl Space	CS	CS-4	4/14/2010	4/14/2011	under Bldg. 4071 (GCA turntable)
27	K-Falls	Yes			Back Flow Pit	PP	BFT-1	4/14/2010	4/14/2011	in front of bldg 223- vault
27	K-Falls	Yes			Back Flow Pit	PP	BFT-2	4/14/2010	4/14/2011	north of bldg 209- vault
27	K-Falls	Yes			Back Flow Pit	PP	BFT-3	4/14/2010	4/14/2011	west of bldg 210- vault
01	PANG	Yes			Sanitary Manhole	SMH	BFT-4	4/14/2010	4/14/2011	north of bldg 536- vault
01	PANG	Yes			Sanitary Manhole	SMH	100	1/1/2001	1/1/2002	
01	PANG	Yes			Sanitary Manhole	SMH	102	1/1/2001	1/1/2002	

01	PANG	Yes				Sanitary Manhole	SMH	104	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	106	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	108	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	110	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	112	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	114	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	116	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	118	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	119	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	120	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	130	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	134	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	140	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	142	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	150	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	152	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	154	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	159	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	160	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	162	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	164	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	166	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	168	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	170	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	180	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	182	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	184	1/1/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	10	1/1/2001	12/31/2002	
01	PANG	Yes				Sanitary Manhole	SMH	10	1/1/2001	12/31/2002	
01	PANG	Yes				Sanitary Manhole	SMH	15	1/2/2001	1/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	15	1/3/2001	1/2/2002	
01	PANG	Yes				Sanitary Manhole	SMH	20	1/4/2001	1/3/2002	
01	PANG	Yes				Sanitary Manhole	SMH	20	1/5/2001	1/4/2002	
01	PANG	Yes				Sanitary Manhole	SMH	200	1/20/2001	1/19/2002	
01	PANG	Yes				Sanitary Manhole	SMH	210	1/21/2001	1/20/2002	
01	PANG	Yes				Sanitary Manhole	SMH	220	1/22/2001	1/21/2002	
01	PANG	Yes				Sanitary Manhole	SMH	222	1/23/2001	1/22/2002	
01	PANG	Yes				Sanitary Manhole	SMH	230	1/24/2001	1/23/2002	
01	PANG	Yes				Sanitary Manhole	SMH	232	1/25/2001	1/23/2002	
01	PANG	Yes				Sanitary Manhole	SMH	234	1/26/2001	1/25/2002	

01	PANG	Yes				Sanitary Manhole	SMH	236	1/27/2001	1/26/2002	
01	PANG	Yes				Sanitary Manhole	SMH	240	1/28/2001	1/27/2002	
01	PANG	Yes				Sanitary Manhole	SMH	25	1/6/2001	1/5/2002	
01	PANG	Yes				Sanitary Manhole	SMH	25	1/7/2001	1/6/2002	
01	PANG	Yes				Sanitary Manhole	SMH	250	1/29/2001	1/28/2002	
01	PANG	Yes				Sanitary Manhole	SMH	252	1/30/2001	1/29/2002	
01	PANG	Yes				Sanitary Manhole	SMH	254	1/31/2001	1/30/2002	
01	PANG	Yes				Sanitary Manhole	SMH	256	2/1/2001	1/31/2002	
01	PANG	Yes				Sanitary Manhole	SMH	260	2/2/2001	2/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	270	2/3/2001	2/2/2002	
01	PANG	Yes				Sanitary Manhole	SMH	280	2/4/2001	2/3/2002	
01	PANG	Yes				Sanitary Manhole	SMH	290	2/5/2001	2/4/2002	
01	PANG	Yes				Sanitary Manhole	SMH	292	2/6/2001	2/5/2002	
01	PANG	Yes				Sanitary Manhole	SMH	30	1/8/2001	1/7/2002	
01	PANG	Yes				Sanitary Manhole	SMH	30	1/9/2001	1/8/2002	
01	PANG	Yes				Sanitary Manhole	SMH	35	1/10/2001	1/9/2002	
01	PANG	Yes				Sanitary Manhole	SMH	40	1/11/2001	1/10/2002	
01	PANG	Yes				Sanitary Manhole	SMH	45	1/12/2001	1/11/2002	
01	PANG	Yes				Sanitary Manhole	SMH	5	1/1/2001	12/31/2002	
01	PANG	Yes				Sanitary Manhole	SMH	50	1/3/2001	1/12/2002	
01	PANG	Yes				Sanitary Manhole	SMH	55	1/4/2001	1/3/2002	
01	PANG	Yes				Sanitary Manhole	SMH	60	1/5/2001	1/4/2002	
01	PANG	Yes				Sanitary Manhole	SMH	65	1/6/2001	1/5/2002	
01	PANG	Yes				Sanitary Manhole	SMH	70	1/7/2001	1/6/2002	
01	PANG	Yes				Sanitary Manhole	SMH	75	1/8/2001	1/7/2002	
01	PANG	Yes				Sanitary Manhole	SMH	80	1/9/2001	1/8/2002	
01	PANG	Yes				Sanitary Manhole	SMH	10	2/8/2001	2/7/2002	
01	PANG	Yes				Sanitary Manhole	SMH	15	2/9/2001	2/8/2002	
01	PANG	Yes				Sanitary Manhole	SMH	20	2/10/2001	2/9/2002	
01	PANG	Yes				Sanitary Manhole	SMH	25	2/11/2001	2/10/2002	
01	PANG	Yes				Sanitary Manhole	SMH	30	2/12/2001	2/11/2002	
01	PANG	Yes				Sanitary Manhole	SMH	300	2/14/2001	2/13/2002	
01	PANG	Yes				Sanitary Manhole	SMH	310	2/15/2001	2/14/2002	
01	PANG	Yes				Sanitary Manhole	SMH	320	2/16/2001	2/15/2002	
01	PANG	Yes				Sanitary Manhole	SMH	330	2/17/2001	2/16/2002	
01	PANG	Yes				Sanitary Manhole	SMH	340	2/18/2001	2/17/2002	
01	PANG	Yes				Sanitary Manhole	SMH	35	2/13/2001	2/12/2002	
01	PANG	Yes				Sanitary Manhole	SMH	350	2/19/2001	2/18/2002	

01	PANG	Yes				Sanitary Manhole	SMH	360	2/20/2001	2/19/2002	
01	PANG	Yes				Sanitary Manhole	SMH	370	2/21/2001	2/20/2002	
01	PANG	Yes				Sanitary Manhole	SMH	5	2/7/2001	2/6/2002	
01	PANG	Yes				Sanitary Manhole	SMH	10	2/22/2001	2/21/2002	
01	PANG	Yes				Sanitary Manhole	SMH	15	2/23/2001	2/22/2002	
01	PANG	Yes				Sanitary Manhole	SMH	20	2/24/2001	2/23/2002	
01	PANG	Yes				Sanitary Manhole	SMH	25	2/25/2001	2/24/2002	
01	PANG	Yes				Sanitary Manhole	SMH	30	2/26/2001	2/25/2002	
01	PANG	Yes				Sanitary Manhole	SMH	35	2/27/2001	2/26/2002	
01	PANG	Yes				Sanitary Manhole	SMH	40	2/28/2001	2/27/2002	
01	PANG	Yes				Sanitary Manhole	SMH	400	3/8/2001	3/8/2002	
01	PANG	Yes				Sanitary Manhole	SMH	402	3/9/2001	3/9/2002	
01	PANG	Yes				Sanitary Manhole	SMH	410	3/10/2001	3/10/2002	
01	PANG	Yes				Sanitary Manhole	SMH	420	3/11/2001	3/11/2002	
01	PANG	Yes				Sanitary Manhole	SMH	430	3/12/2001	3/12/2002	
01	PANG	Yes				Sanitary Manhole	SMH	440	3/13/2001	3/13/2002	
01	PANG	Yes				Sanitary Manhole	SMH	448	3/14/2001	3/14/2002	
01	PANG	Yes				Sanitary Manhole	SMH	45	2/29/2001	2/28/2002	
01	PANG	Yes				Sanitary Manhole	SMH	450	3/15/2001	3/15/2002	
01	PANG	Yes				Sanitary Manhole	SMH	452	3/16/2001	3/16/2002	
01	PANG	Yes				Sanitary Manhole	SMH	454	3/17/2001	3/17/2002	
01	PANG	Yes				Sanitary Manhole	SMH	455	3/18/2001	3/18/2002	
01	PANG	Yes				Sanitary Manhole	SMH	458	3/19/2001	3/19/2002	
01	PANG	Yes				Sanitary Manhole	SMH	50	3/1/2001	3/1/2002	
01	PANG	Yes				Sanitary Manhole	SMH	55	3/2/2001	3/2/2002	
01	PANG	Yes				Sanitary Manhole	SMH	60	3/3/2001	3/3/2002	
01	PANG	Yes				Sanitary Manhole	SMH	65	3/4/2001	3/4/2002	
01	PANG	Yes				Sanitary Manhole	SMH	70	3/5/2001	3/5/2002	
01	PANG	Yes				Sanitary Manhole	SMH	75	3/6/2001	3/6/2002	
01	PANG	Yes				Sanitary Manhole	SMH	80	3/7/2001	3/7/2002	
01	PANG	Yes				Sanitary Manhole	SMH	x	3/20/2001	3/20/2002	
02	PANG	Yes				Sanitary Lift Station	SLS	5	8/24/2000	8/24/2001	
02	PANG	Yes				Sanitary Lift Station	SLS	1	8/25/2000	8/25/2001	
02	PANG	Yes				Sanitary Lift Station	SLS	1	8/26/2000	8/26/2001	
03	PANG	Yes				Oil/Water Separator	OWS	5	5/14/2000	5/14/2001	BLDG # 160 100 GAL.
03	PANG	Yes				Oil/Water Separator	OWS	10	5/16/2000	5/16/2001	BLDG # 200 500 GAL.
03	PANG	Yes				Oil/Water Separator	OWS	15	5/17/2000	5/17/2001	BLDG # 250 NORTH 110 GAL.

03	PANG	Yes			Oil/Water Separator	OWS	20	5/18/2000	5/18/2001	BLDG # 250 SOUTH 500 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	25	5/19/2000	5/19/2001	BLDG # 255 300 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	30	5/20/2000	5/20/2001	BLDG # 260 500 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	35	5/21/2000	5/21/2001	BLDG # 290 110 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	5	5/15/2000	5/15/2001	BLDG # 210 100 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	10	5/23/2000	5/23/2001	BLDG # 375 110 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	15	5/24/2000	5/24/2001	BLDG # 381 300 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	20	5/25/2000	5/25/2001	BLDG # 310 110 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	5	5/22/2000	5/22/2001	BLDG # 365 110 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	10	5/27/2000	5/27/2001	BLDG # 455 110 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	15	5/28/2000	5/28/2001	POL 500 GAL.
03	PANG	Yes			Oil/Water Separator	OWS	5	5/29/2000	5/29/2001	BLDG # 455 300 GAL.
04	PANG	Yes			Barrier Pit	BAP	EAST	5/29/2000	5/29/2001	Fac # 10081
04	PANG	Yes			Barrier Pit	BAP	WEST	5/30/2000	5/30/2001	Fac # 10082
05	PANG	Yes			Above Grnd Fuel Tank	FAT	1	8/28/2000	8/28/2001	POL 365,000 GAL
05	PANG	Yes			Above Grnd Fuel Tank	FAT	2	8/29/2000	8/29/2001	POL 365,000 GAL
05	PANG	Yes			Above Grnd Fuel Tank	FAT	3	8/30/2000	8/30/2001	POL 5000 GAL.
05	PANG	Yes			Above Grnd Fuel Tank	FAT	4	8/31/2000	8/31/2001	POL 5000 GAL.
05	PANG	Yes			Above Grnd Fuel Tank	FAT	5	9/1/2000	9/1/2001	POL 5000 GAL.
05	PANG	Yes			Above Grnd Fuel Tank	FAT	6	9/2/2000	9/2/2001	POL 5000 GAL.
05	PANG	Yes			Above Grnd Fuel Tank	FAT	7	9/3/2000	9/3/2001	POL 5000 GAL.
07	PANG	Yes			Fuel Tank Vehicle	FTV	84L116			POL YARD 1200GL M49 FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	86L078			POL YARD 1200GL M49 FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	86L078			POL YARD 1200GL M49 FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	89L211			POL YARD 600GL A1B FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	94L070			POL YARD 600GL A1B FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	94L071			POL YARD 600GL A1B FUEL TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	92C435			POL YARD 1200GL C130 REFUELER TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	89L965			POL YARD 6000GL R11 AC REFUELER TANK
07	PANG	Yes			Fuel Tank Vehicle	FTV	90L098			POL YARD 6000GL R11 AC REFUELER TANK

07	PANG	Yes		Fuel Tank Vehicle	FTV	90L099			POL YARD 6000GL R11 AC REFUELER TANK
07	PANG	Yes		Fuel Tank Vehicle	FTV	90L100			POL YARD 6000GL R11 AC REFUELER TANK
07	PANG	Yes		Fuel Tank Vehicle	FTV	90L101			POL YARD 6000GL R11 AC REFUELER TANK
07	PANG	Yes		Fuel Tank Vehicle	FTV	91L270			POL YARD 6000GL R11 AC REFUELER TANK
08	PANG	No		Water System Vault	WSV	1	3/21/2001	3/21/2002	SOUTH END OF CARL ST.
08	PANG	No		Water System Vault	WSV	1	5/22/2000	5/22/2001	NORTH OF BLDG # 315.
08	PANG	No		Water System Vault	WSV	1	3/23/2001	3/23/2002	SOUTH END OF OVEREND AVE.
09	PANG	No		Electrical System Vault	ESV	100	3/24/2001	3/24/2002	
09	PANG	No		Electrical System Vault	ESV	105	3/25/2001	3/25/2002	
09	PANG	No		Electrical System Vault	ESV	110	3/26/2001	3/26/2002	
09	PANG	No		Electrical System Vault	ESV	115	3/27/2001	3/27/2002	
09	PANG	No		Electrical System Vault	ESV	120	3/28/2001	3/28/2002	
09	PANG	No		Electrical System Vault	ESV	125	3/29/2001	3/29/2002	
09	PANG	No		Electrical System Vault	ESV	140	3/30/2001	3/30/2002	
09	PANG	No		Electrical System Vault	ESV	145	3/31/2001	3/31/2002	
09	PANG	No		Electrical System Vault	ESV	150	4/1/2001	4/1/2002	
09	PANG	No		Electrical System Vault	ESV	150A	4/7/2001	4/7/2002	
09	PANG	No		Electrical System Vault	ESV	150B	4/8/2001	4/8/2002	
09	PANG	No		Electrical System Vault	ESV	150C	4/9/2001	4/9/2002	
09	PANG	No		Electrical System Vault	ESV	155	4/2/2001	4/2/2002	
09	PANG	No		Electrical System Vault	ESV	165	4/3/2001	4/3/2002	
09	PANG	No		Electrical System Vault	ESV	170	4/4/2001	4/4/2002	

09	PANG	No			Electrical System Vault	ESV	175	4/5/2001	4/5/2002	
09	PANG	No			Electrical System Vault	ESV	180	4/6/2001	4/6/2002	
09	PANG	No			Electrical System Vault	ESV	200	4/10/2001	4/10/2002	
09	PANG	No			Electrical System Vault	ESV	205	4/11/2001	4/11/2002	
09	PANG	No			Electrical System Vault	ESV	210	4/12/2001	4/12/2002	
09	PANG	No			Electrical System Vault	ESV	215	4/13/2001	4/13/2002	
09	PANG	No			Electrical System Vault	ESV	220	4/14/2001	4/14/2002	
09	PANG	No			Electrical System Vault	ESV	225	4/15/2001	4/15/2002	
09	PANG	No			Electrical System Vault	ESV	230	4/16/2001	4/16/2002	
09	PANG	No			Electrical System Vault	ESV	230A	4/19/2001	4/19/2002	
09	PANG	No			Electrical System Vault	ESV	235	4/17/2001	4/17/2002	
09	PANG	No			Electrical System Vault	ESV	240B	4/20/2001	4/20/2002	
09	PANG	No			Electrical System Vault	ESV	240C	4/21/2001	4/21/2002	
09	PANG	No			Electrical System Vault	ESV	240D	4/22/2001	4/22/2002	
09	PANG	No			Electrical System Vault	ESV	240E	4/23/2001	4/23/2002	
09	PANG	No			Electrical System Vault	ESV	240F	4/24/2001	4/24/2002	
09	PANG	No			Electrical System Vault	ESV	240G	4/25/2001	4/25/2002	
09	PANG	No			Electrical System Vault	ESV	245	4/18/2001	4/18/2002	
09	PANG	No			Electrical System Vault	ESV	300	4/26/2001	4/26/2002	
09	PANG	No			Electrical System Vault	ESV	305	4/27/2001	4/27/2002	
09	PANG	No			Electrical System Vault	ESV	305A	5/4/2001	5/4/2002	