

Custom Area: : 8,258 Acres

### Introduction

The Oregon Renewable Energy Siting Assessment (ORESA) project was funded through a \$1.1 million U.S. Department of Defense Office of Local Defense Community Cooperation grant awarded to the Oregon Department of Energy, working with the Department of Land Conservation & Development and Oregon State University's Institute for Natural Resources.

The project sought to support military compatibility through coordination with local, regional, and state agencies, and raise awareness about the military through the ORESA project. The objective for the Oregon Renewable Energy Siting Assessment Map Viewer and Reporting Tool was to assemble baseline data to create a transparent, consistent collection of trusted, accurate information, without recommendations or endorsements

This tool is for illustrative and administrative purposes only. The map viewer and reports generated by it are not meant to replace the formal permitting process in the state of Oregon. The tool provides the approximate physical, environmental, management, and jurisdictional conditions of a selected area within Oregon. This information or data is provided with the understanding that conclusions drawn from such information are the responsibility of the user. The sponsors of the tool make no claims, representations or warranties as to the accuracy or completeness of these data layers.

## Military Coordination

Since your specified area of interest for a possible development is near or intersects a military training area, installation, special use airspace, or geographic area of concern, it is important to coordinate AS EARLY AS POSSIBLE DURING the exploration of any projects with the military to ADDRESS possible issues in the future.

#### **U.S. Navy**

Kimberly Peacher Initiate Contact

Email: kimberly.n.peacher.civ@us.navy.mil

#### **NW DoD Regional Coordination Team Representitives**

Kimberly Peacher Initiate Contact

Email: kimberly.n.peacher.civ@us.navy.mil

#### **NW DoD Regional Coordination Team Representitives Alternate Contact**

Todd Farmer Initiate Contact

Email: todd.e.farmer.nfg@mail.mil


### **Table of Contents**

1	Community Considerations	27
2	Contacts	27
10	Data Sources	29
14	Disclaimer	41
18		
	14	2 Contacts  10 Data Sources  14 Disclaimer



Custom Area:: 8,258 Acres

## Site



Site Name: test

Project Type(s): Wind (onshore), Solar Photovoltaic

Maximum Height (ft): 100 MegaWatts: 200

Area: 8,258 Acres

Area Buffered 0.0 miles: 8,258 Acres

\*\* All queries are based on the buffered area.



Custom Area: : 8,258 Acres

Adm	in Boundaries & Planning
Boundary/Planning Area	Value/Intersects
State Land Inventory System	Yes
1 Surface Owner	ODOT
Subsurface Owner	ODOT
2 Surface Owner	ODSL
Subsurface Owner	ODSL
3 Surface Owner	ODSL
Subsurface Owner	PRIV
n Coastal Zone	No
JSFWS Region	Region 1: Pacific Region
JSFS District(s)	No
BLM District(s)	Prineville District
DIST_NAME	Prineville District
Webpage	<u>Link</u>
ADDRESS	3050 N.E. 3rd Street Prineville, OR 97754
PHONE	541-416-6700
Email	BLM_OR_PR_Mail@blm.gov
Comprehensive Plan Designation	AGRICULTURE, RURAL NATURAL RESOURCE/OPEN SPACE
Zoning	Exclusive Farm Use 160+, Mineral and Aggregate, Open Space/Conservation
County	Crook, Deschutes
1 altname	Crook
planning_dept_address	Crook County Courthouse, 300 NE 3rd St, Rm. 12, Prineville, OR 97754
planning_dept_phone	(541) 447-3211
2 altname	Deschutes
planning_dept_address	PO Box 6005, Attn: Community Development, Bend, OR 97708-6005
planning_dept_phone	(541) 388-6560

	Land Management/Ownershi	р
Land Manager/Owner	Area (acres)	Percent Area
State Government	6,514.60	78.8%
Federal (BLM)	1,158.70	14.0%
Private	578.50	7.0%
Federal (Other)	10.20	0.1%



Custom Area:: 8,258 Acres

#### **Cultural Resources**

- Oregon State Historic Preservation Office Laws & Rules
- Oregon State Historic Preservation Office Project Review & Compliance
- <u>Legislative Commission on Indian Services</u>
- Legislative Commission on Indian Services Key Contact Information

Installation and operation of renewable energy facilities have the potential to impact cultural resources, which are protected by Federal and State law. Cultural resources include but are not limited to precontact or historic districts, archaeological sites, buildings, structures, objects, artifacts, records, material remains, and traditional, religious, spiritual, storied, or legendary places. Notification and coordination with the State Historic Preservation Office (SHPO) and Oregon's nine federally recognized tribes is required for most large-scale renewable energy facilities to ensure the installation and operation of the facility will not damage cultural resources.

Please contact the Oregon SHPO and the Legislative Commission on Indian Services (LCIS) at the links below for assistance in determining the appropriates Tribe(s) to work with based your project location.


#### **Federal Aviation Administration (FAA)**

The Federal Aviation Administration requires hazard evaluations to be conducted for tall structures including wind turbines. All FAA requirements and processes should be reviewed directly at the <u>F.A.A. website</u>

	Airports	
Airport Name	Distance	
Sunrise Valley Ranch Lodge	21.9 Miles	
Shotgun Ranch Airstrip	33.1 Miles	
Agape Farm	35.0 Miles	
Pearson Airstrip	35.8 Miles	
Goering Ranches / Chocheta Estates	44.9 Miles	



Custom Area: : 8,258 Acres



-- Custom Area

Buffered Area of Interest

Airports


Airport defines area on land or water intended to be used either wholly or in part for the arrival; departure and surface movement of aircraft/helicopters. This airport data is provided as a vector geospatial-enabled file format.

Airport information is published every eight weeks by the U.S. Department of Transportation, Federal Aviation Administration-Aeronautical Information Services.

Current Effective Date: 0901Z 17 Jun. 2021 to 0901Z 12 Aug. 2021



Custom Area: : 8,258 Acres






Custom Area: : 8,258 Acres



(DLCD, 2017)




Custom Area:: 8,258 Acres



(DSL)



Custom Area:: 8,258 Acres



plan) in order to plan for the future growth and development of their jurisdiction. Each comp plan stands on its own as an individual plan. This dataset is the result of an Oregon Framework Program project funded to create a statewide dataset of the comp plans for regional and statewide planning purposes. The data was collected from local jurisdictions in the state and then assembled into a single dataset. The attributes were generalized to a set of comp plan codes that could be applied to data from all jurisdictions. The list of state comp plan codes and their descriptions can be found in this metadata. Please contact the local jurisdictions for the more detailed (not generalized) data. As of May 31, 2019 this feature class contains comprehensive plan data from 189 local jurisdictions. DLCD plans to continue adding to and updating this statewide comp plan dataset as they receive information from the local jurisdictions. New releases of this data by DLCD are planned for publication every 2 years. Note: This data layer has gaps in the data and is not complete for the entire state of Oregon. (DLCD)



Custom Area: : 8,258 Acres

## Military Training Areas

Since your specified area of interest for a possible development is near or intersects a military training area, installation, special use airspace, or geographic area of concern, it is important to coordinate AS EARLY AS POSSIBLE DURING the exploration of any projects with the military to ADDRESS possible issues in the future.

U.S. Navy

Kimberly Peacher Initiate Contact

Email: kimberly.n.peacher.civ@us.navy.mil

**NW DoD Regional Coordination Team Representitives** 

Kimberly Peacher <u>Initiate Contact</u>

Email: kimberly.n.peacher.civ@us.navy.mil

**NW DoD Regional Coordination Team Representitives Alternate Contact** 

Todd Farmer Initiate Contact

Email: todd.e.farmer.nfg@mail.mil

	Military Training Route Corridor					
	Areas with minimum flight floor elevation of 500ft or less above ground level					
Elevat	ion (ft)	Service	Area (Acres)	Percent Area		
500		U.S. Navy	8,181.80	99.0%		
	Floor Elevation (ft)		500			
	service		U.S. Navy			
	area		8181.8			
	percentArea		99			
	CONTACT INFORMATION					
	Branch		U.S. Navy			
	Name		Kimberly Peacher			
	Email		kimberly.n.peacher.civ@us.navy.m	il		
200		U.S. Navy	8,119.50	98.3%		
	Floor Elevation (ft)		200			
	service		U.S. Navy			
	area		8119.5			
	percentArea		98.3			
	CONTACT INFORMATION					
	Branch		U.S. Navy			
	Name		Kimberly Peacher			
	Email		kimberly.n.peacher.civ@us.navy.m	il		



Custom Area:: 8,258 Acres

### **Military Special Use Airspace**

Areas with minimum flight floor elevation of 500ft or less above ground level

Areas with minimum hight hoof elevation of 500tt of less above ground level			
Elevation (ft)	Agency	Area (Acres)	Percent Area
500	FAA, SEATTLE ARTCC	8,262.30	100.0%
Floor Elevation	(ft)	500	
Agency		FAA, SEATTLE ARTCC	
Description		MOA US 01588	
Name		JUNIPER LOW MOA, O	PR .
area		8262.3	
percentArea		100	
CONTACT INFO	DRMATION		
Branch		NW DoD Regional Coc	ordination Team Representitives
Name		Kimberly Peacher	
Email		kimberly.n.peacher.civ	@us.navy.mil
Alternate_Name	e	Todd Farmer	
Alternate_Emai		todd.e.farmer.nfg@ma	il.mil

### **Boardman Geographic Area of Concern**

No data intersected your selected area

### **Installations, Ranges, and Training Areas**

No data intersected your selected area

### **Training Centers**

No data intersected your selected area

### **Oregon Military Department**

**Development Limitations** 

No data intersected your selected area

### **Camp Rilea Restricted Miliary Area Range**

No data intersected your selected area

### **Military Drop Zones**

No data intersected your selected area




Custom Area: : 8,258 Acres





Custom Area: : 8,258 Acres



(ESS, 2021)



Custom Area: : 8,258 Acres


## Renewable Energy Potential

### **Annual Avg Solar**

Global Horizontal Irradiance (GHI)

### Annual Avg Solar

Global Horizontal Irradiance (GHI)




Global horizontal solar irradiance in kWh/m2/year.Sengupta, M., Y. Xie, A. Lopez, A. Habte, G. Maclaurin, and J. Shelby. 2018. 'The National Solar Radiation Data Base (NSRDB).' Renewable and Sustainable Energy Reviews 89 (June): 51-60.(NREL)

### **Estimated Utility-Scale Solar**

Capacity Factor

### Estimated Utility-Scale Solar

Capacity Factor



This dataset provides indication of utility scale solar resource potential, in terms of quality and quantity, for the State of Oregon. Values are reported in terms of estimated annual capacity factor, a measure of solar resource quality. Capacity factor indicates the amount of energy produced in a typical year, as a fraction of maximum possible energy, if the facility were producing at full nameplate capacity, for 100% of the hours of the year. For example, a 100 MW solar power plant with 21% capacity factor would generate 100 MW x 8760 hrs/yr x 21% = 183,960 MWh/yr. (NREL, E3 - Energy and Environmental Economics, Inc., Energy Reflections, Andrew Pascale, 2021)




Custom Area: : 8,258 Acres

### **Annual Average Wind Speed**

100-Meter above Surface Level

### Annual Average Wind Speed

100-Meter above Surface Level




Draxl, C., B.M. Hodge, A. Clifton, and J. McCaa. 2015. Overview and Meteorological Validation of the Wind Integration National Dataset Toolkit (Technical Report, NREL/TP-5000-61740). Golden, CO: National Renewable Energy Laboratory. Draxl, C., B.M. Hodge, A. Clifton, and J. McCaa. 2015. "The Wind Integration National Dataset (WIND) Toolkit." Applied Energy 151: 355366. Lieberman-Cribbin, W., C. Draxl, and A. Clifton. 2014. Guide to Using the WIND Toolkit Validation Code (Technical Report, NREL/TP-5000-62595). Golden, CO: National Renewable Energy Laboratory. King, J., A. Clifton, and B.M. Hodge. 2014. Validation of Power Output for the WIND Toolkit (Technical Report, NREL/TP-5D00-61714). Golden, CO: National Renewable Energy Laboratory. Metadata: https://oe.oregonexplorer.info/externalcontent/metadata/WTK\_10 Om.txt

### **Estimated Utility-Scale Wind**

**Capacity Factor** 

### Estimated Utility-Scale Wind

Capacity Factor




This data provides modeled annual average wind speed for the contiguous United States both onshore and offshore for the period 2007–2013. This dataset was derived from the WIND Toolkit.

	Electric Substations	
Substation Name	Distance	
HAMPTON	0.0 Miles	
CHRISTMAS VALLEY	0.0 Miles	
TAP203395	0.0 Miles	
TAP203396	0.0 Miles	
SAND SPRINGS	28.2 Miles	

	Transmission Lines	
Owner	Voltage	Distance
BONNEVILLE POWER ADMINISTRATION	115	0.0 Miles
BONNEVILLE POWER ADMINISTRATION	115	0.0 Miles
BONNEVILLE POWER ADMINISTRATION	115	0.0 Miles
BONNEVILLE POWER ADMINISTRATION	115	0.0 Miles
BONNEVILLE POWER ADMINISTRATION	115	0.0 Miles



Custom Area: : 8,258 Acres



- Custom Area
- Buffered Area of Interest
- DEAD END
- NOT AVAILABLE
- RISER
- **♦** SUBSTATION
- ♦ TAP


This feature class/shapefile represents electric power substations primarily associated with electric power transmission. In this layer, substations are considered facilities and equipment that switch, transform, or regulate electric power at voltages equal to, or greater than, 69 kilovolts. Substations with a maximum operating voltage less than 69 kilovolts may be included, depending on the availability of authoritative sources, but coverage of these features should not be considered complete.

Oak Ridge National Laboratory (ORNL), Los Alamos National Laboratory (LANL), Idaho National Laboratory (INL), National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

(HIFLD, 2020)



Custom Area: : 8,258 Acres



- Custom Area
- Buffered Area of Interest
- -- Unknown
- 115 kV
- 115 230 kV
- 230 500 kV
- >= 500 kV

This feature class/shapefile represents electric power transmission lines. Transmission Lines are the system of structures, wires, insulators and associated hardware that carry electric energy from one point to another in an electric power system. Lines are operated at relatively high voltages varying from 69 kV up to 765 kV, and are capable of transmitting large quantities of electricity over long distances. Underground transmission lines are included where sources were available. Distribution lines and some lower voltage transmission lines are not included at this time, but may be available through some utilities that are conducting distribution system planning.

Oak Ridge National Laboratory (ORNL), Los Alamos National Laboratory (LANL), Idaho National Laboratory (INL), National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team

(HIFLD, 2021)



Custom Area:: 8,258 Acres

## **Natural Resource Considerations**

Protected Areas	
Layer	Value/Intersects
BLM Areas of Critical Environmental Concern	Data currently unavailable
Wilderness Areas	Data currently unavailable
National Conservation Easements	No
USFS Lands with Nationally Designated Management or Use Limitations	No
USFS Special Interest Management Areas	No
BLM Visual Resource Management	VRM 3
VRM_CLASS	VRM 3
Protected Areas (GAP Status 1 and 2)	Data currently unavailable
Farmland	
Layer	Value/Intersects
Water-related Districts	No
High-value Farm Dairy Soils	No
Non-Irrigated Soil Capability Class	6, 7
1 niccdcd	6
2 niccdcd	7
Irrigated Soil Capability Class	No
Farm Soil Class	NA
1 farmindci	
2 farmIndcl	Farmland of statewide importance
High-value Farm Soils	No
Viticultural Areas High-value Farmland	No
Species and Habitats	
Layer	Value/Intersects
Pronghorn Essential and Limited Habitat	Yes
Bighorn Sheep Habitat	No
Western Oregon Deer and Elk Habitat	No
Eastern Oregon Elk Winter Range	Yes
Eastern Oregon Deer Winter Range	No
Important Bird Areas	No
Sage Grouse Low Density Habitat	No
Sage Grouse Core Areas	Yes
Conservation Opportunity Areas	Brothers-North Wagontire
COAName	Brothers-North Wagontire
Steelhead (Upper Willamette River DPS)	No
Steelhead (Snake River Basin DPS)	No
Steelhead (Lower Columbia River DPS)	No
Steelhead (Middle Columbia River DPS)	No
Salmon, Chinook (Upper Willamette River ESU)	No
Salmon, Chinook (Snake River fall-run ESU)	No
Salmon, Chinook (Lower Columbia River ESU)	No
^ Table of Contents	18 Penart generated: August 2 2022 10:32 AM



Custom Area: : 8,258 Acres


Salmon, sockeye (Snake River ESU) Salmon, coho (Oregon Coast ESU) No Salmon, coho (Lower Columbia River ESU) No Salmon, chum (Columbia River ESU) No Critical Habitat - Linear No Critical Habitat - Polygon No  Hazards Layer Value/Intersects Active Faults No 500 Year Floodplain No 100 Year Floodplain No Wetlands Layer Value/Intersects  Value/Intersects  No		
Salmon, coho (Lower Columbia River ESU)  Salmon, chum (Columbia River ESU)  Critical Habitat - Linear  No  Critical Habitat - Polygon  No  Hazards  Layer  Value/Intersects  Active Faults  No  500 Year Floodplain  No  100 Year Floodplain  No  Wetlands  Layer  Value/Intersects  No  No  No  Wetlands  Layer  Value/Intersects  No  No  No  Wetlands  Layer  Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area  No  NHD Streams and Rivers  NHD Springs/Seeps  No  NRCS Agate-Winlo Soils in Jackson County  Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  Yes	Salmon, sockeye (Snake River ESU)	No
Salmon, chum (Columbia River ESU) No Critical Habitat - Linear No Critical Habitat - Polygon No Hazards Layer Value/Intersects Active Faults No 500 Year Floodplain No 100 Year Floodplain No Wetlands Layer Value/Intersects NHD Waterbody GNIS_Name NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Salmon, coho (Oregon Coast ESU)	No
Critical Habitat - Linear No Critical Habitat - Polygon No  Hazards  Layer Value/Intersects  Active Faults No 500 Year Floodplain No 100 Year Floodplain No Wetlands  Layer Value/Intersects  No Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Salmon, coho (Lower Columbia River ESU)	No
Critical Habitat - Polygon No  Hazards  Layer Value/Intersects  Active Faults No 500 Year Floodplain No 100 Year Floodplain No  Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Salmon, chum (Columbia River ESU)	No
Layer Value/Intersects Active Faults No 500 Year Floodplain No 100 Year Floodplain No  Wetlands Layer Value/Intersects NHD Waterbody GNIS_Name NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Critical Habitat - Linear	No
Layer Value/Intersects  Active Faults No 500 Year Floodplain No 100 Year Floodplain No  Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Statewide Wetlands Inventory (Hydric Soil) Statewide Wetlands Inventory (NWI) Yes	Critical Habitat - Polygon	No
Active Faults No 500 Year Floodplain No 100 Year Floodplain No  Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (Hydric Soil) Pata currently unavailable Statewide Wetlands Inventory (NWI) Yes	Hazards	
500 Year Floodplain No  100 Year Floodplain No  Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No  NHD Streams and Rivers Yes  NHD Springs/Seeps No  NRCS Agate-Winlo Soils in Jackson County  Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  Yes	Layer	Value/Intersects
100 Year Floodplain No  Wetlands  Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No  NHD Streams and Rivers Yes  NHD Springs/Seeps No  NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Active Faults	No
Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No  NHD Streams and Rivers Yes  NHD Springs/Seeps No  NRCS Agate-Winlo Soils in Jackson County Data currently unavailable  Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable  Statewide Wetlands Inventory (NWI) Yes	500 Year Floodplain	No
Layer Value/Intersects  NHD Waterbody  GNIS_Name  NHD Area No  NHD Streams and Rivers Yes  NHD Springs/Seeps No  NRCS Agate-Winlo Soils in Jackson County Data currently unavailable  Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable  Statewide Wetlands Inventory (NWI) Yes	100 Year Floodplain	No
NHD Waterbody  GNIS_Name  NHD Area  NO  NHD Streams and Rivers  NHD Springs/Seeps  NO  NRCS Agate-Winlo Soils in Jackson County  Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  NHD Springs/Seeps  NO  Data currently unavailable  Statewide Wetlands Inventory (NWI)  Yes	Wetlands	
NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	Layer	Value/Intersects
NHD Area No NHD Streams and Rivers Yes NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	NHD Waterbody	
NHD Streams and Rivers  NHD Springs/Seeps  No  NRCS Agate-Winlo Soils in Jackson County  Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  Yes  Yes  No  Data currently unavailable  Data currently unavailable  Yes	GNIS_Name	
NHD Springs/Seeps No NRCS Agate-Winlo Soils in Jackson County Data currently unavailable Statewide Wetlands Inventory (Hydric Soil) Data currently unavailable Statewide Wetlands Inventory (NWI) Yes	NHD Area	No
NRCS Agate-Winlo Soils in Jackson County  Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  Yes	NHD Streams and Rivers	Yes
Statewide Wetlands Inventory (Hydric Soil)  Statewide Wetlands Inventory (NWI)  Data currently unavailable  Yes	NHD Springs/Seeps	No
Statewide Wetlands Inventory (NWI) Yes	NRCS Agate-Winlo Soils in Jackson County	Data currently unavailable
·	Statewide Wetlands Inventory (Hydric Soil)	Data currently unavailable
Statewide Wetlands Inventory (LWI)  No	Statewide Wetlands Inventory (NWI)	Yes
	Statewide Wetlands Inventory (LWI)	No


#### **Additional Resources**

- Energy Facility Siting Council (EFSC) Protected Areas standard
- <u>LandScope Conservation Projects</u>



Custom Area: : 8,258 Acres





Buffered Area of Interest

Freshwater Pond


Riverine

The National Wetlands Inventory (NWI) was established by the US Fish and Wildlife Service (FWS) in 1974 to conduct a nationwide inventory of U.S. wetlands. Most of the Oregon mapping dates to the mid-1980s. The coastal zone was updated in the late 2000's when the NWI was digitized. NWI mapping is available for the entire state. There are limitations with the Oregon NWI, including: There are unmapped wetlands and waters, including many smaller, seasonal and forested wetlands that may not have been detected from the aerials. By policy, the NWI excludes certain types of ""farmed wetlands"" as may be defined by the Food Security Act. Although many farmed areas in Oregon meet wetland criteria, many of these important wetlandsare unmapped. The development scale of 1:24,000 and other factors cited above make the wetland and water boundary locations approximate. Conducting on-the-ground wetland delineations is the only way to verify wetland boundary locations. For more information go to the NWI home page:

https://www.fws.gov/wetlands/nwi/index.htmlDSL SWI Disclaimer and Layer Descriptions and Limitations



Custom Area: : 8,258 Acres




- Custom Area
- Buffered Area of Interest
- Perennial
- -- Intermittent
- Ephemeral
- -- Unknown
- Canal/Ditch
- NHD Springs/Seeps
- NHD Area
  - NHD Waterbody

The NHD is developed through complex modeling using multiple types of information, including some local level input. The mapped resource boundaries may differ from their actual location on the ground. Onsite investigations may be needed to confirm wetlands and waters boundaries. The NHD has many more features than are displayed in the SWI because many of these features are structures within or beside waters and overly complicated the SWI mapping. The subset of the NHD represented in the SWI includes only those items listed below. Items may occur in different groups because the waters are mapped slightly differently. Structures like flumes were included because they may contain potential waters of this state.NHDPoint – Spring/SeepNHDFlowline (line) - Canal/Ditch, Coastline, Stream/RiverNHDWaterbody - Estuary, Lake/Pond, Playa, Reservoir, Swamp/MarshNHDArea - Area of complex channels, Bay/Inlet, Canal/Ditch, Flume, Foreshore, Inundation area, Lockchamber, Rapids, Sea/ocean, Spillway, Stream/river, Submerged stream, Wash, Water intake/outflowFor general information about the NHD see https://nhd.usgs.gov/ The user's guide provides definitions and examples of all the datasets and features https://nhd.usgs.gov/userguide.html



Custom Area: : 8,258 Acres



the component soils and their properties.

repeatable pattern on the landscape and that can be cartographically shown at the scale mapped. The soil map units are linked to attributes in the National Soil Information System relational database, which gives the proportionate extent of



Custom Area: : 8,258 Acres



Custom Area

Buffered Area of Interest

Class 6

Class 7

This data set is a combined coverage including detailed SSURGO data where available, and STATSGO data where SSURGO data is not available. Consult the web soil survey website for complete metadata for SSURGO soil surveys and the State Soil Geographic (STATSGO) data set. This layer displays the dominant capability class, under irrigated conditions, for the map unit based on composition percentage of all components in the map unit.

- Class 1 soils have slight limitations that restrict their use.
- Class 2 soils have moderate limitations that reduce the choice of plants or require moderate conservation practices.
- Class 3 soils have severe limitations that reduce the choice of plants or require special conservation practices, or both.
- Class 4 soils have very severe limitations that restrict the choice of plants or require very careful management, or both.
- Class 5 soils have little or no hazard of erosion but have other limitations, impractical to remove, that limit their use mainly to pasture, range, forestland, or wildlife food and cover.
- Class 6 soils have severe limitations that make them generally unsuited to cultivation and that limit their
  use mainly to pasture, range, forestland, or wildlife food and cover.
- Class 7 soils have very severe limitations that make them unsuited to cultivation and that restrict their use mainly to grazing, forestland, or wildlife.
- Class 8 soils and miscellaneous areas have limitations that preclude their use for commercial plant
  production and limit their use to recreation, wildlife, or water supply or for esthetic purposes.

(NRCS, 2017)



Custom Area




COAs were delineated through a spatial modeling analysis, incorporating datasets focusing on Oregon Conservation Strategy components (Strategy Species, Strategy Habitats, and Key Conservation Issues), and expert biologist review.

The COA methodology includes supporting information in an associated COA profile, including details about the area's Conservation Strategy priorities, recommended actions consistent with local priorities, and ongoing conservation efforts. Links to COA profiles are provided as an attribute in the COA dataset, and can also be found here. (ODFW, 2016)



Custom Area: : 8,258 Acres




-- Custom Area

Buffered Area of Interest

Greater Sage Grouse Priority Areas for Conservation Priority Areas for Conservation (PACs) identify the most productive habitat for sage-grouse to direct the highest level of conservation effort. PACs contain 90% of the breeding population and 84% of the occupied sage-grouse leks in Oregon. PACs are important for tracking sage-grouse population trends across the state and are subject to rules limiting the impacts of human development. Maps were developed by the <u>Oregon Department of Fish and Wildlife</u>. (ODFW, 2014)



Custom Area: : 8,258 Acres





Custom Area: : 8,258 Acres

<u> </u>		
Community	( ancid	Prations
Community	COHSIG	CIGUIS
orani di Santa di Sa		

Layer	Value/Intersects	
RRED Zones	Yes	
1 instName	Deschutes County	
Date_Effective	January 8, 2015	
2 instName	Crook County	
Date_Effective	January 1, 2020	
Opportunity Zones	No	
Enterprise Zones	No	

#### **Additional Resources**

- Oregon Department of Energy Incentives information
- Business Oregon Rural Renewable Energy Development (RRED) Zone Program
- Business Oregon Oregon Investment Advantage
- Business Oregon, Oregon Prospector Tool
- U.S. Energy Information Administration Renewable Energy Incentives information

#### **Equity and Environmental Justice Resources**

Oregon passed <u>HB 4077 (2022)</u> to develop a statewide equity mapping tool. Until that work is completed below are additional national scale resources to understand equity and environmental justice further.

- EJScreen EPA's Environmental Justice Screening and Mapping Tool
- Energy Justice Dashboard (BETA)
- Climate & Economic Justice Screening Tool
- Low-Income Energy Affordability Data (LEAD) Tool

#### Contacts

### **Military Contacts**

#### County Planning Department(s)

#### U.S. Navy

kimberly.n.peacher.civ@us.navy.mil

#### **Deschutes County Planning Department**

PO Box 6005, Attn: Community Development, Bend, OR 97708-6005 (541) 388-6560

#### **Crook County Planning Department**

Crook County Courthouse, 300 NE 3rd St, Rm. 12, Prineville, OR 97754 (541) 447-3211



Custom Area Area: : 8,258 Acres

#### BLM District(s)

#### **Prineville District**

3050 N.E. 3rd Street Prineville, OR 97754 541-416-6700 BLM\_OR\_PR\_Mail@blm.gov https://www.blm.gov/office/prineville-district-office

#### US Fish & Wildlife

# U.S. Fish and Wildlife Service (Pacific Region, Oregon Office)

911 NE 11th Ave. Portland, Oregon 97232 (503) 231-6120 null https://www.fws.gov/pacific/

#### **State Contacts**

#### **Oregon Department of Energy**

550 Capitol St. NE, 1st Floor Salem, OR 97301 (503) 378-4040 https://www.oregon.gov/energy/Pages/index.aspx

#### **Oregon Military Department**

1776 Militia Way SE, Salem, OR 97309-5047 (503) 584-3980 todd.e.farmer.nfg@army.mil https://www.oregon.gov/OMD/Pages/Home.aspx

# Oregon Parks and Recreation Department State Historic Preservation Office

725 Summer Street NE, Suite C Salem, OR 97301 (503) 986-0707 oregon.heritage@oregon.gov https://www.oregon.gov/oprd/OH/Pages/default.aspx

#### **Oregon Department of State Lands**

775 Summer St. NE, Suite 100 Salem, OR 97301-1279 (503) 986-5200 https://www.oregon.gov/dsl/Pages/index.aspx

#### **Oregon Department of Environmental Quality**

700 NE Multnomah Street, Suite 600 Portland, OR 97232-4100
503-229-5696
https://www.oregon.gov/DEQ/Pages/index.aspx

#### **Oregon Department of Forestry**

2600 State Street, Salem, Oregon 97310 503-945-7200 forestryinformation@oregon.gov https://www.oregon.gov/odf/Pages/index.aspx

# Oregon Department of Land Conservation and Development

635 Capitol Street NE, Suite 150, Salem, OR 97301 (503) 373-0050 dlcd.info@dlcd.oregon.gov https://www.oregon.gov/LCD/pages/index.aspx

#### **Oregon Department of Fish and Wildlife**

4034 Fairview Industrial Drive SE Salem, OR 97302 (503) 947-6000 odfw.info@odfw.oregon.gov https://www.dfw.state.or.us/

#### **Legislative Commission on Indian Services**

900 Court St. NE, Room 167, Salem, OR 97301 (503) 986-1067 LCIS@oregonlegislature.gov https://www.oregonlegislature.gov/cis

#### **Oregon Department of Aviation**

3040 25th Street SE, Salem, OR 97302 (503) 378-4880 mail.aviation@odav.oregon.gov https://www.oregon.gov/aviation/Pages/index.aspx

#### **Oregon Water Resources Department**

725 Summer Street NE, Suite A Salem, OR 97301 503-986-0900 https://www.oregon.gov/owrd/Pages/index.aspx

#### **Public Utility Commission of Oregon**

201 High Street SE, Suite 100, Salem, OR 97301-3398 503-373-7394 https://www.oregon.gov/PUC/Pages/default.aspx



Custom Area:: 8,258 Acres

#### **Oregon Department of Agriculture**

635 Capitol St NE, Salem, OR 97301-2532 503-986-4550 info@oda.oregon.gov https://www.oregon.gov/oda/Pages/default.aspx

# **Oregon Department of Geology and Mineral Industries**

800 NE Oregon Street, Suite 965, Portland, OR 97232 971-673-1555 dogami-info@oregon.gov https://www.oregongeology.org/

#### Office of State Fire Marshal

3565 Trelstad Ave SE, Salem, OR 97317 503-373-1540 oregon.sfm@osp.oregon.gov https://www.oregon.gov/osp/programs/Pages/SFM\_Programs.aspx

### **Federal Contacts**

#### **Forest Service (Pacific Northwest Region)**

1220 SW 3rd Avenue Portland, OR 97204 (503) 808-2468 SM.FS.R6CCEStaff@usda.gov https://www.fs.usda.gov/r6

# U.S. Fish and Wildlife Service (Pacific Region, Oregon Office)

911 NE 11th Ave. Portland, Oregon 97232 (503) 231-6120 https://www.fws.gov/pacific/

#### U.S. National Park Service (Regions 8, 9, 10, and 12)

333 Bush Street, Suite 500 San Francisco, CA 94104-2828 (415) 623-2100 https://www.nps.gov/orgs/1180/index.htm

# Northwest Training Range Complex, Community

(360) 930-4085 kimberly.peacher@navy.mil

**Planning & Liason Officer** 

# The Bureau of Land Management (Oregon/Washington Office)

1220 SW 3rd Avenue Portland, OR 97204 (503) 808-6001 blm\_or\_so\_land\_office\_mail@blm.gov https://www.blm.gov/oregon-washington

# Bureau of Reclamation (Columbia-Pacific Northwest Region)

1150 North Curtis Road, Suite 100 Boise, ID 83706-1234 pninfo@usbr.gov https://www.usbr.gov/pn/

#### **Bureau of Ocean Management (Pacific OCS Region)**

760 Paseo Camarillo, Suite 102 (CM 102) Camarillo, CA 93010 805-384-6305 BOEMPublicAffairs@boem.gov https://www.boem.gov/regions/pacific-ocs-region

### Sources

Data Layer	Description	Links
Counties	Land Management derived from BLM Ownership_poly: This theme portrays information representing fee land title and land manager of lands located in Oregon. (ODF/BLM, 2015)	Service Metadata Download
	Zoning Layer compiled by the Oregon Department of Land Conservation and Development (DLCD), with support from the Oregon Department of Transportation (ODOT), for the state of Oregon. The layer contains zoning data from	



Custom Area: : 8,258 Acres

Zoning (1:250,000 - 1:1,000,000 scale)	multiple jurisdictions that are compiled into a statewide standard data model. The layer was constructed to support 1:24000 scale. As of April 28, 2017 this feature class contains zoning data from 198 local jurisdictions. DLCD plans to continue adding to and updating this statewide zoning dataset as they receive zoning information from the local jurisdictions. (DLCD, 2017)	<u>Service</u> <u>Metadata</u>
Comprehensive Plan Designations	Each jurisdiction in Oregon is required to create a comprehensive plan (comp plan) in order to plan for the future growth and development of their jurisdiction. Each comp plan stands on its own as an individual plan. This dataset is the result of an Oregon Framework Program project funded to create a statewide dataset of the comp plans for regional and statewide planning purposes. The data was collected from local jurisdictions in the state and then assembled into a single dataset. The attributes were generalized to a set of comp plan codes that could be applied to data from all jurisdictions. The list of state comp plan codes and their descriptions can be found in this metadata. Please contact the local jurisdictions for the more detailed (not generalized) data. As of May 31, 2019 this feature class contains comprehensive plan data from 189 local jurisdictions. DLCD plans to continue adding to and updating this statewide comp plan dataset as they receive information from the local jurisdictions. New releases of this data by DLCD are planned for publication every 2 years. Note: This data layer has gaps in the data and is not complete for the entire state of Oregon. (DLCD)	Service Metadata Download
BLM Districts	This theme shows the polygon representation of Bureau of Land Management Districts for Oregon and Washington up to the coastline and including the off-shore islands within the district boundaries. (BLM, 2015)	Service Metadata
USFS Ranger Districts	A depiction of the boundary that encompasses a Ranger District. ADMINISTRATIVE boundaries (e.g. AdministrativeForest and RangerDistrict feature classes) encompass National Forest System lands managed by an administrative unit. These are dynamic layers that should not be considered 'legal' boundaries as they are simply intended to identify the specific organizational units that administer areas. As lands are acquired and disposed, the administrative boundaries are adjusted to expand or shrink accordingly. Please note that ranger districts are sub units of National Forests. An administrative forest boundary can contain one or more Proclaimed National Forests, National Grasslands, Purchase Units, Research and Experimental Areas, Land Utilization Projects and various 'Other' Areas. If needed, OWNERSHIP boundaries (e.g. BasicOwnership and SurfaceOwnership feature classes) should be reviewed along with these datasets to determine parcels that are federally managed within the administrative boundaries. (USFS, 2021)	Service Metadata Download
Oregon Coastal Zone	Oregon's coastal zone extends from the Washington border on the north to the California border on the south; seaward to the extent of state jurisdiction as recognized in federal law; and inland to the crest of the coastal mountain range, excepting; 1. The Umpqua River Basin, where the coastal zone extends to Scottsburg; 2. The Rogue River Basin; where the coastal zone extends to Agness; and 3. The Columbia River Basin, where the coastal zone extends to the downstream end of Puget Island or, as defined by CREST, RM 38.5, to the 'Bradwood Site' on the shorelands. (DLCD)	<u>Service</u> <u>Metadata</u>
Land Management	Land Management derived from BLM Ownership_poly: This theme portrays information representing fee land title and land manager of lands located in Oregon. (ODF/BLM, 2015)	Service Metadata Download
State Land Inventory System	The State Land Inventory System is a collaborative effort with participation from all land-owning State of Oregon agencies. The data available in the map is the most current published statewide dataset for State of Oregon land ownership. The State Land Inventory System tracks land that has been assigned a tax lot by County Assessor's Offices, and also tracks State mineral ownership. The data does not include public rights of way (highways, roads and streets) or waterbodies which have not been assigned a tax lot by a County Assessor. While efforts have been made to ensure the accuracy of the data, the managing agency for any individual parcel should be contacted to verify land ownership and boundaries. (DSL)	<u>Service</u> <u>Metadata</u>
Airports	Airport defines area on land or water intended to be used either wholly or in part for the arrival; departure and surface movement of aircraft/helicopters. This airport data is provided as a vector geospatial-enabled file format.  Airport information is published every eight weeks by the U.S. Department of Transportation, Federal Aviation Administration-Aeronautical Information Services.  Current Effective Date: 0901Z 17 Jun. 2021 to 0901Z 12 Aug. 2021	Service Metadata Download
USFWS Oregon Office Jurisdictional Boundary	USFWS Oregon Office Jurisdictional Boundary (USFWS, 2022)	<u>Service</u>

^ <u>Table of Contents</u> 30 Report generated: August 2, 2022 10:32 AM



Custom Area: : 8,258 Acres

USFWS Regional Boundaries	The U.S. Fish and Wildlife Service is organized into 8 geographic Regions. This data set delineates the boundaries of the U.S. Fish and Wildlife Service geographic Regions. <u>USFWS Endangered Species Regional Contacts</u> (USFWS)	Service Metadata Download
Boardman Geographic Area of Concern	(designation pending) The Boardman GAOC is identified due to possible effects upon two main DoD military missions. The Naval Weapons Systems Training Facility at Boardman and its associated airspace are the U.S. Navy's primary resource for all airborne electronic attack aircraft air combat maneuver training. This training includes low level aircraft operations. Tall structures, such as wind turbines and electrical transmission lines, constructed under Restricted Airspace (R-5701) and Military Training Routes will prevent the U.S. Navy from fulfilling the training mission. Secondly, the Fossil common air route surveillance radar (CARSR) (a long-range radar) in Fossil, Oregon, is a vital resource for the North American Aerospace Defense Command (NORAD). NORAD defends Canada and the United States against air threats, and an accurate "air picture" is essential for NORAD to accomplish its air defense mission. Rotating wind turbine blades can appear as unwanted false targets (clutter) and desensitize the radar, resulting in degraded target acquisition and tracking. Much of the information and data used to establish the GAOC for the Fossil CARSR is not available for public review due to security concerns. (ESS, 2020)	<u>Metadata</u>
Military Training Route Corridor Floor Elevation (AGL)	The Military training routes (MTR) is a joint venture by the Federal Aviation Administration and the Department of Defense, developed for use by military aircraft to gain and maintain proficiency in tactical "low level" flying. Floor elevations are the minimal elevation above ground level (AGL) that pilots are authorized to fly. This dataset, cycle 2007, was obtain from NGA's AVDAFIF. This product is for informational purposes and may not accurately depict the most up to date designations. Users of this information should review or consult the authoritative data and information sources to ascertain the usability of the information. Marine Corps and National Guard MTRs have been removed from this dataset. (Last updated: 9/1/2020) (ESS, 2020)	<u>Metadata</u>
Installations, Ranges, and Training Areas	The dataset depicts the authoritative boundaries of the most commonly known Department of Defense (DoD) sites, installations, ranges, and training areas worldwide. These sites encompass land which is federally owned or otherwise managed. This dataset was created from source data provided by the active, guard, and reserve components of the Army, Navy, Marine Corps, Air Force, and Washington Headquarters Services, and was compiled by the Defense Installation Spatial Data Infrastructure (DISDI) Program within the Office of the Assistant Secretary of Defense for Energy, Installations and Environment, Business Systems and Information Directorate. Sites were selected from the Real Property Asset Database (RPAD), a summary of the DoD Real Property Inventory. This list does not necessarily represent a comprehensive collection of all Department of Defense facilities. For inventory purposes, installations are comprised of sites, where a site is defined as a specific geographic location of federally owned or managed land and is assigned to military installation. DoD installations are commonly referred to as a base, camp, post, station, yard, center, homeport facility for any ship, or other activity under the jurisdiction, custody, control of the DoD. (ESS, 2020)	<u>Metadata</u>
Military Special Use Airspace Floor Elevation (AGL)	Special Use Airspace (SUA) is a representation of areas of airspace with defined dimensions identified by an area on the surface of the earth wherein activities must be confined because of their nature, or wherein limitations are imposed upon aircraft operations that are not a part of those activities, or both. These operation areas may include A, AR, IR, L, M, O, P, R, SR, VR, W areas and national security areas. This dataset was created using three sources. The Federal Aviation Administration (FAA) Order JO 7400.8Y documentation, the National Geospatial Intelligence Agency (NGA) AP/1A documentation and the Digital Aeronautical Flight Information File (DAFIF) created data (Last updated: 7/29/2021) The three were compared/cross-referenced and in consultation with (DAFIF and FAA) the most accurate depiction of the SUA area was used. This product is for informational purposes and may not accurately depict the most up to date designations. Users of this information should review or consult the authoritative data and information sources to ascertain the usability of the information. (ESS, 2021)	Metadata
Training Centers	Training Centers. Data provided by Oregon Military Department, Installations Division, Environmental Branch 10/01/2020 (OMD, 2020)	<u>Metadata</u>
OMD Development Limitations	Land Parcels that depict Utility, Safety, Transportation, and Noise Easements (Off Post) provided by Oregon Military Department, Installations Division, Environmental Branch 10/01/2020 (ESS, 2020)	<u>Metadata</u>
Military Drop Zone	Helicopter Operating Area. A drop zone (DZ) is a place where parachutists or parachuted supplies land. It can be an area targeted for landing by paratroopers, Data provided by Oregon Military Department, Installations Division, Environmental Branch 10/01/2020 (ESS, 20200	<u>Metadata</u>

^ Table of Contents 31 Report generated: August 2, 2022 10:32 AM



Custom Area Area: : 8,258 Acres

Area Military Range  (ESS, 2029)  PAD-US is America's official national inventory of U.S. terrestrial and marine protected areas (List of National Geospatial Data Assess) that are declicated to the preservation of biological diversity and to other natural, recreation and cultural uses, managed for these purposes through legal or other effective means.  Metada SCAP  Status codes 1 and 2)  U.S. Canaglogical Survey (MSCS) (app. Analysis Project (GAP), 2018. Protected Areas Database of the United States (PAD-ULS U.S. Geological Survey data release, https://doi.org/10.5006/P995SPLE  (U.S.CS, 2019)  A boundary depicting an area that has been designated as a National Wilderness in the National Wilderness Preservation System.  (U.SS, 2020)  A boundary depicting an area that has been designated as a National Wilderness in the National Wilderness Preservation System.  (U.SS, 2020)  This polygan feature class shows the spatial extent and boundaries of Areas of Critical Environmental Concern that have become entitiely designated by the BML in speeral the ACSC dataset defines areas within the public lands where special management attention is required to protect and prevent irrepraible durage to important historic cultural or section values, is than a Wildlife resources or other natural systems or processes, or to protect life and safety from natural variety and the ACSC dataset defines areas within the public lands where section and tabulary from land trusts and public agencies throughout the United States in a single, up-10-date sustainable (GC compatible, online source. The goal of the NCE to its provide a comprehensive picture of the privately owned conservation assement lands. Recognizing their combustion to America's natural heritage, a vibrant economy, and conservation assement lands. Recognizing their combustion to America's natural heritage, a vibrant economy, and conservation assement lands. Recognizing their combustion to America's natural heritage, a vibrant economy, and conservation assement lands. Recognizing			
Protected Areas (CAP) Status codes 1 and 2)  Data Assest) that are dedicated to the preservation of biological diversity and to other natural, recreation and cultural uses, managed for these purposes through legal or other effective means.  U.S. Geological Survey (USGS) Cap Analysis Project (CAP), 2018, Protected Areas Database of the United States (PAD-USS, U.S. Geological Survey (USGS) Cap Analysis Project (CAP), 2018, Protected Areas Database of the United States (PAD-USS, U.S. Geological Survey data release, https://doi.org/10.5066/P955KPLE  Wildemass Areas  A boundary depicting an area that has been designated as a National Wildemess in the National Wildemess (USGS, 2019)  This polygon feature class shows the spatial extent and boundaries of Areas of Critical Environmental Concern that have become clicially designated by the IBM in general the ACE dataset defines areas within the public London where special management attention is required to protect and prevent irreparable damage to important historic, cultural, or secrit valuals, fish and wildlife resources or other natural systems or processes, or to protect life and safety from natural assertial and subular from land trusts and public agencies throughout the United States in a single, up-to-date, sustriamble, IGS compatible, online source. The goal of the NCED is to provide a comprehensive picture of the privately owned conservation easement lands, recognizing their contribution to America's natural heritage, a vibrant economy, and healthy communities. Conservation easements are legal agreements voluntarily entered into between landowners and conservation easement lands in the U.S.  Discource or vital willight bands in some case indoorwest transite development individe of the privately owned conservation easement lands in the U.S.  Discource or vital willight benefits, included digital datasets. These needed to be reorganized into a standard structure and format. With a great from the Environmental Protection Agency (EAP). Six having datasets created f		Branch 10/01/2020	Metadata
Preservation System. (USFS, 2020)  This polygon feature class shows the spatial extent and boundaries of Areas of Critical Environmental Concern that have become officially designated by the BLM. In general, the ACEC dataset defines areas within the public lands where special management attention is required to protect and prevent irreparable damage to important historic, cultural, or senic values, fish and wildlife resources or other natural systems or processes, or to protect life and safety from natural hazards.  (BLM, 2020)  The National Conservation Easement Database (NCED) is a collaborative venture to compile easement records (both spatial and tabulan from land trusts and public agencies throughout the United States in a single, up-to-date, sustainable, GIS compatible, online source. The goal of the NCED is to provide a comprehensive picture of other privately owned conservation easement lands, recognizing their contribution to America's natural heritage valued such as a conservation easement lands, recognizing their contribution to America's natural heritage valued values such as open space or vital wildlife habitats. In some cases landowners transfer 'development rights' for direct payment or for federal and state tax benefits. NCED shows a comprehensive picture of privately owned conservation easement lands in the U.S. (Ducks Unlimited)  The older LWIs were developed and approved in paper format only. After a 2001 rule change LWI products included digital datasets. These needed to the Programment of the programment production of the Programmental Protection Agency (PRA). Designation of the Programment Protection Agency (PRA). Designation and the available GIS datasets here:    Documber	•	Data Assets) that are dedicated to the preservation of biological diversity and to other natural, recreation and cultural uses, managed for these purposes through legal or other effective means.  U.S. Geological Survey (USGS) Gap Analysis Project (GAP), 2018, Protected Areas Database of the United States (PAD-US): U.S. Geological Survey data release, https://doi.org/10.5066/P955KPLE	<u>Metadat</u>
BLM Areas of Critical special management attention is required to protect and prevent irreparable damage to important historic, cultural, or scenic values, fish and wildlife resources or other natural systems or processes, or to protect life and safety from natural hardwards (BLM, 2020)  The National Conservation Easement Database (NCED) is a collaborative venture to compile easement purp to-date, sustainable, GIS compatible, online source. The goal of the NCED is to provide a comprehensive picture of the privately owned conservation easement ands, recognizing their contribution to America's natural heritage, a wibrant economy, and healthy communities. Conservation easements are legal agreements voluntarily entered into between landowners and conservation entities (agencies or land trusts) for the express purpose of protecting certain societal values such as open space or vital wildlife habitats. In some cases landowners transfer development rights' incirced payment or for federal and state tax benefits. NCED shows a comprehensive picture of privately owned conservation easement lands in the U.S. (Ducks Unlimited)  The older LWIs were developed and approved in paper format only, After a 2001 rule change LWI products included diptal datasets. These needed to be reorganized into a standard structure and format. With a grant from the Environmental Protection Agency (EPA), DSL is having datasets created for paper maps and having all the datasets standardized. These will be added to the SWI web map and available for download with the datasets will be added to the SWI web map and available for download with common and available for download wilload provided showing the approximate LWI study areas. If the location of interest is in an LWI study area, view and download PDF everisions of the LWI maps and others with information on the distribution of wetlands to aid in wetland conservation offorts. *https://www.fws.gov/wetlands/mv/DVoer-load brovergom gov/ds/WW/Pages/Inventories.aspx.  DSL SWI Disclaimer and Layer Descr	Wilderness Areas	Preservation System.	Metadat Downloa
spatial and tabulary from land trusts and public agencies throughout the United States in a single, up-to-date, sustainable, GIS compatible, online source. The goal of the NCED is to provide a comprehensive picture of the privately owned conservation easement lands, recognizing their contribution to America's natural heritage, a vibrant economy, and healthy communities. Conservation easements are legal agreements voluntarily entered into between landowners and healthy communities. Conservation easements are legal agreements voluntarily entered into the between landowners and healthy communities. Conservation easements are legal agreements voluntarily entered into the between landowners and healthy communities. Conservation easements are legal agreements voluntarily entered into the between landowners and healthy communities. Conservation easements are legal agreements voluntarily entered into the between landowners and conservation easement lands in the U.S.  (Ducks Unlimited)  The older LWIs were developed and approved in paper format only. After a 2001 rule change LWI products included digital datasets. These needed to be reorganized into a standard structure and format. With a grant from the Environmental Protection Agency (EPA), DSL is having datasets created for paper maps and having all the datasets standardized. These will be added to the SWI web map and available for download when complete. In the meantime, a layer is provided showing the approximate LWI study, areas, if the location of interest is in an LWI study area, eview and download pDF versions of the LWI maps and reports, and the available GIS datasets here: In the meantime, a layer is provided showing the approximate LWI study areas, if the location of interest is in an LWI study area, eview and download pDF versions of the LWI maps and available GIS datasets here: In the meantime, a layer is provided showing the LWI maps and reports, and the available GIS datasets here: In the meantime, a layer is provided and the study area, eview and downloa		become officially designated by the BLM. In general, the ACEC dataset defines areas within the public lands where special management attention is required to protect and prevent irreparable damage to important historic, cultural, or scenic values, fish and wildlife resources or other natural systems or processes, or to protect life and safety from natural hazards.	<u>Metadat</u> <u>Downloa</u>
digital datasets. These needed to be reorganized into a standard structure and format. With a grant from the Environmental Protection Agency (EPA), DSL is having datasets created for paper maps and having all the datasets standardized. These will be added to the SWI web map and available for download when complete. In the meantime, a layer is provided showing the approximate LWI study areas. If the location of interest is in an LWI study area, view and download PDF versions of the LWI maps and reports, and the available GIS datasets here: https://www.oregon.gov/dsl/WW/Pages/Inventories.aspx  DSL SWI Disclaimer and Layer Descriptions and Limitations  "The National Wetlands Inventory (NWI) was established by the US Fish and Wildlife Service (FWS) in 1974 to conduct a nationwide inventory of U.S. wetlands to provide its biologists and others with information on the distribution of wetlands to aid in wetland conservation efforts." https://www.fws.gov/wetlands/nwi/Overview.html  NWI mapping was originally based on high-altitude aerial photography used to identify visible wetlands and other waters. The scope of this national effort limited the amount of field verification possible. Most of the Oregon mapping dates to the mid-1980s. The coastal zone was updated in the late 2000's when the NWI was digitized. NWI mapping is available for the entire state.  There are limitations with the Oregon NWI, including:  There are unmapped wetlands and waters, including many smaller, seasonal and forested wetlands that may not have been detected from the aerials.  By policy, the NWI excludes certain types of 'farmed wetlands' as may be defined by the Food Security Act. Although many farmed areas in Oregon meet wetland criteria, many of these important wetlandsare unmapped.  The development scale of 1:24,000 and other factors cited above make the wetland and water boundary locations approximate. Conducting on-the-ground wetland delineations is the only way to verify wetland boundary locations.  For more information go to the NWI ho		spatial and tabular) from land trusts and public agencies throughout the United States in a single, up-to-date, sustainable, GIS compatible, online source. The goal of the NCED is to provide a comprehensive picture of the privately owned conservation easement lands, recognizing their contribution to America's natural heritage, a vibrant economy, and healthy communities. Conservation easements are legal agreements voluntarily entered into between landowners and conservation entities (agencies or land trusts) for the express purpose of protecting certain societal values such as open space or vital wildlife habitats. In some cases landowners transfer 'development rights' for direct payment or for federal and state tax benefits. NCED shows a comprehensive picture of privately owned conservation easement lands in the U.S.	Service Metadat Downloa
"The National Wetlands Inventory (NWI) was established by the US Fish and Wildlife Service (FWS) in 1974 to conduct a nationwide inventory of U.S. wetlands to provide its biologists and others with information on the distribution of wetlands to aid in wetland conservation efforts." https://www.fws.gov/wetlands/nwi/Overview.html  NWI mapping was originally based on high-altitude aerial photography used to identify visible wetlands and other waters. The scope of this national effort limited the amount of field verification possible. Most of the Oregon mapping dates to the mid-1980s. The coastal zone was updated in the late 2000's when the NWI was digitized. NWI mapping is available for the entire state.  There are limitations with the Oregon NWI, including:  There are unmapped wetlands and waters, including many smaller, seasonal and forested wetlands that may not have been detected from the aerials.  Wetlands Inventory)  By policy, the NWI excludes certain types of 'farmed wetlands' as may be defined by the Food Security Act. Although many farmed areas in Oregon meet wetland criteria, many of these important wetlandsare unmapped.  The development scale of 1:24,000 and other factors cited above make the wetland and water boundary locations approximate. Conducting on-the-ground wetland delineations is the only way to verify wetland boundary locations.  For more information go to the NWI home page: https://www.fws.gov/wetlands/nwi/index.html	Inventory Study Areas (Statewide Wetlands	digital datasets. These needed to be reorganized into a standard structure and format. With a grant from the Environmental Protection Agency (EPA), DSL is having datasets created for paper maps and having all the datasets standardized. These will be added to the SWI web map and available for download when complete. In the meantime, a layer is provided showing the approximate LWI study areas. If the location of interest is in an LWI study area, view and download PDF versions of the LWI maps and reports, and the available GIS datasets here: https://www.oregon.gov/dsl/WW/Pages/Inventories.aspx	<u>Service</u> <u>Metadat</u>
DSL SWI Disclaimer and Layer Descriptions and Limitations	Inventory (Statewide	"The National Wetlands Inventory (NWI) was established by the US Fish and Wildlife Service (FWS) in 1974 to conduct a nationwide inventory of U.S. wetlands to provide its biologists and others with information on the distribution of wetlands to aid in wetland conservation efforts." https://www.fws.gov/wetlands/nwi/Overview.html  NWI mapping was originally based on high-altitude aerial photography used to identify visible wetlands and other waters. The scope of this national effort limited the amount of field verification possible. Most of the Oregon mapping dates to the mid-1980s. The coastal zone was updated in the late 2000's when the NWI was digitized. NWI mapping is available for the entire state.  There are limitations with the Oregon NWI, including:  There are unmapped wetlands and waters, including many smaller, seasonal and forested wetlands that may not have been detected from the aerials.  By policy, the NWI excludes certain types of 'farmed wetlands' as may be defined by the Food Security Act. Although many farmed areas in Oregon meet wetland criteria, many of these important wetlandsare unmapped.  The development scale of 1:24,000 and other factors cited above make the wetland and water boundary locations approximate. Conducting on-the-ground wetland delineations is the only way to verify wetland boundary locations.	Service Metadat Downloa



Custom Area:: 8,258 Acres

NRCS Predominantly Hydric Soil Map Units include maps of soils and related reports. Extensive field work is done to complete the mapping and document findings. The maps consist of outlined areas called map units. These are areas with generally similar soils, or a similar mix of soil types that can be consistently identified across the landscape. When more than one named soil occurs in a map unit, each soil is called a component of the map unit. Each component makes up a certain percentage of the map unit. Two subsets of the soils dataset are helpful in predicting the presence of wetlands and are included in the SWI. Some soils naturally retain water longer than others, especially when they occur on certain parts of the landscape, such as depressions. These soils often exhibit characteristics (e.g. routinely flooded) that meet the definition of, and they are designated as "hydric soils." (NRCS Hydric Soils List Criteria

https://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/use/hydric/?cid=nrcs142p2\_053959) Because of these characteristics hydric soils are often found on the landscape where wetlands occur.

The SWI shows soil map units that are comprised of predominantly (greater than 50%) hydric soil components. This means that a user can expect more than half of that soil map unit to include soil components that have been designated as hydric. These map units indicate places across the landscape with a higher likelihood for wetland occurrence. Displaying predominantly hydric soil map units in the SWI is especially helpful in recognizing potential wetland areas in places where only the NWI wetland mapping is available.

#### **DSL SWI Disclaimer and Layer Descriptions and Limitations**

Agate-Winlo soil occurs in Jackson County near Medford and is highly associated with a type of wetland of conservation concern called vernal pools. This soil is not a predominantly hydric map unit so does not appear in that layer. As with the other map layers in the SWI, there may be areas of predominately hydric soil map units and Agate-Winlo soil that do not contain wetlands, and wetlands will occur in soil map units with less than 50% hydric components. The presence of predominantly hydric soil map units or Agate-Winlo soil helps planners, landowners, and others recognize where further site assessment is needed.

The dataset used for the SWI is a combined SSURGO/STATSGO dataset created by NRCS for the State of Oregon Department of Administrative Services Geographic Enterprise Office (DAS GEO). DSL will download the dataset annually and symbolize the data to display the two described subsets for viewing on December 1. See directions to connect to or download and configure datasets in your GIS environment at the top of <a href="this document">this document</a> or on the main <a href="SWI webpage">SWI webpage</a>. Some soils naturally retain water longer than others, especially when they occur on certain parts of the landscape, such as depressions. These soils often exhibit characteristics (e.g. routinely flooded) that meet the definition of, and they are designated as "hydric soils." (NRCS Hydric Soils List Criteria

https://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/use/hydric/?cid=nrcs142p2\_053959) Because of these characteristics hydric soils are often found on the landscape where wetlands occur.

The SWI shows soil map units that are comprised of predominantly (greater than 50%) hydric soil components. This means that a user can expect more than half of that soil map unit to include soil components that have been designated as hydric. These map units indicate places across the landscape with a higher likelihood for wetland occurrence. Displaying predominantly hydric soil map units in the SWI is especially helpful in recognizing potential wetland areas in places where only the NWI wetland mapping is available.

#### **DSL SWI Disclaimer and Layer Descriptions and Limitations**

"The US Geological Survey's NHD represents the nation's drainage networks and related features, including rivers, streams, canals, lakes, ponds, glaciers, coastlines, dams and stream gages. The NHD High Resolution, at 1:24,000 scale or better, is the most up-to-date and detailed hydrography dataset for the nation."

The NHD is developed through complex modeling using multiple types of information, including some local level input. The mapped resource boundaries may differ from their actual location on the ground. Onsite investigations may be needed to confirm wetlands and waters boundaries.

The NHD has many more features than are displayed in the SWI because many of these features are structures within or beside waters and overly complicated the SWI mapping. The subset of the NHD represented in the SWI includes only those items listed below. Items may occur in different groups because the waters are mapped slightly differently. Structures like flumes were included because they may contain potential waters of this state.

NHDPoint – Spring/Seep

NHDFlowline (line) – Canal/Ditch, Coastline, Stream/River

NHDWaterbody – Estuary, Lake/Pond, Playa, Reservoir, Swamp/Marsh

NHDArea – Area of complex channels, Bay/Inlet, Canal/Ditch, Flume, Foreshore, Inundation area, Lockchamber, Rapids, Sea/ocean, Spillway, Stream/river, Submerged stream, Wash, Water intake/outflow

For general information about the NHD see https://nhd.usgs.gov/ The user's guide provides definitions and examples of all the datasets and features https://nhd.usgs.gov/userguide.html

#### **DSL SWI Disclaimer and Layer Descriptions and Limitations**

"The US Geological Survey's NHD represents the nation's drainage networks and related features, including rivers, streams, canals, lakes, ponds, glaciers, coastlines, dams and stream gages. The NHD High Resolution, at 1:24,000 scale or better, is the most up-to-date and detailed hydrography dataset for the nation."

The NHD is developed through complex modeling using multiple types of information, including some local level input. The mapped resource boundaries may differ from their actual location on the ground. Onsite investigations may be needed to confirm wetlands and waters boundaries.

Service Metadata

**Service** 

<u>Metadata</u>

Download

Service

Metadata

NHD Springs/Seeps

NRCS Agate-Winlo

Soils in Jackson County

^ Table of Contents 33 Rep

Report generated: August 2, 2022 10:32 AM



Custom Area Area:: 8,258 Acres

NHD Streams and Rivers

NHD Area

The NHD has many more features than are displayed in the SWI because many of these features are structures within or beside waters and overly complicated the SWI mapping. The subset of the NHD represented in the SWI includes only those items listed below. Items may occur in different groups because the waters are mapped slightly differently. Structures like flumes were included because they may contain potential waters of this state.

Service Metadata Download

NHDPoint - Spring/Seep

NHDFlowline (line) - Canal/Ditch, Coastline, Stream/River

NHDWaterbody - Estuary, Lake/Pond, Playa, Reservoir, Swamp/Marsh

NHDArea – Area of complex channels, Bay/Inlet, Canal/Ditch, Flume, Foreshore, Inundation area, Lockchamber, Rapids,

Sea/ocean, Spillway, Stream/river, Submerged stream, Wash, Water intake/outflow

For general information about the NHD see https://nhd.usgs.gov/ The user's guide provides definitions and examples of all the datasets and features https://nhd.usgs.gov/userguide.html

**DSL SWI Disclaimer and Layer Descriptions and Limitations** 

"The US Geological Survey's NHD represents the nation's drainage networks and related features, including rivers, streams, canals, lakes, ponds, glaciers, coastlines, dams and stream gages. The NHD High Resolution, at 1:24,000 scale or better, is the most up-to-date and detailed hydrography dataset for the nation."

The NHD is developed through complex modeling using multiple types of information, including some local level input. The mapped resource boundaries may differ from their actual location on the ground. Onsite investigations may be needed to confirm wetlands and waters boundaries.

The NHD has many more features than are displayed in the SWI because many of these features are structures within or beside waters and overly complicated the SWI mapping. The subset of the NHD represented in the SWI includes only those items listed below. Items may occur in different groups because the waters are mapped slightly differently. Structures like flumes were included because they may contain potential waters of this state.

NHDPoint – Spring/Seep

NHDFlowline (line) – Canal/Ditch, Coastline, Stream/River

NHDWaterbody – Estuary, Lake/Pond, Playa, Reservoir, Swamp/Marsh

NHDArea – Area of complex channels, Bay/Inlet, Canal/Ditch, Flume, Foreshore, Inundation area, Lockchamber, Rapids,

Sea/ocean, Spillway, Stream/river, Submerged stream, Wash, Water intake/outflow

For general information about the NHD see https://nhd.usgs.gov/ The user's guide provides definitions and examples of all the datasets and features https://nhd.usgs.gov/userguide.html

DSL SWI Disclaimer and Layer Descriptions and Limitations

"The US Geological Survey's NHD represents the nation's drainage networks and related features, including rivers, streams, canals, lakes, ponds, glaciers, coastlines, dams and stream gages. The NHD High Resolution, at 1:24,000 scale or better, is the most up-to-date and detailed hydrography dataset for the nation."

The NHD is developed through complex modeling using multiple types of information, including some local level input. The mapped resource boundaries may differ from their actual location on the ground. Onsite investigations may be needed to confirm wetlands and waters boundaries.

The NHD has many more features than are displayed in the SWI because many of these features are structures within or beside waters and overly complicated the SWI mapping. The subset of the NHD represented in the SWI includes only those items listed below. Items may occur in different groups because the waters are mapped slightly differently. Structures like flumes were included because they may contain potential waters of this state.

NHDPoint - Spring/Seep

NHDFlowline (line) - Canal/Ditch, Coastline, Stream/River

NHDWaterbody – Estuary, Lake/Pond, Playa, Reservoir, Swamp/Marsh

NHDArea – Area of complex channels, Bay/Inlet, Canal/Ditch, Flume, Foreshore, Inundation area, Lockchamber, Rapids, Sea/ocean, Spillway, Stream/river, Submerged stream, Wash, Water intake/outflow

For general information about the NHD see https://nhd.usgs.gov/ The user's guide provides definitions and examples of all the datasets and features https://nhd.usgs.gov/userguide.html

**DSL SWI Disclaimer and Layer Descriptions and Limitations** 

When a species is proposed for listing as endangered or threatened under the Endangered Species Act, the U.S. Fish and Wildlife Service must consider whether there are areas of habitat believed to be essential the species' conservation. Those areas may be proposed for designation as "critical habitat." Critical habitat is a term defined and used in the Act. It is a specific geographic area(s) that contains features essential for the conservation of a threatened or endangered species and that may require special management and protection. Critical habitat may include an area that is not currently occupied by the species but that will be needed for its recovery. An area is designated as "critical habitat" after the Service publishes a proposed Federal regulation in the Federal Register and receives and considers public comments on the proposal. The final boundaries of the critical habitat are also published in the Federal Register. Critical habitat are areas considered essential for the conservation of a listed species. Federal agencies are required to consult with the U.S. Fish and Wildlife Service on actions they carry out, fund, or authorize to ensure that their actions will not destroy or adversely modify critical habitat. These areas provide notice to the public and land managers of the importance of these

areas to the conservation of a listed species. Special protections and/or restrictions are possible in areas where Federal

Metadata Download

USFWS Critical Habitat Polygons

NHD Waterbody

^ Table of Contents 34 Report generated: August 2, 2022 10:32 AM

funding, permits, licenses, authorizations, or actions occur or are required.

<u>Service</u> Metadata

**Download** 

<u>Service</u>

Metadata Download



Custom Area: : 8,258 Acres

-1-	Custom	Trica	
		(USFWS, 2020)	
USFWS Critical H Lines	Habitat	When a species is proposed for listing as endangered or threatened under the Endangered Species Act, the U.S. Fish and Wildlife Service must consider whether there are areas of habitat believed to be essential the species' conservation. Those areas may be proposed for designation as "critical habitat." Critical habitat is a term defined and used in the Act. It is a specific geographic area(s) that contains features essential for the conservation of a threatened or endangered species and that may require special management and protection. Critical habitat may include an area that is not currently occupied by the species but that will be needed for its recovery. An area is designated as "critical habitat" after the Service publishes a proposed Federal regulation in the Federal Register and receives and considers public comments on the proposal. The final boundaries of the critical habitat are also published in the Federal Register. Critical habitat are areas considered essential for the conservation of a listed species. Federal agencies are required to consult with the U.S. Fish and Wildlife Service on actions they carry out, fund, or authorize to ensure that their actions will not destroy or adversely modify critical habitat. These areas provide notice to the public and land managers of the importance of these areas to the conservation of a listed species. Special protections and/or restrictions are possible in areas where Federal funding, permits, licenses, authorizations, or actions occur or are required. (USFWS, 2020)	Metadata Download
Salmon, chum (Columbia River Critical Habitat		Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Salmon, coho (L Columbia River Critical Habitat		Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Salmon, coho (C Coast ESU) Critic Habitat	Oregon	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	<u>Service</u> <u>Metadata</u>
Salmon, sockeye (Snake River ESU Critical Habitat	e J)	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Salmon, Chinoo (Lower Columbi ESU) Critical Hal	a River	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Salmon, Chinoo (Snake River fall ESU) Critical Hal	k -run	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Salmon, Chinoo (Upper Willamer River ESU) Critic Habitat	K tte	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Steelhead (Mido Columbia River Critical Habitat	DPS)	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Steelhead (Lowe		Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat.	<u>Service</u>



Custom Area: : 8,258 Acres

Columbia River DPS) Critical Habitat	Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Metadata Download
Steelhead (Snake River Basin DPS) Critical Habitat	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Steelhead (Upper Willamette River DPS) Critical Habitat	Critical habitat is habitat needed to support recovery of listed species. When a species is listed under the Endangered Species Act, NOAA Fisheries is required to determine whether there are areas that meet the definition of critical habitat. Once critical habitat is designated, other federal agencies consult with NOAA Fisheries to ensure actions they fund, authorize, or undertake are not likely to destroy or adversely modify the critical habitat. (NOAA Fisheries)	Service Metadata Download
Conservation Opportunity Areas	Landowners and land managers throughout Oregon can contribute to conserving fish and wildlife by maintaining, restoring, and improving habitats. These conservation actions benefit Strategy Species and Strategy Habitats, and are important regardless of location. However, focusing investments in prioritized areas, or Conservation Opportunity Areas (COAs), can increase the likelihood of long-term success, maximize effectiveness over larger landscapes, improve funding efficiency, and promote cooperative efforts across ownership boundaries. COAs are places where broad fish and wildlife conservation goals would best be met, and have been designated for all ecoregions within the Conservation Strategy, except the Nearshore ecoregion. COAs were delineated through a spatial modeling analysis, incorporating datasets focusing on Oregon Conservation Strategy components (Strategy Species, Strategy Habitats, and Key Conservation Issues), and expert biologist review. More information on COA methodolofy can be found here: http://oregonconservationstrategy.org/conservation-opportunity-areas/methodology/.COAs include supporting information in an associated COA profile, including details about the area's Conservation Strategy priorities, recommended actions consistent with local priorities, and ongoing conservation efforts. Links to COA profiles are provided as an attribute in the COA dataset, and can also be found here - http://oregonconservationstrategy.org/conservation-opportunity-areas/. (ODFW, 2016)	Metadata Download
Greater Sage Grouse Priority Areas for Conservation	Priority Areas for Conservation (PACs) identify the most productive habitat for sage-grouse to direct the highest level of conservation effort. PACs contain 90% of the breeding population and 84% of the occupied sage-grouse leks in Oregon. PACs are important for tracking sage-grouse population trends across the state and are subject to rules limiting the impacts of human development. Maps were developed by the Oregon Department of Fish and Wildlife. (ODFW, 2014)	Metadata Download
Greater Sage-grouse Low Density Habitat	Low Density Habitat depicts areas occupied by sage-grouse that are less important than the Priority Areas for Conservation (PACs) but support some leks and/or provide connectivity between PACs. Low density habitat is subject to rules limiting the impacts of human development. Low density area maps are maintained by the Oregon Department of Fish and Wildlife. (ODFW)	<u>Metadata</u>
Important Bird Areas	This data set contains available boundaries and associated attributes for Important Bird Areas (IBAs) in the United States. The IBA boundaries should not be perceived as absolute, definite boundaries. Rather, the boundaries should be considered approximates of the critical habitat areas. Comprehensive site specific surveys have not been conducted for each IBA, therefore, the data provided in this release cannot be relied on as a definitive statement of the presence or absence of all species at a given location. These data should not be considered a substitute for on-site surveys that may be required for an environmental assessment, environmental impact statement, or conservation planning. The information and data associated with the boundaries are continually growing as new data are acquired. Therefore, the data released may become outdated. Details, including descriptions and species and criteria information, for these IBAs are available at www.importantbirdareas.org (Audubon)	<u>Service</u> <u>Metadata</u>
Eastern Oregon Deer Winter Range	General outline of deer winter range for eastern Oregon, east of the crest of the Cascades. The Oregon Department of Fish and Wildlife considers Winter Range to be that area normally occupied by deer from December through April. Data are current to 2009 except for updates made in 2012 to portions of The Dalles and Heppner Districts. (ODFW, 2012)	Metadata  Download
Eastern Oregon Elk Winter Range	General outline of elk winter range for eastern Oregon, east of the crest of the Cascades. The Oregon Department of Fish and Wildlife considers Winter Range to be that area normally occupied by deer from December through April. Data are current to 2009 except for updates made in 2012 to portions of The Dalles and Heppner Districts. (ODFW, 2012)	Metadata Download
	The Department's mission includes managing deer and elk populations at healthy and sustainable levels compatible with the primary uses of the land (ORS 496.012). The Department has no authority to regulate land uses and must rely	



Custom Area Area: : 8,258 Acres

Western Oregon Deer and Elk Habitat	on recommendations to a variety of other federal, state and county governments, and private landowners to address habitat needs and/or concerns. Sustainable habitats for deer and elk are considered essential and/or important for their long-term conservation and persistence in western Oregon. The data are for two species of deer (Columbian blacktailed deer: Odocoileus hemionus columbianus and Columbian white-tailed deer: Odocoileus virginianus leucurus) and one species of elk (Roosevelt elk: Cervus canadensis roosevelti). (ODFW, 2017)	Metadata Download
Bighorn Sheep Habitat	Bighorn Sheep range in Oregon with reproducing populations not dispersing individuals. These are known reproductive populations and do not encompass all potential habitat. Based on the expert judgement of ODFW district wildlife biologists and assistants. Last updated Aug 29, 2016 (ODFW, 2016)	Metadata Download
100 Year Floodplain	(1% Annual Chance Flood, Base Flood, Special Flood Hazard Area (SFHA)): "The flood having a 1-percent chance of being equaled or exceeded in any given year; also known as the base flood The 1-percent annual chance flood, which is the standard used by most Federal and state agencies, is used by the National Flood Insurance Program (NFIP) as the standard for floodplain management and to determine the need for flood insurance. A structure located within a special flood hazard area (SFHA) shown on an NFIP map has a 26 percent chance of suffering flood damage during the term of a 30-year mortgage"	Metadata Download
500 Year Floodplain	(0.2% Annual Chance Flood): "This is the boundary of the flood that has a 0.2-percent chance of being equaled or exceeded in any given year. Officially termed the 0.2-percent annual chance floodplain "In moderate- to low-risk areas, the risk of flooding is reduced but not completely removed. These areas submit more than 20 percent of National Flood Insurance Program claims and receive one-third of Federal disaster assistance for flooding. Flood insurance isn't federally required in moderate- to low-risk areas, but it is recommended for all property owners and renters. They are shown on flood maps as zones beginning with the letters 'B', 'C' or 'X' (or a shaded X)" (FloodSmart.gov, 2016)". (FEMA, 2020)	Metadata Download
Active Faults	Potentially hazardous faults are those that have been identified by the U.S. Geological Survey (USGS) as having moved in the last 1.6 million years (USGS Open-File Report 03-095). These faults may be the source of future damaging earthquakes and severe ground disruption is possible. Fault lines were mapped largely from low-resolution geologic or topical maps, resulting in very poor location accuracy. DOGAMI reviewed the USGS database along with the Oregon Geologic Data Compilation (OGDC v5), which contains the best available digital geologic mapping for Oregon and is generally more detailed and accurate than the USGS sources. Where a positive correlation could be made, DOGAMI substituted the more accurate fault line from OGDC for the original USGS line, while retaining the USGS data for each fault. Where a positive correlation could not be made, DOGAMI retained the original USGS fault line. (DOGAMI)	Metadata Download
Pronghorn Essential and Limited Habitat	Essential pronghorn habitat is that habitat that ODFW district biologists determined to be necessary to maintain current pronghorn populations. It is not all the occupied pronghorn habitat in Oregon but loss of this habitat would result in the declne of pronghorn herds. All these habitats are considered essential although they have different types. The types include essential and important summer range; essential and important winter range; essential and important transitional habitats or migration corridors; high concentration areas; fawning habitat; migration/transition range, and a combinations of multiple types. The mapping is based on existing Goal 5 mapping, expert knowledge of field staff, collar data, herd composition surveys, and other aerial surveys. (ODFW, 2021)	Metadata Download White Paper
High-value Farm Soils	This data layer depicts areas of soils as described in ORS 215.710(4) and OAR 660-033-0020(8). These soils make up part of the definition of 'high-value farmland' in ORS 195.300(10)(a) andOregon Laws 2007 Chapter 424 (Ballot Measure 49). Features in this layer represent areas classified as 'coastal' and represent areas of high-value farmland for dairy operations. This summary layer was created by merging NRCS SSURGO soils shapefiles downloaded in 2007 and modified by the Oregon Department of Agriculture. The only attribute kept is hvfl_soil which is based on hvfl_final with the soil mapunit removed.OAR 660-033-0020(8):(d) In addition to that land described in subsection (a) of this section, high-value farmland, if west of the summit of the Coast Range and used in conjunction with a dairy operation on January 1, 1993, includes tracts composed predominantly of the following soils in Class III or IV or composed predominantly of a combination of the soils described in subsection (a) of this section and the following soils:(A) Subclassification IIIe, specifically, Astoria, Hembre, Knappa, Meda, Quillayutte and Winema;(B) Subclassification IIIw, specifically, Brenner and Chitwood;(C) Subclassification IVe, specifically, Astoria, Hembre, Meda, Nehalem, Neskowin and Winema; and(D) Subclassification IVw, specifically, Coquille.	Service Metadata Download
	This data layer depicts areas of soils as described in ORS 215.710(4) and OAR 660-033-0020(8). These soils make up part of the definition of 'high-value farmland' in ORS 195.300(10)(a) and Oregon Laws 2007 Chapter 424 (Ballot Measure 49). Features in this layer represent areas classified as 'coastal' and represent areas of high-value farmland for dairy	

^ Table of Contents 37 Report generated: August 2, 2022 10:32 AM



Custom Area: : 8,258 Acres

High-value Farm Dairy Soil	operations. This summary layer was created by merging NRCS SSURGO soils shapefiles downloaded in 2007 and modified by the Oregon Department of Agriculture. The only attribute kept is hvfl_soil which is based on hvfl_final with the soil mapunit removed.OAR 660-033-0020(8):(d) In addition to that land described in subsection (a) of this section, high-value farmland, if west of the summit of the Coast Range and used in conjunction with a dairy operation on January 1, 1993, includes tracts composed predominantly of the following soils in Class III or IV or composed predominantly of a combination of the soils described in subsection (a) of this section and the following soils:(A) Subclassification IIIe, specifically, Astoria, Hembre, Knappa, Meda, Quillayutte and Winema;(B) Subclassification IIIw, specifically, Brenner and Chitwood;(C) Subclassification IVe, specifically, Astoria, Hembre, Meda, Nehalem, Neskowin and Winema; and(D) Subclassification IVw, specifically, Coquille. (ODA, 2007)	Service Metadata Download
Water-related Districts	Land that is in an exclusive farm use zone or a mixed farm and forest zone that, as of June 28, 2007, was within the place of use for a permit, certificate or decree for the use of water for irrigation issued by the Water Resources Department; within the boundaries of a district, as defined in ORS 540.505; or within the boundaries of a diking district formed under ORS chapter 551. (ODA/OWRD, 2007)	Service Metadata
American Viticultural Areas High-value Farmland	This data set is derived from the Oregon Geospatial Enterprise Office 10m DEM (https://spatialdata.oregonexplorer.info/geoportal/details;id=7a82c1be50504f56a9d49d13c7b4d9aa), Oregon Department of Land Conservation and Development Zoning data (2017: https://spatialdata.oregonexplorer.info/geoportal/details;id=49bfb86d4e594a3c8fa8d968aaaa45e9) and TTB American Viticultural Areas (https://www.ttb.gov/wine/ava-map-explorer) downloaded 9/15/2021. The layer contains areas that meet the following criteria:Land that is in an exclusive farm use zone and that is no more than 3,000 feet above mean sea level, with an aspect between 67.5 and 292.5 degrees and a slope between zero and 15 percent, and that is located within: (A)The portion of the Columbia Gorge viticultural area as described in 27 C.F.R. 9.178 that is within the State of Oregon; (B)The Rogue Valley viticultural area as described in 27 C.F.R. 9.132; (C)The portion of the Columbia Valley viticultural area as described in 27 C.F.R. 9.74 that is within the State of Oregon; (D)The portion of the Walla Walla Valley viticultural area as described in 27 C.F.R. 9.91 that is within the State of Oregon; or (E)The portion of the Snake River Valley viticultural area as described in 27 C.F.R. 9.208 that is within the State of Oregon. (ORS 195.300). Data processed by the Institute for Natural Resources, Oregon State University (2021)	Metadata Download
USFS Special Interest Management Areas	A boundary within which National Forest System land parcels have management or use limits placed on them by the Forest Service. Examples include: Archaeological Area, Research Natural Area, and Scenic Area. The purpose of the data is to provide display, identification, and analysis tools for determining current boundary information for Forest Service managers, GIS Specialists, and others. (USFS)	Service Metadata Download
USFS Lands with Nationally Designated Management or Use Limitations	A boundary of an area designation within which National Forest System land parcels have management or use limits placed on them by legal authority above the Agency level (e.g. Congress and/or President). Areas that have been designated by Congress, Executive Order, Presidential Proclamation, or an Executive branch Department, excluding National Wilderness and National Wild and Scenic Rivers, with related details including the date of designation, status of the final boundary description, authority, and land status case and document information. Each area designation is characterized by a date, boundary status, and authority and may be just one of several designations that comprise a single national designated area. (USFS)	Service Metadata Download
BLM Visual Resource Management	VRM_POLY: Visual Resources are a landscape characteristic and evaluated using a baseline of the natural, unaltered landscape. Visual Resource Inventory (VRI) is the evaluation of an area for its visual potential based on several criteria. Visual Resource Management (VRM) is the classification of lands for the management of visual resources as defined in a Resource Management Plan (RMP). The VRI applies ratings to the landscape for Scenic Quality (visual appeal), Sensitivity Level (measure of public concern for scenic quality), and Distance Zones (three zones based on relative visibility from travel routes or observation points). These three values are combined and areas (polygons) delineated according to the final VRI class. VRM starts with the underlying VRI and overlays it with areas of disturbance as well as areas of protection or restriction. Final management class ratings are based on the degree to which each area is either allowed to depart or has already departed from the natural landscape condition. VRM Proposed (VRM_P) is VRM prior to the signing of the RMP. It is identical to VRM except that it will probably have different final class ratings for the different RMP alternatives. This data is subject to a data standard, Visual Resources Spatial Data Standard. http://www.blm.gov/or/datamanagement/index.php	Service Metadata
Farmland Soil Class	This special data consists of available SSURGO data for Oregon, and STATSGO is used to fill in areas of the state that have not yet been mapped at the SSURGO level. Thus it is a multiscale dataset.] This dataset is a digital soil survey and generally is the most detailed level of soil geographic data developed by the National Cooperative Soil Survey. The information was prepared by digitizing maps, by compiling information onto a planimetric correct base and digitizing, or by revising digitized maps using remotely sensed and other information. This dataset consists of georeferenced digital map data and computerized attribute data. The map data are in a state-wide extent format and include a detailed, field verified inventory of soils and miscellaneous areas that normally occur in a repeatable pattern on the landscape and that can be cartographically shown at the scale mapped. The soil map units are linked to attributes in the	Metadata Download



Custom Area:: 8,258 Acres

National Soil Information System relational database, which gives the proportionate extent of the component soils and The broadest category in the land capability classification system for soils. This column displays the dominant capability class, under irrigated conditions, for the map unit based on composition percentage of all components in the map unit. Class 1 soils have slight limitations that restrict their use. Class 2 soils have moderate limitations that reduce the choice of plants or require moderate conservation practices. Class 3 soils have severe limitations that reduce the choice of plants or require special conservation practices, or both. Class 4 soils have very severe limitations that restrict the choice of plants or require very careful management, or both. Class 5 soils have little or no hazard of erosion but have other limitations, impractical to remove, that limit their use mainly to pasture, range, forestland, or wildlife food and cover. Metadata Irrigated Soil Capability Class 6 soils have severe limitations that make them generally unsuited to cultivation and that limit their use mainly to Class Download pasture, range, forestland, or wildlife food and cover. Class 7 soils have very severe limitations that make them unsuited to cultivation and that restrict their use mainly to grazing, forestland, or wildlife. Class 8 soils and miscellaneous areas have limitations that preclude their use for commercial plant production and limit their use to recreation, wildlife, or water supply or for esthetic purposes. This data set is a combined coverage including detailed SSURGO data where available, and STATSGO data where SSURGO data is not available. Consult the web soil survey website for complete metadata for SSURGO soil surveys and the State Soil Geographic (STATSGO) data set. (NRCS, 2017) The broadest category in the land capability classification system for soils. This column displays the dominant capability class, under nonirrigated conditions, for the map unit based on composition percentage of all components in the map Class 1 soils have slight limitations that restrict their use. Class 2 soils have moderate limitations that reduce the choice of plants or require moderate conservation practices. Class 3 soils have severe limitations that reduce the choice of plants or require special conservation practices, or both. Class 4 soils have very severe limitations that restrict the choice of plants or require very careful management, or both. Class 5 soils have little or no hazard of erosion but have other limitations, impractical to remove, that limit their use mainly to pasture, range, forestland, or wildlife food and cover. **Metadata** Non-Irrigated Soil Capability Class Download Class 6 soils have severe limitations that make them generally unsuited to cultivation and that limit their use mainly to pasture, range, forestland, or wildlife food and cover. Class 7 soils have very severe limitations that make them unsuited to cultivation and that restrict their use mainly to grazing, forestland, or wildlife. Class 8 soils and miscellaneous areas have limitations that preclude their use for commercial plant production and limit their use to recreation, wildlife, or water supply or for esthetic purposes. This data set is a combined coverage including detailed SSURGO data where available, and STATSGO data where SSURGO data is not available. Consult the web soil survey website for complete metadata for SSURGO soil surveys and the State Soil Geographic (STATSGO) data set. (NRCS, 2017) Solar Resource Service Potential Wind Resource

^ Table of Contents 39 Report generated: August 2, 2022 10:32 AM



Custom Area: : 8,258 Acres

Potential		Service
Global Horizontal Irradiance		<u>Service</u>
Wind Speed at 100 Meters		<u>Service</u>
Transmission Lines	This feature class/shapefile represents electric power transmission lines. Transmission Lines are the system of structures, wires, insulators and associated hardware that carry electric energy from one point to another in an electric power system. Lines are operated at relatively high voltages varying from 69 kV up to 765 kV, and are capable of transmitting large quantities of electricity over long distances. Underground transmission lines are included where sources were available. Distribution lines and some lower voltage transmission lines are not included at this time, but may be available through some utilities that are conducting distribution system planning.  Oak Ridge National Laboratory (ORNL), Los Alamos National Laboratory (LANL), Idaho National Laboratory (INL), National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team  (HIFLD, 2021)	Metadata Download
Substations	This feature class/shapefile represents electric power substations primarily associated with electric power transmission. In this layer, substations are considered facilities and equipment that switch, transform, or regulate electric power at voltages equal to, or greater than, 69 kilovolts. Substations with a maximum operating voltage less than 69 kilovolts may be included, depending on the availability of authoritative sources, but coverage of these features should not be considered complete.  Oak Ridge National Laboratory (ORNL), Los Alamos National Laboratory (LANL), Idaho National Laboratory (INL), National Geospatial-Intelligence Agency (NGA) Homeland Security Infrastructure Program (HSIP) Team  (HIFLD, 2020)	Metadata Download
Enterprise Zones	Oregon's enterprise zones offer a unique resource to Oregon communities, and an excellent opportunity for businesses growing or locating in Oregon. Primarily, enterprise zones exempt businesses from local property taxes on new investments for a specified amount of time, which varies among the different zone programs.  (Business Oregon, 2020)	Service Metadata Download
Opportunity Zones	Opportunity Zones are economically distressed communities, defined by individual census tract, nominated by America's governors, and certified by the U.S. Secretary of the Treasury via his delegation of that authority to the Internal Revenue Service. Under certain conditions, new investments in Opportunity Zones may be eligible for preferential tax treatment. There are 8,764 Opportunity Zones in the United States, many of which have experienced a lack of investment for decades. The Opportunity Zones initiative is not a top-down government program from Washington but an incentive to spur private and public investment in America's underserved communities.	Service Metadata Download
RRED Zones	The Rural Renewable Energy Development (RRED) Zone Program offers eligible businesses a tax abatement from local property taxes for a three to five year period.  Eligible investments must: Harness wind, geothermal, solar, biomass, or other unconventional forms of energy to generate electricity; or produce, distribute, or store biofuels.Qualifying projects must be related to renewable energy activities and meet the same criteria as stipulated under the Standard Enterprise Zone Program. A local government sponsor may waive the requirement to create full-time employment with a new project if the cost of the investment is \$5 million or more. A city, county, or several contiguous counties may set up a RRED Zone that covers all territory in the jurisdiction(s) outside the urban growth boundary (UGB) of any metropolitan area or sizeable city (population >=30,000). The total amount of qualifying property among one or more project is subject to a locally set cap within each zone, which can be no greater than \$250 million in initial market value of each project.	Service Metadata Download
	Counties (BLM, 2015) City Limits (ODOT, 2019) Urban Growth Boundaries (DLCD, 2019) Population (U.S. Census Bureau Decennial Census, 2020)  (Map created by the Institute for Natural Resources at Oregon State University using the list of designated zones from Business Oregon, 2022)	



Custom Area: : 8,258 Acres

Federal\_contacts\_table

### Disclaimer

Information generated by this tool will not be shared with the state, and only shared with the military when the user initiates contact and chooses to share information generated through the tool. /n/n This tool is for illustrative and administrative purposes only. The map viewer and reports generated by it are not meant to replace the formal permitting process in the state of Oregon. /n/n This product is for informational purposes, and may not be suitable for legal, engineering, or surveying purposes. This information or data is provided with the understanding that conclusions drawn from such information are the responsibility of the user. The sponsors of the to tool make no claims, representations or warranties as to the accuracy or completeness of these external data layers. /n/n US DOD-OLDCC Grant Disclaimer: This deliverable was prepared under contract with the Oregon Department of Energy, with financial support from the Office of Local Defense Community Cooperation, Department of Defense. The content reflects the grant objectives and efforts of Oregon Department of Energy and its project partners, and does not necessarily reflect the views of the Office of Local Defense Community Cooperation

The information is being provided as is and without warranty of any kind either express, implied or statutory. The user assumes the entire responsibility and liability related to their use of this information. By accessing this website and/or data contained within, you hereby release Oregon State University, Oregon State University Libraries and Press and all data providers from liability.

https://oregonexplorer.info/