

ONTARIO MUNICIPAL AIRPORT

This report describes how your Pavement Maintenance Management Program (PMMP) was developed. Your Program was developed as part of the Oregon Continuous Aviation System Plan sponsored in part by the Oregon Department of Aviation and the Federal Aviation Administration (FAA). The information and data contained in this report ensures you are in compliance with the requirements of FAA Grant Assurance Number 11 which states that any airport requesting federal funds for pavement improvement projects must have implemented a pavement maintenance management program.

DATA COLLECTION


To determine how your pavements were constructed and their age, a records review was conducted. Figure ON-1 shows the records review results. This figure identifies pavement boundaries, dimensions, pavement layer types, thicknesses and dates of construction. The most recent construction date for each pavement can also be found in the Section Condition Report in Appendix 2. Figure ON-1 and the information contained in Appendices 1, 2 and 4 ensure that your airport complies with the “pavement inventory” requirement of FAA’s PMMP guidelines.

The pavements at your airport were divided into branches, sections and sample units in accordance with the methodology outlined in the current edition of ASTM D5430, *Standard Test Method for Airport Condition Index Surveys*. The branches, sections and sample units established at your airport are shown in Figure ON-2. A Branch Condition Report showing all branches, their associated areas, and their area-weighted average condition is provided in Appendix 1. Additionally, the Appendix 2 Section Condition Report provides information used to define each branch and section in the Micro PAVER database.

Using the branch, section and sample unit divisions established, a visual condition survey was conducted at Ontario Municipal Airport in July 2014. During the inspection, pavement defects were identified and measured in accordance with the methodology outlined in ASTM D5430. This inspection ensures your airport complies with the “detailed inspection” requirement of FAA’s PMMP guidelines. After collection, the data were entered into the Micro PAVER software for analysis. These data are reproduced in the Re-Inspection Report attached as Appendix 4.

The Micro PAVER database updated during this project ensures your airport complies with the “record keeping and information retrieval” requirements of FAA’s PMMP guidelines.

Figure ON-2. Pavement Branch, Section and Sample Unit Layout.
Ontario Municipal Airport



RESULTS

Using the data collected during the visual inspection, the Micro PAVER software was used to calculate an area-weighted average Pavement Condition Index (PCI) for each pavement section inspected using the sample units evaluated. Using each section's PCI, a Pavement Condition Rating (PCR) was assigned. The PCIs measured during this inspection are shown in Table 1. The table also contains PCIs from past inspections as well as projected PCIs for 2019 and 2024. The projections were based on pavement deterioration models developed by Micro PAVER using the inspection data from other pavements in the same airport category as your airport, located in the same climatic region, and with the same surface type and use.

The Branch Condition Report in Appendix 1 summarizes current pavement condition by branch while the Section Condition Report in Appendix 2 lists pavement condition by section. The current PCR is shown graphically in Figure ON-3.

Table 1. Past, Present and Future Pavement Condition Indices.

Branch	Section	Inspections			Forecast	
		2006	2011	2014	2019	2024
A01ON	1	46	100	99	89	79
A01ON	2	---	---	43	38	33
A02ON	1	100	28	78	69	61
A03ON	1	---	100	100	89	79
A04ON	1	---	---	64	56	49
AH14ON	1	100	100	90	74	69
AH32ON	1	54	100	100	85	71
R14ON	1	31	100	89	80	71
R14ON	2	58	100	91	82	73
R14ON	3	---	100	97	88	79
T01ON	1	---	100	100	91	78
T02ON	1	---	100	100	91	78
T03ON	1	100	91	90	77	70
T04ON	1	100	94	75	69	66
T05ON	1	100	73	72	68	64
TA1ON	1	---	100	94	81	70
TA2ON	1	---	100	99	88	75
TA2ON	2	---	100	94	81	70
TA2ON	3	---	100	100	92	79
TA3ON	1	100	100	96	83	72
TA4ON	1	46	100	96	83	72
TA5ON	1	47	100	96	83	72
TA6ON	1	---	100	97	85	73
TAON	1	54	100	96	83	72

Table 1. Past, Present and Future Pavement Condition Indices.


Branch	Section	Inspections			Forecast	
		2006	2011	2014	2019	2024
TAON	2	67	100	95	82	71
TAON	3	65	100	95	82	71
TAON	4	42	100	97	85	73
TAON	5	---	100	97	85	73
TEBON	1	100	90	89	77	70
TL1NON	1	---	---	100	91	78
TL1SON	1	---	---	100	91	78
TL2NON	1	---	---	100	91	78
TL2SON	1	100	92	94	81	72
TL3NON	1	---	---	100	91	78
TL3SON	1	11	3	100	91	78
TL4SON	1	100	94	91	78	71
TL5SON	1	100	94	87	75	69
TL6SON	1	100	94	94	81	72
TL7SON	1	18	7	100	91	78
TWBON	1	---	100	92	79	69
TWBON	2	100	91	75	69	66

Section PCIs at Ontario Municipal Airport range from a low of 43 (a PCR of “Poor”) to a high of 100 (a PCR of “Good”). The area-weighted average PCI for all airport pavements is 89, corresponding to an overall PCR of “Good”. Figure ON-4 shows how much pavement area is associated with each Pavement Condition Rating category and also shows pavement condition distribution from the inspections conducted in 2006 and 2011.


The primary distresses observed during the inspection were: weathering, longitudinal and transverse cracking, block cracking, and patching, with an isolated occurrence of alligator cracking.

A graphical representation of the projected PCIs listed in Table 1 is shown in Figure ON-5.


**Figure ON-4. Distribution of Pavement Condition
Ontario Municipal Airport**



Predicted Condition in 2019.



Predicted Condition in 2024.



Drawing Date: July 2014

 PAVEMENT CONSULTANTS INC.

Figure ON-5. Future Pavement Condition.

RECOMMENDATIONS

Data collected during the visual condition survey were used by the Micro PAVER software to generate the Network Maintenance Report contained in Appendix 3. This report identifies, for each pavement section, the recommended localized maintenance activities (i.e.-crack sealing, patching) that should be completed to repair the defects observed during the visual inspection. The repair quantities identified in the report were extrapolated to cover the entire pavement section, based on the distresses measured in the inspected sample units. If the repair activities identified are completed, the pavement deterioration rate will be slowed.

The recommended localized maintenance activities to be applied are selected by the Micro PAVER software based on a Distress Maintenance Policy established for the Oregon airport system. The report results indicate that, over your entire airport, the following quantities of localized maintenance are needed:

- 13,220 linear feet of asphalt concrete crack sealing

The Micro PAVER software can also identify and schedule recommended global (applied over an entire section) maintenance activities such as fog seals, slurry seals and other surface treatments, as well as major rehabilitation activities such as asphalt concrete overlays and complete reconstruction. Micro PAVER schedules global maintenance on a user-defined interval. To schedule major rehabilitation Micro PAVER uses pavement deterioration models developed during this project. These models are used to estimate future pavement condition and to schedule rehabilitation based on a trigger PCI.

During this project a 5-year program outlining recommended global maintenance and rehabilitation was developed. The program begins in the year 2015 to allow time for project development. These recommendations are presented in Table 2, which identifies the pavement section requiring rehabilitation, the year the action should be completed, the type of action, and an associated cost. This information is also presented graphically in Figure ON-6.

Table 2. Five-Year Global Maintenance and Rehabilitation Plan.

Year	Branch	Section	Action	Area (sf)	Unit Cost (\$/sf)	Total Cost (\$)
2015	A01ON	2	Reconstruct with 3" AC / 6" Crushed Aggregate Base / 9" Subbase	80,531	\$9.00	\$724,779
2015	A02ON	1	Slurry Seal	14,093	\$0.20	\$2,819
2015	T03ON	1	Slurry Seal	16,596	\$0.20	\$3,319
2015	T04ON	1	Slurry Seal	5,499	\$0.20	\$1,100
2015	T05ON	1	Slurry Seal	723	\$0.20	\$145
2015	TEBON	1	Slurry Seal	20,638	\$0.20	\$4,128

Table 2. Five-Year Global Maintenance and Rehabilitation Plan.

Year	Branch	Section	Action	Area (sf)	Unit Cost (\$/sf)	Total Cost (\$)
2015	TL2SON	1	Fog Seal	8,012	\$0.11	\$881
2015	TL4SON	1	Fog Seal	8,007	\$0.11	\$881
2015	TL5SON	1	Slurry Seal	8,007	\$0.20	\$1,601
2015	TL6SON	1	Fog Seal	8,007	\$0.11	\$881
2015	TWBON	2	Slurry Seal	32,019	\$0.20	\$6,404
2015 Total						\$746,937
2017	A01ON	1	Slurry Seal	223,598	\$0.20	\$44,720
2017	A03ON	1	Fog Seal	69,505	\$0.11	\$7,646
2017	AH14ON	1	Slurry Seal	14,400	\$0.20	\$2,880
2017	AH32ON	1	Fog Seal	7,998	\$0.11	\$880
2017	R14ON	1	Slurry Seal	24,250	\$0.20	\$4,850
2017	R14ON	2	Slurry Seal	428,400	\$0.20	\$85,680
2017	R14ON	3	Slurry Seal	69,400	\$0.20	\$13,880
2017	T01ON	1	Fog Seal	13,923	\$0.11	\$1,532
2017	T02ON	1	Fog Seal	9,277	\$0.11	\$1,020
2017	TA1ON	1	Fog Seal	7,631	\$0.11	\$839
2017	TA2ON	1	Slurry Seal	702	\$0.20	\$140
2017	TA2ON	2	Slurry Seal	6,929	\$0.20	\$1,386
2017	TA2ON	3	Slurry Seal	717	\$0.20	\$143
2017	TA3ON	1	Slurry Seal	9,051	\$0.20	\$1,810
2017	TA4ON	1	Slurry Seal	29,928	\$0.20	\$5,986
2017	TA5ON	1	Fog Seal	9,226	\$0.11	\$1,015
2017	TA6ON	1	Fog Seal	7,436	\$0.11	\$818
2017	TAON	1	Slurry Seal	51,336	\$0.20	\$10,267
2017	TAON	2	Slurry Seal	9,842	\$0.20	\$1,968
2017	TAON	3	Slurry Seal	84,206	\$0.20	\$16,841
2017	TAON	4	Fog Seal	8,575	\$0.11	\$943
2017	TAON	5	Fog Seal	24,325	\$0.11	\$2,676
2017	TWBON	1	Slurry Seal	2,172	\$0.20	\$434
2017 Total						\$208,355
2018	A04ON	1	Slurry Seal	117,261	\$0.20	\$23,452
2018 Total						\$23,452
2019	TL1NON	1	Fog Seal	20,175	\$0.11	\$2,219
2019	TL1SON	1	Fog Seal	12,281	\$0.11	\$1,351
2019	TL2NON	1	Fog Seal	6,086	\$0.11	\$669

Table 2. Five-Year Global Maintenance and Rehabilitation Plan.

Year	Branch	Section	Action	Area (sf)	Unit Cost (\$/sf)	Total Cost (\$)
2019	TL3NON	1	Fog Seal	9,507	\$0.11	\$1,046
2019	TL3SON	1	Fog Seal	6,301	\$0.11	\$693
2019	TL7SON	1	Fog Seal	9,183	\$0.11	\$1,010
2019 Total						\$6,989
TOTAL						\$985,732


If the global maintenance and/or rehabilitation activities recommended in Table 2 are not completed, the localized maintenance activities identified in the Network Maintenance Report (Appendix 3) for that section should be done. Additionally, for those sections not listed in Table 2 as requiring global maintenance or rehabilitation, the localized maintenance activities outlined in the Network Maintenance Report should be completed. By completing the localized maintenance activities, pavement condition is improved, life is extended, deterioration is slowed and the length of time until major repair or rehabilitation is required is increased.

INSPECTION SCHEDULE

To comply with the inspection schedule requirement of FAA Grant Assurance Number 11, a detailed visual inspection should be conducted every 3 years using the methodology described in ASTM D5430. The next scheduled detailed visual inspection should take place in 2017.

In addition, the FAA requires that a drive-by inspection be conducted monthly to detect unforeseen changes in pavement condition. The results of each drive-by inspection should be recorded and kept in a file. At a minimum, the date of the inspection and an indication of any maintenance performed since the last drive-by inspection should be recorded.

Figure ON-6. Five-Year Pavement Management Plan.
Ontario Municipal Airport



ACTION TIMING		ACTION	
	2015		FOG SEAL
	2016		SLURRY SEAL
	2017		OVERLAY
	2018		RECONSTRUCT
	2019		ROUTINE MAINTENANCE

Appendix 1
Branch Condition Report

Date: 9 /16/2014

Branch Condition Report

1 of 3

Pavement Database: ODA2014 NetworkID: Ontario

Branch ID	Number of Sections	Sum Section Length (Ft)	Avg Section Width (Ft)	True Area (SqFt)	Use	Average PCI	PCI Standard Deviation	Weighted Average PCI
A01ON (Apron 01 Ontario)	2	1,758.00	175.00	304,129.00	APRON	71.00	28.00	84.17
A02ON (Apron 02 Ontario)	1	586.00	25.00	14,093.00	APRON	78.00	0.00	78.00
A03ON (Apron 03 Ontario)	1	340.00	207.00	69,505.00	APRON	100.00	0.00	100.00
A04ON (Apron 04 Ontario)	1	855.00	140.00	117,261.00	APRON	64.00	0.00	64.00
AH14ON (Hold Apron 14 Ontario)	1	260.00	80.00	14,400.00	APRON	90.00	0.00	90.00
AH32ON (Hold Apron 32 Ontario)	1	159.00	50.00	7,998.00	APRON	100.00	0.00	100.00
R14ON (Runway 14/32 Ontario)	3	5,220.50	100.00	522,050.00	RUNWAY	92.33	3.40	91.70
T01ON (Taxiway O1 Ontario)	1	232.00	35.00	13,923.00	TAXIWAY	100.00	0.00	100.00
T02ON (Taxiway 02 Ontario)	1	160.00	35.00	9,277.00	TAXIWAY	100.00	0.00	100.00
T03ON (Taxiway 03 Ontario)	1	539.00	25.00	16,596.00	TAXIWAY	90.00	0.00	90.00
T04ON (Taxiway 04 Ontario)	1	200.00	26.00	5,499.00	TAXIWAY	75.00	0.00	75.00
T05ON (Taxiway 05 Ontario)	1	20.00	26.00	723.00	TAXIWAY	72.00	0.00	72.00
TA1ON (Taxiway A1 Ontario)	1	177.50	35.00	7,631.00	TAXIWAY	94.00	0.00	94.00
TA2ON (Taxiway A2 Ontario)	3	291.50	49.67	8,348.00	TAXIWAY	97.67	2.62	94.94
TA3ON (Taxiway A3 Ontario)	1	177.50	35.00	9,051.00	TAXIWAY	96.00	0.00	96.00
TA4ON (Taxiway A4 Ontario)	1	218.00	127.00	29,928.00	TAXIWAY	96.00	0.00	96.00

Date: 9 /16/2014

Branch Condition Report

2 of 3

Pavement Database: ODA2014 NetworkID: Ontario

Branch ID	Number of Sections	Sum Section Length (Ft)	Avg Section Width (Ft)	True Area (SqFt)	Use	Average PCI	PCI Standard Deviation	Weighted Average PCI
TA5ON (Taxiway A5 Ontario)	1	182.50	35.00	9,226.00	TAXIWAY	96.00	0.00	96.00
TA6ON (Taxiway A6 Ontario)	1	182.50	35.00	7,436.00	TAXIWAY	97.00	0.00	97.00
TAON (Taxiway A Ontario)	5	5,057.00	35.00	178,284.00	TAXIWAY	96.00	0.89	95.66
TEBON (East Bypass Ontario)	1	813.00	25.00	20,638.00	TAXIWAY	89.00	0.00	89.00
TL1NON (Taxilane 01 North Ontario)	1	500.00	35.00	20,175.00	TAXIWAY	100.00	0.00	100.00
TL1SON (Taxilane 01 South Ontario)	1	272.00	40.00	12,281.00	TAXIWAY	100.00	0.00	100.00
TL2NON (Taxilane 02 North Ontario)	1	219.00	25.00	6,086.00	TAXIWAY	100.00	0.00	100.00
TL2SON (Taxilane 02 South Ontario)	1	301.00	25.00	8,012.00	TAXIWAY	94.00	0.00	94.00
TL3NON (Taxilane 03 North Ontario)	1	355.00	25.00	9,507.00	TAXIWAY	100.00	0.00	100.00
TL3SON (Taxilane 3 South Ontario)	1	306.00	20.00	6,301.00	TAXIWAY	100.00	0.00	100.00
TL4SON (Taxilane 04 South Ontario)	1	314.00	25.00	8,007.00	TAXIWAY	91.00	0.00	91.00
TL5SON (Taxilane 05 South Ontario)	1	314.00	25.00	8,007.00	TAXIWAY	87.00	0.00	87.00
TL6SON (Taxilane 06 South Ontario)	1	314.00	25.00	8,007.00	TAXIWAY	94.00	0.00	94.00
TL7SON (Taxilane 07 South Ontario)	1	304.00	30.00	9,183.00	TAXIWAY	100.00	0.00	100.00
TWBON (West Bypass Ontario)	2	979.00	46.50	34,191.00	TAXIWAY	83.50	8.50	76.08

Use Category	Number of Sections	Total Area (SqFt)	Arithmetic Average PCI	Average PCI STD.	Weighted Average PCI
APRON	7	527,386.00	82.00	20.22	82.01
RUNWAY	3	522,050.00	92.33	3.40	91.70
TAXIWAY	31	446,317.00	93.90	7.41	93.91
All	41	1,495,753.00	91.76	11.49	88.94

Appendix 2
Section Condition Report

Date: 9 /16/2014

Section Condition Report

1 of 3

Pavement Database: ODA2014 NetworkID: Ontario

Branch ID	Section ID	Last Const. Date	Surface	Use	Rank	Lanes	True Area (SqFt)	Last Inspection Date	Age At Inspection	PCI
A01ON (Apron 01 Ontario)	01	09/03/2011	AC	APRON	P	0	223,598.00	07/10/2014	3	99.00
A01ON (Apron 01 Ontario)	02	09/03/1943	AC	APRON	P	0	80,531.00	07/10/2014	71	43.00
A02ON (Apron 02 Ontario)	01	08/03/2004	AC	APRON	S	0	14,093.00	07/10/2014	10	78.00
A03ON (Apron 03 Ontario)	01	09/03/2011	AC	APRON	P	0	69,505.00	07/10/2014	3	100.00
A04ON (Apron 04 Ontario)	01	09/03/1943	AC	APRON	S	0	117,261.00	07/10/2014	71	64.00
AH14ON (Hold Apron 14 Ontario)	01	09/03/2011	AAC	APRON	P	0	14,400.00	07/10/2014	3	90.00
AH32ON (Hold Apron 32 Ontario)	01	09/03/2011	AAC	APRON	P	0	7,998.00	07/10/2014	3	100.00
R14ON (Runway 14/32 Ontario)	01	09/03/2011	AAC	RUNWAY	P	0	24,250.00	07/10/2014	3	89.00
R14ON (Runway 14/32 Ontario)	02	09/03/2011	AAC	RUNWAY	P	0	428,400.00	07/10/2014	3	91.00
R14ON (Runway 14/32 Ontario)	03	09/03/2011	AAC	RUNWAY	P	0	69,400.00	07/10/2014	3	97.00
T01ON (Taxiway O1 Ontario)	01	09/03/2011	AC	TAXIWAY	S	0	13,923.00	07/10/2014	3	100.00
T02ON (Taxiway 02 Ontario)	01	09/03/2011	AC	TAXIWAY	S	0	9,277.00	07/10/2014	3	100.00
T03ON (Taxiway 03 Ontario)	01	09/03/2004	AC	TAXIWAY	S	0	16,596.00	07/10/2014	10	90.00
T04ON (Taxiway 04 Ontario)	01	01/01/2003	AC	TAXIWAY	S	0	5,499.00	07/10/2014	11	75.00
T05ON (Taxiway 05 Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	723.00	07/10/2014	10	72.00
TA1ON (Taxiway A1 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	7,631.00	07/10/2014	3	94.00
TA2ON (Taxiway A2 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	702.00	07/10/2014	3	99.00
TA2ON (Taxiway A2 Ontario)	02	09/03/2011	AAC	TAXIWAY	P	0	6,929.00	07/10/2014	3	94.00
TA2ON (Taxiway A2 Ontario)	03	09/03/2011	AAC	TAXIWAY	P	0	717.00	07/10/2014	3	100.00
TA3ON (Taxiway A3 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	9,051.00	07/10/2014	3	96.00
TA4ON (Taxiway A4 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	29,928.00	07/10/2014	3	96.00
TA5ON (Taxiway A5 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	9,226.00	07/10/2014	3	96.00
TA6ON (Taxiway A6 Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	7,436.00	07/10/2014	3	97.00
TAON (Taxiway A Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	51,336.00	07/10/2014	3	96.00
TAON (Taxiway A Ontario)	02	09/03/2011	AAC	TAXIWAY	P	0	9,842.00	07/10/2014	3	95.00

Date: 9 /16/2014

Section Condition Report

2 of 3

Pavement Database: ODA2014 NetworkID: Ontario

Branch ID	Section ID	Last Const. Date	Surface	Use	Rank	Lanes	True Area (SqFt)	Last Inspection Date	Age At Inspection	PCI
TAON (Taxiway A Ontario)	03	09/03/2011	AAC	TAXIWAY	P	0	84,206.00	07/10/2014	3	95.00
TAON (Taxiway A Ontario)	04	09/03/2011	AAC	TAXIWAY	P	0	8,575.00	07/10/2014	3	97.00
TAON (Taxiway A Ontario)	05	09/03/2011	AAC	TAXIWAY	P	0	24,325.00	07/10/2014	3	97.00
TEBON (East Bypass Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	20,638.00	07/10/2014	10	89.00
TL1NON (Taxilane 01 North Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	20,175.00	07/10/2014	1	100.00
TL1SON (Taxilane 01 South Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	12,281.00	07/10/2014	1	100.00
TL2NON (Taxilane 02 North Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	6,086.00	07/10/2014	1	100.00
TL2SON (Taxilane 02 South Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	8,012.00	07/10/2014	10	94.00
TL3NON (Taxilane 03 North Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	9,507.00	07/10/2014	1	100.00
TL3SON (Taxilane 3 South Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	6,301.00	07/10/2014	1	100.00
TL4SON (Taxilane 04 South Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	8,007.00	07/10/2014	10	91.00
TL5SON (Taxilane 05 South Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	8,007.00	07/10/2014	10	87.00
TL6SON (Taxilane 06 South Ontario)	01	08/03/2004	AC	TAXIWAY	S	0	8,007.00	07/10/2014	10	94.00
TL7SON (Taxilane 07 South Ontario)	01	11/03/2013	AC	TAXIWAY	S	0	9,183.00	07/10/2014	1	100.00
TWBON (West Bypass Ontario)	01	09/03/2011	AAC	TAXIWAY	P	0	2,172.00	07/10/2014	3	92.00
TWBON (West Bypass Ontario)	02	08/03/2004	AC	TAXIWAY	P	0	32,019.00	07/10/2014	10	75.00

Section Condition Report*Pavement Database: ODA2014*

Age Category	Average Age At Inspection	Total Area (SqFt)	Number of Sections	Arithmetic Average PCI	PCI Standard Deviation	Weighted Average PCI
0-02	1.00	63,533.00	6	100.00	0.00	100.00
03-05	3.00	1,112,827.00	23	96.09	3.22	94.79
06-10	10.00	116,102.00	9	85.56	7.88	84.53
11-15	11.00	5,499.00	1	75.00	0.00	75.00
over 40	71.00	197,792.00	2	53.50	10.50	55.45
All	7.76	1,495,753.00	41	91.76	11.49	88.94

Appendix 3
Network Maintenance Report

Network Maintenance Report 2014
Ontario Municipal Airport

Network	Branch	Section	Distress	Severity	Action	Maint. Quantity	Unit	Unit Cost	Work Cost	Section Total Cost
Ontario	A01ON	2	BLOCK CR	M	Crack Sealing - AC	12,273	Ft	\$1.20	\$14,727	\$14,727
Ontario	A02ON	1	L & T CR	M	Crack Sealing - AC	81	Ft	\$1.20	\$97	\$97
Ontario	T03ON	1	L & T CR	M	Crack Sealing - AC	25	Ft	\$1.20	\$30	\$30
Ontario	T04ON	1	L & T CR	M	Crack Sealing - AC	100	Ft	\$1.20	\$120	\$120
Ontario	T05ON	1	L & T CR	M	Crack Sealing - AC	30	Ft	\$1.20	\$36	\$36
Ontario	TL5SON	1	L & T CR	M	Crack Sealing - AC	46	Ft	\$1.20	\$55	\$55
Ontario	TWBON	2	L & T CR	M	Crack Sealing - AC	665	Ft	\$1.20	\$798	\$798
									TOTAL	\$15,864

Appendix 4
Re-Inspection Report

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: A01ON Name: Apron 01 Ontario Use: APRON Area: 304,129.00SqFt

Section: 01 of 2 From: TAON To: A01ON-02 Last Const.: 09/03/2011
Surface: AC Family: OR-Cat3-AC-East-AP-2014 Zone: KONO Category: P Rank: P
Area: 223,598.00SqFt Length: 1,150.00Ft Width: 210.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 43 Surveyed: 7

Conditions: PCI : 99

Inspection Comments:

Sample Number: 04 Type: R Area: 5,000.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 10 Type: R Area: 5,800.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 17 Type: R Area: 5,000.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 24 Type: R Area: 5,000.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 34 Type: R Area: 6,080.00SqFt PCI = 98

Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 4.00 Ft Comments:

Sample Number: 39 Type: R Area: 5,000.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 43 Type: R Area: 4,000.00SqFt PCI = 91

Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 100.00 Ft Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: A01ON Name: Apron 01 Ontario Use: APRON Area: 304,129.00SqFt

Section: 02 of 2 From: A01ON-01 To: End Last Const.: 09/03/1943
Surface: AC Family: OR-Cat3-AC-East-AP-2014 Zone: KONO Category: P Rank: P
Area: 80,531.00SqFt Length: 608.00Ft Width: 140.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 13 Surveyed: 4

Conditions: PCI : 43

Inspection Comments:

Sample Number: 07 Type: R Area: 7,000.00SqFt PCI = 43
Sample Comments:
43 BLOCK CRACKING M 3,500.00 SqFt Comments:
43 BLOCK CRACKING L 3,500.00 SqFt Comments:
57 WEATHERING M 7,000.00 SqFt Comments:

Sample Number: 08 Type: R Area: 7,000.00SqFt PCI = 43
Sample Comments:
43 BLOCK CRACKING M 3,500.00 SqFt Comments:
43 BLOCK CRACKING L 3,500.00 SqFt Comments:
57 WEATHERING M 7,000.00 SqFt Comments:

Sample Number: 10 Type: R Area: 7,000.00SqFt PCI = 43
Sample Comments:
43 BLOCK CRACKING M 3,500.00 SqFt Comments:
43 BLOCK CRACKING L 3,500.00 SqFt Comments:
57 WEATHERING M 7,000.00 SqFt Comments:

Sample Number: 11 Type: R Area: 7,000.00SqFt PCI = 43
Sample Comments:
43 BLOCK CRACKING M 3,500.00 SqFt Comments:
43 BLOCK CRACKING L 3,500.00 SqFt Comments:
57 WEATHERING M 7,000.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: A02ON Name: Apron 02 Ontario Use: APRON Area: 14,093.00SqFt

Section: 01 of 1 From: A03ON To: TL1SON Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-AP-2014 Zone: KONO Category: P Rank: S
Area: 14,093.00SqFt Length: 586.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 3 Surveyed: 3

Conditions: PCI : 78

Inspection Comments:

Sample Number: 01 Type: R Area: 4,850.00SqFt PCI = 81

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING M 81.00 Ft Comments:

57 WEATHERING L 4,850.00 SqFt Comments:

Sample Number: 02 Type: R Area: 4,717.00SqFt PCI = 75

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 38.00 Ft Comments:

57 WEATHERING L 2,359.00 SqFt Comments:

57 WEATHERING M 2,358.00 SqFt Comments:

Sample Number: 03 Type: R Area: 4,526.00SqFt PCI = 77

Sample Comments:

50 PATCHING L 24.00 SqFt Comments:

57 WEATHERING L 2,263.00 SqFt Comments:

57 WEATHERING M 2,263.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: A03ON Name: Apron 03 Ontario Use: APRON Area: 69,505.00SqFt

Section: 01 of 1 From: TAON To: A02ON-01 Last Const.: 09/03/2011
Surface: AC Family: OR-Cat3-AC-East-AP-2014 Zone: KONO Category: P Rank: P
Area: 69,505.00SqFt Length: 340.00Ft Width: 207.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 13 Surveyed: 5

Conditions: PCI : 100

Inspection Comments:

Sample Number: 02 Type: R Area: 4,517.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 06 Type: R Area: 5,257.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 07 Type: R Area: 5,214.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 08 Type: R Area: 5,500.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 12 Type: R Area: 5,214.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: A04ON Name: Apron 04 Ontario Use: APRON Area: 117,261.00SqFt

Section: 01 of 1 From: End To: R14ON Last Const.: 09/03/1943
Surface: AC Family: OR-Cat3-AC-East-AP-2014 Zone: KONO Category: P Rank: S
Area: 117,261.00SqFt Length: 855.00Ft Width: 140.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 18 Surveyed: 4

Conditions: PCI : 64

Inspection Comments:

Sample Number: 02 Type: R Area: 6,800.00SqFt PCI = 64
Sample Comments:
43 BLOCK CRACKING L 6,800.00 SqFt Comments:

Sample Number: 05 Type: R Area: 6,800.00SqFt PCI = 64
Sample Comments:
43 BLOCK CRACKING L 6,800.00 SqFt Comments:

Sample Number: 08 Type: R Area: 6,800.00SqFt PCI = 64
Sample Comments:
43 BLOCK CRACKING L 6,800.00 SqFt Comments:

Sample Number: 13 Type: R Area: 6,800.00SqFt PCI = 64
Sample Comments:
43 BLOCK CRACKING L 6,800.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: AH14ON Name: Hold Apron 14 Ontario Use: APRON Area: 14,400.00SqFt

Section: 01 of 1 From: TAON To: End Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-AP-2014 Zone: KONO Category: P Rank: P
Area: 14,400.00SqFt Length: 260.00Ft Width: 80.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 4 Surveyed: 4

Conditions: PCI : 90

Inspection Comments:

Sample Number: 01 Type: R Area: 3,108.00SqFt PCI = 88

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 80.00 Ft Comments:

57 WEATHERING L 777.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,885.00SqFt PCI = 91

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 50.00 Ft Comments:

57 WEATHERING L 972.00 SqFt Comments:

Sample Number: 03 Type: R Area: 3,885.00SqFt PCI = 91

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 50.00 Ft Comments:

57 WEATHERING L 927.00 SqFt Comments:

Sample Number: 04 Type: R Area: 3,108.00SqFt PCI = 88

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 80.00 Ft Comments:

57 WEATHERING L 777.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: AH32ON Name: Hold Apron 32 Ontario Use: APRON Area: 7,998.00SqFt

Section: 01 of 1 From: TAON To: TB6ON-02 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-AP-2014 Zone: KONO Category: P Rank: P
Area: 7,998.00SqFt Length: 159.00Ft Width: 50.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 5,000.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Sample Number: 02 Type: R Area: 3,021.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: R14ON Name: Runway 14/32 Ontario Use: RUNWAY Area: 522,050.00SqFt

Section: 01 of 3 From: R14 END To: R14ON-02 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-RW-2014 Zone: KONO Category: P Rank: P
Area: 24,250.00SqFt Length: 242.50Ft Width: 100.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 5 Surveyed: 4

Conditions: PCI : 89

Inspection Comments:

Sample Number: 01 Type: R Area: 5,000.00SqFt PCI = 89

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 77.00 Ft Comments:

57 WEATHERING L 2,500.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,000.00SqFt PCI = 90

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 52.00 Ft Comments:

57 WEATHERING L 2,500.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,000.00SqFt PCI = 89

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 77.00 Ft Comments:

57 WEATHERING L 2,500.00 SqFt Comments:

Sample Number: 04 Type: R Area: 5,000.00SqFt PCI = 89

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 82.00 Ft Comments:

57 WEATHERING L 2,500.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: R14ON Name: Runway 14/32 Ontario Use: RUNWAY Area: 522,050.00SqFt

Section: 02 of 3 From: R14ON-01 To: R14ON-03 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-RW-2014 Zone: KONO Category: P Rank: P
Area: 428,400.00SqFt Length: 4,284.00Ft Width: 100.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 85 Surveyed: 8

Conditions: PCI : 91

Inspection Comments:

Sample Number: 01 Type: R Area: 5,000.00SqFt PCI = 88
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 98.00 Ft Comments:
57 WEATHERING L 2,500.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,000.00SqFt PCI = 90
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 47.00 Ft Comments:
57 WEATHERING L 2,500.00 SqFt Comments:

Sample Number: 25 Type: R Area: 5,000.00SqFt PCI = 93
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 13.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 26 Type: R Area: 5,000.00SqFt PCI = 91
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 65.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 56 Type: R Area: 5,000.00SqFt PCI = 92
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 50.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 57 Type: R Area: 5,000.00SqFt PCI = 92
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 50.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 83 Type: R Area: 5,000.00SqFt PCI = 93
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 29.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 84 Type: R Area: 5,000.00SqFt PCI = 92
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 50.00 Ft Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: R14ON Name: Runway 14/32 Ontario Use: RUNWAY Area: 522,050.00SqFt

Section: 03 of 3 From: R14ON-02 To: R32 End Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-RW-2014 Zone: KONO Category: P Rank: P
Area: 69,400.00SqFt Length: 694.00Ft Width: 100.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 14 Surveyed: 6

Conditions: PCI : 97

Inspection Comments:

Sample Number: 05 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 06 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 09 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 11 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 12 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Sample Number: 13 Type: R Area: 5,000.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,250.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: T01ON Name: Taxiway O1 Ontario Use: TAXIWAY Area: 13,923.00SqFt

Section: 01 of 1 From: TL1SON To: A01ON-01 Last Const.: 09/03/2011
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 13,923.00SqFt Length: 232.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 3 Surveyed: 3

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 4,065.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 02 Type: R Area: 4,259.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 03 Type: R Area: 4,258.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: T02ON Name: Taxiway 02 Ontario Use: TAXIWAY Area: 9,277.00SqFt

Section: 01 of 1 From: A01ON To: TWBON Last Const.: 09/03/2011
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 9,277.00SqFt Length: 160.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 4,450.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Sample Number: 02 Type: R Area: 4,826.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: T03ON Name: Taxiway 03 Ontario Use: TAXIWAY Area: 16,596.00SqFt

Section: 01 of 1 From: A01ON To: End Last Const.: 09/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 16,596.00SqFt Length: 539.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 3 Surveyed: 3

Conditions: PCI : 90

Inspection Comments:

Sample Number: 01 Type: R Area: 5,363.00SqFt PCI = 90

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 25.00 Ft Comments:
57 WEATHERING L 5,363.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,262.00SqFt PCI = 87

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING M 25.00 Ft Comments:
57 WEATHERING L 5,262.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,971.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 5,971.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: T04ON Name: Taxiway 04 Ontario Use: TAXIWAY Area: 5,499.00SqFt

Section: 01 of 1 From: TEBON To: End Last Const.: 01/01/2003
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 5,499.00SqFt Length: 200.00Ft Width: 26.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 75

Inspection Comments:

Sample Number: 01 Type: R Area: 5,499.00SqFt PCI = 75

Sample Comments:

41 ALLIGATOR CRACKING	L	15.00 SqFt	Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING	M	100.00 Ft	Comments:
57 WEATHERING	L	5,499.00 SqFt	Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: T05ON Name: Taxiway 05 Ontario Use: TAXIWAY Area: 723.00SqFt

Section: 01 of 1 From: TEBON To: End Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 723.00SqFt Length: 20.00Ft Width: 26.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 72

Inspection Comments:

Sample Number: 01 Type: R Area: 723.00SqFt PCI = 72

Sample Comments:

48	LONGITUDINAL/TRANSVERSE CRACKING	M	30.00 Ft	Comments:
57	WEATHERING	M	723.00 SqFt	Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA1ON Name: Taxiway A1 Ontario Use: TAXIWAY Area: 7,631.00SqFt

Section: 01 of 1 From: R32End To: TAON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 7,631.00SqFt Length: 177.50Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 94

Inspection Comments:

Sample Number: 01 Type: R Area: 4,209.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 4,209.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,422.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 2,566.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA2ON Name: Taxiway A2 Ontario Use: TAXIWAY Area: 8,348.00SqFt

Section: 01 of 3 From: Fillet at R14ON To: -- Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 702.00SqFt Length: 57.00Ft Width: 57.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 99

Inspection Comments:

Sample Number: 01 Type: R Area: 702.00SqFt PCI = 99

Sample Comments:

57 WEATHERING L 40.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA2ON Name: Taxiway A2 Ontario Use: TAXIWAY Area: 8,348.00SqFt

Section: 02 of 3 From: R14ON-02 To: TAON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 6,929.00SqFt Length: 177.50Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 94

Inspection Comments:

Sample Number: 01 Type: R Area: 6,929.00SqFt PCI = 94

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 5.00 Ft Comments:

57 WEATHERING L 1,732.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA2ON Name: Taxiway A2 Ontario Use: TAXIWAY Area: 8,348.00SqFt

Section: 03 of 3 From: Fillet at TAON To: -- Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 717.00SqFt Length: 57.00Ft Width: 57.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 717.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA3ON Name: Taxiway A3 Ontario Use: TAXIWAY Area: 9,051.00SqFt

Section: 01 of 1 From: R14ON To: TAON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 9,051.00SqFt Length: 177.50Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 96

Inspection Comments:

Sample Number: 01 Type: R Area: 4,919.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 1,230.00 SqFt Comments:

Sample Number: 02 Type: R Area: 4,131.00SqFt PCI = 94

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 4.00 Ft Comments:

57 WEATHERING L 1,033.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA4ON Name: Taxiway A4 Ontario Use: TAXIWAY Area: 29,928.00SqFt

Section: 01 of 1 From: R14ON To: A01ON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 29,928.00SqFt Length: 218.00Ft Width: 127.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 6 Surveyed: 3

Conditions: PCI : 96

Inspection Comments:

Sample Number: 02 Type: R Area: 4,700.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,175.00 SqFt Comments:

Sample Number: 03 Type: R Area: 4,536.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,134.00 SqFt Comments:

Sample Number: 04 Type: R Area: 4,560.00SqFt PCI = 93
Sample Comments:
57 WEATHERING L 1,140.00 SqFt Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 11.00 Ft Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA5ON Name: Taxiway A5 Ontario Use: TAXIWAY Area: 9,226.00SqFt

Section: 01 of 1 From: TAON To: R14ON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 9,226.00SqFt Length: 182.50Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 96

Inspection Comments:

Sample Number: 01 Type: R Area: 4,919.00SqFt PCI = 95

Sample Comments:

57 WEATHERING L 2,460.00 SqFt Comments:

Sample Number: 02 Type: R Area: 4,307.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 1,077.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TA6ON Name: Taxiway A6 Ontario Use: TAXIWAY Area: 7,436.00SqFt

Section: 01 of 1 From: R14 End To: TAON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 7,436.00SqFt Length: 182.50Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 97

Inspection Comments:

Sample Number: 01 Type: R Area: 4,205.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 1,052.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,231.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 808.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TAON Name: Taxiway A Ontario Use: TAXIWAY Area: 178,284.00SqFt

Section: 01 of 5 From: R14 End To: TA4ON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 51,336.00SqFt Length: 1,452.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 10 Surveyed: 9

Conditions: PCI : 96

Inspection Comments:

Sample Number: 01 Type: R Area: 3,768.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 942.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,250.00SqFt PCI = 93
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 12.00 Ft Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 900.00 SqFt Comments:

Sample Number: 04 Type: R Area: 5,250.00SqFt PCI = 93
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 15.00 Ft Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 05 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 06 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 07 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 08 Type: R Area: 5,250.00SqFt PCI = 94
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 10.00 Ft Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 09 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TAON Name: Taxiway A Ontario Use: TAXIWAY Area: 178,284.00SqFt

Section: 02 of 5 From: TA4ON To: TAON-03 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 9,842.00SqFt Length: 260.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 95

Inspection Comments:

Sample Number: 01 Type: R Area: 4,577.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 1,144.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,265.00SqFt PCI = 94

Sample Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING L 5.00 Ft Comments:

57 WEATHERING L 1,316.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TAON Name: Taxiway A Ontario Use: TAXIWAY Area: 178,284.00SqFt

Section: 03 of 5 From: TAON-02 To: TAON-04 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 84,206.00SqFt Length: 2,405.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 16 Surveyed: 10

Conditions: PCI : 95

Inspection Comments:

Sample Number: 02 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 05 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 08 Type: R Area: 5,250.00SqFt PCI = 93
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 25.00 Ft Comments:

Sample Number: 09 Type: R Area: 5,250.00SqFt PCI = 88
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 125.00 Ft Comments:

Sample Number: 10 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 11 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 12 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 13 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 14 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 15 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TAON Name: Taxiway A Ontario Use: TAXIWAY Area: 178,284.00SqFt

Section: 04 of 5 From: TAON-03 To: TA2ON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 8,575.00SqFt Length: 245.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 97

Inspection Comments:

Sample Number: 01 Type: R Area: 5,250.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,325.00SqFt PCI = 97

Sample Comments:

57 WEATHERING L 832.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TAON Name: Taxiway A Ontario Use: TAXIWAY Area: 178,284.00SqFt

Section: 05 of 5 From: TA2ON To: TA1ON Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 24,325.00SqFt Length: 695.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 5 Surveyed: 4

Conditions: PCI : 97

Inspection Comments:

Sample Number: 01 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 02 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Sample Number: 04 Type: R Area: 5,250.00SqFt PCI = 97
Sample Comments:
57 WEATHERING L 1,312.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TEBON Name: East Bypass Ontario Use: TAXIWAY Area: 20,638.00SqFt

Section: 01 of 1 From: A03ON To: TA8ON Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 20,638.00SqFt Length: 813.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 4 Surveyed: 3

Conditions: PCI : 89

Inspection Comments:

Sample Number: 02 Type: R Area: 5,000.00SqFt PCI = 94
Sample Comments:
57 WEATHERING L 5,000.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,000.00SqFt PCI = 94
Sample Comments:
57 WEATHERING L 5,000.00 SqFt Comments:

Sample Number: 04 Type: R Area: 4,650.00SqFt PCI = 77
Sample Comments:
57 WEATHERING L 2,325.00 SqFt Comments:
57 WEATHERING M 2,325.00 SqFt Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING L 4.00 Ft Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL1NON Name: Taxilane 01 North Ontario Use: TAXIWAY Area: 20,175.00SqFt

Section: 01 of 1 From: A01ON To: T03ON Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 20,175.00SqFt Length: 500.00Ft Width: 35.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 4 Surveyed: 4

Conditions: PCI: 100

Inspection Comments:

Sample Number: 01 Type: R Area: 3,793.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 02 Type: R Area: 4,702.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 03 Type: R Area: 5,960.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Sample Number: 04 Type: R Area: 5,716.00SqFt PCI = 100

Sample Comments:
<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL1SON Name: Taxilane 01 South Ontario Use: TAXIWAY Area: 12,281.00SqFt

Section: 01 of 1 From: T01ON To: Hangars Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 12,281.00SqFt Length: 272.00Ft Width: 40.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 6,000.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Sample Number: 02 Type: R Area: 6,281.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL2NON Name: Taxilane 02 North Ontario Use: TAXIWAY Area: 6,086.00SqFt

Section: 01 of 1 From: TL1NON To: End Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 6,086.00SqFt Length: 219.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 6,086.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL2SON Name: Taxilane 02 South Ontario Use: TAXIWAY Area: 8,012.00SqFt

Section: 01 of 1 From: TEBON To: Hangars Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 8,012.00SqFt Length: 301.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 94

Inspection Comments:

Sample Number: 01 Type: R Area: 4,944.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 4,944.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,068.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 3,068.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL3NON Name: Taxilane 03 North Ontario Use: TAXIWAY Area: 9,507.00SqFt

Section: 01 of 1 From: TL1NON To: End Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 9,507.00SqFt Length: 355.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 5,600.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Sample Number: 02 Type: R Area: 3,907.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL3SON Name: Taxilane 3 South Ontario Use: TAXIWAY Area: 6,301.00SqFt

Section: 01 of 1 From: TEBON To: Hangars Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 6,301.00SqFt Length: 306.00Ft Width: 20.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 6,301.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL4SON Name: Taxilane 04 South Ontario Use: TAXIWAY Area: 8,007.00SqFt

Section: 01 of 1 From: TWBON To: Hangars Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 8,007.00SqFt Length: 314.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 91

Inspection Comments:

Sample Number: 01 Type: R Area: 4,944.00SqFt PCI = 94
Sample Comments:
57 WEATHERING L 4,944.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,063.00SqFt PCI = 85
Sample Comments:
57 WEATHERING L 2,297.00 SqFt Comments:
57 WEATHERING M 765.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL5SON Name: Taxilane 05 South Ontario Use: TAXIWAY Area: 8,007.00SqFt

Section: 01 of 1 From: TWBON To: Hangars Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 8,007.00SqFt Length: 314.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 87

Inspection Comments:

Sample Number: 01 Type: R Area: 4,944.00SqFt PCI = 94

Sample Comments:

57 WEATHERING L 4,944.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,063.00SqFt PCI = 75

Sample Comments:

57 WEATHERING L 1,532.00 SqFt Comments:

48 LONGITUDINAL/TRANSVERSE CRACKING M 46.00 Ft Comments:

57 WEATHERING M 1,531.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL6SON Name: Taxilane 06 South Ontario Use: TAXIWAY Area: 8,007.00SqFt

Section: 01 of 1 From: TWBON To: Hangars Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 8,007.00SqFt Length: 314.00Ft Width: 25.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 94

Inspection Comments:

Sample Number: 01 Type: R Area: 4,944.00SqFt PCI = 94
Sample Comments:
57 WEATHERING L 4,944.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,063.00SqFt PCI = 94
Sample Comments:
57 WEATHERING L 3,063.00 SqFt Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TL7SON Name: Taxilane 07 South Ontario Use: TAXIWAY Area: 9,183.00SqFt

Section: 01 of 1 From: TA8ON-02 To: Hangars Last Const.: 11/03/2013
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: S
Area: 9,183.00SqFt Length: 304.00Ft Width: 30.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 2 Surveyed: 2

Conditions: PCI : 100

Inspection Comments:

Sample Number: 01 Type: R Area: 4,500.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Sample Number: 02 Type: R Area: 4,683.00SqFt PCI = 100

Sample Comments:

<NO DISTRESSES>

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TWBON Name: West Bypass Ontario Use: TAXIWAY Area: 34,191.00SqFt

Section: 01 of 2 From: TWBON-02 To: T01ON-02 Last Const.: 09/03/2011
Surface: AAC Family: OR-Cat3-AAC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 2,172.00SqFt Length: 25.00Ft Width: 60.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 1 Surveyed: 1

Conditions: PCI : 92

Inspection Comments:

Sample Number: 01 Type: R Area: 2,172.00SqFt PCI = 92

Sample Comments:

48	LONGITUDINAL/TRANSVERSE CRACKING	L	20.00 Ft	Comments:
57	WEATHERING	L	543.00 SqFt	Comments:

Re-inspection Report

ODA2014

Report Generated Date: September 17, 2014

Network: Ontario Name: Ontario Municipal

Branch: TWBON Name: West Bypass Ontario Use: TAXIWAY Area: 34,191.00SqFt

Section: 02 of 2 From: TWBON-01 To: TA2ON-01 Last Const.: 08/03/2004
Surface: AC Family: OR-Cat3-AC-East-TW-2014 Zone: KONO Category: P Rank: P
Area: 32,019.00SqFt Length: 954.00Ft Width: 33.00Ft
Shoulder: Street Type: Grade: 0.00 Lanes: 0

Section Comments:

Last Insp. Date: 07/10/2014 Total Samples: 7 Surveyed: 5

Conditions: PCI : 75

Inspection Comments:

Sample Number: 01 Type: R Area: 3,980.00SqFt PCI = 74
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING M 140.00 Ft Comments:
57 WEATHERING L 3,980.00 SqFt Comments:

Sample Number: 02 Type: R Area: 3,370.00SqFt PCI = 67
Sample Comments:
43 BLOCK CRACKING L 1,600.00 SqFt Comments:
57 WEATHERING L 3,370.00 SqFt Comments:

Sample Number: 03 Type: R Area: 5,028.00SqFt PCI = 67
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING M 205.00 Ft Comments:
57 WEATHERING L 5,028.00 SqFt Comments:
50 PATCHING L 160.00 SqFt Comments:

Sample Number: 04 Type: R Area: 4,994.00SqFt PCI = 81
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING M 80.00 Ft Comments:
57 WEATHERING L 4,994.00 SqFt Comments:

Sample Number: 07 Type: R Area: 5,018.00SqFt PCI = 85
Sample Comments:
48 LONGITUDINAL/TRANSVERSE CRACKING M 40.00 Ft Comments:
57 WEATHERING L 5,018.00 SqFt Comments: