Table 3-RV

Sanitary Facilities

(918-650-0050 – effective 4/1/88)

Recreation Parks

| Number of Picnic, Camping or Parking Spaces | Number of Toilets | Lavatories for Parks with Flush Toilets ^{1,2} | |
|---|----------------------------|---|--|
| | Men ^{1,2} – Women | Men – Women | |
| 1 – 15 | 1 – 1 | 1 – 1 | |
| 16 - 30 | 1 - 2 | 1 – 2 | |
| 31 - 60 | 2 - 3 | 2 - 3 | |
| $61 - 100^3$ | 3 - 4 | 3 – 4 | |

¹ One additional lavatory must be provided for each two toilets when more than six toilets are required.

Organizational Camps

| Design Maximum Number of Campers for Each Sex | Overnight for Every 10 | Overnight for Every 20 | Day Use Only for Every 20 ² |
|---|---------------------------|--------------------------------|--|
| | Numbe | er of Toilets | |
| Men ¹ | 1 | | 1 |
| Women | 1 | | 1 |
| | Lavatories for Car | nps with Flush Toilets | |
| Men | 1 | | 1 |
| Women | 1 | | 1 |
| | Bathing Facilit | ies Tub or Shower ³ | |
| Men | | 1 | |
| Women | | 1 | |

¹ Urinals may be acceptable for not more than 1/3 of the toilets required in the men's facilities.

² Urinals may be acceptable for not more than 1/3 of the toilets required in the men's facilities.

³ Campgrounds in recreation parks and picnic parks with more than 100 spaces must provide one additional toilet per sex for each additional 30 spaces or fraction thereof.

² When the day use persons exceed 100, one toilet and one lavatory must be provided for each additional 50 persons or fraction thereof.

³ Bathing facilities are not required for camps where persons are present for three nights or less.