

Form A - Notification for Oregon Gasoline Dispensing Facilities



This notification meets both the requirements of 40 CFR Part 63, Subpart CCCCCC - National Emission Standards for Hazardous Air Pollutants for Gasoline Dispensing Facilities and Oregon Emission Standards for Gasoline Dispensing Facilities, OAR 340-244-0232 through 0252. **All Oregon facilities that dispense gasoline into motor vehicle tanks must submit this notification.**

Due Date: Please submit this notification to DEQ by January 15, 2010.

Facility Information

Print or type the following information for each facility for which you are submitting a notification:

Oregon UST Identification Number: _____

Check One:

- Existing source
- New source - began construction after November 9, 2006 and facility startup was **before** January 10, 2008
- New source - began construction after November 9, 2006 and facility startup was **after** January 10, 2008
Provide startup date: _____

Facility Name: _____

Facility Street Address:

Facility Contact: Name: _____ Title: _____ Tel. no: _____

e-mail: _____

Owner Name: _____ e-mail: _____

Mailing Address:

Facility Operator Name: _____ e-mail: _____

Mailing Address:

Briefly describe your Gasoline Dispensing Facility (GDF):

Provide a brief description of the nature, size, design, and method of operation of the GDF and an identification of the types gasoline storage tanks and vent pipes. *[Example: This facility is a 24-hour convenience store with about 120,000 gallons per month in gasoline sales. We have four dispenser islands and three 15,000-gallon capacity underground storage tanks with pressure vacuum valves on each storage tank vent.]*

Questions and Identification of requirements: Circle "yes" or "no" and initial in box beside the answer that you can demonstrate.

Questions		Initials
1. What is the gasoline throughput of the gasoline distribution facility (in gallons)? (a) Highest monthly total in 2008 _____ (b) 2008 total _____		
2. Do you ensure that gasoline is handled in a manner that would prevent vapor releases to the atmosphere for extended periods of time? Measures to be taken include, but are not limited to, the following: (a) Minimize gasoline spills; (b) Do not top off or overfill vehicle tanks (c) Clean up spills as expeditiously as practicable; (d) Cover all open gasoline containers and all gasoline storage tank fill-pipes with a gasketed seal when not in use; (e) Minimize gasoline sent to open waste collection systems that collect and transport gasoline to reclamation and recycling devices, such as oil/water separators.	Yes	
	No	
3. Do you fill all gasoline storage tanks greater than or equal to 250 gallons, through a submerged fill pipe whose discharge point from the bottom of the tank is no more than the following? (a) Installed on or before November 9, 2006 - no more than 12 inches from the bottom of the storage tank. (b) Installed after November 9, 2006, - no more than 6 inches from the bottom of the storage tank.	Yes	
	No	
4. Do you have a vapor balance system* on your gasoline storage tanks? <i>*Vapor balance system means a combination of pipes and hoses that create a closed system between the vapor spaces of an unloading gasoline cargo tank and a receiving storage tank such that vapors displaced from the storage tank are transferred to the gasoline cargo tank being unloaded.</i>	Yes	
	No	

I hereby certify that the information presented herein is correct to the best of my knowledge.

 Name of Responsible Official Title Date

 Signature Telephone No.

Mail this form to:
 DEQ Air Quality Division
 811 SW 6th Avenue
 Portland, Oregon 97204