

TABLE 190B

**BENEFICIAL USE DESIGNATIONS - FISH USES
MALHEUR LAKE BASIN, OREGON**

Geographic Extent of Use	Redband and Hybrid Trout (20°C)	Lahontan Trout* (20°C)	Borax Lake Chub	Cool Water Species (no salmonid use)
Alvord Lake Subbasin				
Waters associated with Borax Lake and Lower Borax Lake, including lake outflows, Harney County, Oregon.			X	
Willow Creek from headwaters to the Willow Creek Well.		X		
Little Whitehorse Creek from headwaters to confluence with Whitehorse Creek		X		
Whitehorse Creek from headwaters to confluence with East Channel; including upper tributaries Little Whitehorse Creek, Cottonwood Creek and Doolittle Creek		X		
Antelope Creek from headwaters to confluence with unnamed tributary, approximately 4 RM upstream of confluence with Little Antelope Creek		X		
Denio Creek from headwaters to mouth		X		
Van Horn Creek from headwaters to mouth		X		
Group of streams NE of Alvord Desert: Pike Creek, Little Alvord Creek, Big Alvord Creek, Cottonwood, Willow Creek, Mesquito Creek, Bueno Vista Creek, and Little McCoy Creek		X		
Mann Creek from headwaters to mouth, House Creek from headwaters to mouth	X			
Little Trout Creek and Big Trout Creek from headwaters to confluences with Trout Creek	X			
Segment of Trout Creek from confluence with Big Trout Creek to confluence with Stoney Creek	X			
Pueblo Slough, from Tum-Tum Lake to Van Horn Creek				X (Alvord Chub)

Segment of Trout Creek from confluence with Stoney Creek to approximately 12 RM upstream of Alvord Lake; Segment of South Fork Trout Creek from confluence with Trout Creek upstream approximately 2 RM; Alvord Lake				X (Alvord Chub)
All other Alvord Lake subbasin waters				X (no fish use)
Upper Quinn Subbasin				
Indian Creek from approximately 1.3 RM below headwaters to approximately .25 RM below confluence with Spring Creek (approximately 5.1 RM total)	X			
Sage Creek from headwaters to mouth		X		
Line Canyon Creek from headwaters to mouth		X		
All other Upper Quinn subbasin waters				X
All other Malheur Lake Basin Waters (includes the Silver, Silvies, Harney-Malheur, Donner and Blitzen, Guano, and Thousand-Virgin subbasins)	X			

Table produced November, 2003

*Spawning in these reaches occurs April 1-July 15.