

Key to Identifying Changed Text:

~~Deleted Text~~

New/inserted text

Text deleted from one location - and moved to another location

DEPARTMENT OF ENVIRONMENTAL QUALITY

340-045-0075

Permit Fee Schedule

(1) OAR chapter 340, division 71 contains the fee schedule for onsite sewage disposal system permits, including WPCF permits, and graywater reuse and disposal system WPCF individual permits.

(2) DEQ establishes fees for various industrial, domestic and general water quality permits:

(a) Table 70A lists the application and modification fees that apply to industrial NPDES and WPCF individual permits.

(b) Table 70B lists the annual fees that apply to industrial NPDES and WPCF individual permits.

(c) Table 70C lists application, modification and annual fees for domestic NPDES and WPCF individual permits.

(d) Table 70D lists annual population fees.

(e) Table 70E lists annual pretreatment fees applicable to domestic wastewater systems.

(f) Table 70I lists application, annual and surcharge fees for Underground Injection Control rule authorizations and general permits.

(3) DEQ must consider the following criteria when classifying a facility for determining applicable fees. For industrial sources that discharge to surface waters, discharge flowrate refers to the system design capacity. For industrial sources that do not discharge to surface waters, discharge flow refers to the total annual flow divided by 365:

(a) Tier 1 industry. A facility is classified as a Tier 1 industry if the facility:

(A) Discharges at a flowrate that is greater than or equal to 1 mgd; or

(B) Discharges large biochemical oxygen demand loads; or

(C) Is a large metals facility; or

(D) Has significant toxic discharges; or

(E) Has a treatment system that will have a significant adverse impact on the receiving stream if not operated properly; or

(F) Needs special regulatory control, as DEQ determines.

(b) Tier 1 domestic facility. A facility is classified as a Tier 1 domestic facility if the facility:

(A) Has a dry weather design flow of 1 mgd or greater; or

(B) Serves an industry that can have a significant impact on the treatment system.

(c) Tier 2 industry or domestic facility: A facility is classified as Tier 2 if it does not meet Tier 1 qualifying factors.

(4) New-permit application fee. Unless [this rule does not require it](#) ~~waived by this rule~~, the applicant must submit the applicable new-permit application fee listed in Table 70A, 70C, 70G, or 70I with each application. The facility category and type of permit (e.g., individual vs. general) determines the amount of the fee.

(5) Permit modification fee. Tables 70A and 70C list the permit modification fees. Modification fees for Individual WPCF Underground Injection Control permits are contained in Table 70I. Permit modification fees vary with the type of permit, the type of modification and the timing of modification as follows:

(a) Modification at time of permit renewal:

(A) Major modification — involves an increase in effluent limitations or any other change that involves significant analysis by DEQ;

(B) Minor modification — does not involve significant analysis by DEQ.

(b) Modification prior to permit renewal:

(A) Major modification — involves an increase in effluent limitations or any other change that involves significant analysis by DEQ. DEQ may require a permittee requesting a significant modification to their permit to enter into an agreement to pay for these services according to ORS 468.073. ORS 468.073 allows DEQ "[... to expedite or enhance a regulatory process by contracting for services, hiring additional staff or covering costs of activities not otherwise provided during the ordinary course of department business ...](#)"

(B) Minor modification — does not involve significant analysis by DEQ.

(6) Annual fees. Tables 70B and 70G list applicable annual fees for general and industrial permit holders. Table 70H lists applicable annual fees for Municipal Separate Storm Sewer general permits. ~~Annual fees for domestic sources may also be found in~~ Tables 70C, 70D, and 70E [also list annual fees for domestic sources](#) and include the following:

(a) Annual fee. This is based on the type of treatment system, the dry weather design flow, and the duration assigned to the permit before a renewal application is required;

(b) Population-based fee. A permit holder with treatment systems other than Type F (septage alkaline stabilization facilities) must pay an annual population-based fee. ~~Tables~~ 70D lists the applicable fee;

(c) Pretreatment fee. A source DEQ requires to administer a pretreatment program under federal pretreatment program regulations (40 C.F.R. ~~C.F.R.~~, Part 403; January 29, 1981 and its amendments) must pay an additional annual fee plus a fee for each significant industrial user specified in their annual report for the previous year. Table 70E lists the applicable fee.

(7) Technical activities fee. Tables 70F list the technical activity, plan review and administrative fees. They are categorized as follows:

(a) All permits. A permittee must pay a fee for NPDES and WPCF individual and general permit-related technical activities. DEQ will charge a fee for initial submittal of engineering plans and specifications. DEQ will not charge fees for revisions and re-submittals of engineering plans and specifications or for facilities plans, design studies, reports, change orders, or inspections;

(b) General permits. A permittee must pay the technical activity fee shown in Table 70F when the following activities are required for application review:

(A) Disposal system and environmental management plan review;

(B) Site inspection and evaluation.

(8) For permits the Oregon Department of Agriculture administers, the permit applicant or permit holder must pay the permit fees following the fee schedule the Oregon Department of Agriculture establishes.

(9) Administrative activity fees are listed in Table 70F:

(a) The electronic reporting requirement waiver fee applies to permit holders who qualify for a temporary waiver exempting them from submitting data and reports electronically.

(b) A permittee must pay a fee for a transfer of ownership as specified under OAR 340-045-0045 and for requests to change the legal or common name on the permit issued to the facility.

| OAR 340-045-0075 Table 70A Industrial NPDES and WPCF Individual Permits: Application and Modification Fees | | | |
|---|-----------------------------------|-----------------------------------|---------------------------------|
| Application fees for new industrial permits | | | |
| Tier 1 Industrial Facilities | \$61,859 <u>66,189</u> | | |
| Tier 2 Industrial Facilities | \$12,449 <u>13,320</u> | | |
| Special WPCF Permits (OAR 340-045-0061) | \$589 <u>630</u> | | |
| Note: New permit applications must include the annual fee specified in Table 70B in addition to the new permit application fee listed above. The application fee is not required for renewal unless a modification is needed or requested. | | | |
| Modification Fees ¹ | Major | | Minor |
| | At Permit Renewal | Prior to Expiration | |
| Tier 1 Industrial Facilities | \$15,541 <u>16,629</u> | \$30,880 <u>33,042</u> | \$1,083 <u>1,159</u> |
| Tier 2 Industrial Facilities | \$3,951 <u>4,228</u> | \$6,172 <u>6,604</u> | \$1,083 <u>1,159</u> |
| 1. A new application, application fee and modification fee must accompany all requests for permit modification. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review. | | | |

OAR 340-045-0075
Table 70B
Industrial NPDES and WPCF Individual Permit Annual Fees

| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
|---|--|--|--|--|--|
| B01 | Pulp, paper, or other fiber pulping industry | \$21,630 <u>\$23,144</u> | N | \$20,075 <u>\$21,480</u> | N |
| Food or beverage processing - includes produce, meat, poultry, seafood or dairy for human, pet, or livestock consumption: | | | | | |
| B02 | Washing or packing only | N | \$3,007 <u>\$3,217</u> | N | \$2,767 <u>\$2,961</u> |
| B03 | Processing – small. Flow ≤ 0.1 mgd, or 0.1 < flow < 1 mgd for less than 180 days per year | N | \$4,496 <u>\$4,811</u> | N | \$4,253 <u>\$4,551</u> |
| B04 | Processing – medium. 0.1 mgd < Flow < 1 mgd for 180 or more days per year, or flow ≥ 1 mgd for less than 180 days per year | N | \$6,344 <u>\$6,788</u> | N | \$6,102 <u>\$6,529</u> |
| B05 | Processing – large. Flow ≥ 1 mgd for 180 or more days per year | \$21,630 <u>\$23,144</u> | \$19,006 <u>\$20,336</u> | \$20,075 <u>\$21,480</u> | \$18,761 <u>\$20,074</u> |
| Primary Smelting or Refining: | | | | | |
| B06 | Aluminum | \$21,630 <u>\$23,144</u> | \$19,006 <u>20,336</u> | \$20,075 <u>21,480</u> | \$18,761 <u>20,074</u> |
| B07 | Non-ferrous metals utilizing sand chlorination separation facilities | \$21,630 <u>23,144</u> | \$19,006 <u>20,336</u> | \$20,075 <u>21,480</u> | \$18,761 <u>20,074</u> |
| B08 | Ferrous and non-ferrous metals not elsewhere classified | \$12,370 <u>13,236</u> | \$9,744 <u>10,426</u> | \$10,815 <u>11,572</u> | \$9,504 <u>10,169</u> |
| B09 | Chemical manufacturing with discharge of process wastewater | \$21,630 <u>23,144</u> | \$19,006 <u>20,336</u> | \$20,075 <u>21,480</u> | \$18,761 <u>20,074</u> |
| B10 | Cooling water discharges in excess of 20,000 BTU per second | \$12,370 <u>13,236</u> | \$9,744 <u>10,426</u> | \$10,815 <u>11,572</u> | \$9,504 <u>10,169</u> |
| Mining Operations – includes aggregate or ore processing: | | | | | |
| B11 | Large (over 500,000 cubic yards per year or involving chemical leaching) | \$21,630 <u>23,144</u> | \$19,006 <u>20,336</u> | \$20,075 <u>21,480</u> | \$18,761 <u>20,074</u> |
| B12 | Medium (100,000 to 500,000 cubic yards per year) | N | \$6,654 <u>7,120</u> | N | \$6,412 <u>6,861</u> |
| B13 | Small (less than 100,000 cubic yards per year) | N | \$2,025 <u>2,167</u> | N | \$1,784 <u>1,909</u> |
| All facilities not elsewhere classified which dispose of process wastewater (includes remediated groundwater): | | | | | |
| B14 | Tier 1 sources | \$21,630 <u>23,144</u> | N | \$20,075 <u>21,480</u> | N |
| B15 | Tier 2 sources | N | \$4,185 <u>4,478</u> | N | \$3,947 <u>4,223</u> |
| B16 | All facilities not elsewhere classified which dispose of non-process wastewaters (for example: small cooling water discharges, boiler blowdown, filter backwash) | N | \$2,802 <u>2,998</u> | N | \$2,561 <u>2,740</u> |

OAR 340-045-0075
Table 70B
Industrial NPDES and WPCF Individual Permit Annual Fees

| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
|--------------------------|--|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| B17 | Dairies, fish hatcheries and other confined feeding operations on individual permits | N | \$2,452 <u>2,624</u> | N | \$2,212 <u>2,367</u> |
| B18 | All facilities which dispose of wastewater only by evaporation from watertight ponds or basins | N | N | N | \$1,626 <u>1,740</u> |
| Timber and Wood Products | | | | | |
| B19 | Sawmills, log storage, instream log storage | \$6,067 <u>6,492</u> | \$3,442 <u>3,683</u> | \$4,512 <u>4,828</u> | \$3,199 <u>3,423</u> |
| B20 | Hardboard, veneer, plywood, particle board, pressboard manufacturing, wood products | \$6,415 <u>6,864</u> | \$3,791 <u>4,056</u> | \$4,863 <u>5,203</u> | \$3,550 <u>3,799</u> |
| B21 | Wood preserving | \$5,429 <u>5,809</u> | \$2,802 <u>2,998</u> | \$3,874 <u>4,145</u> | \$2,561 <u>2,740</u> |

OAR 340-045-0075
Table 70C
Domestic NPDES and WPCF Individual Permits:
Application, Annual and Modification Fees

| Description | Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|------------------------------|------|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|
| | | | | | | Major | Minor |
| Non-Lagoon Treatment Systems | A1 | ≥ 50 mgd | \$39,435 <u>42,195</u> | \$85,399 <u>91,377</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | A2 | $25 \text{ mgd} \leq \text{Flow} < 50$ mgd | \$39,435 <u>42,195</u> | \$50,191 <u>53,704</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | A3 | $10 \text{ mgd} \leq \text{Flow} < 25$ mgd | \$39,435 <u>42,195</u> | \$23,656 <u>25,312</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | Ba | $5 \text{ mgd} \leq \text{Flow} < 10$ mgd | \$39,435 <u>42,195</u> | \$15,164 <u>16,225</u> | \$14,172 <u>15,164</u> | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | C1a | $2 \text{ mgd} \leq \text{Flow} < 5$ mgd | \$39,435 <u>42,195</u> | \$10,197 <u>10,911</u> | \$9,206 <u>9,850</u> | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |

OAR 340-045-0075
Table 70C
Domestic NPDES and WPCF Individual Permits:
Application, Annual and Modification Fees

| Description | Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|--|----------|--|----------------------------------|--|-------------------------|----------------------------|-------------------------|
| | | | | | | Major | Minor |
| | C2a | 1 mgd ≤ Flow < 2 mgd | \$39,435 <u>42,195</u> | \$6,921 <u>7,405</u> | \$5,929 <u>6,344</u> | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | Da | Flow < 1 mgd | \$7,966 <u>8,524</u> | \$2,192 <u>2,345</u> | \$2,034 <u>2,176</u> | \$4,035 <u>4,317</u> | \$1,083 <u>1,159</u> |
| Lagoons Discharging to Surface Waters | Bb | 5 mgd ≤ Flow < 10 mgd | \$39,435 <u>42,195</u> | \$8,019 <u>8,580</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | C1b | 2 mgd ≤ Flow < 5 mgd | \$39,435 <u>42,195</u> | \$5,576 <u>5,966</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | C2b | 1 mgd ≤ Flow < 2 mgd | \$39,435 <u>42,195</u> | \$4,070 <u>4,355</u> | | \$19,766 <u>21,150</u> | \$1,083 <u>1,159</u> |
| | Db | Flow < 1 mgd | \$7,966 <u>8,524</u> | \$1,545 <u>1,653</u> | | \$4,035 <u>4,317</u> | \$1,083 <u>1,159</u> |
| Nondischarging Lagoons | E | No discharge flow | \$4,035 <u>4,317</u> | | \$1,288 <u>1,378</u> | \$2,065 <u>2,210</u> | \$1,083 <u>1,159</u> |
| <u>Alkaline-stabilization facilities</u> | <u>F</u> | | <u>\$1,159</u> | | <u>\$475</u> | | <u>\$510</u> |
| Please see Table 70D and 70E for applicable population and pretreatment fees for the permits listed above. | | | | | | | |
| Municipal Separate Storm Sewer System | MS4 | See 40 C.F.R. C.F.R. § 122.26 | \$21,900 <u>23,433</u> | \$4,930 <u>Please see Table 70H</u> | | \$1,902 <u>2,035</u> | \$1,083 <u>1,159</u> |

1. Based on Average Dry Weather Design Flow, or as defined in 40 C.F.R.
2. New permit applications must include the annual fee in addition to the new permit application fee.
3. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review.

| OAR 340-045-0075 Table 70D Domestic NPDES and WPCF Annual Population Fee | |
|--|--------------------------------------|
| Population range | Annual fee |
| 500,000+ | \$ 114,734 <u>122,765</u> |
| 400,000 to 499,999 | \$ 87,771 <u>93,915</u> |
| 300,000 to 399,999 | \$ 60,810 <u>65,067</u> |
| 200,000 to 299,999 | \$ 33,846 <u>36,215</u> |
| 150,000 to 199,999 | \$ 27,373 <u>29,289</u> |
| 100,000 to 149,999 | \$ 18,028 <u>19,290</u> |
| 50,000 to 99,999 | \$ 11,307 <u>12,098</u> |
| 25,000 to 49,999 | \$ 5,082 <u>5,438</u> |
| 15,000 to 24,999 | \$ 2,893 <u>3,096</u> |
| 10,000 to 14,999 | \$ 1,885 <u>2,017</u> |
| 5,000 to 9,999 | \$ 1,146 <u>1,226</u> |
| 1,000 to 4,999 | \$ 343 <u>367</u> |
| 100 to 999 | \$ 65 <u>70</u> |
| 0 to 99 | \$0 |

| Oar 340-045-0075 Table 70E Annual Pretreatment Fees | |
|---|---|
| Description | Fee |
| Pretreatment Fee | \$ 1,967 <u>2,105</u> |
| Significant Industrial User | \$ 656 <u>702</u> per industry |

| OAR 340-045-0075 Table 70F All NPDES and WPCF ¹ Permits: Technical Activity, Plan Review, and Other Fees | |
|--|----------------------------------|
| Activity | Fee |
| New or substantially modified sewage treatment facility | \$ 9,049 <u>9,682</u> |
| Minor facility or pump station modifications | \$ 983 <u>1,052</u> |
| Major system or pressure system expansion | \$ 690 <u>738</u> |
| Minor system expansion or modification | \$ 196 <u>210</u> |
| New or substantially modified septage alkaline stabilization facility | \$ 983 <u>1,052</u> |
| Site inspection and evaluation ² | \$ 1,541 <u>1,649</u> |
| Disposal system plan review ² | \$ 616 <u>659</u> |
| Environmental management plan review ³ | \$ 616 <u>659</u> |

**OAR 340-045-0075
Table 70F
All NPDES and WPCF¹ Permits:
Technical Activity, Plan Review, and Other Fees**

| Activity | Fee |
|---|----------------------|
| Other Fees | |
| Temporary electronic reporting requirement waiver | \$750 803 |
| Permit transfer, legal name change. | \$97 104 |
| <p>1. Does not include Onsite septic systems. Please see Tables 9A-9F in OAR 340-071 for appropriate technical activity fees.</p> <p>2. This fee only applies when these activities are required for DEQ's review of a General permit application.</p> <p>3. This fee is not charged to new applicants for individual NPDES and WPCF permits. Plans updated after the permit is issued are subject to plan review as specified in the permit.</p> | |

**OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees**

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|---|-------|--|----------------------------------|----------------------|
| 100-J | NPDES | Cooling water/heat pumps | \$252 270 | \$574 614 |
| 200-J | NPDES | Filter backwash | \$252 270 | \$574 614 |
| 300-J | NPDES | Fish hatcheries | \$402 430 | \$574 614 |
| 400-J | NPDES | Log ponds | \$252 270 | \$574 614 |
| 500-J | NPDES | Boiler blowdown | \$252 270 | \$574 614 |
| 900-J | NPDES | Seafood processing | \$252 270 | \$574 614 |
| 1400-A | WPCF | Wineries and seasonal fresh pack operations whose wastewater flow is ≤ 25,000 gallons/day and is only disposed of by land irrigation. | \$252 270 | \$336 360 |
| 1400-B | WPCF | Wineries and small food processors not otherwise eligible for a 1400A general permit. | \$402 430 | \$574 614 |
| 1500-A | NPDES | Petroleum hydrocarbon clean-up | \$402 430 | \$574 614 |
| 1500-B | WPCF | Petroleum hydrocarbon clean-up | \$402 430 | \$574 614 |
| 1700-A | NPDES | Vehicle and equipment wash water | \$559 598 | \$574 614 |
| 1700-B | WPCF | Vehicle and equipment wash water | \$559 598 | \$574 614 |
| 1900-J | NPDES | Non-contact geothermal heat exchange | \$559 598 | \$574 614 |
| Residential and Commercial Graywater and Industrial Reuse Water | | | | |
| 2401 | WPCF | Tier 1 graywater reuse and disposal system for residential systems: ≤ 300 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit | \$52 | \$41 |
| 2402 | WPCF | Tier 2 graywater reuse and disposal system for systems: ≤ 1,200 gallons/day, or equivalent | \$550 | \$52 |

**OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees**

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|---|--------------|---|----------------------------------|---------------------------------|
| | | specific geographic area graywater reuse and disposal area permit | | |
| 2501 | WPCF | Industrial reuse water free of human and animal waste suitable for reuse without secondary or advanced treatment and ≤ 25,000 gallons/day | \$559 <u>598</u> | \$574 <u>614</u> |
| Stormwater General Permits³ | | | | |
| 1200-A | NPDES | Stormwater: Sand, gravel, and other non-metallic mining | \$981 <u>1,050</u> | \$1,009 <u>1,080</u> |
| 1200-C | NPDES | Stormwater: Construction activities – one acre or more | \$981 <u>1,050</u> | \$1,009 <u>1,080</u> |
| 1200-C | NPDES | Stormwater: Construction activities – less than one acre and part of a common plan of development disturbing one or more acres | \$288 <u>308</u> | \$0 |
| 1200-CA | NPDES | Stormwater: Construction activities performed by public agencies – one acre or more | \$981 <u>1,050</u> | \$1,009 <u>1,080</u> |
| 1200-Z | NPDES | Stormwater: Industrial | \$981 <u>1,050</u> | \$1,009 <u>1,080</u> |
| 4000-MS4 | NPDES | Municipal Separate Storm Sewer System (MS4): Conveyance system owned or operated by municipality, special district, hospital, port, school district, etc. | \$981 <u>1,050</u> | Please see Table 70H |
| Mining General Permits | | | | |
| 600 | WPCF | Offstream small scale mining – Processing < 5 cubic yds/day, or < 1,500 cubic yds/year | \$0 | \$0 |
| | | Offstream small scale mining – Processing 1,500 -10,000 cubic yds/year | \$252 <u>270</u> | \$0 |
| <u>700-PM</u> | NPDES | Suction dredges (<u>gravity and syphon</u>) | \$0 | \$25 |
| <u>700-PM</u> | <u>NPDES</u> | <u>Suction dredges (motorized)</u> | <u>\$250</u> | <u>\$250</u> |
| <u>700-PM</u> | <u>NPDES</u> | <u>Permit renewal fee every five years (in addition to the annual fee)</u> | <u>\$250</u> | |
| 1000 | WPCF | Gravel mining | \$252 <u>270</u> | \$574 <u>614</u> |
| Other General Permits | | | | |
| DOM-F | WPCF | Septage alkaline stabilization facilities | \$1,083 <u>1,159</u> | \$444 <u>475</u> |
| All other permits not elsewhere classified. | | | \$559 <u>598</u> | \$574 <u>614</u> |

1. ———New permit applications must include both the new permit application fee and the first year's annual fee.

2. ———Stormwater construction and industrial permits are also administered by public agencies and local districts under contract with DEQ.

**OAR 340-045-0075
Table 70H
Municipal Separate Storm Sewer System
General Permits:
Annual Fees Based on Population**

| Population Range | Fee |
|------------------|---------|
| 50,000+ | \$1,133 |
| 25,000 to 49,999 | \$927 |
| 15,000 to 24,999 | \$876 |
| 10,000 to 14,999 | \$773 |
| 5,000 to 9,999 | \$670 |
| 1,000 to 4,999 | \$567 |
| 100 to 999 | \$67 |
| 0 to 99 | \$0 |

**OAR 340-045-0075
Table 70H
Municipal Separate Storm Sewer System
General Permits:
Annual Fees**

| <u>Population-based cost-per-person, except counties and other</u> | <u>Annual Fee</u> |
|---|-------------------|
| <u>Cost-per-person</u> | <u>\$0.121</u> |
| <u>Counties* medium and large cities or counties</u> | <u>\$15,000</u> |
| <u>Counties* small urbanized areas and other (special districts, hospitals, school districts, etc.)</u> | <u>\$2,500</u> |
| <u>Oregon Department of Transportation MS4**</u> | <u>\$40,000</u> |

*OAR 340-045-0010(12) "Municipal Separate Storm Sewer System" means all municipal separate storm sewers that are defined as "large," "medium," or "small" municipal separate storm sewer systems in 40 C.F.R. §122.26(b).
** Fee for ODOT MS4 assessed only in the absence of a separate revenue agreement.

**Table 701
OAR 340-045-0075
Underground Injection Control Permits
Application Fees, Annual Fees and Surcharges**

| Type | Category Description | Application Fee | Annual Fee | Class of Injection | Surcharge | |
|------------------------------------|--|----------------------------|--------------------------|-------------------------------|--------------------------|----------------------|
| | | | | | Application | Annual |
| Authorized By Rule ¹ | Low Risk Stormwater Only | None | None | Low Risk | \$100 107 | None |
| | Non-Stormwater Injection ² | None | None | Medium Risk | \$125 134 | None |
| | All Other UIC's Draining Stormwater from Any Surface | None | None | Low Risk | \$100 107 | None |
| | | | | Medium Risk | \$125 134 | None |
| 1200-U General Permit ³ | Stormwater Injection | \$559 598 | \$574 614 | Low Risk | \$100 107 | None |
| | | | | Medium Risk | \$125 134 | None |
| | | | | High Risk | \$321 300 | \$100 107 |
| 1900-B General Permit | Injection During Geothermal Exploration | \$559 598 | \$574 614 | | | |
| Type | Category Description | Application Fee | Annual Fee | Individual WPCF Modifications | | |
| | | | | Major | Minor | |
| Individual WPCF Permit | As defined in 40 CFR parts 9, 144, 145 and 146 | \$12,449 13,320 | \$2,635 2,819 | \$2,065 2,210 | \$1,083 1,159 | |

1. Includes facilities with less than 50 injection systems. All systems must be located over 500 feet from a water well and outside a 2 -year time of travel from a water source.
2. Includes aquifer storage and recovery, low temperature geothermal injection, remediation and other underground injection control systems that do not drain stormwater.
3. Includes facilities with less than 50 injection systems and for systems within 500 ft from a water well and within a 2-year time of travel from a water source.

Statutory/Other Authority: ORS 468.020, 468B.020 & 468B.035

Statutes/Other Implemented: ORS 468.065, 468B.015, 468B.035 & 468B.050

History:

DEQ 34-2017, minor correction filed 12/13/2017, effective 12/13/2017

DEQ 16-2015, f. 12-10-15, cert. ef. 1-1-16

DEQ 15-2017, amend filed 10/31/2017, effective 11/01/2017

DEQ 13-2014, f. 11-14-14, cert. ef. 12-1-14

DEQ 8-2013, f. 10-23-13, cert. ef. 11-1-13

DEQ 6-2012, f. 10-31-12, cert. ef. 11-1-12

DEQ 15-2011, f. & cert. ef. 9-12-11

DEQ 9-2011, f. & cert. ef. 6-30-11

DEQ 7-2010, f. 8-27-10, cert. ef. 9-1-10

DEQ 8-2008, f. 6-27-08, cert. ef. 7-1-08

DEQ 5-2007, f. & cert. ef. 7-3-07

DEQ 11-2006, f. & cert. ef. 8-15-06
DEQ 5-2005, f. & cert. ef. 7-1-05
DEQ 7-2004, f. & cert. ef. 8-3-04
DEQ 2-2002, f. & cert. ef. 2-12-02
DEQ 15-2000, f. & cert. ef. 10-11-00
DEQ 4-1998, f. & cert. ef. 3-30-98
DEQ 20-1994, f. & cert. ef. 10-7-94
DEQ 30-1992, f. & cert. ef. 12-18-92
DEQ 10-1992, f. & cert. ef. 6-9-92
DEQ 9-1992, f. & cert. ef. 6-5-92
DEQ 10-1991, f. & cert. ef. 7-1-91
DEQ 18-1990, f. & cert. ef. 6-7-90
DEQ 9-1987, f. & ef. 6-3-87
DEQ 12-1983, f. & ef. 6-2-83
DEQ 18-1981, f. & ef. 7-13-81
DEQ 31-1979, f. & ef. 10-1-79
DEQ 129, f. & ef. 3-16-77
DEQ 113, f. & ef. 5-10-76

Division 71

ONSITE WASTEWATER TREATMENT SYSTEMS

340-071-0800

Tables

~~Tables for Division 071.~~

TABLE 1
(OAR 340-071-0220)
MINIMUM SEPARATION DISTANCES

| Items Requiring Setback | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
|---|--|---|
| 1. Groundwater Supplies and Wells. | *100' | 50' |
| 2. Springs: <ul style="list-style-type: none"> • Upgradient. • Downgradient. | 50' 100' | 50' 50' |
| **3. Surface Public Waters: <ul style="list-style-type: none"> • Year round. • Seasonal. | 100' 50' | 50' 50' |
| 4. Intermittent Streams: <ul style="list-style-type: none"> • Piped (watertight not less than 20' from any part of the onsite system). • Unpiped. | 20' 50' | 20' 50' |
| 5. Groundwater Interceptors: <ul style="list-style-type: none"> • On a slope of 3% or less. • On a slope greater than 3%: <ul style="list-style-type: none"> • Upgradient. • Downgradient. | 20' 10' 50' | 10' 5' 10' |
| 6. Irrigation Canals: <ul style="list-style-type: none"> • Lined (watertight canal). • Unlined: <ul style="list-style-type: none"> • Upgradient. • Downgradient. | 25' 25' 50' | 25' 25' 50' |
| 7. Manmade Cuts Down <ul style="list-style-type: none"> • Gradient in Excess of 30 Inches (top of downslope cut): <ul style="list-style-type: none"> • Which Intersect Layers that Limit Effective Soil Depth Within 48 Inches of Surface. • Which Do Not Intersect Layers that Limit Effective Soil Depth. | 50' 25' | 25' 10' |
| 8. Downgradient Escarpments: <ul style="list-style-type: none"> • Which Intersect Layers that Limit Effective Soil Depth. • Which Do Not Intersect Layers that Limit Effective Soil Depth. | 50' 25' | 10' 10' |
| 9. Property Lines | 10' | 5' |
| 10. Water Lines | 10' | 10' |

TABLE 1
(OAR 340-071-0220)
MINIMUM SEPARATION DISTANCES

| Items Requiring Setback | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
|--|--|---|
| 11. Foundation Lines of any Building, Including Garages and Out Buildings. | 10' | 5' |
| 12. Underground Utilities. | 10' | — |

* 50-foot setback for wells constructed with special standards granted by WRD.

**This does not prevent stream crossings of pressure effluent sewers.

TABLE 2
(OAR 340-071-0220)
QUANTITIES OF SEWAGE FLOWS

| Type of Establishment | | Column 1 | Column 2 |
|--|--|--|---|
| | | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| Airports | | 5 (per passenger) | 150 |
| Bathhouses and swimming pools | | 10 (per person) | 300 |
| Camps: (4 Persons per Campsite, where Applicable) | Campground with central comfort stations | 35 (per person) | 700 |
| | With flush toilets, no showers | 25 (per person) | 500 |
| | Construction camps — semi-permanent | 50 (per person) | 1000 |
| | Day camps — no meals served | 15 (per person) | 300 |
| | Resort camps (night and day) with limited plumbing | 50 (per person) | 1000 |
| | Luxury camps | 100 (per person) | 2000 |
| Churches | | 5 (per seat) | 150 |
| Country clubs | | 100 (per resident member) | 2000 |
| Country clubs | | 25 (per non-resident member present) | — |
| Dwellings: | Boarding houses | 150 (per bedroom) | 600 |
| | Boarding houses – additional for non-residential boarders | 10 (per person) | — |
| | Rooming houses | 80 (per person) | 500 |
| | Condominiums, Multiple family dwellings — including apartments | 300 (per unit) | 900 |
| | Single family dwellings | 300 (not exceeding 2 bedrooms) | 450* |
| | Single family dwellings — with more than 2 bedrooms | 75 (for third & each succeeding bedroom) | 450 |
| Factories (exclusive of industrial wastes — with shower facilities) | | 35 (per person per shift) | 300 |
| Factories (exclusive of industrial wastes — without shower facilities) | | 15 (per person per shift) | 150 |
| Hospitals | | 250 (per bed space) | 2500 |
| Hotels with private baths | | 120 (per room) | 600 |
| Hotels without private baths | | 100 (per room) | 500 |
| Institutions other than hospitals | | 125 (per bed space) | 1250 |
| Laundries — self-service | | 500 (per machine) | 2500 |
| Mobile home parks | | 250 (per space) | 750 |
| Motels — with bath, toilet, and kitchen wastes | | 100 (per bedroom) | 500 |
| Motels — without kitchens | | 80 (per bedroom) | 400 |
| Picnic Parks — toilet wastes only | | 5 (per picnicker) | 150 |
| Picnic Parks — with bathhouses, showers, and flush toilets | | 10 (per picnicker) | 300 |

TABLE 2
(OAR 340-071-0220)
QUANTITIES OF SEWAGE FLOWS

| Type of Establishment | | Column 1 | Column 2 |
|---|---|-------------------------|---|
| | | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| Restaurants | | 40 (per seat) | 800 |
| Restaurants — single-service | | 2 (per customer) | 300 |
| Restaurants — with bars and/or lounges | | 50 (per seat) | 1000 |
| Schools: | Boarding | 100 (per person) | 3000 |
| | Day — without gyms, cafeterias, or showers | 15 (per person) | 450 |
| | Day — with gyms, cafeterias and showers | 25 (per person) | 750 |
| | Day — with cafeteria, but without gyms or showers | 20 (per person) | 600 |
| Service Stations | | 10 (per vehicle served) | 500 |
| Swimming pools and bathhouses | | 10 (per person) | 300 |
| Theaters: | Movie | 5 (per seat) | 300 |
| | Drive-In | 20 (per car space) | 1000 |
| Travel trailer parks — without individual water and sewer hookups | | 50 (per space) | 300 |
| Travel trailer parks — with individual water and sewer hookups | | 100 (per space) | 500 |
| Workers: | Construction — as semi-permanent camps | 50 (per person) | 1000 |
| | Day — at schools and offices | 15 (per shift) | 150 |

* Except as otherwise provided in these rules.

TABLE 3
(OAR 340-071-0220)
SLOPE, EFFECTIVE SOIL DEPTH RELATIONSHIP




TABLE 4
(OAR 340-071-0220)

Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus effective soil depth.

| Effective Soil Depth | Soil Group | | |
|----------------------|------------|-----|-----|
| | A | B | C |
| 18" to Less than 24" | 125 | 150 | 175 |
| 24" to Less than 36" | 100 | 125 | 150 |
| 36" to Less than 48 | 75 | 100 | 125 |
| 48" or more | 50 | 75 | 125 |

- * Soil Group A — Sand, Loamy Sand, Sandy Loam.
- * Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay.
- * If sand grains are fine or very fine, site according to Group B soils.

TABLE 5
(OAR 340-071-0220)

Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus depth to temporary groundwater.

| Depth to Temporary Groundwater | Soil Group | | |
|--------------------------------|------------|-----|-----|
| | A | B | C |
| 24" to Less than 48" | 100 | 125 | 150 |
| 48" or More | 50 | 75 | 125 |

* Soil Group A — Sand, Loamy Sand, Sandy Loam.

Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil

Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay.

* If sand grains are fine or very fine, site according to Group B soils.

TABLE 6
(OAR 340-071-0100)
SOIL TEXTURAL CLASSIFICATION CHART




TABLE 7
(OAR 340-071-0100)
USDA SOIL CLASSIFICATION SIZES OF SOIL
SEPARATES

| | Sieve Sizes | Millimeters |
|------------------|-------------|-------------|
| Clay | | .002 |
| Silt | 270 | .050 |
| Very Fine Sand | 200 | .075 |
| | 140 | .1 |
| Fine Sand | 60 | .25 |
| Medium Sand | 35 | .5 |
| Coarse Sand | 18 | 1.0 |
| Very Coarse Sand | 10 | 2.0 |
| Fine Gravel | 4 | 4.75 |
| | 3/8" | 9.5 |
| | 1/2 | 12.5 |
| Course Gravel | 3" | 76.2 |
| Cobbles | | |

TABLE 8
(OAR 340-071-0330)
MINIMUM SEPARATION DISTANCES FOR
NONWATER-CARRIED WASTE DISPOSAL
FACILITIES

| | Self-Contained Nonwater- Carried Waste Disposal | Unsealed Earth Type Privies, Graywater Waste Disposal Sump and Seepage Chambers |
|---|--|---|
| Groundwater supplies including springs and cisterns | 50' | 100' |
| Surface public waters, excluding intermittent streams | 50' | 100' |
| Intermittent streams | 50' | 50' |
| Property line | 25' | 25' |

**TABLE 9A: SITE EVALUATION AND EXISTING SYSTEM EVALUATION FEES
(OAR 340-071-0140)**

New Site Evaluation fees. Fees in this section apply to each system for which site suitability is evaluated.

| | |
|---|---------|
| Single family dwelling - First lot | \$700 |
| Single family dwelling - Each additional lot evaluated during initial visit | \$700 |
| Commercial facility with a design capacity of 1,000 gpd or less | \$700 |
| Commercial facility with a design capacity of 1,001-1,500 gpd | \$882 |
| Commercial facility with a design capacity of 1,501-2,000 gpd | \$1,063 |
| Commercial facility with a design capacity of 2,001-2,500 gpd | \$1,244 |
| Commercial facility s with a design capacity of 2,501-3,000 gpd | \$1,426 |
| Commercial facility with a design capacity of 3,001-3,500 gpd | \$1,607 |
| Commercial facility with a design capacity of 3,501-4,000 gpd | \$1,788 |
| Commercial facility with a design capacity of 4,001-4,500 gpd | \$1,969 |
| Commercial facility with a design capacity of 4,501-5,000 gpd | \$2,151 |
| Commercial facility with a design flow greater than 5,000 gpd | \$2,373 |
| Site Evaluation Report Review fee | \$659 |
| Existing System Evaluation Report fee | \$659 |

**TABLE 9B: PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS OAR
(340-071-0140)**

| | | System Type A | System Type B | System Type C | System Type D | System Type E | Plan Review fees for Commercial Facility Systems |
|--|-------|---------------|---------------|---------------|---------------|------------------------------------|--|
| Construction-Installation Permit fees. | | | | | | | |
| For systems with a design capacity of less than 600 gpd | | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$0 |
| For systems with a design capacity of 601-1,000 gpd | | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$379 |
| For systems with a design capacity of 1,001-1,500 gpd | | \$560 | \$989 | \$1,137 | \$1,352 | \$1,710 | \$445 |
| For systems with a design capacity of 1,501-2,000 gpd | | \$659 | \$1,088 | \$1,236 | \$1,433 | \$1,776 <u>1,763</u> | \$511 |
| For systems with a design capacity of 2,001-2,500 gpd | | \$758 | \$1,187 | \$1,335 | \$1,513 | \$1,862 | \$577 |
| Reinspection fee | \$103 | | | | | | |
| Pump Evaluation fee. For all permits that specify the use of a pump or dosing siphon except for sand filter, Alternative treatment technologies, Recirculating gravel filter, and pressurized distribution systems | \$66 | | | | | | |

System Type Key:

Type A = Gray Water waste disposal sumps

Type B = Holding tanks

Type C = Standard subsurface, Absorption trenches in sapolite, Redundant, Seepage trench, Steep slope

Type D = Alternative treatment technologies, Capping fill, Pressurized distribution, Tile dewatering

Type E = Recirculating gravel filter, Sand filter (commercial or residential)

TABLE 9C: OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS (OAR 340-071-0140)

| | | Field Visit required | No Field Visit required |
|---|---------|----------------------|-------------------------|
| Minor Alteration Permit | \$272 | | |
| Major Alteration Permit | \$569 | | |
| Minor Repair Permit - Single Family Dwelling | \$264 | | |
| Major Repair Permit - Single Family Dwelling | \$551 | | |
| Minor Repair Permit - Commercial Facility | \$478 | | |
| Major Repair Permit - Commercial Facility | \$1,038 | | |
| Permit Denial Review | \$363 | | |
| Permit Transfer, Reinstatement, or Renewal | | \$536 | \$157 |
| Authorization Notice | | \$643 | \$165 |
| Authorization Notice Denial Review | \$659 | | |
| Renewal of hardship authorization for temporary dwelling | | \$340 | \$103 |
| Alternative system inspection - Holding tanks | \$396 | | |
| Variance from onsite system rules | \$2,142 | | |
| Land use clearance | \$52 | | |
| Annual report evaluation - Holding tanks – hard copy submittal | \$31 | | |
| Annual report evaluation - Holding tanks – online submittal | \$26 | | |
| Alternative system inspection - Other alternative systems listed in Table 9B | \$544 | | |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – hard copy submittal | \$62 | | |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – online submittal | \$52 | | |

**TABLE 9D: WPCF PERMIT FEES
(OAR 340-071-0140)**

| | Application filing fee (all systems) | Permit processing fees for onsite systems with a design capacity of 1,200 gpd or less | Permit processing fees for onsite systems with a design capacity over 1,200 gpd |
|---|--------------------------------------|---|---|
| New application | \$ 85 <u>91</u> | \$ 684 <u>732</u> | \$ 3,416 <u>3,655</u> |
| Permit renewal (involving request for effluent limit modifications) | \$ 85 <u>91</u> | \$ 340 <u>364</u> | \$ 1,710 <u>1,830</u> |
| Permit renewal (without request for effluent limit modifications) | \$ 85 <u>91</u> | \$ 172 <u>184</u> | \$ 853 <u>913</u> |
| Permit modification (involving increase in effluent limitations) | \$ 85 <u>91</u> | \$ 340 <u>364</u> | \$ 1,710 <u>1,830</u> |
| Permit modification (not involving an increase in effluent limits) | \$ 85 <u>91</u> | \$ 256 <u>274</u> | \$ 853 <u>913</u> |
| Plan Review fee | | | |
| For commercial facilities with a design capacity less than 600 gpd | | \$0 | |
| For commercial facilities with a design capacity of 601 - 1,000 gpd | | \$ 326 <u>349</u> | |
| For commercial facilities with a design capacity of 1,001 - 1,500 gpd | | \$ 384 <u>411</u> | |
| For commercial facilities with a design capacity of 1,501 - 2,000 gpd | | \$ 442 <u>473</u> | |
| For commercial facilities with a design capacity of 2,001 - 2,500 gpd | | \$ 498 <u>533</u> | |
| For commercial facilities with a design capacity of 2,501 - 3,000 gpd | | \$ 584 <u>625</u> | |
| For commercial facilities with a design capacity of 3,001 - 3,500 gpd | | \$ 641 <u>686</u> | |
| For commercial facilities with a design capacity of 3,501 - 4,000 gpd | | \$ 698 <u>747</u> | |
| For commercial facilities with a design capacity of 4,001 - 4,500 gpd | | \$ 753 <u>806</u> | |
| For commercial facilities with a design capacity of 4,501 - 5,000 gpd | | \$ 811 <u>868</u> | |
| Commercial facilities with a design capacity greater than 5,000 gpd | | \$ 853 <u>913</u> | |
| Single family dwelling | | \$ 172 <u>184</u> | |

**TABLE 9D: WPCF PERMIT FEES
(OAR 340-071-0140)**

Annual Compliance Determination fee

| | |
|---|----------------------------------|
| Onsite sewage lagoon with no discharge | \$ 1,024 <u>1,096</u> |
| Treatment Standard 1 or better systems with design capacities less than 2,500 gpd | \$ 427 <u>457</u> |
| Treatment Standard 1 or better systems with design capacities of 2,501 - 20,000 gpd | \$ 853 <u>913</u> |
| Holding tanks, if by the date specified by DEQ, the owner does not submit written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit or that the previous year's service logs for the holding tanks are not available for inspection by the DEQ | \$ 340 <u>364</u> |
| Holding tanks, if by the date specified by DEQ, the owner submits written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit and that the previous year's service | \$ 37 <u>40</u> |
| Other systems with design capacities less than 20,000 gpd | \$ 427 <u>457</u> |
| Other systems with design capacities greater than 20,000 gpd | \$ 853 <u>913</u> |

**TABLE 9E: SEWAGE DISPOSAL SERVICE LICENSE AND
TRUCK INSPECTION FEES
(OAR 340-071-0140)**

| | |
|---|----------------|
| New 3-year business license | \$438 per year |
| Renewal of business license | \$330 per year |
| Additional license fee for additional pumper vehicles | \$16/vehicle |
| Transfer of or amendments to license | \$206 |
| Reinstatement of suspended license | \$258 |
| Pumper truck inspections - First vehicle, each inspection | \$103 |
| Pumper truck inspections - Each additional vehicle, each inspection | \$52 |

**TABLE 9F: OTHER FEES
(OAR 340-071-0140)**

| | |
|---|---------|
| Innovative or Alternative Technology Review | \$1,648 |
| Alternative Technology Review (greater than 1,500 gpd) | \$3,296 |
| Alternative Treatment Technology Annual Compliance Determination Fee (per listed model) | \$515 |
| Material Plan Review | \$494 |
| Department Surcharge | \$100 |

Statutory/Other Authority: 454.615, 454.625 & 468.020

Statutes/Other Implemented: 454.775, 454.780, 454.784, 468.020, 454.605, 454.607, 454.610, 454.615, 454.625, 454.655, 454.665, 454.675, 454.695, 454.725, 454.745, 454.755, 454.780, 468.035, 468.045, 468.065, 468B.050, 468B.055 & 468B.080