



Oregon

Kate Brown, Governor

Department of Environmental Quality
Agency Headquarters
700 NE Multnomah Street, Suite 600
Portland, OR 97232
(503) 229-5696
FAX (503) 229-6124
TTY 711

December 21, 2021

Jennifer Garcia
Hydro Extrusion Portland, Inc.
5325 NE Skyport Way
Portland, OR 97218

Re: Cleaner Air Oregon Source Extension Request – Responses to DEQ Comments on the Air Toxics Emission Inventory

Ms. Garcia,

DEQ received a written request for extension from Hydro Extrusion Portland, Inc. (Hydro) dated December 15, 2021, to submit revisions to Hydro's Toxic Air Contaminant Emissions Inventory (Form AQ520). DEQ originally requested these revisions be submitted to DEQ by January 10, 2022, in accordance with OAR 340-245-0030(2).

Hydro has requested an extension to February 10, 2022, in order to meet with DEQ to discuss final resolution on the following issues and revise the Inventory accordingly:

1. Several SDSs include trimethylbenzene (CAS 25551-13-7), as well as one or more of the isomers; Hydro would like to discuss this request with DEQ to ensure it is appropriately addressed in the revised Inventory.
2. Hydro would like to come to an agreement on the best approach to include all potential TAC emissions in the final Inventory.

In accordance with OAR 340-245-0030(3)(b), DEQ approves a 30-day extension for submittal of the revised Inventory. Hydro will meet with DEQ the week of January 3, 2022 to discuss the requested revisions. The revised Inventory must be submitted no later than February 10, 2022.

Please contact me directly (503.229.5534, thomas.rhodes@deq.oregon.gov) with any questions or concerns. We look forward to your continued assistance with this process.

Sincerely,

Thomas Rhodes

Thomas Rhodes

Cleaner Air Oregon Source Test Coordinator

Cc: Jeremy Basler, Hydro
Leslie Riley, MFA

26-3241 Hydro Extrusion Portland, Inc.

Keith Johnson, DEQ
Kenzie Billings, DEQ
JR Giska, DEQ
Mathew Davis, DEQ
Weston Li, DEQ
File