

Key to Identifying Changed Text:

Deleted Text

New/inserted text



State of Oregon Department of Environmental Quality

OAR 340-045-0075 Fee Tables

Effective November 1, 20223

OAR 340-045-0075 Table 70A Industrial NPDES and WPCF Individual Permits: Application and Modification Fees

Effective November 1, 20223

Application fees for new industrial permits				
Tier 1 Industrial Facilities	\$ 87,514 <u>90,139</u>			
Tier 2 Industrial Facilities	\$ 17,611 18,139			
Special WPCF Permits (OAR 340-045-0061)	\$ 832 856			

Note: New permit applications must include the annual fee specified in Table 70B in addition to the new permit application fee listed above. The application fee is not required for renewal unless a modification is needed or requested.

Modification Fees¹

	wajor		
	At Permit Renewal	Prior to Expiration	Minor
Tier 1 Industrial Facilities	\$ 21,986 22,645	\$ 43,687 <u>44,997</u>	\$ 1,532 <u>1,5</u> 77

OAR 340-045-0075 Table 70A Industrial NPDES and WPCF Individual Permits: Application and Modification Fees

Effective November 1, 20223

Tier 2 Industrial Facilities

\$ 5,590 \$ 8,730 5,757 8,991

\$ 1,532 1,577

^{1.} A new application, application fee and modification fee must accompany all requests for permit modification. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review.

OAR 340-045-0075 Table 70B

Industrial NPDES and WPCF Individual Permit Annual Fees

Туре	Description	NPDES Tier 1	NPDES Tier 2	WPCF Tier 1	WPCF Tier 2
B01	Pulp, paper, or other fiber pulping industry	N	\$ 28,400 29,252	N	
Food	d or beverage processing - includes proc human, pet, or livesto			afood or (dairy for
B02	Washing or packing only	N	\$ 4 ,253 4,380	N	\$ 3,915 <u>4,032</u>
В03	Processing – small. Flow ≤ 0.1 mgd, or $0.1 <$ flow < 1 mgd for less than 180 days per year	N	\$\frac{6,360}{6,550}	N	\$ 6,017 <u>6,197</u>
B04	Processing – medium. 0.1 mgd < Flow < 1 mgd for 180 or more days per year, or flow ≥ 1 mgd for less than 180 days per year	N	\$ 8,974 9,243	N	\$ -8,632 <u>-8,890</u>
B05	Processing – large. Flow ≥ 1 mgd for 180 or more days per year	\$ 30,600 31,518	\$ -26,888 27,694	\$ 28,400 29,252	\$ 26,541 <u>27,337</u>
	Primary Smeltin	g or Refinin	g:		
B06	Aluminum	\$ 30,600 31,518	\$ 26,888 <u>27,694</u>	\$ 28,400 29,252	\$ 26,541 27,337
B07	Non-ferrous metals utilizing sand chlorination separation facilities	\$30,600 31,518	\$ 26,888 27,694	\$ 28,400 <u>29,252</u>	\$\frac{26,541}{27,337}
B08	Ferrous and non-ferrous metals not elsewhere classified	\$ 17,499 <u>18,023</u>	\$ 13,784 <u>14,197</u>	\$ 15,299 <u>15,757</u>	\$ 13,445 <u>13,848</u>
B09	Chemical manufacturing with discharge of process wastewater	\$30,600 31,518	\$ 26,888 <u>27,694</u>	\$ 28,400 <u>29,252</u>	\$ 26,541
B10	Cooling water discharges in excess of 20,000 BTU per second \$17,499		\$ 13,784 <u>14,197</u>	\$ 15,299 <u>15,757</u>	\$ 13,445 <u>13,848</u>
	Mining Operations – includes a	aggregate o	r ore proce	essing:	
B11	Large (over 500,000 cubic yards per year or involving chemical leaching)	\$30,600 31,518	\$ -26,888 27,694	\$ 28,400 <u>29,252</u>	\$ 26,541 27,337

	OAR 340-045-0075 Table 70B Industrial NPDES and WPCF Individual Permit Annual Fees Effective November 1, 20232							
B12	Medium (100,000 to 500,000 cubic yards per year)	N	\$ 9,414 9,696	N	\$ 9,071 <u>9,343</u>			
B13	Small (less than 100,000 cubic yards per year)	N	\$ 2,865 <u>2,950</u>	N	\$ 2,523 <u>2,598</u>			
All fa	ncilities not elsewhere classified which d remediated gro		rocess was	stewater (includes			
B14	Tier 1 sources	\$30,600 31,518	N	\$ 28,400 29,252	N			
B15	Tier 2 sources	N	\$ 5,920 6,097	N	\$ 5,583 5,750			
Туре	Description	NPDES Tier 1	NPDES Tier 2	WPCF Tier 1	WPCF Tier 2			
B16	All facilities not elsewhere classified which dispose of non-process wastewaters (for example: small cooling water discharges, boiler blowdown, filter backwash)	N	\$ 3,963 4,081	N	\$ 3,622 <u>3,730</u>			
B17	Fish hatcheries and other confined feeding operations on individual permits except permits the Oregon Department of Agriculture administers.	N	\$ 3,470 3,574	N	\$ 3,129 <u>3,222</u>			
B18	All facilities which dispose of wastewater only by evaporation from watertight ponds or basins	N	\$ 2,299 <u>2,367</u>					
Timber and Wood Products								
B19	Sawmills, log storage, instream log storage	\$ 8,582 <u>8,839</u>	\$ 4,868 <u>5,014</u>	\$ 6,382 <u>6,573</u>	\$ 4 <u>,524_4,659</u>			
B20	Hardboard, veneer, plywood, particle board, pressboard manufacturing, wood products	\$ 9,075 9,347	\$ 5,362	\$ 6,878	\$ 5,023 <u>5,173</u>			
B21	Wood preserving	\$ 7,679 <u>7,909</u>	\$ 3,963 4,081	\$ 5,478 <u>5,642</u>	\$ 3,622 <u>3,730</u>			

OAR 340-045-0075 Table 70C

Domestic NPDES and WPCF Individual Permits: Application, Annual and Modification Fees

Description	Тура Criteria ¹		New Permit	NPDES Annual	WPCF Annual	Modifications 3	
Description	pe	Criteria ¹	App. Fee ²	Fee (5yr)	Fee (10yr)	Major	Minor
	A1	Flow ≥ 50 mgd	\$ 55,789 <u>57,462</u>	\$ 120,817 <u>124,441</u>		\$ 27,964 28,802	\$ 1,532 <u>1,577</u>
	A2	5 mgd ≤ Flow < 50 mgd	\$ 55,789 <u>57,462</u>	\$ 71,006 <u>73,136</u>		\$ 27,964 28,802	\$ 1,532 <u>1,577</u>
	A3	10 mgd ≤ Flow < 25 mgd	\$ 55,789 <u>57,462</u>	\$ 33,466 <u>34,469</u>		\$ -27,964 28,802	\$ 1,532 <u>1,577</u>
Non- Lagoon Treatment Systems	Ba	5 mgd ≤ Flow < 10 mgd	\$ 55,789 <u>57,462</u>	\$ 21,452 <u>22,095</u>	\$ 20,048 20,649	\$ 27,964 28,802	\$ 1,532 <u>1,577</u>
Í	Cla	2 mgd ≤ Flow < 5 mgd	\$ 55,789 <u>57,462</u>	\$-14,425 14,857	\$ 13,024 <u>13,414</u>	\$ 27,964 <u>28,802</u>	\$ 1,532 <u>1,577</u>
	C2a	1 mgd ≤ Flow < 2 mgd	\$ 55,789 <u>57,642</u>	\$ 9,790 10,083	\$ 8,387 8,638	\$ 27,964 28,802	\$ 1,532 <u>1,577</u>
	Da	Flow < 1 mgd	\$ 11,270 <u>11,608</u>	\$ 3,099 3,191	\$ -2,876 2,962	\$ 5,708 <u>5,879</u>	\$ 1,532 1,577

OAR 340-045-0075 Table 70C

Domestic NPDES and WPCF Individual Permits: Application, Annual and Modification Fees

	-		New	NPDES	WPCF	Modifications 3	
Description	Туре	Criteria ¹ Permit App. Fee ²	Annual Fee (5yr)	Annual Fee (10yr)	Major	Minor	
	Bb	5 mgd ≤ Flow < 10 mgd	\$ 55,789 <u>57,462</u>	\$ 11,343 <u>11,683</u>		\$ 27,964 28,802	\$ 1,532 <u>1,577</u>
Lagoons Discharging to Surface Waters Nondischarging Lagoons	C1b	2 mgd ≤ Flow < 5 mgd	\$ 55,789 <u>57,462</u>	\$ 7,887 <u>8,123</u>		\$ 27,964 <u>28,802</u>	\$\frac{1,532}{1,577}
	C2b	1 mgd ≤ Flow < 2 mgd	\$ 55,789 <u>57,462</u>	\$ 5,757 <u>5,929</u>		\$ 27,964 <u>28,802</u>	\$ 1,532 <u>1,577</u>
	Db	Flow < 1 mgd	\$ 11,270 <u>11,608</u>	\$ 2,185 2,250		\$ 5,708 <u>5,879</u>	\$ 1,532 <u>1,577</u>
	Е	No discharge flow	\$ 5,708 <u>5,879</u>		\$ 1,821 <u>1,875</u>	\$\frac{2,921}{3,008}	\$ 1,532 <u>1,577</u>
Alkaline- stabilization facilities	F		\$ 1,532 <u>1,577</u>		\$ 627 <u>645</u>		\$ 674 694
Please see Tab	Please see Table 70D and 70E for applicable population and pretreatment fees for the permits listed above.						
Municipal Separate Storm Sewer System	MS4	See 40 C.F.R. § 122.26	\$30,983 31,912	Please see Table 70H		\$\frac{2,690}{2,770}	\$ 1,532 <u>1,577</u>

^{1.} Based on Average Dry Weather Design Flow, or as defined in 40 C.F.R.

^{2.} New permit applications must include the annual fee in addition to the new permit application fee.

^{3.} DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review.

OAR 340-045-0075 Table 70D Domestic NPDES and WPCF Annual Population Fee

Effective November 1, 20232

Population range	Annual fee
500,000+	\$ 162,319 <u>167,188</u>
400,000 to 499,999	\$ 124,173 <u>127,898</u>
300,000 to 399,999	\$ <u>86,030</u> <u>88,610</u>
200,000 to 299,999	\$ 4 7,882 49,318
150,000 to 199,999	\$ <u>38,725_39,886</u>
100,000 to 149,999	\$ 25,504 <u>26,269</u>
50,000 to 99,999	\$ 15,995 <u>16,474</u>
25,000 to 49,999	\$ -7,189 7,404
15,000 to 24,999	\$ -4,093 <u>-4,215</u>
10,000 to 14,999	\$ -2,666 _2,745
5,000 to 9,999	\$ 1,620 <u>1,668</u>
1,000 to 4,999	\$ 4 <u>84_498</u>
100 to 999	\$ 91 _93
0 to 99	\$0

OAR 340-045-0075 Table 70E Annual Pretreatment Fees

Description	Fee
Pretreatment Fee	\$ 2,782 <u>2,865</u>
Significant Industrial User	\$ <u>928</u> <u>955</u> per industry

OAR 340-045-0075 Table 70F

All NPDES and WPCF¹ Permits: Technical Activity, Plan Review, and Other Fees

Effective November 1, 20223

Activity	Fee
New or substantially modified sewage treatment facility	\$ 12,799 <u>13,182</u>
Minor facility or pump station modifications	\$ -1,391 _1,432
Major system or pressure system expansion	\$ 975 <u>1,004</u>
Minor system expansion or modification	\$ 276 <u>284</u>
New or substantially modified septage alkaline stabilization facility	\$ 1,391 <u>1,432</u>
Site inspection and evaluation ²	\$ 2,179 <u>2,244</u>
Disposal system plan review ²	\$ 871 <u>897</u>
Environmental management plan review ³	\$ 871 <u>897</u>
Other Fees	
Annual temporary or permanent electronic reporting requirement waiver	\$ 1,061 <u>1,092</u>
Permit transfer, legal name change.	\$ -135 _139

- 1. Does not include Onsite septic systems. Please see Tables 9A-9F in OAR 340-071 for appropriate technical activity fees.
- 2. This fee only applies when these activities are required for DEQ's review of a general permit application.
- 3. This fee is not charged to new applicants for individual NPDES and WPCF permits. Plansupdated after the permit is issued are subject to plan review as specified in the permit. This includes but is not limited to biosolids management plan and recycled water use plan.

OAR 340-045-0075 Table 70G General NPDES and WPCF Permits: Application and Annual Fees

Number	Туре	Description	New Permit App. Fee ¹	Annual Fee
100-J	NPDES	Cooling water/heat pumps	\$ <u>356</u> <u>366</u>	\$ 810 <u>834</u>
200-J	NPDES	Filter backwash	\$ <u>356</u> <u>366</u>	\$ 810 <u>834</u>
300-J	NPDES	Fish hatcheries	\$ 568 <u>585</u>	\$ 810 <u>834</u>
400-J	NPDES	Log ponds	\$ 356 366	\$ 810 <u>834</u>

OAR 340-045-0075 Table 70G General NPDES and WPCF Permits: Application and Annual Fees

Number	Туре	Description Description	New Permit App. Fee ¹	Annual Fee
500-J	NPDES	Boiler blowdown	\$ <u>356</u> <u>366</u>	\$ 810 <u>834</u>
900-J	NPDES	Seafood processing	\$ <u>356</u> <u>366</u>	\$ 810 <u>834</u>
1400-A	WPCF	Wineries and seasonal fresh pack operations whose wastewater flow is ≤ 25,000 gallons/day and is only disposed of by land irrigation.	\$ -356 _366	\$ 475 <u>489</u>
1400-B	WPCF	Wineries and small food processors not otherwise eligible for a 1400A general permit.	\$ -568 _585	\$ 810 <u>834</u>
1500-A	NPDES	Petroleum hydrocarbon clean-up	\$ 568 <u>585</u>	\$ 810 <u>834</u>
1500-B	WPCF	Petroleum hydrocarbon clean-up	\$ 568 <u>585</u>	\$ 810 <u>834</u>
1700-A	NPDES	Vehicle and equipment wash water	\$ 790 <u>813</u>	\$ 810 <u>834</u>
1700-В	WPCF	Vehicle and equipment wash water	\$ 790 <u>813</u>	\$ 810 <u>834</u>
1900-J	NPDES	Non-contact geothermal heat exchange	\$ 790 <u>813</u>	\$ 810 <u>834</u>
2000-J	NPDES	Pesticide use irrigation districts	\$ 790 _813	\$ 810 <u>834</u>
2300-A	NPDES	Pesticide general permit	\$ 790 <u>813</u>	\$ 810 <u>834</u>
T	Reside	ential and Commercial Graywater and Ind	ustrial Reuse Wate	er
2401	WPCF	Tier 1 graywater reuse and disposal system for residential systems: ≤ 300 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit	\$ <u>-54_55</u>	\$ 4 <u>3_44</u>
2402	WPCF	Tier 2 graywater reuse and disposal system for systems: ≤ 1,200 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit	\$ 582 <u>599</u>	\$ 5 4 <u>55</u>
2501	WPCF	Industrial reuse water free of human and animal waste suitable for reuse without secondary or advanced treatment and $\leq 25,000$ gallons/day	\$ 790 <u>813</u>	\$ 810 <u>834</u>

OAR 340-045-0075 Table 70G General NPDES and WPCF Permits: Application and Annual Fees

		Effective November 1, 202			
Number	Type	Description	New Permit App. Fee ¹	Annual Fee	
		Stormwater General Permits	2		
1200-A	NPDES	Stormwater: Sand, gravel, and other non- metallic mining	\$ -1,388 _1,429	\$ 1,427 <u>1,469</u>	
1200-C	NPDES	Stormwater: Construction activities – one acre or more	\$ 1,388 <u>1,429</u>	\$ 1,427 <u>1,469</u>	
200-C	NPDES	Stormwater: Construction activities – less than one acre and part of a common plan of development disturbing one or more acres	\$ 406 _418	\$0	
1200-CA	NPDES	Stormwater: Construction activities performed by public agencies – one acre or more	\$ -1,388 <u>-1,429</u>	\$ -1,427 <u>1,469</u>	
1200-Z	NPDES	Stormwater: Industrial	\$ 1,388 <u>1,429</u>	\$ 1,427 <u>1,469</u>	
4000- MS4	NPDES	Municipal Separate Storm Sewer System (MS4): Conveyance system owned or operated by municipality, special district, hospital, port, school district, etc.	\$ 1,388 <u>1,429</u>	Please see Table 70H	
		Mining General Permits			
600	WDCE	Offstream small scale mining – Processing < 5 cubic yds/day, or < 1,500 cubic yds/year	\$0	\$0	
600	WPCF	Offstream small scale mining – Processing 1,500 -10,000 cubic yds/year	\$ <u>356</u> <u>366</u>	\$0	
700-PM	NPDES	Suction dredges (gravity and syphon)	\$0	\$25	
700-PM	NPDES	Suction dredges (motorized)	\$250	\$250	
		Permit renewal fee every five years (in addition to the annual fee)	\$250		
1000	WPCF	Gravel mining	\$ 356 366	\$ 810 <u>834</u>	
	Other General Permits				
DOM-F	WPCF	Septage alkaline stabilization facilities	\$ -1,532 <u>1,577</u>	\$ 627 <u>645</u>	
	All othe	r permits not elsewhere classified.	\$ -790 <u>813</u>	\$ 810 <u>834</u>	

OAR 340-045-0075 Table 70G General NPDES and WPCF Permits: Application and Annual Fees

Effective November 1, 20232

Number Type Description	New Permit App. Fee ¹	Annual Fee
-------------------------	-------------------------------------	---------------

- 1. New permit applications must include both the new permit application fee and the first year's annual fee.
- 2. Stormwater construction and industrial permits are also administered by public agencies and local districts under contract with DEQ.

OAR 340-045-0075 Table 70H Municipal Separate Storm Sewer System Permits: Annual Fees

Population-based cost-per-person, except counties and other	Annual Fee		
Cost-per-person	\$ 0.125 <u>0.128</u>		
Counties, Phase I	\$ 11,254 <u>11,591</u>		
Counties, Phase II (non-traditional MS4s, hospitals, public universities, etc.)	\$ 2,812 <u>2,896</u>		
Oregon Department of Transportation MS4* \$ 45,020 46,370			
*Fee for ODOT MS4 assessed only in the absence of a separate revenue agreement.			

OAR 340-045-0075 Table 70I

Underground Injection Control Permits Application Fees, Annual Fees and Surcharges

Turna	Decembries	Application Annual		Class of	Surcha	rge
Туре	Description	Fee	Fee Fee		Application	Annual
	Low Risk Stormwater Only	None	None	Low Risk	\$107	None
Authorized By	Non-Stormwater Injection ²	None	None	Medium Risk	\$134	None
Rule ¹	All Other UIC's			Low Risk	\$107	None
	Draining Stormwater from	None	None	Medium Risk	\$134	None
	Any Surface	1,622		High Risk	\$321	\$107
1200 11 0				Low Risk	\$ 140 <u>144</u>	None
1200-U General Permit ³	Stormwater Injection	\$ 790 <u>813</u>		Medium Risk	\$ 177 _182	None
1 cmit	Storm water injection		<u>834</u>	High Risk	\$ 4 25 _437	\$ 140 <u>144</u>
1900-B General Permit	Injection During Geothermal Exploration	\$ 790 813	\$-810 834			
		Application	Annual	Individual W	PCF Modifica	ations
Туре	Description	Fee	Fee	Major	Mino	r
Individual WPCF Permit	As defined in 40 CFR parts 9, 144, 145 and 146	\$ 17,611 <u>18,139</u>	\$ 3,727 <u>3,838</u>	\$ -2,921 <u>-3,008</u>	\$ 1,53 ; <u>1,577</u>	

^{1.} Includes facilities with less than 50 injection systems. All systems must be located over 500 feet from a water well and outside a 2 -year time of travel from a water source.

^{2.} Includes aquifer storage and recovery, low temperature geothermal injection, remediation and other underground injection control systems that do not drain stormwater.

^{3.} Includes facilities with less than 50 injection systems and for systems within 500 ft from a water well and within a 2-year time of travel from a water source.



Effective November 1, 20223

OAR 340-071-0220 TABLE 1 MINIMUM SEPARATION DISTANCES

(ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED)

Items Requiring Setback		From Subsurface Absorption Area Including Replacement Area	From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units
1. Groundwater Sup	plies and Wells	*100	50
2. Springs	Upgradient	50	50
1 5	Downgradient	100	50
**3. Surface Public Waters	Year round	100	50
	Seasonal	50	50
4. Intermittent Streams	Piped (watertight not less than 20' from any part of the onsite system)	20	20
	Unpiped	50	50
	On a slope of 3% or less	20	10
5. Groundwater Interceptors	On a slope greater than 3%: Upgradient	10	5
	On a slope greater than 3%: Downgradient	50	10

TABLE 1

MINIMUM SEPARATION DISTANCES

(ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED)

Items Requiring Setback		From Subsurface Absorption Area Including Replacement Area	From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units
6. Irrigation Canals	Lined (watertight canal) : Downgradient	25	25
	Unlined: Upgradient	25	25
	Unlined: Downgradient	50	50
7. Manmade Cuts Down - Gradient in Excess of 30	Which Intersect Layers that Limit Effective Soil Depth Within 48 Inches of Surface	50	25
Inches (top of downslope cut)	Which Do Not Intersect Layers that Limit Effective Soil Depth	25	10
8. Downgradient	Which Intersect Layers that Limit Effective Soil Depth	50	10
Escarpments	Which Do Not Intersect Layers that Limit Effective Soil Depth	25	10
9. Property Lines		10	5
10. Water		10	10
11. Foundation Lines of any Building, Including Garages and Out Buildings		10	5
12. Undergroup	nd Utilities	10	<u> </u>

^{* 50-}foot setback for wells constructed with special standards granted by WRD.

**This does not prevent stream crossings of pressure effluent sewers.

OAR 340-071-0220 TABLE 2

QUANTITIES OF SEWAGE FLOWS

		Column 1	Column 2
Type of Establishment		Gallons Per Day	Minimum Gallons Per Establishment Per Day
	Airports	5 (per passenger)	150
Bathhouses	and swimming pools	10 (per person)	300
Camps:	Campground with central comfort stations	35 (per person)	700
(4 Persons per Campsite, where Applicable)	With flush toilets, no showers	25 (per person)	500
7 Approducte)	Construction camps — semi- permanent	50 (per person)	1000
	Day camps — no meals served	15 (per person)	300
	Resort camps (night and day) with limited plumbing	50 (per person)	1000
Luxury camps		100 (per person)	2000
	Churches	5 (per seat)	150
Со	untry clubs	100 (per resident member)	2000
Country clubs		25 (per non- resident member present)	_
	Boarding houses	150 (per bedroom)	600
Dwellings:	Boarding houses – additional for non-residential boarders	10 (per person)	_
	Rooming houses	80 (per person)	500
	Condominiums, Multiple family dwellings — including apartments	300 (per unit)	900

OAR 340-071-0220 TABLE 2

QUANTITIES OF SEWAGE FLOWS

Type of Establishment		Column 1	Column 2
		Gallons Per Day	Minimum Gallons Per Establishment Per Day
D 11.	Single family dwellings		450*
Dwellings:	Single family dwellings — with more than 2 bedrooms	75 (for third & each succeeding bedroom)	450
`	of industrial wastes — with wer facilities)	35 (per person per shift)	300
`	ive of industrial wastes — shower facilities)	15 (per person per shift)	150
Hospitals		250 (per bed space)	2500
Hotels with private baths		120 (per room)	600
Hotels without private baths		100 (per room)	500
Institutions other than hospitals		125 (per bed space)	1250
Laundries — self-service		500 (per machine)	2500
Mobi	le home parks	250 (per space)	750
Motels — with bath, toilet, and kitchen wastes		100 (per bedroom)	500
Motels — without kitchens		80 (per bedroom)	400
Picnic Parks — toilet wastes only		5 (per picnicker)	150
Picnic Parks — with bathhouses, showers, and flush toilets		10 (per picnicker)	300
Restaurants		40 (per seat)	800
Restaurant	s — single-service	2 (per customer)	300
Restaurants — v	with bars and/or lounges	50 (per seat)	1000

OAR 340-071-0220 TABLE 2 **QUANTITIES OF SEWAGE FLOWS**

Type of Establishment		Column 1	Column 2
		Gallons Per Day	Minimum Gallons Per Establishment Per Day
	Boarding	100 (per person)	3000
	Day — without gyms, cafeterias, or showers	15 (per person)	450
Schools:	Day — with gyms, cafeterias and showers	25 (per person)	750
	Day — with cafeteria, but without gyms or showers	20 (per person)	600
Serv	vice Stations	10 (per vehicle served)	500
Swimming p	oools and bathhouses	10 (per person)	300
Theaters:	Movie	5 (per seat)	300
Theaters.	Drive-In	20 (per car space)	1000
Travel trailer parks — without individual water and sewer hookups		50 (per space)	300
Travel trailer parks — with individual water and sewer hookups		100 (per space)	500
Workers:	Construction — as semi- permanent camps	50 (per person)	1000
	Day — at schools and offices	15 (per shift)	150
* Except as otherwise p	rovided in these rules.		




TABLE 4

Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus effective soil depth.

		Soil Group	
Effective Soil Depth	Α	В	С
18" to Less than 24"	125	150	175
24" to Less than 36"	100	125	150
36" to Less than 48	75	100	125
48" or more	50	75	125

Soil Group A — Sand, Loamy Sand, Sandy Loam.

Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay.

If sand grains are fine or very fine, site according to Group B soils.


OAR 340-071-0220 **TABLE 5**


Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus depth to temporary groundwater.

	Soil Group		
Depth to Temporary Groundwater	Α	В	С
24" to Less than 48"	100	125	150
48" or More	50	75	125

Soil Group A — Sand, Loamy Sand, Sandy Loam.

Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam.
Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay.
If sand grains are fine or very fine, site according to Group B soils.





OAR 340-071-0100 TABLE 7

USDA SOIL CLASSIFICATION SIZES OF SOIL SEPARATES

Material	Sieve Sizes	Millimeters
Clay		.002
Silt	270	.050
Very Fine Sand	200 140	.075 .1
Fine Sand	60	.25
Medium Sand	35	.5
Coarse Sand	18	1.0
Very Coarse Sand	10	2.0
Fine Gravel	4 3/8" 1/2	4.75 9.5 12.5
Course Gravel	3"	76.2
Cobbles		

TABLE 8

MINIMUM SEPARATION DISTANCES FOR NONWATER-CARRIED WASTE DISPOSAL FACILITIES

Items requiring separation	Self-Contained Nonwater- Carried Waste Disposal	Unsealed Earth Type Privies, Graywater Waste Disposal Sump and Seepage Chambers
Groundwater supplies including springs and cisterns	50'	100'
Surface public waters, excluding intermittent streams	50'	100'
Intermittent streams	50'	50'
Property line	25'	25'

TABLE 9A

SITE EVALUATION AND EXISTING SYSTEM EVALUATION FEES

New Site Evaluation Fees

Fees in this section apply to each system for which site suitability is evaluated

Toda in this acotion apply to each system for which are acitability is evaluated		
Single family dwelling - First lot	\$700	
Single family dwelling - Each additional lot evaluated during initial visit	\$700	
Commercial facility with a design capacity of 1,000 gpd or less	\$700	
Commercial facility with a design capacity of 1,001-1,500 gpd	\$882	
Commercial facility with a design capacity of 1,501-2,000 gpd	\$1,063	
Commercial facility with a design capacity of 2,001-2,500 gpd	\$1,244	
Commercial facility s with a design capacity of 2,501-3,000 gpd	\$1,426	
Commercial facility with a design capacity of 3,001-3,500 gpd	\$1,607	
Commercial facility with a design capacity of 3,501-4,000 gpd	\$1,788	
Commercial facility with a design capacity of 4,001-4,500 gpd	\$1,969	
Commercial facility with a design capacity of 4,501-5,000 gpd	\$2,151	
Commercial facility with a design flow greater than 5,000 gpd	\$2,373	
Site Evaluation Report Review fee	\$659	
Existing System Evaluation Report fee	\$659	

TABLE 9B

PERMITTING FEES FOR SYSTEMS NOT **SUBJECT TO WPCF PERMITS**

Type of Fee		System Type					Plan Review
		A	В	С	D	Ш	fees for Commercial Facility Systems
	For systems with a design capacity of less than 600 gpd	\$461	\$890	\$1,038	\$1,272	\$1,566	\$0
	For systems with a design capacity of 601-1,000 gpd	\$461	\$890	\$1,038	\$1,272	\$1,566	\$379
Construction- Installation Permit Fees	For systems with a design capacity of 1,001-1,500 gpd	\$560	\$989	\$1,137	\$1,352	\$1,710	\$445
	For systems with a design capacity of 1,501-2,000 gpd	\$659	\$1,088	\$1,236	\$1,433	\$1,763	\$511
	For systems with a design capacity of 2,001-2,500 gpd	\$758	\$1,187	\$1,335	\$1,513	\$1,862	\$577
Reinspe	ection fee	\$103	\$103	\$103	\$103	\$103	\$103
specify the use of siphon except for sa treatment technology	e. For all permits that a pump or dosing and filter, Alternative ogies, Recirculating essurized distribution	\$66	\$66	\$66	\$66	\$66	\$66

System Type Key:
Type A = Gray Water waste disposal sumps
Type B = Holding tanks

Type C = Standard subsurface, Absorption trenches in saprolite, Redundant, Seepage trench, Steep slope

Type D = Alternative treatment technologies, Capping fill, Pressurized distribution, Tile dewatering

Type E = Recirculating gravel filter, Sand filter (commercial or residential)

TABLE 9C

OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS

Fee Subject	Fee	Field Visit required	No Field Visit required
Minor Alteration Permit	\$272		
Major Alteration Permit	\$569		
Minor Repair Permit - Single Family Dwelling	\$264		
Major Repair Permit - Single Family Dwelling	\$551		
Minor Repair Permit - Commercial Facility	\$478		
Major Repair Permit - Commercial Facility	\$1,038		
Permit Denial Review	\$363		
Permit Transfer, Reinstatement, or Renewal		\$536	\$157
Authorization Notice		\$643	\$165
Authorization Notice Denial Review	\$659		
Renewal of hardship authorization for temporary dwelling		\$340	\$103
Alternative system inspection - Holding tanks	\$396		
Variance from onsite system rules	\$2,142		
Land use clearance	\$52		
Annual report evaluation - Holding tanks – hard copy submittal	\$31		
Annual report evaluation - Holding tanks – online submittal	\$26		
Alternative system inspection - Other alternative systems listed in Table 9B	\$544		

TABLE 9C

OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS

Туре	Fee	Field Visit required	No Field Visit required
Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – hard copy submittal			
Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology - online submittal			

OAR 340-071-0140 TABLE 9D

WPCF PERMIT FEES

Eπective November 1, 202 2 3				
	Application filing fee (all systems)	Permit processing fees for onsite systems with a design capacity of 1,200 gpd or less	Permit processing fees for onsite systems with a design capacity over 1,200 gpd	
New application	\$ 120 _123	\$ 967 _996	\$4,832 4,976	
Permit renewal (involving request for effluent limit modifications)	\$ 120 _123	\$ 481 _495	\$ 2,419 2,491	
Permit renewal (without request for effluent limit modifications)	\$ 120 _123	\$ 243 _250	\$ 1,206 1,242	
Permit modification (involving increase in effluent limitations)	\$ 120 _123	\$ 481 _495	\$ 2,419 2,491	
Permit modification (not involving an increase in effluent limits)	\$ 120 _123	\$ 361 _371	\$ 1,206 1,242	
Plan	Review fee			
For commercial facilities with a design capacity less than 600 gpd		\$0		
For commercial facilities with a design capacity of 600 - 1,000 gpd		\$4 60 _473		
For commercial facilities with a design capacity of 1,001 - 1,500 gpd	\$ 5 42 <u>558</u>			
For commercial facilities with a design capacity of 1,501 - 2,000 gpd	\$ 62 4 <u>642</u>			
For commercial facilities with a design capacity of 2,001 - 2,500 gpd	\$ 703 _ <u>724</u>			
For commercial facilities with a design capacity of 2,501 - 3,000 gpd	\$ 826 <u>850</u>			
For commercial facilities with a design capacity of 3,001 - 3,500 gpd	\$ 906 _933_			

OAR 340-071-0140 TABLE 9D			
WPCF PERMIT FEES Effective November 1, 20223			
For commercial facilities with a design capacity of 3,501 - 4,000 gpd	\$ 985_1,014		
	Review fee		
For commercial facilities with a design capacity of 4,001 - 4,500 gpd	\$ 1,065 <u>1,096</u>		
For commercial facilities with a design capacity of 4,501 - 5,000 gpd	\$ -1,147 _1,181		
Commercial facilities with a design capacity greater than 5,000 gpd	\$ 1,206 <u>1,242</u>		
Single family dwelling	\$ -243 _ <u>250</u>		
Annual Complia	nce Determination fee		
Onsite sewage lagoon with no discharge	\$ <u>1,448_1,491</u>		
Treatment Standard 1 or better systems with design capacities less than 2,500 gpd	\$ -60 4 <u>622</u>		
Treatment Standard 1 or better systems with design capacities of 2,500 - 20,000 gpd	\$ 1,206 <u>1,242</u>		
Holding tanks, if by the date specified by DEQ, the owner does not submit written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit or that the previous year's service logs for the holding tanks are not available for inspection by the DEQ	\$-481 <u>495</u>		
Holding tanks, if by the date specified by DEQ, the owner submits written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit and that the previous year's service	\$ -52 _ <u>53</u>		
Other systems with design capacities less than 20,000 gpd	\$ -604		

OAR 340-071-0140 TABLE 9D			
WPCF PERMIT FEES Effective November 1, 20223			
	<u>622</u>		
Other systems with design capacities 20,000 gpd or more	\$ <u>1,206</u> <u>1,242</u>		

OAR 340-071-0140 TABLE 9E SEWAGE DISPOSAL SERVICE LICENSE AND TRUCK INSPECTION FEES				
New 3-year business license	\$438 per year			
Renewal of business license	\$330 per year			
Additional license fee for additional pumper vehicles	\$16/vehicle			
Transfer of or amendments to license	\$206			
Reinstatement of suspended license	\$258			
Pumper truck inspections - First vehicle, each inspection	\$103			
Pumper truck inspections - Each additional vehicle, each inspection	\$52			

OAR 340-071-0140 Table 9F Other Fees	
Innovative or Alternative Technology Review	\$1,648
Alternative Technology Review (greater than 1,500 gpd)	\$3,296
Alternative Treatment Technology Annual Compliance Determination Fee (per listed model)	\$515
Material Plan Review	\$494
Department Surcharge	\$100