



# Oregon

Kate Brown, Governor

## Department of Human Services

*Safety, Oversight, and Quality*

*PO Box 14530, Salem, OR 97309*

*3406 Cherry Ave NE, Salem, OR 97303*

*Phone: (503) 373-2227*

*Fax (503) 378-8966*

7/12/18

**TO:** Community Based Care:  
Assisted Living, Residential Care,  
Memory Care Facilities

**FROM:** Safety, Oversight, and Quality

**RE:** Extreme Heat in your facility

**CBC Provider Alert:**

Most areas of the state have experienced high temperatures recently. As you know, the elderly are particularly vulnerable at this time. It is important for each facility to review the policies and procedures it has already developed to ensure the provision of necessary care.

Under OAR 411-054-0200(7)(B):

(B) During times of extreme summer heat, fans must be made available when air conditioning is not provided.

Precautions must be taken to prevent resident exposure to stale, non-circulating air. If the licensee is unable to maintain a comfortable temperature for the residents during times of extreme summer heat, air conditioning or another cooling system may be required.

If the facility is air-conditioned, the system must be functional and the filters must be cleaned or changed as needed to ensure proper maintenance.

Helpful information can be found on Centers for Disease Control and Prevention website:

<http://www.cdc.gov/extremeheat/>

For questions please email [CBC.Team@state.or.us](mailto:CBC.Team@state.or.us)

