

Baker (Burnt River) DIST

NAME: Oregon Mining Company, ~~Herford District~~, Baker County

OWNERS: ~~Butler~~, Main Office, 1926 Second Avenue, Seattle, Washington; J. E. Angle, Pres.; J. R. Angle, Supt.; A. B. Love, Vice Pres.; ~~J. Ray Abraham~~, Secy. Incorporated 9/21/37
C. B. Walker

LOCATION: Sections 3 and 9, T12S - R41E

AREA: Extends east to quarter section on the edge of Section 3. Extends southwest to mouth of Burnt River Canyon below Bridgeport, comprising 12 to 14 placer claims and 2 forty's of deeded ground.

HISTORY: Property was worked in a small way but never has been dredged before. Dredge starts before November 1.

EQUIPMENT: "Universal" dragline, a boat with $1\frac{1}{4}$ gas shovel, Kirk-Hillman airplane placer drill for testing, and cassion shaft sinking outfit. ~~outside.~~ Acetylene welding and electric welding outfits.

GEOLOGY: Bedrock, mostly schist with a few ribs of limestone crossing the river. It is possible to dig to the bedrock with bucket at all places. Flats are from 200 to 400 feet wide averaging about 300. The gravel averages 25 feet in depth. Boulders are seldom more than 250 pounds in weight. Gold lies mostly within 5 feet of the bedrock, 50% ~~foot~~ being upon the bedrock. It is very coarse. The fineness is 850. There is no clay and no false bedrock. The ground was tested between 50 and 60 drill holes and averages 35% a yard. Seven test pits were put down with a cassion and checked the drilling.

PLANS FOR FUTURE: The ground has been blocked out for three years' operation and they probably will be able to operate for 8 years. The dragline set up is probably temporary and may be changed.

EQUIPMENT OF THE DREDGING: 70 ft. stacker with hand winch, 8 banks on each side of dredge of 24 inch riffles 20 ft. long on each side and 36 inches wide. Trommel 20 ft. long, 5 ft. in diameter, one-half inch holes. Waukishaw 40 horse power gasoline engine. Main 8 inch pump run by Buda 60 horse power gasoline engine. Also, 4 inch pump and stacker. The boat is of wood measuring 48 x 28 ft., 3 ft. depth.

DATED: October 28, 1938

J.E.A.

Oregon Mining Co (Burnt River) Lake Pit
Incorporated 9/21/37, shares \$10,000 amount \$9,000
prepared J R Angle attorney-in-fact, Carson Oregon
operating placer, ^{Judge} in Burnt River between
Kudgospont and Durkee, Angle also interested
in placers on Pine Creek below Conception
(press report)

Oregon Min. Co.

ANNUAL REPORT TO THE CORPORATION DEPARTMENT

FOR THE YEAR ENDING JUNE 30, 1930

NO REPORT SUBMITTED

Of OREGON MINING COMPANY Cert. of Inc. issued 9/21/37 (Give legal name in full)

a corporation organized and existing under and pursuant to the laws of the State of Oregon.

The location of its principal office is at No. Street, in the city of, in the state of

The names and addresses of principal officers, with the postoffice address of each, are as follows:

Table with 3 columns: NAMES, OFFICE, BUSINESS ADDRESS. Row 1: J.R. Angle, Atty. in fact, President, Carson, Ore.

The date of the annual election of officers is

The date of the annual election of directors is

Table with 4 columns: Description, Common With Par Value, Common No Par Value, Preferred. Rows include authorized capital stock, shares of authorized capital stock, par value of each share, etc.

State amount of capital, represented by stock of no par value, with which the corporation began business \$

IN WITNESS WHEREOF, I,

of said corporation, have signed this report, this

[CORPORATE SEAL]

day of, A. D. 193

STATE OF OREGON, County of ss.

I, of the above and foregoing named corporation, being first duly sworn, depose and say upon oath that the foregoing

Oregon Mining Company

Gold

NAME

OLD NAMES

PRINCIPAL ORE

MINOR MINERALS

12 S

41 E

3

T

R

S

PUBLISHED REFERENCES

Baker

COUNTY

Upper Burnt River

AREA

ELEVATION

MISCELLANEOUS RECORDS

ROAD OR HIGHWAY

DISTANCE TO SHIPPING POINT

PRESENT LEGAL OWNER (S)

Oregon Mining Company

Address

1926 Second Ave, Seattle, Wash.

J. E. Angle (Pres.)

OPERATOR

Name of claims

Area

Pat.

Unpat.

Name of claims

Area

Pat.

Unpat.

EQUIPMENT ON PROPERTY