

RECORD IDENTIFICATION

RECORD NO..... M015545
RECORD TYPE..... X1M
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 7B 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-19-17N 124-17-59W

UTM NORTHING UTM EASTING UTM ZONE NO
4797110. 394610. +10

TWP..... 026S
RANGE..... 014W
SECTION.. 13
MERIDIAN. WILLAMETTE

ALTITUDE.. 275 FT

POSITION FROM NEAREST PROMINENT LOCALITY: NEAR OLD MARSHFIELD - BANDON RD.

LOCATION COMMENTS: NE 1/4 NE 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

ASSAYED 7.8 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACERS

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

MAX THICKNESS..... 1.7 FT.

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):
ONE PIT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GEOLOGICAL DESCRIPTIVE NOTES. WELL CONSOLIDATED AND STAINED SAND

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 -
E, P. 128

RECORD IDENTIFICATION

RECORD NO..... M015546
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE 1: 24000
QUAD NO OR NAME CHARLESTON (1970)

LATITUDE 43-17-01N
LONGITUDE 124-18-25W

UTM NORTHING 4792930.
UTM EASTING 393950.
UTM ZONE NO +10

TWP..... 026S
RANGE..... 014W
SECTION.. 25
MERIDIAN. WILLAMETTE

LOCATION COMMENTS: S 1/2

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS,ROCKS,ETC.):
CHROMITE

ANALYTICAL DATA(GENERAL)

SAMPLE ASSAYED 6.53 % CR203

STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACERS

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

MAX THICKNESS..... 14 FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BROWN AND BLACK - STAINED SAND

GEOLOGICAL DESCRIPTIVE NOTES. BLACK MINERAL GRAINS ARE CONCENTRATED IN LOWER 6 FT.

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 - E, P. 129

COCKLE.....

BEACH PLACERS.....

COCKLE.....

BEACH PLACERS.....

BEACH PLACERS.....

.....

.....

RECORD IDENTIFICATION

RECORD NO..... N015569
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
INFORMATION SOURCE... 1
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 79 01

NAME AND LOCATION

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR. NAME
1: 24000 CAPE ARAGO (1970)

LATITUDE LONGITUDE
43-16-16N 124-22-51W

UTM NORTHING UTM EASTING UTM ZONE NO
4791620. 387940. +10

TWP..... 0265
RANGE..... 014W
SECTION.. 32
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: AT MOUTH OF FIVE MILE CREEK

LOCATION COMMENTS: S 1/2 SEC. 32

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

MAIN DRE MINERALS:

ANALYTICAL DATA(GENERAL)
ASSAYED 7.8 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX LENGTH..... 4000 FT

MAX WIDTH..... 500 FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

ALTERNATING THIN LAYERS OF GRAY AND BLACK SAND

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE-BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945-E, P 146

COPIES MADE BY THE SERVICE
COPIES MADE BY THE SERVICE

RETRIEVE BY THE SERVICE

TYPE THE TITLE

BY THE SERVICE
DATE
BY THE SERVICE

RECORD IDENTIFICATION

RECORD NO..... M015551
RECORD TYPE..... X1M
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-16-11N 124-21-54W

UTM NORTHING UTM EASTING UTM ZONE NO
4791460. 389220. +10

TWP..... 026S
RANGE..... 014W
SECTION.. 33
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: 13.5 MILES N OF BANDON

LOCATION COMMENTS: S 1/2 , BACK OF SEVEN DEVILS TERRACE

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

ANALYTICAL DATA (GENERAL)

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

WORK DONE BY OTHER ORGANIZATIONS

YEAR	WORK TYPE	ORGANIZATION	AND RESULTS
1) 1942	RECON	HUMPHREYS GOLD CORPORATION	

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT: LENTICULAR

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	8 - 21	FT
MAX THICKNESS.....	26.5	FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GEOLOGICAL DESCRIPTIVE NOTES. CONCENTRATIONS ON SEAWARD SIDE; DEPOSIT BELIEVED TO HAVE BEEN FORMED UNDER WATER

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - E, P. 130 - 132 .

RECORD IDENTIFICATION

RECORD NO..... M015548
 RECORD TYPE..... XIN
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
 43-17-21N 124-17-59W

UTM NORTHING UTM EASTING UTM ZONE NO
 4793530. 394550. +10

TWP..... 026S
 RANGE..... 014W
 SECTION.. 36
 MERIDIAN. WILLAMETTE

LOCATION COMMENTS: NW 1/4 , IN SMALL STREAM

ANALYTICAL DATA(GENERAL)
 GOOD PERCENTAGE OF BLACK MINERALS

EXPLORATION AND DEVELOPMENT
 STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	35 TO 50	FT
MAX THICKNESS.....	5	FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... WELL CEMENTED BROWN AND BLACK STAINED

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHRDMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 E, P. 129

IN 1900S
 SANDS 2000'

COCKINA.....

2000' SANDS
 2000' COCKINA.....

COCKINA SANDS
 COCKINA SANDS.....

MINING DISTRICTS.....

DEPOSIT.....
 NAME AND LOCATION

.....

RECORD IDENTIFICATION

RECORD NO..... M015543
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 7B 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-16-41N 124-18-05W

UTM NORTHING UTM EASTING UTM ZONE NO
4792300. 394400. +10

TWP..... 026S
RANGE..... 014W
SECTION.. 36
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: IN RAVINE NEAR MOUTH OF JOHN B. CREEK

LOCATION COMMENTS: SW 1/4 NE 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

MAX THICKNESS..... 3.2 FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 128

COPIES

STATE DEPT

STATE DEPT

COPIES

COPIES

MINING

DEPT

NAME AND LOCATION

COPIES

COPIES

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M015549
RECORD TYPE..... X1M
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-16-03N 124-18-44W

UTM NORTHING UTM EASTING UTM ZONE NO
4791140. 393500. +10

TWP..... 026S
RANGE..... 014W
SECTION.. 36
MERIDIAN. WILLAMETTE

ALTITUDE.. 100 FT

LOCATION COMMENTS: SW 1/2 SW 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

WORK DONE BY OTHER ORGANIZATIONS
YEAR WORK TYPE ORGANIZATION AND RESULTS
1) 1944 DIREXPL KROME CORPORATION

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	10	FT
MAX LENGTH.....	500	FT
MAX WIDTH.....	250	FT
MAX THICKNESS.....	3.5 - 6.0	FT

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):
TEST PITTING AND HAND AUGERING

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... FIRMLY CEMENTED BLACK AND BROWN STAINED SAND

GEOLOGICAL DESCRIPTIVE NOTES. BOUNDED BY EROSIONAL EDGES; GRADDES OUT TO ASSAY BOUNDARY ON SOUTH

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 -
E, P. 129

RECORD 00778

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... MO15544
 RECORD TYPE..... X1M
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE 1: 24000
 QUAD NO OR NAME CHARLESTON (1970)

LATITUDE 43-16-43N
 LONGITUDE 124-18-03W

UTM NORTHING 4792350.
 UTM EASTING 394450.
 UTM ZONE NO +10

TWP..... 026S
 RANGE..... 014W
 SECTION.. 36
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: 7 MILES BY ROAD SOUTH OF CHARLESTON

LOCATION COMMENTS: N 1/2 SW 1/4

COMMODITY INFORMATION

EXPLORATION AND DEVELOPMENT

STATUS OF EXPLOR. OR DEV. 2
PRESENT/LAST OWNER..... COOS COUNTY
PRESENT/LAST OPERATOR..... PACIFIC CO.

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:
BEACH PLACER

FORM/SHAPE OF DEPOSIT: MODIFIED LENTICULAR SHAPE

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

COMMENTS(DESCRIPTION OF DEPOSIT):

ROUGHLY TRIANGULAR - SHAPED; TRENDING NORTHEASTWARD

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):

110 DRILL HOLES

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GEOLOGICAL DESCRIPTIVE NOTES. STAINED AND CEMENTED SANDS

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945
E, P. 128

RECORD 00772

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M015547
 RECORD TYPE..... X1N
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
 43-15-46N 124-18-13W

UTM NORTHING UTM EASTING UTM ZONE NO
 4790600. 394190. +10

TWP..... 027S
 RANGE..... 014W
 SECTION.. 01
 MERIDIAN. WILLAMETTE

LOCATION COMMENTS: NE 1/4 ; ALONG TRIBUTARY OF COX CREEK

DRE MATERIALS (MINERALS, ROCKS, ETC.):
 IENENITE AND MAGNETITE

ANALYTICAL DATA (GENERAL)

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL
MAX THICKNESS..... 2 - 7 FT

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):
SEVERAL AUGER HOLES

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 E, P. 129

RECORD IDENTIFICATION

RECORD NO..... MOI5553
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-15-49N 124-21-21W

UTM NORTHING UTM EASTING UTM ZONE NO
4790760. 389960. +10

TMP..... 0275
RANGE..... 014W
SECTION.. 03 04
MERIDIAN. WILLAMETTE

LOCATION COMMENTS: W 1/2 SEC 3 , NE 1/4 SEC 4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS,ROCKS,ETC.):
CHROMITE

ANALYTICAL DATA(GENERAL)

3.3 TO 4.9 % CR2O3

STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	37	FT
MAX THICKNESS.....	27	FT

PRODUCTION

UNDETERMINED

COMMENTS (RESERVES/POT RESOURCES).. MAY BE OF ECONOMIC INTEREST AS IT IS RELATIVELY THICK.

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 - E, P. 136

COPIES.....

SAMPLE NUMBERS.....

ANALYSES.....

COCKING NUMBERS.....

MINING OPERATIONS.....

HELPFUL NUMBERS.....

DATE.....

BY.....

RECORD 00771

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M015550
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
 43-15-36N 124-23-02W

UTM NORTHING UTM EASTING UTM ZONE NO
 4790400. 387680. +10

TWP..... 027S
 RANGE..... 014W
 SECTION.. 04

POSITION FROM NEAREST PROMINENT LOCALITY: 12 MI. N OF BANDON

LOCATION COMMENTS: SW 1/4 , NW 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

EXPLOR. AND DEVELOP. COMMENTS:
RECONNAISSANCE EXPLORATION BY KRONE CORPORATION AND HUMPHREYS GOLD CORPORATION IN 1942 .

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACERS

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	5	FT
MAX LENGTH.....	2600	FT
MAX WIDTH.....	1800	FT
MAX THICKNESS.....	10	FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 E, P. 132

COPIES OF THIS REPORT ARE AVAILABLE FROM THE
 GEOLOGICAL SURVEY, WASHINGTON, D. C. 20540
 AND FROM THE DISTRICT OFFICES OF THE SURVEY
 THROUGHOUT THE UNITED STATES AND TERRITORIES
 AND CANADA.

U.S. GOVERNMENT PRINTING OFFICE: 1967 O 350-000

RECORD IDENTIFICATION

RECORD NO..... M015552
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CAPE ARANGO (1970)

LATITUDE LONGITUDE
43-19-33N 124-22-26W

UTM NDRTHING UTM EASTING UTM ZONE NO
4797700. 388610. +10

TWP..... 027S
RANGE..... 014W
SECTION.. 05
MERIDIAN. WILLAMETTE

LOCATION COMMENTS: NE 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS,ROCKS,ETC.):
CHROMITE

ANALYTICAL DATA(GENERAL)
ASSAYED 3.33 % CR2O3

EXPLOR. AND DEVELOP. COMMENTS:
HUMPHREYS GOLD CORPORATION DRILLED 12 HOLES.

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 135 .

NEW ARRIVAL NEW INVOICE NEW YORK NO

45-12-134 154-5-134

COASTAL COASTAL

TO 12000 (SEE PAGE 2 OF 12)

DATE 12/13/44 BY J. H. HARRIS

COASTAL.....

STATE OF OREGON

STATE OF OREGON.....

COASTAL STATE OF OREGON

COASTAL STATE OF OREGON.....

MINING STATE OF OREGON

STATE OF OREGON

COASTAL STATE OF OREGON

RECORD IDENTIFICATION

RECORD NO..... M015570
 RECORD TYPE..... X1M
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 24000 CAPE ARAGO (1970)

UTM NORTHING UTM EASTING UTM ZONE NO
 4789960. 387550.

TWP..... 027S
 RANGE.... 014W
 SECTION.. 05
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: AT MOUTH OF THREE MILE CREEK

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

MAIN ORE MINERALS:
 CHROMITE

ANALYTICAL DATA (GENERAL)
 ASSAYED 7.7 % CR2O3

STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX LENGTH.....	1600	FT
MAX WIDTH.....	75	FT
MAX THICKNESS.....	3	FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

ALTERNATING THIN LAYERS OF BLACK AND GRAY SAND

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 146 - 147 .

DONALD W. ...
 STATE ...
 COUNTY ...
 TOWNSHIP ...
 RANGE ...
 SECTION ...

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M015554
RECORD TYPE..... X1R
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 24000 CHARLESTON (1970)

LATITUDE LONGITUDE
43-15-09N 124-21-20W

UTM NORTHING UTM EASTING UTM ZONE NO
4789530. 389970. +10

TWP..... 027S
RANGE.... 014W
SECTION.. 04 09 10
MERIDIAN. WILLAMETTE

ALTITUDE.. 300 FT

LOCATION COMMENTS: SE 1/4 SEC 4 , NE 1/4 SEC 9 , NW 1/4 SEC 10

COMMODITY INFORMATION

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 2

EXPLOR. AND DEVELOP. COMMENTS:
RECONNAISSANCE EXPLORATION BY KROME CORPORATION AND HUMPHREYS GOLD CORPORATION.

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
DEPTH TO TOP	10.5	FT
MAX WIDTH.....	750	FT
MAX THICKNESS.....	11	FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: US GS BULL. 945 - E, P. 136

RECORD 00764

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... MO15571
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US

COUNTRY NAME: UNITED STATES

STATE CODE..... OR

STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE

1: 62500

QUAD NO OR NAME

BANDON (1943)

LATITUDE

43-14-10N

LONGITUDE

124-23-26W

UTM NORTHING

4787750.

UTM EASTING

387100.

UTM ZONE NO

+10

TWP..... 027S

RANGE.... 014W

SECTION.. 08 17

MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: AT MOUTH OF THOMILE CREEK

LOCATION COMMENTS: NEAR MERCHANTS BEACH

ANALYTICAL DATA(GENERAL)
ASSAYED 6.7 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX LENGTH..... 800 FT

MAX WIDTH..... 75 FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

ALTERNATING THIN LAYERS OF BLACK AND GRAY SAND

GENERAL REFERENCES

1) GRIGGS, A.B., 1944 , CHROMITE-BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945-E, P. 147 .

RECORD IDENTIFICATION

RECORD NO..... M015555
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 62500 BANDON (1943)

LATITUDE LONGITUDE
43-14-16N 124-20-42W

UTM NORTHING UTM EASTING UTM ZONE NO
4787870. 390800. +10

TWP..... 027S
RANGE..... 014W
SECTION.. 10 15
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: NEAR SEVEN DEVILS MINE

LOCATION COMMENTS: SW 1/4 SEC 10 , NW 1/4 SEC. 15

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

ANALYTICAL DATA (GENERAL)

EXPLORATION AND DEVELOPMENT

STATUS OF EXPLOR. OR DEV. 2
YEAR OF DISCOVERY..... 1942
BY WHOM..... KROME CORPORATION

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL
DEPTH TO TOP 14 FT
MAX WIDTH..... 145 FT
MAX THICKNESS..... 3.7 FT

COMMENTS(DESCRIPTION OF DEPOSIT):

2 REMNANTS OF LARGER DEPOSIT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

GENERAL REFERENCES

1) GRIGGS, A. B., 1944 , CHROMITE-BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945-E, P 136

RECORD IDENTIFICATION

RECORD NO..... MO15556
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 78 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 62500 BANDON (1943)

LATITUDE LONGITUDE
43-13-49N 124-20-45W

UTM NORTHING UTM EASTING UTM ZONE NO
4787050. 390700. +10

TWP..... 027S
RANGE..... 014W
SECTION.. 15
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: ALONG BRANCHES OF NORTH FORK OF TWO MILE CREEK

LOCATION COMMENTS: NEAR CENTER

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
BEACH AREA

ANALYTICAL DATA (GENERAL)

ASSAYED 4.04 AND 6.14 % CR2O3

STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

DEPTH TO TOP 35 FT

PRODUCTION

UNDETERMINED

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BROWN AND BLACK STAINED SAND

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE-BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945-E, 137

RECORD IDENTIFICATION

RECORD NO..... M015560
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 7B 12

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 62500 BANDON (1943)

LATITUDE LONGITUDE
 43-11-55N 124-20-24W

UTM NORTHING UTM EASTING UTM ZONE NO
 4788530. 391130. +10

TWP..... 027S
 RANGE.... 014W
 SECTION.. 27
 MERIDIAN. WILLAMETTE

LOCATION COMMENTS: SE 1/4

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

ANALYTICAL DATA (GENERAL)
 ASSAYED 7.7 % CR2O3

STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

FLOAT

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

COMMENTS(DESCRIPTION OF DEPOSIT):

BLACK SAND FLOAT AS MUCH AS 1 FT. DIAM.

PRODUCTION

UNDETERMINED

COMMENTS (RESERVES/POT RESOURCES).. NO BLACK SAND OF SUFFICIENT THICKNESS AND GRADE TO BE OF ECONOMIC INTEREST

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 141 .

BY (1944) ... (1944) ...
 DATE ...
 LOCALITY ...
 STATE ...
 COUNTY ...
 TOWNSHIP ...
 RANGE ...
 SECTION ...
 DEPOSIT ...
 NAME ...

RECORD IDENTIFICATION

RECORD NO..... MO15564
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 62500 BANDON (1943)

LATITUDE LONGITUDE
 43-06-18N 124-22-57W

UTM NORTHING UTM EASTING UTM ZONE NO
 4773200. 387500. +10

TWP..... 028S
 RANGE..... 014W
 SECTION.. 32
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: ALONG OLD ROAD CUT ON EAST BANK OF SOUTH FORK OF FERRY CREEK.

LOCATION COMMENTS: N 1/2 SE 1/4 SEC. 32

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

ANALYTICAL DATA (GENERAL)

3 FT. SAMPLE ASSAYED 4.7 % CR2O3

EXPLORATION AND DEVELOPMENT

STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

DEPTH TO TOP 20 FT

MAX LENGTH..... 100 FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

GRAY SHALE LIES IMMEDIATELY BENEATH THE CHROMIFEROUS LAYER

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 143 .

RECORD IDENTIFICATION

RECORD NO..... M015562
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 62500 BANDON (1943)

UTM NORTHING UTM EASTING UTM ZONE NO
 4773300. 388700.

TWP..... 028S
 RANGE..... 014W
 SECTION.. 33
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: ON SOUTH BANK OF NORTH FORK OF FERRY CREEK, SOUTH OF 10WH MINE

LOCATION COMMENTS: N 1/2 SEC. 33 .

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

MAIN ORE MINERALS:
 CHROMITE

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACERS

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX THICKNESS..... 1 FT

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):

TWO SHORT TUNNELS, NOW CAVED.

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SANDS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

LAYER OF BLACK AND GRAY SANDS INTERBEDDED IN GRAY TO BUFF SANDS

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 143

RECORD IDENTIFICATION

RECORD NO..... M015572
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
INFORMATION SOURCE... 1
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 62500 BANDO (1943)

LATITUDE LONGITUDE
43-05-47N 124-25-52W

UTM NORTHING UTM EASTING UTM ZONE NO
4772310. 383530. +10

TWP..... 028S 029S
RANGE..... 015W 015W
SECTION.. 36 01
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: AT THE MOUTH OF JOHNSON CREEK

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

MAIN ORE MINERALS:
CHROMITE

RECORD IDENTIFICATION

RECORD NO..... M015563
 RECORD TYPE..... X1M
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 62500 BANDON (1943)

LATITUDE LONGITUDE
 43-04-51N 124-22-19W

UTM NORTHING UTM EASTING UTM ZONE NO
 4770500. 388320. +10

TWP..... 029S
 RANGE..... 014W
 SECTION.. 09
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: IN GULLY RUNNING NW FROM JOHNSON CREEK

LOCATION COMMENTS: NW 1/4 SEC. 9 .

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

DEPTH TO TOP	40	FT
MAX THICKNESS.....	6	FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

LAYER OF BUFF SAND CONTAINING NUMEROUS LAMINAE OF GRAY AND BLACK SAND. GENERAL APPEARANCE AND MANNER OF CONCENTRATE ARE SIMILAR TO THOSE AT THE IOWA MINE.

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - B P. 143 .

RECORD IDENTIFICATION

RECORD NO..... M015573
 RECORD TYPE..... X1M
 COUNTRY/ORGANIZATION. USGS
 INFORMATION SOURCE... 1
 MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
 DATE..... 79 01

NAME AND LOCATION

DEPOSIT NAME..... UNNAMED OCCURENCE

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
 1: 62500 BANDON (1943)

LATITUDE LONGITUDE
 43-03-23N 124-26-05W

UTM NORTHING UTM EASTING UTM ZONE NO
 4767870. 383150. +10

TWP..... 029S
 RANGE..... 015W
 SECTION.. 11
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: NEAR MOUTH OF CHINA CREEK

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
 CHROMITE

MAIN ORE MINERALS:
 CHROMITE

SAMPLE ASSAYED 9.6 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX THICKNESS..... 7.5 FT

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

HOST ROCK TYPES..... BLACK SAND

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

GRAY SAND CONTAINING MANY THIN LAYERS OF BLACK SAND.

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE-BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945-E, P 147 .

RECORD IDENTIFICATION

RECORD NO..... M015567
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
INFORMATION SOURCE... 1
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 79 01

NAME AND LOCATION

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 62500 GOLD BEACH (1954)

LATITUDE LONGITUDE
42-28-34N 124-25-22W

UTM NORTHING UTM EASTING UTM ZONE NO
4708400. 383050. +10

TWP..... 036S
RANGE.... 015W
SECTION.. 12
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: 1000 FT S. OF HUBBARD MOUND

LOCATION COMMENTS: E 1/2 SEC. 12 , ON BEACH FRONT

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

ORE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

MAIN ORE MINERALS:

ANALYTICAL DATA(GENERAL)
6.53 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:
BEACH PLACER

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

DEPTH TO TOP	60	FT
MAX THICKNESS.....	6	FT

PRODUCTION
NO PRODUCTION

GEOLOGY AND MINERALOGY
HOST ROCK TYPES..... BLACK SANDS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):
ALTERNATING LAYERS OF BLACK AND BROWN SAND.

GENERAL REFERENCES

- 1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 145

COPIES OF THIS REPORT ARE AVAILABLE FROM THE
GEOLOGICAL SURVEY, WASHINGTON, D.C. 20540

FOR INFORMATION CONTACT THE DISTRICT OFFICE
AT THE FOLLOWING ADDRESS:

NAME AND ADDRESS

DATE
BY
REVISION

SCALE
GEOLOGICAL SURVEY

RECORD IDENTIFICATION

RECORD NO..... M015568
RECORD TYPE..... XIM
COUNTRY/ORGANIZATION. USGS
INFORMATION SOURCE... 1
MAP CODE NO. OF REC..

REPORTER

NAME..... BRADLEY, R.; WALKER, G. W.
DATE..... 79 01

NAME AND LOCATION

MINING DISTRICT/AREA/SUBDIST. BEACH AREA

COUNTRY CODE..... US
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... COOS

QUAD SCALE QUAD NO OR NAME
1: 62500 GOLD BEACH (1954)

LATITUDE LONGITUDE
42-30-34N 124-25-33W

UTM NORTHING UTM EASTING UTM ZONE NO
4707100. 382850. +10

TWP..... 036S
RANGE..... 015W
SECTION.. 13
MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: JUST N. OF OTTER PT.

LOCATION COMMENTS: NW 1/4 SEC. 13

COMMODITY INFORMATION

COMMODITIES PRESENT..... CR

DRE MATERIALS (MINERALS, ROCKS, ETC.):
CHROMITE

MAIN DRE MINERALS:

ANALYTICAL DATA(GENERAL)
ASSAYED 3.6 % CR2O3

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 1

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:
BEACH PLACER
FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA
DEPTH TO TOP 35 FT
MAX THICKNESS..... 6 FT

PRODUCTION
NO PRODUCTION

GEOLOGY AND MINERALOGY
HOST ROCK TYPES..... BLACK SANDS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):
ALTERNATING LAYERS OF BLACK AND BROWN SAND

GENERAL REFERENCES
1) GRIGGS, A. B., 1944 , CHROMITE - BEARING SANDS OF THE SOUTHERN PART OF THE COAST OF OREGON: USGS BULL. 945 - P. 145 .

COPIES WHEN ORDERED BY THE
EDWARDS (SEE INSTRUCTIONS)
WITHIN DISTRICT OFFICE AND
STATE OFFICE

UNITED STATES GEOLOGICAL SURVEY
WASHINGTON, D. C. 20540