

RECORD IDENTIFICATION

RECORD NO..... M020203
RECORD TYPE..... XIM
INFORMATION SOURCE... 1
DEPOSIT NO..... DDGMI 93-173
MAP CODE NO. OF REC..

REPORTER

NAME..... FERNS, MARK L. (BROOKS, HOWARD C.)
AFFILIATION..... DDGMI
DATE..... 81 04

NAME AND LOCATION

DEPOSIT NAME..... COPPER CANYON PROSPECT

MINING DISTRICT/AREA/SUBDIST. AGNESS

COUNTRY CODE..... US

COUNTRY NAME: UNITED STATES

STATE CODE..... OR

STATE NAME: OREGON

COUNTY..... CURRY

DRAINAGE AREA..... 17100310 PACIFIC NORTHWEST

PHYSIOGRAPHIC PROV..... 13 KLAMATH MOUNTAINS

LAND CLASSIFICATION..... 40

QUAD SCALE QUAD NO OR NAME
1: 62500 AGNESS (1954)

LATITUDE LONGITUDE
42-33-29N 124-06-13W

UTM NORTHING UTM EASTING UTM ZONE NO
4712100 409400 +10

TWP..... 035S
RANGE..... 012W
SECTION.. 11
SECTION FRACTIONS: SW 1/4
MERIDIAN. WILLAMETTE

ACCURACY OF LOCATION
ACCURATE

LOCATION COMMENTS: ON ROGUE RIVER

ANALYTICAL DATA(GENERAL)

TWO FOOT SAMPLE ASSAYED 9.4 % MN

EXPLORATION AND DEVELOPMENT

STATUS OF EXPLOR. OR DEV. 2

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

CHEMICAL SEDIMENTARY

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT.....	SMALL	
MAX LENGTH.....	1000	FT
MAX WIDTH.....	5	FT
STRIKE OF DREBODY....	N 50 E	

DESCRIPTION OF WORKINGS

SURFACE AND UNDERGROUND

COMMENTS(DESCRIP. OF WORKINGS):

SHORT TUNNEL

PRODUCTION

NO PRODUCTION

GEOLOGY AND MINERALOGY

AGE OF HOST ROCKS.....	JUR
HOST ROCK TYPES.....	SUBMARINE VOLCANICS

LOCAL GEOLOGY

COMMENTS (GEOLOGY AND MINERALOGY):

REPORTEDLY INTERLAYERED WITH SUBMARINE VOLCANICS

GENERAL REFERENCES

- 1) RAMP, L. AND OTHERS, 1977, GEOLOGY AND MINERAL RESOURCES OF JOSEPHINE COUNTY, OREGON; ODGMI BULL. 93, P. 45
- 2) LIBBEY, F.W. AND OTHERS, 1942, MANGANESE IN OREGON; ODGMI BULL. 17, P. 36

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland 5, Oregon

Agness Area
Curry County

COPPER CANYON MANGANESE PROSPECT

Unlocated ground.

Location: Copper Canyon or Painted Rocks three miles of trail down the Rogue River from Agness. A manganese ledge which strikes N. 50° E., crosses the river at above described point.

Near the water level a tunnel was driven in on it many years ago. This tunnel is now caved. A big boulder outcropping near the portal was sampled which run 9.6% manganese. This ledge can be traced up the mountain a distance of one-fourth of a mile, and seven or eight hundred feet above the river near the top of the ridge another ledge sample of the ledge representing about a two foot width was taken which run 9.4% manganese. Walter Fry tells me that this manganese ledge can be traced for long distances, especially in the northeast direction. I do not believe it will show an average width of more than five feet. Any mining on the Rogue River at this point would sure destroy the Painted Canyon for tourist trade.

Informant: J. E. Morrison. 10/11/38.

Another sample was submitted 2/39 (142) by Walter Fry went 9.6% Mn.

Agness Area
Curry County

Copper Canyon Manganese Prospect
Manganese Prospect.

Unlocated ground.

Location: Copper Canyon or Painted Rocks three miles of trail down the Rogue River from Agness. A manganese ledge which strikes N. 50° E., crosses the river at above described point.

Near the water level a tunnel was driven in on it many years ago. This tunnel is now caved. A big boulder outcropping near the portal was sampled which run 9.6% manganese. This ledge can be traced up the mountain a distance of one-fourth of a mile, and seven or eight hundred feet above the river near the top of the ridge another sample of the ledge representing about a two foot width was taken which run 9.4% manganese. Walter Fry tells me that this manganese ledge can be traced for long distances, especially in the northeast direction. I do not believe it will show an average width of more than five feet. Any mining on the Rogue River at this point would sure destroy the Painted Canyon for tourist trade.

Informant: J. E. Morrison. 10/11/38.

Another sample was submitted 2/39 (142) by Walter Fry went 9.6% Mn

Granpap
 Curry Co., Agness Area
 Sec. 25, T. 35 S., R. 12 W.

Gov't. land
 and Curry Co., Agness Area
 Sec. 10, T. 35 S., R. 12 W.

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

1250
 1251
 1252

ASSAY REPORT

Office Number _____

Grants Pass, Oregon
 Baker, Oregon

October 29, 1938

Sample submitted by J. E. Morrison, Mining Geologist-Grants Pass, Oregon

Sample description Following are the results of assays made on samples from the property of Mr. Walter Fry: No 1. Magnetite. No. 2 & 3. manganese.

The assay results given below are made without charge as provided by Chapter 176, Section 10, Oregon Laws 1937, the sender having complied with the provisions thereof.

NOTICE: The assay results given below are from a sample furnished by the above named person. This department had no part in the taking of the sample and assumes no responsibility, other than the accuracy of the assay of the material as furnished it by the sender.

Sample Number	GOLD		SILVER		Manganese		Percent	Value	Total Value
	Ounces per ton	Value	Ounces per ton	Value	Percent	Value			
1	0.36	12.60	Trace						\$12.60
2					9.6				
3					9.4				

Market Quotations:
 Gold \$35.00 per oz.
 Silver \$ per oz.
 \$ per lb.
 \$ per lb.

State Assay Laboratory

Assayer

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

ASSAY REPORT

Office Number 142

Grants Pass, Oregon
Baker, Oregon

February 20 1939

Sample submitted by Walter Fry Agness, Oregon

Sample description Highly fractured, slate-like rock containing a considerable amount of manganite in fractures. 12 lbs. 6 inches and smaller.

The assay results given below are made without charge as provided by Chapter 176, Section 10, Oregon Laws 1937, the sender having complied with the provisions thereof.

NOTICE: The assay results given below are from a sample furnished by the above named person. This department had no part in the taking of the sample and assumes no responsibility, other than the accuracy of the assay of the material as furnished it by the sender.

Sample Number	GOLD		SILVER		Manganese		Percent	Value	Total Value
	Ounces per ton	Value	Ounces per ton	Value	Percent	Value			
					9.6				

Market Quotations:
 Gold ⌘ per oz.
 Silver ⌘ per oz.
 ⌘ per oz.
 ⌘ per oz.

STATE ASSAY LABORATORY

Albert C. Lewis
Assayer