

Dry Camp

Hannenkraut

Chrome

NAME

OLD NAMES

PRINCIPAL ORE

MINOR MINERALS

14 S

33 E

SW 1/4 8

T

R

S

PUBLISHED REFERENCES

Westgate 21:45
Thayer 40:100-102
Dogami Bull. 9, p. 62
Dogami Bull. 14-B, p. 22
USEM War Min Rept. #204 and 49

MISCELLANEOUS RECORDS

Grant

COUNTY

Canyon

AREA

4000

ELEVATION

ROAD OR HIGHWAY

DISTANCE TO
SHIPPING POINT

PRESENT LEGAL OWNER (S) ... H. R. Elliott

Address ... 212 Bridge Street, John Day, Oregon

OPERATOR

Name of claims Area Pat. Unpat.

Name of claims Area Pat. Unpat.

EQUIPMENT ON PROPERTY

Hannentkatt - on Dry Camp.
NAME OLD NAMES

Chrome

6/46

PRINCIPAL ORE

MINOR MINERALS

145 33E SW 1/4 B
T R S

PUBLISHED REFERENCES

Grant COUNTY

Danvers AREA

4027 ELEVATION

..... ROAD OR HIGHWAY

..... DISTANCE TO SHIPPING POINT

MISCELLANEOUS RECORDS

PRESENT LEGAL OWNER (S) Restlen Mining Corp......

Address 3400 East Case St., Baltimore Md......

.....
.....
.....

.....
.....
.....

OPERATOR

Name of claims Area Pat. Unpat.

Name of claims Area Pat. Unpat.

.....
.....
.....
.....

.....
.....
.....
.....

EQUIPMENT ON PROPERTY

.....
.....

DRY CAMP MINE

CANYON AREA

The Dry Camp mine is in the southern part of the SW $\frac{1}{4}$ sec. 8, T. 14 S., R. 33 E., a short distance east of Little Indian Creek. The deposit is $7\frac{1}{2}$ miles by dirt road from the John Day Highway.

The ore in the Dry Camp deposit consists of spotted chromite in a matrix of serpentinized dunite and shows the most perfect planar banding seen in the district. The general relations and extent of the deposits are shown on plate 17. The mine was first worked in September 1917, and the first ore was shipped two months later. Shipments to July 31, 1918, are reported as 300 tons of ore containing 40 to 42 percent of chromic oxide and 63 tons of 35-percent ore; 100 tons of mine-run ore was shipped late in 1939 for concentration tests. Although the banding in the two deposits dips 45° to 75° SE., the deposits are very shallow. As shown in the sections, no ore was found in any of the diamond drill holes. Test pits in the lower deposit were sunk 8 feet in broken ore, and the exposed thickness of ore in the upper deposit is about 20 feet. The tenor of the ore is between 15 and 30 percent of chromic oxide, which is considerably below that of past shipments taken from the rich central part of the upper deposit.

Reference: Thayer 40:100-102

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland 5, Oregon

DRY CAMP CHROMITE

Grant County
Canyon District

*Location: SW $\frac{1}{4}$ sec. 8, and NW $\frac{1}{4}$ sec. 17, T. 14 S., R. 33 E.

Owner: Mickey Elliott

Lessees: Upper deposit, Art Newman; lower deposit Tri-County Mining & Concentrating Corp., John Day, Oregon

The Dry Camp mine has been described by Westgate (1921, p. 45), Thayer (1940, p. 100), and Allen (1941, p. 62). Recent mining on both the upper and lower deposits had been done during the summer and fall of 1952. Burt Hayes had leased the Dry Camp from Elliott and shipped approximately 80 tons of concentrates from his mill on Dixie Creek during the summer of 1952. Hayes sold his lease and mill to Art Newman about September 1952.

The Tri-County Mining & Concentrating Corp., John Day, produced approximately 85 tons of concentrates from the lower deposit in the fall of 1952. They are subleasing the lower deposit from Newman.

The mine was visited and the upper workings mapped by N. S. Wagner and L. Ramp November 7, 1952. Although most of the previous mining had been done on the upper deposit, the lower deposit appeared to be the larger and higher grade of the two. All the recent mining has been done by open pit methods.

The ore is largely of a banded nature and is found in dunite. Banding in the lower deposit seen on the 8-foot face being mined had a strike of N 40° E and dip of 50° to the SE. The tenor of the ore is between 15 and 35 percent Cr₂O₃. Past shipments of higher grade ore have been taken from the upper deposit.

References: Allen, J. E. (1941) Chromite deposits in Oregon: Oreg. Dept. of Geology and Mineral Industries Bull. 9, rev. ed., 1941.

Thayer, T. P. (1940) Chromite deposits of Grant County, Oregon: U.S. Geol. Survey Bull. 922-D.

Westgate, L. G. (1921) Deposits of chromite in eastern Oregon: U.S. Geol. Survey Bull. 725, p. 37-60.

Informants: Burt S. Hayes and E. R. Welles

Report by: L.R.

(Photos of upper and lower workings in DOGAMI photograph binder)

*Location (cont.): The mine may be reached via the Indian Creek-Little Indian Creek road which runs south from the John Day highway 8 miles east of John Day. The mine is about 7.4 miles from the highway.

State Department of Geology and Mineral Industries

RECEIVED
FEB 16 1945

702 Woodlark Building
Portland, Oregon

Compiled by: N. S. Wagner
Informant: Hazelton
Date: February 9, 1945

STATE DEPT OF GEOLOGY
& MINERAL INDS.

Canyon Area, Grant County

Name: DRY CAMP MINE (Chrome)

Foreward: No examination of this property was made. The ensuing data on ownership and production is offered only as a supplement to existing Departmental reports.

Old Name: This property is commonly known as the Hannenkrat Mine

Owners: Exact ownership uncertain, but presumably Rustless ^{Mining} Steel Corporation owns full, or at least partial interest.

History: Considerable development work was carried on here by Rustless during 1942 and 1943. A total of 1,284.39 tons of ore was shipped* during this period. Shipments ranged from 36.11 to 44.73% Cr_2O_3 with the average for 30 shipments being 40.56% Cr_2O_3 . The Cr:Fe ratio varied between 2.46:1 to 2.91:1 with the average for 30 shipments being 2.68:1.

*From records of ores purchased at Seneca Depot of the Metals Reserve.

State Department of Geology and Mineral Industries

RECEIVED
FEB 26 1954

702 Woodlark Building
Portland, Oregon

STATE DEPT. OF GEOLOGY
& MINERAL INDS.

Dry Camp Mine

Grant County
Canyon District

Location: SW $\frac{1}{4}$, Sec. 8, NW $\frac{1}{4}$, Sec. 17, T. 14 S., R. 33 E.

The following is a copy of the Grants Pass Chrome Depot's settlement records for the production made by the Zanetti Brothers during the summer of 1953 from the lower pit.

Shippers Lot Number	Date	Dry long tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂ %
Lot # 1	7-10-53	14.1156	47.44	13.36	2.429:1	4.30
Lot # 2	7-13-53	14.1848	45.96	13.32	2.359:1	5.36
Lot # 3	7-16-53	13.6383	46.68	13.36	2.390:1	4.36
Lot # 4	8-10-53	14.2130	46.73	13.38	2.389:1	4.16
Lot # 5	8-10-53	14.1090	46.63	13.46	2.370:1	4.14
Lot # 6	8-10-53	13.8412	46.63	10.82	2.948:1	2.86
Lot # 7-8	8-14-53	28.3647	47.82	13.68	2.391:1	2.88
Lot # 9-10	Missing	-----	-----	-----	-----	-----
Lot # 11-12	8-25-53	27.7487	48.50	13.60	2.439:1	3.06
Lot # 13-14	8-25-53	28.1321	47.96	13.96	2.350:1	2.80
Lot # 15	9-1-53	14.1724	48.00	13.74	2.390:1	3.02
Lot # 16	9-4-53	14.1791	47.96	13.57	2.417:1	3.26
Lot # 17	9-10-53	13.9562	47.86	13.70	2.390:1	2.80
Lot # 18	9-16-53	14.3813	47.86	13.75	2.381:1	3.22
Lot # 19	9-18-53	14.2621	47.76	13.62	2.400:1	2.30
Lot # 20	9-18-53	14.1227	48.36	13.61	2.430:1	3.26
Lot # 21	9-30-53	14.6942	48.24	13.36	2.470:1	3.26
Lot # 22	9-30-53	14.5777	48.24	13.42	2.459:1	3.16
Lot # 23	10-2-53	14.0414	48.45	13.16	2.518:1	4.00
Lot # 24	10-7-53	14.2527	47.84	13.20	2.479:1	4.18
Lot # 25	10-9-53	14.5214	47.94	13.17	2.490:1	3.96
Lot # 26	10-9-53	17.0831	48.14	13.39	2.459:1	3.92
Lot # 27	10-13-53	14.5786	48.04	13.08	2.512:1	3.60
Lot # 28-29	10-13-53	30.4277	47.53	13.49	2.410:1	5.72
Lot # 30	10-20-53	13.8621	47.90	13.65	2.400:1	3.28
Lot # 31	10-20-53	14.3781	47.84	13.34	2.453:1	3.00
Lot # 32	10-16-53	5.3076	46.50	13.36	2.381:1	4.70

The following is a copy of the Grants Pass Chrome Depot's settlement records for the production made by the John Day Mining Company during the fall and winter of 1953. All ore came from the upper pit.

Lot # 1	10-28-53	7.9305	46.50	13.54	2.349:1	4.60
Lot # 2	11-23-53	13.9593	46.33	13.90	2.280:1	5.80
Lot # 3	11-24-53	13.6304	47.54	13.11	2.480:1	3.28
Lot # 4	12-1-53	14.3808	48.34	13.22	2.501:1	3.22

Chromite from West of Gaborone and other at Gaborone

Shippers Lot Number	Date	Dry long tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂ %
Lot # 5	12-1-53	14.5340	48.24	13.36	2.470:1	3.12
Lot # 6-7	12-7-53	29.3086	48.04	13.69	2.400:1	2.96
Lot # 8	12-8-53	16.8718	47.79	13.51	2.420:1	3.00
Lot # 9-10	12-11-53	30.4366	48.14	13.50	2.439:1	3.16
Lot # 11	12-18-53	9.8402	48.34	13.02	2.540:1	3.96
Lot # 12	12-23-53	13.1184	48.34	13.21	2.503:1	3.28
Lot # 13	12-29-53	12.5522	48.24	13.27	2.487:1	2.96

Report by: N. S. W.

Date: 2/24/54

State Department of Geology and Mineral Industries

1069 State Office Building
Portland 1, Oregon

DRY CAMP (Chromite)

Grant County
Canyon District

Location: SW $\frac{1}{4}$ -Sec. 8, NW $\frac{1}{4}$ -Sec. 17; T. 14 S.; R. 33 E.

Owner: H. R. (Mickey) Elliott
212 Bridge Street, John Day

Forward: This report is Supplement no. 1 to a report written by N. S. Wagner, February 9, 1945. It is also a follow-up to a property report written by Len Ramp, November 7, 1952.

General: The data set forth in the following pages represents a full and complete summary of all production made from this property and shipped to the Grants Pass Purchasing Depot by a series of lessees, hereinafter enumerated.

All shipment data as hereinafter listed was copied by the writer from original Purchasing Depot settlement sheets furnished by the lessees and/or the property owner. Information covering the few shipments for which official settlement sheets were not available was supplied by the operators, and the data for these shipments is duly identified and documented in the ensuing tables.

This production data was given to the department with the explicit understanding that it would not be published at any time during the period when the donor lessee was engaged in mining, or held an active, valid lease. However, it was further understood that the department could use all recorded production data at its discretion after a reasonable lapse of time following the termination of the donor's lease. In this connection, it can be stated that none of the lessees hereinafter listed are now engaged in mining on this property and that the leases held by them at the time the following production data was secured, have been terminated.

Another point worthy of special mention is that there was no known production from this property between that shipped to the Metals Reserve Seneca Buying Depot during World War II, as recorded in the 1945 Wagner report, and that set forth in the following pages. In other words, the sum of the production appearing in this report, and that contained in the 1945 Wagner report, represents the total known production from this property for the period beginning with the World War II period of operation, to, and including, the date of the last recorded entry in this report.

The production data appearing on the following pages was secured during the course of frequent interviews with the lessees and/or the property owner, between the time when the present purchasing program began and the date of this report. The data so secured was written up periodically in the form of confidential memorandum reports. These progress reports may be recognized by their individual headings and dates.

Report by: N. S. Wagner, December 27, 1956

Informants: As per listed in the memorandum reports included herein.

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland, Oregon

DRY CAMP MINE (Chromite)

Grant County
Canyon area

Location: SW $\frac{1}{4}$ -Sec. 8, NW $\frac{1}{4}$ -Sec. 17; T. 14 S., R. 33 E.

General: The following is a summary of the production made from this property by Burt Hayes, John Day, during 1952.

Hayes secured his lease on this property during the summer of 1952, and his production made during the remainder of that year represents the first production made from the property since that reported in the DOGAMI property report by Wagner, February 9, 1945.

All ore milled at this time originated from the upper pit and was milled in a small mill owned by Hayes and situated on the old Standard Mine property on Dixie Creek, north of Prairie City.

Date	Dry Long Tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂	Value
Aug. 4, 52	29.5978	47.82	12.05	2.712:1	4.12	\$2,883.23
Aug. 29, 52	14.7473	48.70	12.15	2.742:1	3.38	1,549.35
Sept. 15, 52	14.0405	49.00	12.14	2.761:1	3.04	1,499.95
Sept. 19, 52	11.6236	46.65	11.86	2.690:1	4.68	1,123.42

The above data originated from Buying Depot settlement sheets. One additional shipment is known to have been made in July. The missing record cannot be located but the production represented thereby is estimated by Mr. Hayes as amounting to not more than 15 to 20 tons.

Report by: N. S. Wagner, revised December 14, 1956.

Informants: Mr. Hayes and Mr. Elliott, owner.

State Department of Geology and Mineral Industries

1069 State Office Bldg.
Portland 1, Oregon

DRY CAMP (Chrome)

Canyon Area
Grant County

Location: SW $\frac{1}{4}$ - Sec. 8; NW $\frac{1}{4}$ - Sec. 17; T. 14 S.; R. 33 E.

Owner: H. R. Elliott, 212 Bridge Street, John Day, Oregon.

General: This property was under lease to Burt Hayes, John Day, during part of 1952, and the production record made by Hayes is recorded in a report by H. S. Wagner, 1952.

The Burt Hayes lease was transferred to Mr. Art Neuman, John Day, in the late summer of 1952. Mr. Neuman then sub-leased a portion of the property (the lower pit) to the Tri-County Mining and Concentrating Company of John Day.

The Tri-County Company's production during the period immediately following receipt of this lease is as recorded below for Lots 1 to 28. A small production made by Mr. Neuman from the upper pit follows the Tri-County record and is represented by shipments 1 to 3, dated June, 1953. These records were copied in part from original Buying Depot Settlement Sheets and in part from Mr. Elliott's personal records of lessee transactions.

Lot no.	Receipt no.	Date	Dry Long Tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂	Value
1	2339	9-17-52	14.2665	48.68	13.42	2.481:1	3.24	\$1,385.99
2	2389	9-20-52	10.9602	47.40	13.21	2.454:1	3.92	1,006.37
3	2480	9-23-52	13.6456	48.10	13.75	2.393:1	3.66	1,257.99
4	2529	10-2-52	13.5550	48.50	13.93	2.381:1	2.84	1,266.44
5	2629	10-9-52	13.4144	49.00	14.19	2.362:1	2.50	1,272.49
6	2661	10-11-52	12.9754	48.64	14.10	2.360:1	2.30	1,211.38
7	3022	10-30-52	12.8040	48.50	14.81	2.240:1	4.32	1,142.12
8	3147	11-12-52	13.2022	48.11				1,244.57
9	3193	11-19-52	13.2809	48.07				1,252.65
10	3223	11-24-52	13.1005	48.81				1,251.23
11	3325	11-30-52	13.0891	48.95				1,270.61
12	3434	12-6-52	12.7916	49.25				1,314.08
13	3472	12-11-52	13.602	49.35				1,406.89

Lot no.	Receipt no.	Date	Dry Long ton	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂	Value
14	3492	12-14-52	13.629	49.20				\$1,248.71
15	3523	12-16-52	25.625	49.26				2,616.92
16	3526	12-17-52						
17	3575	12-29-52	13.3843	48.96		2.47		1,311.26
18	3586	1- 5-53	26.1316	48.10				2,453.77
19	3587	1- 5-53						
20	3611	1- 6-53	8.8731	48.50			2.50	868.70
21	3623	1-10-53	12.6692	48.60			2.59	1,231.96
22	3616	1-14-53	9.7357	47.90		2.46:1	3.30	918.29
23	3679	1-23-53	11.3013	48.70		2.46:1	2.82	1,091.71
24	3687	1-25-52	12.2759	48.50		2.49:1	3.00	1,190.09
25	3714	2- 2-53	10.1331	47.90		2.49:1	3.60	956.56
26	3753	2- 8-53	6.4417	48.60		2.48:1	2.83	623.75
27	3909		6.2196	49.28		2.78:1	2.64	675.51
28								
1	4733	6-15-53	7. (approx) 45.43			2.42:1	7.20	675.94
2	4823	6-21-53	14.0157	45.33		2.40:1	5.76	1,177.18
3	4823	6-25-53	13.590	45.38		2.38:1	5.64	1,139.00

Report by: N. S. Wagner

Date: Revised edition, December 26, 1958.

Informants: Mr. A. J. Carson, Tri-County Company
Mr. H. R. Elliott, property owner.

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland, Oregon

DRY CAMP MINE

Grant County
Canyon District

Location: SW $\frac{1}{4}$ -Sec. 8, NW $\frac{1}{4}$ -Sec. 17; T. 14 S.; R. 33 E.

The following is a copy of the Grants Pass Chrome Depot's settlement records for the production made by the Zanetti Brothers during the summer of 1953 from the lower pit.

Shippers Lot no.	Date	Dry long tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂ %	Value
1	7-10-53	14.1156	47.44	13.36	2.429:1	4.30	\$1,287.28
2	7-13-53	14.1848	45.96	13.32	2.359:1	5.36	1,199.47
3	7-16-53	13.6383	46.68	13.36	2.390:1	4.36	1,196.62
4	8-10-53	14.2130	46.73	13.38	2.389:1	4.16	1,248.75
5	8-10-53	14.1090	46.63	13.46	2.370:1	4.14	1,227.34
6	8-10-53	13.8412	46.63	10.82	2.948:1	2.86	1,444.05
7 - 8	8-14-53	28.3647	47.82	13.68	2.391:1	2.88	2,586.57
9 -10	Missing						
11-12	8-25-53	27.7487	48.50	13.60	2.439:1	3.06	2,640.84
13-14	8-25-53	28.1321	47.96	13.96	2.350:1	2.80	2,542.58
15	9- 1-53	14.1724	48.00	13.74	2.390:1	3.02	1,299.61
16	9- 4-53	14.1791	47.96	13.57	2.417:1	3.26	1,310.01
17	9-10-53	13.9562	47.86	13.70	2.390:1	2.80	1,213.92
18	9-16-53	14.2813	47.86	13.75	2.381:1	3.22	1,299.74
19	9-18-53	14.2621	47.76	13.62	2.400:1	2.30	1,301.84
20	9-18-53	14.1227	48.36	13.61	2.430:1	3.26	1,332.34
21	9-30-53	14.6942	48.24	13.36	2.470:1	3.26	1,396.83
22	9-30-53	14.5777	48.24	13.42	2.459:1	3.16	1,380.95
23	10- 2-53	14.0414	48.45	13.16	2.518:1	4.00	1,366.79
24	10- 7-53	14.2527	47.84	13.20	2.479:1	4.18	1,338.19
25	10- 9-53	14.5214	47.94	13.17	2.490:1	3.96	1,372.56
26	10- 9-53	17.0831	48.14	13.39	2.459:1	3.92	1,611.45
27	10-13-53	14.5768	48.04	13.08	2.512:1	3.60	1,392.55
28-29	10-13-53	30.4277	47.53	13.49	2.410:1	5.72	2,765.57
30	10-20-53	13.8621	47.90	13.65	2.400:1	3.28	1,271.15
31	10-20-53	14.3781	47.84	13.34	2.453:1	3.00	1,338.74
32	10-16-53	5.3076	46.50	13.36	2.381:1	4.70	461.39

The following is a copy of the Grants Pass Chrome Depot's settlement records for the production made by the John Day Mining Company during the fall and winter of 1953. All ore came from the upper pit.

1	10-28-53	7.9305	46.50	13.54	2.349:1	4.60	681.79
2	11-23-53	13.9593	46.33	13.90	2.280:1	5.80	1,164.07
3	11-24-53	13.6304	47.54	13.11	2.480:1	3.28	1,267.90
4	12- 1-53	14.3808	48.34	13.22	2.501:1	3.22	1,386.17

Shippers Lot no.	Date	Dry Long Tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂ %	Value
5	12- 1-53	14.5340	48.24	13.36	2.470:1	3.12	\$1,381.60
6 - 7	12- 7-53	29.3086	48.04	13.69	2.400:1	2.96	2,701.08
8	12- 8-53	16.8718	47.79	13.51	2.420:1	3.00	1,551.70
9 -10	12-11-53	30.4366	48.14	13.50	2.439:1	3.16	2,852.82
11	12-18-53	9.8402	48.34	13.02	2.540:1	3.96	960.01
12	12-23-53	13.1184	48.34	13.21	2.503:1	3.28	1,265.27
13	12-29-53	12.5522	48.24	13.27	2.487:1	2.96	1,199.61

Report by: N. S. Wagner, February 24, 1954.

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland, Oregon

DRY CAMP MINE

Canyon District
Grant County

Location: SW $\frac{1}{4}$ -Sec. 8, NW $\frac{1}{4}$ -Sec. 17; T. 14 S.; R. 33 E.

The following is a copy of the Grants Pass chrome depot's settlement records covering all production made by the John Day Mining Company since issuance of the 1953 production report compiled by N. S. Wagner 2-24-54. All ore represented by these shipments originated from the upper pit.

Shippers Lot no.	Date	Dry long tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	Si ₂ %	Value
14	12-21-53	13.0254	48.44	13.84	2.394:1	3.44	\$1,218.92
15	1- 8-54	12.7313	47.40	13.24	2.449:1	3.00	1,167.08
16	1-26-54	6.3245	46.00	13.84	2.273:1	4.24	519.81
17	2- 8-54	13.1084	46.22	13.59	2.326:1	4.70	1,106.87
18	2-19-54	13.3585	45.86	13.21	2.375:1	4.74	1,133.20
19	2-23-54	15.0746	46.83	13.97	2.293:1	4.06	1,285.56
20	3- 2-54	17.1875	47.44	13.78	2.365:1	3.64	1,534.33
21	3- 5-54	15.2990	48.15	14.04	2.346:1	2.04	1,391.90
22	3- 9-54	12.4540	47.90	14.04	2.334:1	3.72	1,117.37
23	3-29-54	13.2831	49.68	13.02	2.610:1	2.28	1,394.99
24	3-31-54	13.3192	48.51	13.40	2.476:1	3.20	1,282.91
25	4- 6-54	12.4465	47.74	14.23	2.295:1	3.04	1,096.16
26	4-12-54	16.2103	48.16	14.23	2.315:1	3.24	1,460.39
27	4-13-54	13.2736	48.06	14.16	2.322:1	3.64	1,193.30
28	4-27-54	12.0081	48.21	13.89	2.374:1	2.40	1,105.47
29	5- 5-54	12.6447	47.81	13.83	2.365:1	3.30	1,142.83
30	5-20-54	13.6517	48.31	14.08	2.347:1	3.20	1,251.18
31	5-25-54	12.7280	47.77	14.27	2.290:1	2.86	1,120.19
32	6- 2-54	12.3281	47.47	13.89	2.338:1	2.80	1,081.65
33	6- 7-54	13.0678	48.81	13.57	2.460:1	2.40	1,266.16
34	6-16-54	12.8112	49.10	13.50	2.488:1	2.76	1,268.82
35	6-11-54	12.9352	48.31	13.82	2.391:1	2.60	1,202.59
36	6-18-54	13.0290	48.71	13.46	2.475:1	2.64	1,264.99
37	6-21-54	12.8617	48.51	13.46	2.465:1	3.06	1,234.59
38	6-23-54	13.0000	48.71	13.65	2.441:1	2.70	1,248.91
39	6-25-54	13.0804	48.26	13.78	2.395:1	3.26	1,215.04
40	7- 2-54	13.2581	47.77	13.90	2.351:1	3.34	1,191.11
41	7- 7-54	13.6330	47.87	14.03	2.334:1	3.20	1,221.93

Report by: N. S. Wagner, August 9, 1954

Informant: Mickey Elliott, property owner.

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland, Oregon

DRY CAMP MINE

Grant County
Canyon District

Location: SW $\frac{1}{4}$ -Sec. 8, NW $\frac{1}{4}$ -Sec. 17; T. 14 S.; R. 33 E.

The following is a copy of the Grants Pass chrome depot's settlement records covering all production made by the John Day Mining Company since issuance of the N. S. Wagner report of August 9, 1954. All ore represented by these shipments originated from the upper pit.

Shippers Lot no.	Date	Dry long tons	Cr ₂ O ₃ %	Fe% ⁸	Cr:Fe	SiO ₂ %	Value
42, 43	6-3-54	27,4365	47.56	13.71	2.373:1	2.44	\$2,465.72
44	7-9-54	13,4665	48.45	14.09	2.352:1	2.82	1,243.77
45	7-13-54	13,1616	48.14	14.28	2.306:1	2.90	1,181.12
46	7-16-54	13,2937	48.75	14.03	2.377:1	3.60	1,253.73
47	7-22-54	13,2331	47.43	13.97	2.322:1	4.14	1,163.85
48	7-26-54	13,1656	47.53	13.97	2.327:1	3.98	1,163.84
49	7-28-54	13,3357	47.07	13.84	2.326:1	4.70	1,160.07
50	7-30-54	13,3272	47.53	14.09	2.307:1	4.24	1,170.13
51	8-4-54	13,9018	48.04	13.97	2.352:1	3.96	1,261.17
52, 53	8-16-54	26,5102	47.57	14.06	2.314:1	3.40	2,336.34
54	8-23-54	13,8585	47.57	13.94	2.334:1	3.86	1,229.66
55	8-26-54	14,1312	47.77	13.38	2.442:1	3.42	1,308.13
56	8-30-54	13,7858	47.57	13.38	3.411:1	3.60	1,238.52
57, 58	9-1-54	26,3647	47.77	13.44	2.431:1	2.80	2,431.88
59	9-9-54	13,6170	47.67	13.50	2.415:1	3.52	1,245.41
60	9-13-54	13,8423	47.37	13.31	3.434:1	2.74	1,261.45
61	9-15-54	13,4745	46.91	13.38	2.398:1	3.10	1,194.78
62	9-20-54	14,2638	48.04	13.00	2.528:1	2.26	1,369.32
63	10-1-54	14,0184	47.18	13.44	2.401:1	3.46	1,255.62
64	10-4-54	13,8344	48.14	13.44	2.450:1	3.32	1,301.26
65	10-19-54	13,2402	46.73	13.50	2.368:1	4.00	1,154.94
66	10-26-54	13,4545	47.39	14.33	2.262:1	3.00	1,157.49
67	11-8-54	13,2460	47.03	11.55	2.785:1	3.22	1,333.08
68	12-22-54	13,3527	48.20	14.55	2.266:1	2.72	1,185.45
69, 70	1-5-55	26,3093	48.86	12.92	2.587:1	2.04	2,658.55
71	3-2-55	14,2554	47.50	13.24	2.454:1	3.84	1,313.21
72	3-23-55	8,7985	47.70	13.27	2.459:1	3.36	817.11

Report by: N. S. Wagner, June 10, 1955

Informant: Mickey Elliott, Property owner
Audrey Badley, Company accountant.

State Department of Geology and Mineral Industries

702 Woodlark Building
Portland, Oregon

DRY CAMP MINE

Grant County
Canyon District

Location: SW $\frac{1}{4}$ - Sec. 8, NW $\frac{1}{4}$ - Sec. 17, T. 14 S., R. 33 E.

Owner: H. R. (Mickey) Elliott
212 Bridge Street, John Day

Lessee: Allan and John Stinnett, John Day.

General: The above lessees secured their lease on this property in 1956, during which time the ore was hauled to Canyon City and milled in the Al Dunn mill. A total of two shipments was made with the results as listed below. This data was copied from Mr. Elliott's copies of the Buying Depot's settlement sheets.

Lot no.	Receipt no.	Date Settlement	Dry Long Tons	Cr ₂ O ₃ %	Fe%	Cr:Fe	SiO ₂ %	Value
1	6959	8-15-56	14.5688	46.62	13.40	2.380:1	3.96	\$1,271.27
2	7178	9-24-56	12.0389	46.55	13.09	2.432:1	3.68	1,066.77

Report by: N. S. Wagner, December 24, 1956.

Informant: Mr. Elliott.

CONFIDENTIAL

State Department of Geology and Mineral Industries

1069 State Office Bldg.
Portland 1, Oregon

DRY CAMP MINE

Grant County
Canyon District

The shipments by the two lessees noted below represents the total production from this property during 1957. All figures were copied from the Tri-County Mining and Concentrating Company's depot settlement certificates.

Lessee: Art Moothart and W. W. Woods

Depot Receipt No.	Date	Dry long Tons	Cr ₂ O ₃	Fe%	Cr:Fe	SiO ₂ %	Value
8843	8-27-57	8.0245	45.39	13.26	2.341:1	4.16	\$ 661.22
8845 } 8865 } 8918 }	9-3-57	21.6964	48.13	12.84	2.564:1	4.88	2,114.10
	9-9-57	9.7063	48.62	14.08	2.362:1	3.52	905.99
9095	10-4-57	20.4070	47.69	13.42	2.431:1	2.64	1,877.44
9112	10-9-57	17.8898	47.38	13.67	2.371:1	2.64	1,597.02

Tri County Mining and Concentrating Co.

9243	11-1-57	10.7117	46.19	13.72	2.303:1	3.68	896.14
9302	11-8-57	12.5290	46.99	13.96	2.370:1	3.52	1,103.43
9305*	11-8-57	6.0280	47.39	12.88	2.517:1	5.44	564.70
9329	11-14-57	10.2817	47.38	13.15	2.464:1	2.92	946.53
9354	11-18-57	10.6794	46.59	13.15	2.423:1	3.76	944.38
9455	12-4-57	13.1960	48.92	13.08	2.401:1	5.00	1,132.08
9613	1-27-58	9.4629	44.52	13.40	2.273:1	4.40	735.74

* About five tons of this shipment consisted of concentrate belonging to Joseph E. Fitzpatrick and secured from a claim known as the TOP OF THE WORLD, location presently unknown but believed to be in the Durkee-Snake River area of Baker County.

Reported by: N. S. Wagner: May 14, 1958

Data secured from above listed informant: May 5, 1958

Final shipment from Tri-County Mill clean-up: as follows.

9860	5-29-58	13.6443	46.95	13.12	2.448:1	4.40	\$ 1,231.94
------	---------	---------	-------	-------	---------	------	-------------

One half of above was credited to Dry Camp for royalty payment purposes. The remainder represents chrome residue from custom milling of ore from other properties.

Rept. by N.S.W. June, 1958