

Haight Claim

6/44

NAME OLD NAMES PRINCIPAL ORE MINOR MINERALS

145 42 E 7
T R S

PUBLISHED REFERENCES

Dozamin Bull 7

Grant COUNTY

Canyon AREA

4600 ELEVATION

MISCELLANEOUS RECORDS

ROAD OR HIGHWAY

about 2.6 mi. Seneca DISTANCE TO SHIPPING POINT

PRESENT LEGAL OWNER (S) Oust Haight

Address Lake, Oregon

OPERATOR

Name of claims Area Pat. Unpat.

Name of claims Area Pat. Unpat.

EQUIPMENT ON PROPERTY

RECEIVED
DEC 3 1940

STATE DEPT OF GEOLOGY
& MINERAL INDS.

HAIGHT CLAIM (Gold)

Canyon District

Owner: Clint Haight, Sr., Canyon City, Oregon.

Location: S. 7, T. 14 S., R. 42 E. This lies on the NE spur of Canyon Mountain about 1,000 feet below the Great Northern Mine.

Area: 1 unpatented lode claim located in 1915.

History: Production from the surface considerable in the early days. Produced \$500.00 in 1938 as a one-man operation.

Equipment: Cabin and mining tools.

Geology: Numerous narrow quartz veins striking N. 35° W. and dipping 60° E., lie 6 inches to 2 feet apart and average 4 inches in width, in a country rock of diorite and similar material. The vein matter is composed of broken and comminuted quartz in a matrix of either soft loose hematite mud or hard hematite, recemented by drusy calcite. Gold occurs in small pockets usually less than a foot in diameter but often containing up to several hundred dollars in a few pounds of ore. Most of the vein material shows only traces or is entirely barren. Pockets apparently occur in places where the veins change attitude or at intersections of two veins. There are no sulphides. The gold is uniformly wiry and hackley.

Development: A surface around the tunnel entrance has been gophered to a depth of 15 to 20 feet for nearly 200 feet, and numerous small high-grade bunches have been removed.

Informant: Clint Haight via J. E. Allen (10/15/33)

NAME: Haight ~~mine claim~~ Canyon District Grant County

Owner: Clint Haight, Sr., Canyon City, Oregon

LOCATION: S. 7, T 14 S, R 42 E. This lies on the NE spur of Canyon Mountain about 1,000 ft below the Great Northern Mine.

AREA: 1 unpatented lode claim located in 1915.

HISTORY: Production from the surface considerable in the early days. Produced \$500.00 in 1938 as a one-man operation.

EQUIPMENT: Cabin and mining tools.

GEOLOGY: Numerous narrow quartz veins striking N 35 degrees W and dipping 60 degrees E lie 6 inches to 2 ft. apart and average 4 inches in width, in a country rock of diorite or similar material. The vein matter is composed of broken and comminuted quartz in a matrix of either soft loose hematite mud or hard hematite, recemented by drusy calcite. Gold occurs in small pockets usually less than a ft. in diameter but often containing up to several hundred dollars in a few pounds of ore. Most of the vein material shows only traces or is entirely barren. Pockets apparently occur in places where the veins change attitude or at intersections of two veins. There are no sulphides. The gold is uniformly wiry and hackley.

DEVELOPMENT: A surface around the tunnel entrance has been gophered to a depth of 15 to 20 ft. for nearly 200 ft., and numerous small high grade bunches have been removed.

INFORMANT: Clint Haight via J. E. Allen

DATED: Oct. 15, 1938

J. E. Allen

HAIGHT CLAIM (Gold)

Canyon District

Canyon Area

Owner: Clint Haight, Sr., Canyon City, Oregon.

Location: Sec.7, T.14 S., R.42 E. This lies on the NE. spur of Canyon Mountain about 1000 feet below the Great Northern Mine.

Area: 1 unpatented lode claim located in 1915.

History: Production from the surface was considerable in the early days.

Produced \$500.00 in 1938 as a one-man operation.

Equipment: Cabin and mining tools.

Geology: Numerous narrow quartz veins striking N.35°W. and dipping 60° E. lie 6 inches to 2 feet apart and average 4 inches in width, in a country rock of diorite or similar material. The vein matter is composed of broken and comminuted quartz in a matrix of either soft loose hematite mud or hard hematite, recemented by drusy calcite. Gold occurs in small pockets usually less than a foot in diameter but often containing up to several hundred dollars in a few pounds of ore. Most of the vein material shows only traces or is entirely barren. Pockets apparently occur in places where the veins change attitude or at intersections of two veins. There are no sulphides. The gold is uniformly wiry and hackley.

Development: The surface around the tunnel entrance has been gophered to a

depth of 15 or 20 feet for nearly 200 feet, and numerous small high-grade bunches have been removed.

Informant: Clint Haight, J.E.Allen (10/15/38)
