

QUEBEC (gold)

Granite District

Owner: Roy N. Evans, Granite.

Location: Near the mouth of Lightning Creek in the NW₂ of sec. 27,
T. 9 S., R. 35 E.

Area: 12 acres of patented mill site, 2 patented claims.

History: worked 40 years ago.

Equipment: None.

Development: 200-foot drift.

Geology: Country rock ¹⁵argillite between two porphyry dikes which strike SE. ¹⁵Vein ¹⁵2 ¹⁵feet wide, dips 85° S. with 3 smaller quartz veins running north-south coming in from the south. The 200-foot drift is all on ore which is said to run from \$14.00 to \$319.90 ^{to the ton}. The small north-south veins are said to assay \$9.00 ^{to the ton} with \$2.00 ^{to the ton} silver. The ore is free milling with some heavy sulphides.

Informant: Roy N. Evans; J. E. Allen (10/38) This mine was not visited.

J. E. Allen

RUBY CREEK (gold)

Granite District

Owner: Roy M. Evans, Granite.

Location: NW, corner of sec. 22, T. 9 S., R. 35 E.

Area: 8 unpatented lode claims and a fraction.

History: ^Discovered in 1924 by Evans, sold to P. D. and D. M. McTavish of Vancouver who held it from 1925 to 1927. It was bought again by W. H. Star of Canyon City in 1937, and Evans has now repossessed the property again.

Quebec Mine

Gold

NAME OLD NAMES PRINCIPAL ORE MINOR MINERALS

9 S 35 E NW 1/4 - 27
T R S

PUBLISHED REFERENCES

Dogami 14-B, 60

Grant COUNTY

Granite AREA

..... ELEVATION

..... ROAD OR HIGHWAY

..... DISTANCE TO SHIPPING POINT

MISCELLANEOUS RECORDS

PRESENT LEGAL OWNER (S) Roy M. Evans

Address Granite, Oregon

OPERATOR

Name of claims Area Pat. Unpat.

2 claims x # 617

12 acres mill site x # 616

Name of claims Area Pat. Unpat.

EQUIPMENT ON PROPERTY

~~MS-317~~

QUEBEC (Gold)

Granite Area

Owner: Roy M. Evans, Granite, Oregon.

Location: Near the mouth of Lightning Creek in the NW $\frac{1}{4}$ sec.27, T.9 S., R.35 E.

Area: 12 acres of patented mill sites, 2 patented mining claims.

History: Worked 40 years ago; a drift 200 feet long was driven.

Geology: Country rock is argillite between two porphyry dikes which strike SE. The main vein is $2\frac{1}{2}$ feet wide, dips 85° S. There are 3 smaller quartz veins running N-S coming in from the south. The 200-foot drift is all on ore which is said to run from \$14.00 to \$319.90 to the ton. The small N-S veins are said to assay \$9.00 to the ton with \$2.00 to the ton in silver. The ore is free milling but contains some heavy sulphides.

Informant: Roy M. Evans; J.E.A. 10/38. This mine was not visited.
