Jackson County Gold Hill District

BLACKWELL HILL AREA TALC OCCURRENCES

Location:

Talc alteration of serpentinite occurs at a few sites, mainly south of Interstate 5 Freeway in the vicinity of Blackwell Hill in Secs. 25 and 36, T. 36 S., R. 3 W.; Secs. 29 and 32, T. 36 S., R. 2 W.; Sec. 49 (5), T. 37 S., R. 2 W.; and Sec. 1, T. 37 S., R. 3 W. All of these occurrences are on private land and State or County roadways. (See map.) None of these sites are included in Special Paper 18.

Geology:

Talc occurs with serpentinite and chlorite alteration associated with Applegate Group metavolcanics and metasediments in fairly close proximity to small diorite intrusives. Some of the occurrences spotted on the map were not inspected by me; but were reported by Frank Callahan, 6045 Foley Lane, Gold Hill.

One of the apparently more extensive talc-bearing zones of serpentinite outcrops about 100 yards southeast of Callahans mobile home site. It is a NE-trending narrow zone extending from Harris Gulch to near Interstate 5. If the zone is continuous, it is about 1 mile in length. The amount of talc contained is highly variable and alteration incomplete.

Talc alteration can also be seen in the road cut by Tolo Road Overpass on Interstate 5 in Sec. 29. A band of serpentinite trending about N. 20° E. from Tolo Overpass to Old Stage Road near Willow Creek also has a few areas of talc alteration according to Mr. Callahan.

A third area of reported talc alteration can be found near Panther Gulch Road near the gate on to Hidden Valley Ranch property about 1,400 ft from Old Stage Road. A small body of serpentinite a short distance northwest of the gate reportedly contains some talc. This would be in the SE¹/₄ of NE¹/₄ Sec. 36 at about 1,530 ft elevation.

A fourth reported site of talc alteration is in the SE_{4}^{1} of NE_{4}^{1} Sec. 1, T. 37 S., R. 3 W. in the excavated back yard of a residence at about 1,620 ft elevation. A more thorough investigation of this entire area may disclose a potential source of soapstone.

Reported by: Len Ramp 2-27-89

Jackson County Cold Hiel Wist. Memo Port Blackwell Hill area Tala occurrences Location: Tale alteration of scapentinete mainly south of interstate 5 free way in the vicinity of Blackwell Hillin sees 25 and 36, T. 365, R.3W.; sees 29 and 32 , +365, R.210; see 49(5), T375 R2W; and see 1, T. 375, R.3W. State or County road ways (see map)
None of these sites are included in special Paper 18. beology Tala occurs with seapentinite and chlorite alteration prosessed with legate group meta-volcanics and metasediments in fairly close proximity to 5 mall diorite plutons intrusives. some of the occurrences spotted on the map were not inspected by me; but were negated by Frank Callahan 60 45 Foley Lane, Gold Hill! One of the parently more extensive Tale-bearing zones of serpentinite outerops about 100 yearls. southeast of Callahans mobile home site. It is a NE-Trending narrow zone extending from Harris Oulch to near Interstate 5. If the zone is Continuous, it is about I mile in length. The and alteration incompletes and alleration incomplets of the road cut tale alteration canaple seen in The road cut by Tolo Road over pass on interstate 5 in sec 29. A sand of serpentinity Trending about N.20°E from Tolo Overpass to old stage Road near Willow Creek, also has a few areas of Tale ofteration seconding to Mr Callahan. A third area of regarted tale alteration can be found near Fanther Gulch road near the Gate

on to Hidden Valley Ranch Property about 1400ft from Old Stage Road. As mill bodg of serpentimite a short distance northwest of the gate reportedly contains some tale a This would be in the SE & of NE & see 36 a about 1530 ft elevation. The more thorough investigation of The marea made is close a potential source of soapatore. (a fourth segorted dite of Tale alteration is in The SETy of NE, sec. 1, T. 37 S, R.3 W. in The yard of a residence at would 1620 p.