

Iron Handbook

Jackson Co

7-28-38
Jackson County

Lucky Bart Group

Owner: Mrs. Hattie H. Breeman, 4115 S. E. Francis St., Portland, Ore.
Leased without option to buy to John T. Breeding, Box 242,
Rogue River, Oregon.

Location: On Sardine Creek, 5 miles from highway 99 and 7 miles
N. W. from Gold Hill, the nearest railroad point. Sec. 29
and 30, T. 35 S., R 3 W.

Area: Lots 1, 2 and 5 in Sec. 29 patented. 10 claims held by
location. Information as to area not available; estimated
at 230 acres for the claims and the patented ground.

History: Worked intermittently since 1916 by Mr. Beeman and leasors.
No record of production. Leased to present operator since
1936.

General Information: Maximum snowfall 3 feet. Plenty timber and
if careful plenty water for a small mill. Mill is on
Sardine Creek.

Equipment: 5 (1000 lb.) stamp mill which was on demonstration at
the World Fair in San Francisco in ~~1894~~. 3' x 4' plate and
a 4 cylinder Chevrolet Engine.

Geology: Vein has been formed by a fracture in the slate. It is
from four inches to two feet in width. The vein splits
into veinlets. Sometimes the values are on either wall
and occasionally found in the center. Some sulphides are
present. Mr. Breeding has no idea of ratio of base to
free milling. The gold runs about 722 fine. For geology
of rest of group see Page 144 of the 1916 report.

Development: Most of the old workings are in a poor state of
repair. Mr. Breeding's workings are a short distance to
the west and above the work done by J. E. Kirk on the
Yours Truly claim. Mr. Breeding drove an 80 foot cross-
cut to the vein. At a point about 20 feet to the right,
where he struck the vein, he found an intersection and
stoped an area 60 ft. long by 30 ft. high. The total
length of drift to right is now about 100 ft. No work has
been done on any of the other claims.

Informant: J. E. Morrison.

See Handbook page 144

Lucky Bart Group

Gold

PRINCIPAL ORE

MINOR MINERALS

NAME

OLD NAMES

35 South

3 West

29 & 30

T

R

S

.....**Jackson**..... COUNTY

.....**Gold Hill**..... AREA

.....**2200-2800**..... ELEVATION

5 **5 miles from U.S. 99**..... ROAD OR HIGHWAY

11 miles N.W. of Gold Hill DISTANCE TO SHIPPING POINT

PRESENT LEGAL OWNER (S)**Mrs. Hattie Beeman**.....

OPERATOR**J.T. Brading**.....

Name of claims Area Pat. Unpat.

EQUIPMENT ON PROPERTY

5 stamp mill on Sardine Creek

PUBLISHED REFERENCES

**Oregon Metal Mines Handbk. 14-C Vol.II Sec.1
Parker & Swertley 16:144**

MISCELLANEOUS RECORDS

Address**415 Francis St., Portland, Oregon**.....

.....**Rogue River**.....

Name of claims Area Pat. Unpat.

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M015637
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 FILE LINK ID..... CONSV
 MAP CODE NO. OF REC..

REPORTER

NAME..... LEE, W
 DATE..... 74 01
 UPDATED..... 80 12
 BY..... FERNS, MARK L. (BROOKS, HOWARD C.)

NAME AND LOCATION

DEPOSIT NAME..... LUCKY BART
 SYNONYM NAME..... LUCKY EAGLE, BUCKHORN, TURNAROUND, YOURS TRULY

MINING DISTRICT/AREA/SUBDIST. GOLD HILL

COUNTRY CODE..... US
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... JACKSON
 LAND CLASSIFICATION..... 01

QUAD SCALE QUAD NO OR NAME
 1: 62500 WIMER

LATITUDE LONGITUDE
 42-30-15N 123-05-22W

UTM NORTHING UTM EASTING UTM ZONE NO
 4705550. 492650. +10

TWP..... 35S
 RANGE..... 03W
 SECTION.. 29 31
 MERIDIAN. WILLAMETTE

POSITION FROM NEAREST PROMINENT LOCALITY: SW1/4

LOCATION COMMENTS: N CORNER

COMMODITY INFORMATION

OCCURRENCE(S) OR POTENTIAL PRODUCT(S):

POTENTIAL.....
OCCURRENCE..... CU PB ZN

ORE MATERIALS (MINERALS, ROCKS, ETC.):

FREE GOLD, CHALCOPYRITE, GALENA, SPHALERITE, PYRITE

EXPLORATION AND DEVELOPMENT

STATUS OF EXPLOR. OR DEV. 8
PRESENT/LAST OWNER..... R.G. ADAMS, 1962

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

VEINS

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

MAX WIDTH..... 2 FT
STRIKE OF OREBODY.... EAST
DIP OF OREBODY..... 80N

DESCRIPTION OF WORKINGS

UNDERGROUND

PRODUCTION

YES

ANNUAL PRODUCTION (ORE, COMMOD., CONC., OVERBURD.)

CUMULATIVE PRODUCTION (ORE, COMMOD., CONC., OVERBUR.)

ITEM	ACC	AMOUNT	THOUS. UNITS	YEAR	GRADE, REMARKS
15	ORE ACC	0.449	TONS	1932-1942	0.81 OZ/TON AU; 0.21 OZ/TON AG
16	AU EST	213.000	DOLLARS	1890-1942	

SOURCE OF INFORMATION (PRODUCTION).. USBM

PRODUCTION COMMENTS.... ESTIMATED \$200,000 PRODUCTION 1890-1916. WORKED INTERMITTANTLY SINCE 1916

GEOLOGY AND MINERALOGY

AGE OF HOST ROCKS..... PERM-TRI
HOST ROCK TYPES..... SLATE, MICACEOUS QUARTZITES

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

ASSAY REPORT

Office Number 781

Grants Pass, Oregon

~~Baker, Oregon~~

July 14, 1939

Sample submitted by J. E. Morrison

Grants Pass, Oregon

Sample description Concentrate, 1 to 65 ratio taken from Lucky Bart

B. A. Johnson, Gold Hill, Oregon

The assay results given below are made without charge as provided by Chapter 176, Section 10, Oregon Laws 1937, the sender having complied with the provisions thereof.

NOTICE: The assay results given below are from a sample furnished by the above named person. This department had no part in the taking of the sample and assumes no responsibility, other than the accuracy of the assay of the material as furnished it by the sender.

Sample Number	GOLD		SILVER		Percent	Value	Percent	Value	Total Value
	Ounces per ton	Value	Ounces per ton	Value					
	3.72	150.20	2.4	1.68					\$131.88

Market Quotations:

Gold \$ 35.00 per oz.
 Silver \$ 0.70 per oz.
 \$ per oz.
 \$ per oz.

STATE ASSAY LABORATORY

Albert A. Lewis
 Assayer

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

ASSAY REPORT

Office Number 781

Grants Pass, Oregon

~~Baker, Oregon~~

July 14,

193 9

Sample submitted by J. E. Morrison

Grants Pass, Oregon

Sample description Concentrate, 1 to 65 ratio taken from Lucky Part

B. A. Johnson, Gold Hill, Oregon

The assay results given below are made without charge as provided by Chapter 176, Section 10, Oregon Laws 1937, the sender having complied with the provisions thereof.

NOTICE: The assay results given below are from a sample furnished by the above named person. This department had no part in the taking of the sample and assumes no responsibility, other than the accuracy of the assay of the material as furnished it by the sender.

Sample Number	GOLD		SILVER		Percent	Value	Percent	Value	Total Value
	Ounces per ton	Value	Ounces per ton	Value					
	3.72	150.20	2.4	1.68					8151.38

Market Quotations:

Gold \$ 55.00 per oz.
 Silver \$ 0.70 per oz.
 \$ per oz.
 \$ per oz.

STATE ASSAY LABORATORY

 Assayer

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
ASSAY LABORATORIES

Baker, Oregon
Grants Pass, Oregon

SAMPLE INFORMATION REQUESTED

The law passed by the Legislature, governing the free assaying and analyzing of samples sent to a State Assay Laboratory, provides that certain information be furnished to the Laboratory regarding samples sent for assays, etc. A copy of the law will be found on the back of this blank. Please read the law carefully. Will you please fill in the information called for in the following blank, as far as possible, and return the same to the nearest State Assay Laboratory, along with your sample. If you have made out a blank, this copy is for your future use. Keep a copy of the information on each sample for your own reference.

Your name in full *J. E. M.*

Postoffice address.

Are you a citizen of Oregon? Date on which sample is sent. *1/3/29*

Name (or names) of owners of the property *Lucky Bart.*

Name of particular claim and date of location *Laughful.*

Location of property or source of sample:

(1) County. *Jackson* (2) Mining District *Gold Hill*

(3) Township *35 S.* (4) Range *3 W.* (5) Section *30*

(6) Quarter Section

How far from passable road? *on road*

For what do you wish sample tested? *gold*

Does your sample represent a new discovery? *no*

On a newly located claim? *no* Old? *yes*

Has any ore from this claim been milled or shipped? *yes*

Width of ore where sample was taken (length of channel cut) *concentrate*

Remarks: The Department would be pleased to have you add to the above, such information as you think would be of interest and value. Use the reverse side of this sheet or a separate sheet. This could best be shown by a pencil sketch, indicating the development on the claim with the widths of vein, especially the width of ore at the place where this sample was taken.

A sample, to be of value, should be taken in an even channel across the vein from wall to wall. Its position in the workings should be marked and the width measured. Assays of unlocated samples, without widths, are of little value. They create but little interest in the minds of experienced investors and engineers.

Send report.

B. A. Johnson
Gold Hill, Ore.

(Over)

(signed) *J. E. Morrison*