JU JAN OF GEOLOGIO69 State Office Building Brate Dept. of GEOLOGIO69 State Office Building Portland 1, Oregon

POISON OAK CLAIM (tunnel) (Au)

Jackson County Gold Hill Dist.

(This tunnel was encountered while mapping geology along Highway 99 Freeway).

Owner: Herbert C. Rudd, Sr., Grants Pass, Oregon.

Location: The tunnel is located near the upper north edge of the COPCO right-of-way in the NE_4^1 of the SE_4^1 sec. 19, T. 36 S., R. 4 W., at about 1,200 feet elevation.

History: Rudd obtained the claim from Albert L. Miller in 1955. A \$6,000 pocket was reportedly taken out near the portal by a Mr. Woolfolk. Most of the work was done by Miller in the 1940's.

<u>Development</u>: The tunnel is about 180 feet long. There is a short crosscut or jog to the right and a small amount of underhand work near the face.

Geology: The tunnel drifts along a multiple quartz vein in meta-sedimentary rock (argillite) of the Applegate group. The system of anastomosing veins strike about N. 20° E. and dip near vertical.

Where exposed in the crosscut near the face the veins intrude a zone in the argillite about 12 feet wide. A $13\frac{1}{2}$ foot chip sample (TG-283) taken at this point assayed \$1.05 in gold. Some sooty manganese oxide is associated with the veins. Sulfides appear to be lacking but rusty zones indicate probable altered pyrite.

Visited: 11/5/59 by NVP and LR.

Informant: H. C. Rudd, Sr.

Report by: Len Ramp - 12/31/59.

2033 First Street Baker, Oregon

STATE DEPARTMENT OF GEOLOGY AND HINERAL INDUSTRIES 1069 State Office Building

Portland 1, Oregon

239 S.E. "H" Street Grants Pass, Oregon

REQUEST FOR SAMPLE INFORMATION

The State law governing analysis of samples by the State assay laboratory is given on the back of this blank. Please supply the information requested herein fully and submit this blank filled out along with the sample.

Street or P.O. Box	Your name in full Ted B. Carton	processing one Transpagner
Are you a citizen of Oregon? Yes Date on which sample is sent 7/29/60 Name (or names) of owners of the property Herb Rudd Are you hiring labor? No Are you milling or shipping ore? No Name of claim sample obtained from Poison Oak Location of property or source of sample (If legal description is not known, give location with reference to known geographical point.) County Jackson Mining District Gold Hill Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks, Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron— and manganese—stained vein quartz laminated with gree phyllite.	Street or P.O. Box Rt. 1 Box 846-E City & State Grants Pass,	Oregon
Are you hiring labor? No Are you milling or shipping ore? No Name of claim sample obtained from Poison Oak Location of property or source of sample (If legal description is not known, give location with reference to known geographical point.) County Jackson Mining District Gold Hill Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with gree phyllite. Sample GOLD SILVER DUARD SILV		
Name of claim sample obtained from Poison Oak Location of property or source of sample (If legal description is not known, give location with reference to known geographical point.) County Jackson Mining District Gold Hill Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER DUARD OZ./T. Value OZ./T. Value OZ./T. Value	Name (or names) of owners of the property Herb Rudd	
Location of property or source of sample (If legal description is not known, give location with reference to known geographical point.) County Jackson Mining District Gold Hill Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with gree phyllite. Sample GOLD SILVER DESIRED D	Are you hiring labor? No Are you milling or shipping ore? No	
give location with reference to known geographical point.) County Jackson Mining District Gold Hill Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER DUADER OZ./T. Value OZ./T.	Name of claim sample obtained from Poison Oak	
Township 36 S Range 4 W Section 19 Quarter section How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER Description of the property of the property of the property of the phyllite.		
How far from passable road? 2 blks. Name of road Foothill Blvd. Channel (length) Grab Assay for Description Sample no. 1	County Jackson Mining District Gold Hill	
Channel (length) Grab Assay for Description Sample no. 1 x Au,Ag Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER number oz./T. Value oz./T. Value P-25487 Nil - Nil	Township 36 S Range 4 W Section 19 Quarter section	-
Sample no. 1 X Au,Ag	How far from passable road? 2 blks. Name of road Foothill Blvd.	
(Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER	Channel (length) Grab Assay for Description	
(Samples for assay should be at least 1 pound in weight) (Signed)	Sample no. 1 x Au, Ag	
(Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER number oz./T. Value oz./T. Value		
(Signed) Ted B. Carton DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER DESIRED Sample GOLD SILVER DESIRED P-25487 Nil	(Samples for assay should be at least 1 pound in weight)	
DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER		
DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED Sample Description White iron- and manganese-stained vein quartz laminated with green phyllite. Sample GOLD SILVER	(Signed) Ted B. Carton	4
Sample Description White iron- and manganese-stained vein quartz laminated with green convergence of the state of the stat	and the first of the control of the second of the proof there the	
Sample GOLD SILVER number oz./T. Value oz./T. Value	DO NOT WILLIE DEBOW THIS ELWE - FOR OFFICE COS ONET - COS CINER CIDE IT DECIR	
Sample GOLD SILVER number oz./T. Value oz./T. Value	Sample Description White iron- and manganese-stained vein quartz laminated with	green
Sample GOLD SILVER number oz./T. Value oz./T. Value	and the transpose of all backaring of term being a catemeter	
Sample GOLD SILVER number oz./T. Value oz./T. Value		
number oz./T. Value oz./T. Value		
2-25487 Nil Nil Nil		
	P-25487 Nil Nil Nil	
		2 7

STATE DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
1069 State Office Building
Portland 1, Oregon

2033 First Street Baker, Oregon 239 S.E. "H" Street Grants Pass, Oregon

REQUEST FOR SAMPLE INFORMATION

The State law governing analysis of samples by the State assay laboratory is given on the back of this blank. Please supply the information requested herein fully and submit this blank filled out along with the sample.

Your name in full Len Ramp (DCGAMI)
Street or P.O. Box P.O. Box 417 City & State Grants Pass, Orego
Are you a citizen of Oregon?Date on which sample is sent11/6/59
Name (or names) of owners of the property to tale on the property of the prope
Are you hiring labor? Are you milling or shipping ore?
Name of claim sample obtained from Silver Tip(?) or Poison Oak(?)
Location of property or source of sample (If legal description is not known, give location with reference to known geographical point.) County Mining District
Township 36 S Range 4 W Section 19 Quarter section SELVELSW
How far from passable road? 100: Name of road New Hwy. 99 Freeway
Channel (length) Grab Assay for Description
Sample no. 1 13.5: Sample no. 1
Sample no. 2 (Samples for assay should be at least 1 pound in weight) (Signed)
DO NOT WRITE BELOW THIS LINE - FOR OFFICE USE ONLY - USE OTHER SIDE IF DESIRED and yellow and particular and provide in argillite. Anastomosing veinlets in water direction with sorty Mn oride in argillite. Anastomosing veinlets and bno treasures of the principles and the second and the s
Sample GOLD - SILVER
number cz./T. Value oz./T. Value
P-24733 TG-283 0.03 \$1.05 Nil
Report issued Card filed Report mailed 11-17-59 Called for

State Department of Geology and Mineral Industries

1069 State Office Building Portland 1, Oregon

POISON OAK CLAIM (tunnel) (Au)

Jackson County Gold Hill Dist.

(This tunnel was encountered while mapping geology along Highway 99 Freeway).

Owner: Herbert C. Rudd, Sr., Grants Pass, Oregon.

8-24-60 new owner Ted B. Canton, Ernets Pas

Location: The tunnel is located near the upper north edge of the COPCO right-of-way in the NE_{4}^{1} of the SE_{4}^{1} sec. 19, T. 36 S., R. 4 W., at about 1,200 feet elevation.

History: Rudd obtained the claim from Albert L. Miller in 1955. A \$6,000 pocket was reportedly taken out near the portal by a Mr. Woolfolk, 260011920 Most of the work was done by Miller in the 1940's.

<u>Development</u>: The tunnel is about 180 feet long. There is a short crosscut or jog to the right and a small amount of underhand work near the face.

Geology: The tunnel drifts along a multiple quartz vein in metasedimentary rock (argillite) of the Applegate group. The system of anastomosing veins strike about N. 20° E. and dip near vertical.

Where exposed in the crosscut near the face the veins intrude a zone in the argillite about 12 feet wide. A $13\frac{1}{2}$ foot chip sample (TG-283) taken at this point assayed \$1.05 in gold. Some sooty manganese oxide is associated with the veins. Sulfides appear to be lacking but rusty zones indicate probable altered pyrite.

Visited: 11/5/59 by NVP and LR.

Informant: H. C. Rudd, Sr.

Report by: Len Ramp - 12/31/59.