

SUMMARY OF SAMPLE DATA ON FILE IN GRANTS PASS OFFICE
of
OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

T 38S, R 2W

Section 7

(All are grab samples unless otherwise noted.)

DOGAMI

<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
JG - 7	1/17/49	Section 7 (no quarter section given), $\frac{1}{4}$ mile from Applegate - Jacksonville Hwy.	"fine"	1.83	NR	
JG - 8	1/17/49	ditto	"coarse"	0.02	NR	
JG - 105	4/28/49	NW $\frac{1}{4}$ NW $\frac{1}{4}$, $\frac{1}{4}$ mile from Poorman Creek road	gray-green, calcite-rich metavolcanic rock; both samples (JG - 105 and 106) are somewhat leached and contain diss py.	0.24	NR	
JG - 106	4/28/49	ditto	see above	0.08	NR	
JG - 170	6/8/49	Section 7 (no quarter section given), on Poorman Ck. road	gray-white qtz with considerable sulfide content -- largely gal, py and cp	2.63	1.00	0.62% Pb
JG - 171	6/8/49	ditto	ditto	18.05	4.50	2.02% Pb
JG - 209	7/6/49	NW $\frac{1}{4}$, on Poorman Creek road	limonite and qtz	0.85	0.50	0.72% Pb
JG - 210	7/6/49	ditto	gray-white qtz, containing scat py, cp and gal	7.48	2.60	1.70% Pb
TG - 52	3/31/59	SE $\frac{1}{4}$	fractured Fe-stained vein qtz	Tr	Nil	
TG - 74	4/27/59	Section 7 (no quarter section given), 100 ft from Sterling Road	weathered talcy metasediment --- contains Fe-stained qtz	0.02	Tr	

T 38S, R 2W

Section 7, continued

DOGAMI

<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
UG - 9	1/18/60	SE $\frac{1}{4}$, 200 yds from access to Griffin Creek road	fractured Fe-stained vein qtz with seam of gal	0.04	2.80	4.90% Pb
UG - 23	2/11/60	SE $\frac{1}{4}$, 100 yds from access to Griffin Creek road	fractured Fe-stained vein qtz with some mixed calcite, gray country rock and limonite	0.02	Tr	Tr Be
VG - 108	5/23/61	SE $\frac{1}{4}$, 1/8 mile from Sterling Creek road	gray banded limy qtz	0.30	Tr	
VG - 109	5/23/61	ditto	light gray to white siliceous ls or limy qtz	0.32	0.20	
ZG - 118	7/29/65	Section 7 (no quarter section given), "from face of tunnel on BLM" [so must be in N $\frac{1}{2}$ NW $\frac{1}{4}$]	highly sheared greenstone, some Fe-staining and thin coatings of py	Nil	0.30	
ABG - 55	4/17/67	Section 7 (no quarter section given), 200 yds from Sterling Ck. road; rotary drill hole at 240 - 250 ft depth	dark gray siliceous argillite with some py (drill cuttings)	0.03	Nil	
ABG - 56	4/17/67	ditto; 260 - 300 ft depth	similar to ABG - 55 but with more qtz	Nil	Nil	
ABG - 109	7/11/67	Section 7 (no quarter section given)	somewhat porous dark talcy serpentine	Tr	Nil	
ABG - 110	7/11/67	ditto	Fe-stained silicified f-gr greenstone (metatuff) with limonite stain on fractures and voids	0.02	Nil	

T 38S, R 2W

Section 7, continued

DOGAMI

<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
ACG-23	2/21/68	NW $\frac{1}{4}$ SE $\frac{1}{4}$	weathered rock containing limonite, qtz, cp and minor malachite	0.05	7.95	6.40% Cu
ABG-4	1/9/69 (1/9/67?)	Section 7 (no quarter section given)	dark gray talcy metasediment (argillite)	0.08	Nil	

SUMMARY OF SAMPLE DATA ON FILE IN GRANTS PASS OFFICE
of
OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

T 38S, R 2W

Section 6

(All are grab samples unless otherwise noted.)

DOGAMI		<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
OG - 127	4/22/54	Section 5 or 6,	$\frac{1}{4}$ mile west of 3rd St. road [probably Section 6]		fractured and Fe-stained qtz	0.04	Nil	

SUMMARY OF SAMPLE DATA ON FILE IN GRANTS PASS OFFICE
of
OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

T 38S, R 2W

Section 18

(All are grab samples unless otherwise noted.)

DOGAMI							
<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>	
AG - 766	5/28/40	Section 18 (no quarter section given)	rusty qtz and altered green-stone (17")	0.06		Tr	

SUMMARY OF SAMPLE DATA ON FILE IN GRANTS PASS OFFICE
of
OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

T 38S, R 3W

Section 1

(All are grab samples unless otherwise noted.)

DOGAMI						
<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
IG - 246	6/14/48	Section 1 (no quarter section given), from Taluride (sic) claim, 10 ft from road	None	32.0		Tr
OG - 344	10/10/56	NW $\frac{1}{4}$ (?)	qtz vein in greenstone with minor amount of calcite on fractures and a few oxidized xtals of py	0.32		Tr

SUMMARY OF SAMPLE DATA ON FILE IN GRANTS PASS OFFICE
of
OREGON DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES

T 38 S, R 3 W

Section 13

(All are grab samples unless otherwise noted.)

DOGAMI						
<u>Sample No.</u>	<u>Date</u>	<u>Location</u>	<u>Geologic description</u>	<u>oz Au</u>	<u>oz Ag</u>	<u>Other</u>
AG - 953	7/5/40	Section 13 (no quarter section given), Blue Bucket claim	fractured, rusty qtz containing a considerable amount of limonite	0.08		Tr
AG - 1239	9/6/40	Section 13 (no quarter section given), between Poorman Creek and Bishop Creek (Blue Bucket claim)	qtz and altered greenstone with a small amount of Fe oxide	0.18		Tr

STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
Project Sample Record

SAMPLES SUBMITTED BY: LEN RAMP

P.O. Box 417
DOGAMI Grants Pass, OR 97526

Date: December 31, 1980

Baker
 Grants Pass

Sample No.	Mine or Prospect	Type	District	S.	T.	R.	Assay for
AOG- 85	Sugar Loaf Prospect	grab cuttings	Jacksonville	SE 1/4 7	38 S.,	2 W.	Au, Ag
86
87
88
89
90
91
92

Descriptions:

All samples from piles of cuttings at drill hole sites, largely metasedimentary rock; in part limey and some dike rock.
 AOG-85 lower bench, hole #12; 86 lower bench hole #14 (about 200' N. of 85); 87 old cut second bench selected iron-stained vein quartz.
 AOG-88 - hole #5 second bench N. of old cut; 89 - hole #30 N. end 3rd bench; 90- hole #46 3rd bench in gulley; 91- hole #56 - 4th
 bench-road, near N. end on curve; 92 - top Sugarloaf Ridge north end hole #?.

Results:

IR 41024	AOG -	Au oz/ton	Ag oz/ton
1	85	0.035,0.030	<0.20
2	86	0.010,0.035	"
3	87	0.025,0.020	"
4	88	0.005,0.010	"
5	89	0.005,trace	"
6	90	trace,trace	"
7	91	0.010,trace	"
8	92	nil,trace	"

Au: Each value average of two assays.

Ag: Below about 0.20 oz/ton error in value is too uncertain to warrant reporting value obtained.

Samples taken from Sugar Loaf Mountain Area
T. 38 S., R. 2 W. Section Z

Date	Sample Nr.	Type Sample	Sampler	Au	Ag	Pb %
1-17-49	JG- 7	Grab	E.C. Guetzlaff	1.83	--	--
1-17-49	JG- 8	****	*****	0.02	--	--
4-28-49	JG-105	****	*****	0.24	--	--
4-28-49	JG-106	****	*****	0.08	--	--
6- 8-49	JG-170	****	*****	2.63	1.00	0.62
6- 8-49	JG-171	****	*****	18.05	4.50	2.02
7- 6-49	JG-209	****	*****	0.85	0.50	0.72
7- 6-49	JG-210	****	*****	7.48	2.60	1.70
3-31-59	TG- 52	****	R.B. Maddox	Tr	Nil	--
4-27-59	TG- 74	****	*****	0.02	Tr	--
1-18-60	UG- 9	****	R.F. Maddox	0.04	2.80	4.90
2-11-60	UG- 23	****	*****	0.02	Tr	--
4- 1-60	UG- 52	****	*****	Nil	--	--
4- 1-60	UG- 53	****	*****	Nil	--	--
5-23-61	VG-108	****	R.B. Maddox	0.30	TR	
5-23-61	VG-109	****	*****	0.32	0.20	--
7-29-65	ZG-118	****	Harlan Barnes	Nil	0.30	--
1- 9-67	ABG-4	****	R.B. Maddox	0.08	Nil	--
4-17-67	ABG-55	****	Rupert Maddox	0.03	Nil	--
4-17-67	ABG-56	****	*****	Nil	Nil	--
7-11-67	ABG-109	****	*****	Tr	Nil	--
7-11-67	ABG-110	****	*****	0.02	Nil	--
8-21-67	ABG-142	****	R.F. Maddox	Nil	Nil	--
8-21-67	ABG-143	****	*****	Tr	Nil	--
2-21-68	ACG-23	****	R.F. Maddox	0.05	7.95	Cu-- 6.40%
2-21-68	ACG-24	****	*****	Nil	Nil	----
3-21-68	ACG-32	****	*****	0.01	Nil	
3-21-68	ACG-33	****	*****	Tr	Nil	
5- 6-70	AEG-87	****	R.B. Maddox	Nil	Nil	
5- 6-70	AEG-88	****	*****	Nil	Nil	

AOG sugarloaf Prospect
 85 sample #1 - hole No 12 cuttings
 on sec line S. end 7 & 8 T 38S R2W
 86 S. II 2 hole #14 about 200' N of #1
 from old cut about 250'
 87 S #3 from old cut about 250'
 west of #1
 88 S #4 hole #5 second bench
 hole #30 N End 3rd
 bench
 89 S #5 - Hole #46 3rd bench by
 gully, (in sec 18,?)
 90 S #6 4th Bench Hole #56 near
 N. end (road to top)
 91 S #7 Top of sugarloaf N. end
 hole # (?) (coat sleeve)
 92 S #8 visited 12-30- with Paul Lawson
 & Curt Weaver
 Curt Weaver

Rupert Maddox Jr
 899-1662
 Continental Minerals Inc
 Roger Smith

Exploration activity?

Drilling? 100

One? .19

visit?

wagon drill 12-15 holes

100' deep AA
solution

Art Ross

3 samples on 4 out of sea
to Las Vegas

Los Angeles independent
mining



STATE OF OREGON
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES
Project Sample Record

SAMPLES SUBMITTED BY: LEN RAMP


P.O. Box 417
DOGAMI Grants Pass, OR 97526 Date: December 31, 1980

Baker
 Grants Pass

Sample No.	Mine or Prospect	Type	District	S.	T.	R.	Assay for
AOG- 85	Sugar Loaf Prospect	grab cuttings	Jacksonville	SE 1/4 7	38 S.,	2 W.	Au, Ag
86							
87							
88							
89							
90							
91							
92							

Descriptions: All samples from piles of cuttings at drill hole sites, largely metasedimentary rock; in part limey and some dike rock.
 AOG-85 lower bench, hole #12; 86 lower bench hole #14 (about 200' N. of 85); 87 old cut second bench selected iron-stained vein quartz.
 AOG-88 - hole #5 second bench N. of old cut; 89 - hole #30 N. end 3rd bench; 90- hole #46 3rd bench in gully; 91- hole #56 - 4th
 bench-road, near N. end on curve; 92 - top Sugarloaf Ridge north end hole #?.

Results:			LR	41024	AOG	Au oz/ton	Ag oz/ton	Au: Each value average of two assays.
85-	.030	7.2		1	85	0.35, 0.030	<0.20	
86-	.035	7.2		2	86	0.040, 0.035	"	
87-	.020	7.2		3	87	0.025, 0.020	"	
88-	.010	lesothan		4	88	0.005, 0.010	"	
89-	In .005			5	89	0.005, trace	"	
90-	In	"		6	90	trace, trace	"	
91-	In	"		7	91	0.010, trace	"	
92-	In	"		8	92	nil, trace	"	



BONDAR-CLEGG & COMPANY LTD.

130 PEMBERTON AVE., NORTH VANCOUVER, B.C. V7P 2R5 PHONE: 985-0681 TELEX: 04-352667

COPY

April 3, 1981

Mr. Ronald C. Parker
724 Old Stage Road North
Cave Junction, Oregon 97523

Ron:

We have completed some re-runs and custom work on your samples from our report 21 - 277.

RESULTS ARE:

<u>Sample</u>	<u>Re-cut</u> Au ppb	<u>Original Split</u> Au ppb
AOG-85	10/ 5	< 5
86	5/< 5	< 5
87	500/510	430
88	15/ 20	15
89	15/ 15	10
90	35/ 15	< 5
91	5	5
92	< 5	< 5

In addition, we have taken the coarse (-6 mesh) reject for sample #87 and leached it with hot aqua regia. About 20% of the Au contained in the coarse reject was available to a surface acid attack.

I trust these analyses will assist you to draw accurate conclusions.

BONDAR-CLEGG & COMPANY LTD.

John C. Kyngsveid (for)

Ken Bright, Geol. E.
Chief Geochemist

KB/mer

cc Mr. R. C. Parker


COPY
OTTAWA

WHITEHORSE

VANCOUVER

CAMPBELLTON

DENVER



BONDAR-CLEGG & COMPANY LTD.

130 PEMBERTON AVENUE, NORTH VANCOUVER, B.C.

(604) 985-0681

TLX: 04-352667

Geochemical Lab Report

FROM: Bear Creek Mining Company

REPORT NUMBER: 21 - 277

PROJECT: R. C. PARKER

DATE: March 6, 1981

SAMPLE NUMBERS	Au ppb	As ppm	Hg ppb								
AOG 85	< 5	7	95								
86	< 5	15	50								
87	430	>1000	110								
88	15	13	50								
89	10	13	35								
90	< 5	7	70								
91	5	7	40								
92	< 5	2	30								
cc Mr. R. C. Parker											