

July 28 1939

Crescent Pacific Mining Co.

Joseph H. Garner mgr.

moved equipment July 1939 from Rippy Ranch
to Fred. Offentbacher Place about ¹³18 miles?
down Applegate.

1/4 Lima Drag line shovel.

Judson Pacific Washer. (50' stacker belt.)

Caterpillar 62.5 H.P. Diesel elect. power plant.
Allis Chalmers. full dayer 50 H.P.?

cap. 75 to 100 yds per hr.

8 hrs.
500 yds.
per day.

HORSESHOE
~~XXXXXXXXXX~~ PLACER

Upper Applegate District

5
Location: Section 24, T.38 S., R. 3 W.
Owners: Ray Offenbacher Ranch, and M.C.Lininger and
sons.

Area: About 80 acres.

General: Operated during the summer of 1938 without
success by E.L.Childers, Medford, Oregon.

About 6 feet of gravel, with 5 feet of overburden,
said to run from 35 to 50 cent per yard.

Entw next page

Also known as the Hesslar mine and operated with out
success by E. L. Childers 230 So Central Medford Ore
Summer 1938.

Linger & sons. Ashland. July 28 1938
Ray Offenbacher Jackson
8 acres. Sec 24 T 38 R 30

Linger M. C & Sons
Ashland Ore.

4 ^{approx} acres Ray & about same for Free
20' screen - 48" dia. - 3/4 to 1/2 holes
6 cy Buick engine.

6" Jaeger - Hercules motor unit. 1000 gal
2m

Spuds 1/2 gas shovel.
250 yds per 8 hrs. -

3' overburden & about 6 of gravel 35 to 50
dies 590 large boulders.

2 v8 ford truck 2 yd per load.
hauling rock away white. 5 yds.

8600-872 - coarse gravel.

OFFENBACHER PLACER

Upper Applegate District

Location: Secs. 29 and 30, T. 38 S., R. 3 W.

Owners: Fred Offenbacher ranch.

General: The Crescent Pacific Mining Company, Joseph H. Garner, manager, is reported to have moved equipment in July, 1939, from the Rippy' Ranch, consisting of a $1\frac{1}{4}$ yd. Lima Dragline shovel, Judson Pacific washer, 50 foot stacker Caterpillar belt, diesel-electric power plant, 50 h.p. Allis Chalmers bulldozer. The capacity of the outfit is from 75 to 100 yards per hour, or 500 yards per day.

Informant: J.E.Morrison, 39

enter next page