

July 28 1939

Crescent Pacific Mining Co.

Joseph H. Garner mgr.

moved equipment July 1939 from Rippy Ranch  
to Fred. Offentbacher Place about <sup>13</sup>18 miles?  
down Applegate.

1/4 Lima Drag line shovel.

Judson Pacific Washer. (50' stacker belt.)

Caterpillar 62.5 H.P. Diesel elect. power plant.  
Allis Chalmers. full dayer 50 H.P.?

cap. 75 to 100 yds per hr.

8 hrs.  
500 yds.  
per day.

HORSESHOE  
~~WILLOW~~ PLACER

Upper Applegate District

5  
Location: Section 24, T.38 S., R. 3 W.  
Owners: Ray Offenbacher Ranch, and M.C.Lininger and  
sons.

Area: About 80 acres.

General: Operated during the summer of 1938 without  
success by E.L.Childers, Medford, Oregon.

About 6 feet of gravel, with 5 feet of overburden,  
said to run from 35 to 50 cent per yard.

*Entw next page*

Also known as the Hesslar mine and operated with out  
success by E. L. Childers 230 So Central Medford Ore  
Summer 1938.

Linger & sons. Ashland. July 28 1938

Ray Offenbacher Jackson  
8 acres. Sec 24 T 38 R 30

Linger M. C & Sons  
Ashland Ore.

4 <sup>approx</sup> acres Ray & about same for Free  
20' screen - 48" dia. - 3/4 to 1/2 holes  
6 cy Buick engine.

6" Jaeger - Hercules motor unit. 1000 gal  
2m

Spuds 1/2 gas shovel.  
250 yds per 8 hrs. -

3' overburden & about 6 of gravel 35 to 50  
dies 590 large boulders.

2 vs 8 ford truck 2 yd per load.  
hauling rock away white. 5 yds.

8600-872 - coarse gravel.

OFFENBACHER PLACER

Upper Applegate District

Location: Secs. 29 and 30, T. 38 S., R. 3 W.

Owners: Fred Offenbacher ranch.

General: The Crescent Pacific Mining Company, Joseph H. Garner, manager, is reported to have moved equipment in July, 1939, from the Rippy' Ranch, consisting of a  $1\frac{1}{4}$  yd. Lima Dragline shovel, Judson Pacific washer, 50 foot stacker Caterpillar belt, diesel-electric power plant, 50 h.p. Allis Chalmers bulldozer. The capacity of the outfit is from 75 to 100 yards per hour, or 500 yards per day.

Informant: J.E.Morrison, 39

*enter next page*