

MAR 3 1939

Galice District
Josephine County

Name: Reno Group (gold)
Also known as Elwilda or Cramer Group

Owners: Jack T. Brady Harold Spsker
W. C. Smith R. E. Kelley of Grants Pass, Ore.

Location: This property is about a mile S.W. of the Benton Mine in Secs. 27, 28, 33 and 34, T. 33 S., R. 8 W. The road has been extended from the Benton Mine to this property.

The common corner for the above mentioned sections is about the middle of this group of claims and consists of 7 unpatented mining claims of about 140 acres.

Quite
See Handbook, Page 90. ✓ Since the Handbook has been published a cross-cut tunnel has been run 130 feet and cuts the vein about 30 feet east and at the bottom of the 40 ft. winze mentioned in the Handbook. From this cross-cut tunnel the vein has been drifted on 85 feet to the east and 50 feet to the west. This whole hillside is a honeycomb of workings and probably is best described as having three levels approximately 25 feet apart vertically, two raises and one winze, a total of approximately 500 feet of workings.

Equipment: One Straub Mill 36 by 48 inches, approximately 15 tons capacity.
One 6 H.P. Fairbanks Morse Gas Engine
One 6 by 8 Risdon Iron work Crusher
2 Ore cars
Mill Building, Blacksmith Shop, and two Bunk houses.

Mis. Information: Plenty of timber and water on the property for mining purposes. Mountainous topography. The property has been idle for about 3 years. Elevation 1000 feet.

since 1936

Informant: R. E. Kelley. October, 1937.

RECORD IDENTIFICATION

RECORD NO..... M061275
RECORD TYPE..... X1M
COUNTRY/ORGANIZATION. USGS
DEPOSIT NO..... DDGM1 100-157
MAP CODE NO. OF REC..

REPORTER

NAME..... JOHNSON, MAUREEN G.
UPDATED..... B1 02
BY..... FERNS, MARK L. (BROOKS, HOWARD C.)

NAME AND LOCATION

DEPOSIT NAME..... *KRAMER*
CRAMER

MINING DISTRICT/AREA/SUBDIST. GRANTS PASS

COUNTRY CODE..... JS
COUNTRY NAME: UNITED STATES

STATE CODE..... OR
STATE NAME: OREGON

COUNTY..... JOSEPHINE
DRAINAGE AREA..... 17100310 PACIFIC NORTHWEST
PHYSIOGRAPHIC PRDV..... 13 KLAMATH MOUNTAINS
LAND CLASSIFICATION.....

QUAD SCALE QUAD NO OR NAME
1: 62500 GLENDALE

LATITUDE LONGITUDE
42-31-45N 123-20-38W

UTM NORTHING UTM EASTING UTM ZONE NO
4708389.4 471746.0 +10

TWP..... 35S
RANGE..... 05W
SECTION.. 18
MERIDIAN. WILLAMETTE

COMMODITY INFORMATION

COMMODITIES PRESENT..... AU

MAIN COMMOD..... AJ

PRODUCER(PAST OR PRESENT):
MAJOR PRODUCTS.. AJ
MINOR PRODUCTS.. AG

OCCURRENCE(S) OR POTENTIAL PRODUCT(S):
POTENTIAL.....
OCCURRENCE..... CU

ORE MATERIALS (MINERALS, ROCKS, ETC.):
FREE GOLD, PYRITE

COMMODITY SUBTYPES OR USE CATEGORIES:
6.92 AU:AG

ANALYTICAL DATA(GENERAL)

75 ASSAYS: 26 GT 0.10 OZ/T AU, 6 OF 26 GT 0.30 OZ/T AU, 4 OF 6 RANGED 0.96 OZ/T AU TO 18.94 OZ/T AU

EXPLORATION AND DEVELOPMENT
STATUS OF EXPLOR. OR DEV. 4

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

VEIN /SHEAR ZONE *

FORM/SHAPE OF DEPOSIT: LENS - POCKET

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

STRIKE OF OREBODY..... N50W

DIP OF OREBODY..... 10-20E

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):

850 FEET ON THREE ADITS

ANNUAL PRODUCTION (ORE, COMMOD., CONC., DVERBUR.) YES

ITEM	ACC	AMOUNT	THOUS. UNITS	YEAR	GRADE, REMARKS
1 ORE SML		.039	TONS		
2 AU SML		.090	OZ	2.307	OZ/T
3 AG SML		.013	OZ	.333	OZ/T

CUMULATIVE PRODUCTION (ORE, COMMOD., CONC., DVERBUR.)

ITEM	ACC	AMOUNT	THOUS. UNITS	YEAR	GRADE, REMARKS
15 AU	EST	0001.000	OZ	PRE-1964	POCKETS
23 ORE - EST		5.000	DOLLARS	1910-1964	ALL AG (SOME HIGH GRADE)

DESCRIPTION OF DEPOSIT

DEPOSIT TYPES:

FISSURE VEIN

FORM/SHAPE OF DEPOSIT:

SIZE/DIRECTIONAL DATA

SIZE OF DEPOSIT..... SMALL

STRIKE OF DREBODY..... N55E

DIP OF DREBODY..... 40NW

DESCRIPTION OF WORKINGS

COMMENTS(DESCRIP. OF WORKINGS):

ADIT

PRODUCTION

UNDETERMINED

23 AU, OCCUR

AU

GEOLOGY AND MINERALOGY

AGE OF HOST ROCKS..... PERM-TRI

HOST ROCK TYPES..... GREENSTONE

PERTINENT MINERALOGY..... QUARTZ

LOCAL GEOLOGY

NAMES/AGE OF FORMATIONS, UNITS, OR ROCK TYPES

1) NAME: APPLGATE GROUP

AGE: PERM-TRI

GENERAL REFERENCES

- 1) RAMP, L. AND PETERSON, N.V., 1979, GEOLOGY AND MINERAL RESOURCES OF JOSEPHINE COUNTY, OREGON; ODGMI BULL. 100, 45P
- 2) OREGON METAL MINES HANDBOOK, 1942, ODGMI BULL. 14-C, VOL. 2, SEC. 1, P. 69

CRIB MINERAL RESOURCES FILE 12

RECORD IDENTIFICATION

RECORD NO..... M060708
 RECORD TYPE..... XIM
 COUNTRY/ORGANIZATION. USGS
 MAP CODE NO. OF REC..

REPORTER

NAME..... JOHNSON, MAUREEN G.
 UPDATED..... 81 04
 BY..... SMITH, ROSCOE M.
 FERNS, MARK L. (BROOKS, HOWARD C.)

NAME AND LOCATION

DEPOSIT NAME..... RENO
 SYNONYM NAME..... ELWILDA, HUBBERT, KRAMER

MINING DISTRICT/AREA/SUBDIST. GALICE

COUNTRY CODE..... JS
 COUNTRY NAME: UNITED STATES

STATE CODE..... OR
 STATE NAME: OREGON

COUNTY..... JOSEPHINE
 DRAINAGE AREA..... 17100310 PACIFIC NORTHWEST
 PHYSIOGRAPHIC PROV..... 13 KLAMATH MOUNTAINS
 LAND CLASSIFICATION..... 41

QUAD SCALE QUAD NO OR NAME
 1: 62500 GALICE

LATITUDE LONGITUDE
 42-39-53N 123-38-16W

UTM NORTHING UTM EASTING UTM ZONE NO
 4723551.2 447728.4 +10

TWP..... 33S
 RANGE..... 08R
 SECTION.. 34
 MERIDIAN. W.M.

ALTITUDE.. 1250

LOCATION COMMENTS: NW 1/4

PRODUCTION COMMENTS.... PRODUCTION FROM SMALL HIGH GRADE ORE

GEOLOGY AND MINERALOGY

AGE OF HOST ROCKS..... JUR
HOST ROCK TYPES..... GREENSTONE
IGNEOUS ROCK TYPES..... SERPENTINITE

PERTINENT MINERALOGY..... SERICITE; ZOISITE , QUARTZ

IMPORTANT ORE CONTROL/LOCUS.. SOUNDS LIKE OPHIOLITE FROM DESCRIPTION BUT MAPPED AS ROGUE NEAR SERPENTINE ALONG WE
BORDER OF MIXED ROCKS ON GALICE GQ. IN BAND OF ROGUE WEST OF ZONE 6 SOUTH OF NW FAULT

LOCAL GEOLOGY

NAMES/AGE OF FORMATIONS, UNITS, OR ROCK TYPES
1) NAME: ROGUE VOLCANICS
AGE: JUR

GENERAL COMMENTS

RECORD NUMBER (M013304) HAS BEEN MERGED WITH THIS RECORD AND DELETED FROM THE OREGON FILE.

GENERAL REFERENCES

- 1) RAMP, L. AND PETERSON, N.V., 1979, GEOLOGY AND MINERAL RESOURCES OF JOSEPHINE COUNTY, OREGON; ODGMI BULL. 100, 45P
- 2) BROOKS, H.C. AND RAMP, L., 1968, GOLD AND SILVER IN OREGON; ODGMI BULL. 61, P. 211
- 3) YOUNGBERG, E.J., 1947, MINES AND PROSPECTS OF THE MOUNT REUBEN MINING DISTRICT, JOSEPHINE COUNTY, OREGON; ODGMI BULL. 34, P. 17
- 4) OREGON METAL MINES HANDBOOK, 1942, ODGMI BULL. 14-C, VOL. 2, SEC. 1, P. 53

RENO GROUP (gold)

Galice area

Also known as Elwilda or Kramer Group

Owners: Jack T. Brady, W. C. Smith, Harold Speker, and R. E. Kelley of Grants Pass, Oregon.

Location: This property is about a mile southwest of the Benton Mine in secs. 27, 28, 33, and 34, T. 33 S., R. 8 W. The road has been extended from the Benton Mine to this property.

The common corner for the above mentioned sections is about the middle of this group of claims which consists of 7 unpatented mining claims of about 140 acres.

History: "The Elwilda or Kramer group is about 8 miles by trail from the Almeda Mine and consists of 11 claims extending from Rogue River up Whiskey Creek. The mill was formerly a rotary 4-stamp Parker mill; it is now an arrastre run by a Pelton wheel. The group is opened chiefly at two places called the north and south 'works'. In both places the country rock is greenstone; at the latter it is cut by a dike of quartz monzonite aplite. At the south 'works' 2 short adits disclose a quartz vein about 3 feet thick, which is much crushed and faulted. One fault strikes N. 67° E. and dips about 55° S.E. The chief vein strikes nearly east and dips about 60° northward. At the north 'works' 2 adits open one or more veins, which vary considerably in strike and dip. The richest portion has a strike of N. 4° E. and a dip varying from 45° W. above the level to 78° W. below in a 40-foot winze. Near the breast a quartz vein strikes N. 20° E. and dips 70° N.W. The gold in the ore from this adit is reported to amount to \$5 a ton."

A crosscut tunnel has been run 130 feet and cuts the vein about 30 feet east and at the bottom of the 40 foot winze mentioned by Parks & Swartley. From this crosscut tunnel the vein has been drifted on 85 feet to the east and 50 feet to the west. This whole hillside is a honeycomb of workings and probably is best described as having three levels approximately 25 feet apart vertically, two raises and one winze, a total of approximately 500 feet of workings.

Equipment: One Straub Mill 36 by 48 inches, approximately 15 tons daily capacity; one 6 h.p. Fairbanks-Morse Gas Engine; one 6 by 8 Risdon Iron work crusher; 2 ore cars; mill building, blacksmith shop; and two bunk houses.

There is plenty of timber and water on the property for mining purposes. Mountainous topography. The property has been idle since 1936. Elevation 1,000 feet.

Informant: R. E. Kelley, October, 1937.

Reference: Parks & Swartley, p. 90, 1916 (quoted)
Diller, 14:52