

cc 02



RECEIVED-PTLD

JAN 15 1980

DEPT OF GEOLOGY
& MINERAL INDUS

DIP LOG CALCULATIONS

COMPANY REICHOLD ENERGY CORPORATION
WELL D.S.C. COLUMBIA COMPANY NO. 2
FIELD NEHALEM
COUNTY COLUMBIA STATE OREGON

WELEX

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
368.0	368.2	C	7.2	282.	0.2	188.	357.	6.6	0.0	0.50	-0.20
372.1	372.2	B	8.0	264.	0.2	175.	353.	6.6	0.0	0.40	-0.40
374.0	374.2	D	7.1	248.	0.1	173.	351.	6.7	0.0	0.20	-0.50
378.8	379.0	C	3.0	252.	0.1	173.	351.	6.6	0.0	0.10	-0.20
385.6	385.7	C	24.2	221.	0.1	162.	341.	6.5	0.0	0.0	-2.20
402.0	402.3	B	12.8	183.	0.1	161.	340.	6.6	0.0	-0.80	-1.30
404.0	404.3	C	25.1	202.	0.1	158.	338.	6.8	0.0	-0.80	-2.70
407.6	407.8	C	18.7	189.	0.1	149.	327.	6.6	0.0	-0.60	-1.90
413.2	413.3	C	12.8	212.	0.1	145.	323.	6.5	0.0	0.20	-1.00
416.0	416.3	C	19.7	198.	0.1	143.	321.	6.5	0.0	-0.10	-1.80
421.7	422.0	B	11.1	227.	0.1	143.	319.	6.5	0.0	0.50	-0.60
426.0	426.4	B	17.3	199.	0.1	137.	319.	6.4	0.0	0.0	-1.50
428.0	428.5	C	19.6	199.	0.1	131.	313.	6.4	0.0	0.20	-1.60
435.6	436.0	B	19.7	211.	0.1	127.	307.	6.5	0.0	0.80	-1.20
438.0	438.4	B	17.5	200.	0.1	120.	303.	6.4	0.0	0.50	-1.20
441.6	441.8	B	18.5	182.	0.1	112.	296.	6.4	0.0	0.20	-1.50
445.6	446.0	B	24.5	187.	0.1	103.	295.	6.4	0.0	0.50	-1.90
449.0	449.3	C	21.3	194.	0.1	98.	298.	6.4	0.0	0.60	-1.50
452.0	452.3	B	16.7	168.	0.1	93.	302.	6.4	0.0	-0.40	-1.60
455.6	455.8	B	13.4	193.	0.1	69.	290.	6.4	0.0	0.50	-0.80
462.8	462.9	B	8.5	170.	0.1	351.	208.	6.3	0.0	0.80	0.30
465.3	465.7	B	7.4	157.	0.1	321.	182.	6.3	0.0	0.70	0.40
466.5	466.8	C	7.6	183.	0.1	309.	168.	6.3	0.0	0.50	0.70
470.0	470.7	B	22.3	324.	0.1	267.	117.	6.2	0.0	-1.20	-2.20
474.0	474.3	B	13.4	194.	0.1	233.	65.	6.2	0.0	-1.20	-0.20
476.0	476.3	B	20.7	216.	0.1	217.	44.	6.2	0.0	-1.90	-1.60
478.0	479.0	A	21.3	176.	0.1	190.	21.	6.2	0.0	-2.10	-1.20
481.7	482.0	B	9.8	201.	0.1	150.	333.	6.3	0.0	-0.20	-0.90
484.2	484.8	C	17.2	169.	0.1	118.	309.	6.4	0.0	-0.60	-1.70
486.2	486.4	B	20.1	193.	0.1	97.	293.	6.4	0.0	0.70	-1.30
490.0	490.7	C	6.7	214.	0.1	57.	265.	6.4	0.0	0.60	0.10
492.4	492.6	C	11.3	228.	0.1	54.	261.	6.4	0.0	1.10	0.50
495.0	495.2	C	16.0	217.	0.1	41.	247.	6.5	0.0	1.60	0.80
498.0	498.3	B	16.9	226.	0.1	358.	196.	6.1	0.0	0.80	1.60
503.6	503.7	C	14.8	48.	0.1	285.	108.	6.1	0.0	1.20	0.0
508.0	508.7	C	59.3	64.	0.1	226.	48.	6.3	0.0	6.30	8.90
514.3	514.7	C	17.9	203.	0.1	165.	356.	6.4	0.0	-1.00	-1.80
517.6	518.3	C	17.3	198.	0.1	145.	346.	6.3	0.0	-0.80	-1.70
520.6	520.8	B	20.7	245.	0.1	128.	322.	6.3	0.0	1.40	-0.60
523.0	523.3	A	23.2	202.	0.1	107.	301.	6.3	0.0	0.80	-1.50
525.0	526.0	A	27.8	170.	0.1	83.	280.	6.3	0.0	0.50	-2.20
527.0	528.0	B	9.4	169.	0.1	59.	262.	6.3	0.0	0.40	-0.50
529.0	530.0	B	13.4	191.	0.1	34.	242.	6.3	0.0	1.20	0.20
530.0	530.3	B	6.4	206.	0.1	27.	236.	6.3	0.0	0.60	0.30
533.0	533.3	B	13.6	188.	0.1	21.	210.	6.3	0.0	1.30	0.80
535.6	536.0	B	7.4	34.	0.1	359.	197.	6.3	0.0	-0.50	-0.70
538.2	538.6	C	14.1	15.	0.1	349.	187.	6.4	0.0	-1.10	-1.30
540.3	540.7	C	10.3	86.	0.1	350.	188.	6.5	0.0	0.30	-0.70
543.0	543.3	B	12.0	28.	0.1	352.	189.	6.6	0.0	-0.80	-1.20
546.0	546.4	B	13.7	30.	0.1	354.	189.	6.7	0.0	-0.90	-1.40
547.8	548.0	C	11.0	49.	0.1	355.	190.	6.6	0.0	-0.40	-1.10
549.6	550.0	B	7.0	36.	0.1	356.	190.	6.5	0.0	-0.40	-0.70
550.8	551.0	B	1.2	76.	0.1	355.	191.	6.5	0.0	0.0	-0.10
552.2	552.6	C	12.9	49.	0.1	354.	191.	6.6	0.0	-0.50	-1.30
554.3	554.5	H	13.3	358.	0.1	351.	191.	6.6	0.0	-1.30	-1.00

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
556.0	558.0	C	12.1	26.	0.1	348.	192.	6.7	0.0	-0.90	-1.20
561.6	562.0	B	13.0	39.	0.1	342.	186.	6.5	0.0	-0.60	-1.30
562.0	562.4	B	12.0	42.	0.1	341.	186.	6.5	0.0	-0.50	-1.20
565.0	565.2	B	13.9	27.	0.1	339.	181.	6.5	0.0	-0.80	-1.40
573.0	573.3	B	18.4	97.	0.1	325.	176.	6.4	0.0	1.20	-0.60
574.2	574.3	H	24.6	350.	0.1	322.	174.	6.4	0.0	-2.30	-2.10
578.0	578.4	C	13.2	359.	0.1	322.	174.	6.5	0.0	-1.10	-1.20
580.0	580.3	B	13.0	4.	0.1	322.	175.	6.4	0.0	-1.00	-1.20
584.0	584.3	H	11.1	18.	0.1	322.	177.	6.5	0.0	-0.70	-1.10
587.2	587.3	B	9.2	358.	0.1	322.	178.	6.5	0.0	-0.80	-0.80
588.2	588.3	C	4.1	345.	0.1	322.	178.	6.6	0.0	-0.40	-0.30
591.0	591.3	D	10.7	4.	0.1	318.	173.	6.4	0.0	-0.80	-1.00
596.0	596.2	C	13.0	318.	0.1	308.	160.	6.5	0.0	-1.30	-0.80
602.0	602.4	B	17.8	20.	0.1	301.	162.	6.5	0.0	-0.70	-1.80
605.6	606.0	B	22.8	26.	0.1	302.	166.	6.4	0.0	-0.80	-2.30
607.5	607.9	B	20.4	20.	0.1	302.	169.	6.5	0.0	-1.00	-2.10
611.6	612.0	B	18.0	359.	0.1	294.	166.	6.3	0.0	-1.30	-1.70
613.6	613.9	A	13.7	343.	0.1	294.	167.	6.3	0.0	-1.20	-1.10
615.0	615.3	A	15.4	338.	0.1	292.	165.	6.3	0.0	-1.40	-1.20
618.0	618.3	B	13.2	353.	0.1	286.	164.	6.3	0.0	-1.00	-1.20
625.6	626.0	B	13.4	323.	0.1	288.	165.	6.3	0.0	-1.30	-0.80
629.8	630.0	C	17.5	357.	0.1	284.	160.	6.4	0.0	-1.20	-1.70
632.6	632.8	B	14.5	355.	0.2	282.	158.	6.4	0.0	-1.00	-1.40
634.0	634.3	B	14.6	350.	0.2	282.	158.	6.5	0.0	-1.10	-1.40
637.6	637.8	H	14.3	2.	0.2	280.	165.	6.5	0.0	-1.00	-1.40
640.0	640.5	C	22.0	337.	0.1	279.	162.	6.6	0.0	-2.10	-1.90
642.0	642.7	C	18.2	352.	0.1	278.	156.	6.5	0.0	-1.30	-1.80
646.0	646.2	C	12.6	326.	0.1	275.	155.	6.6	0.0	-1.20	-1.00
648.0	648.6	B	10.4	325.	0.1	273.	155.	6.6	0.0	-1.00	-0.80
651.7	652.0	C	16.4	322.	0.1	272.	156.	6.5	0.0	-1.60	-1.20
655.6	655.8	B	16.4	337.	0.1	263.	150.	6.4	0.0	-1.30	-1.50
658.0	658.4	B	17.3	329.	0.1	262.	149.	6.4	0.0	-1.50	-1.50
663.0	663.2	C	20.8	317.	0.1	262.	148.	6.4	0.0	-2.00	-1.60
665.6	666.0	B	16.4	308.	0.1	263.	146.	6.4	0.0	-1.60	-1.10
667.2	667.3	B	11.5	277.	0.1	258.	142.	6.4	0.0	-1.10	-0.30
672.0	672.6	C	20.6	315.	0.1	245.	129.	6.4	0.0	-1.70	-1.90
675.6	676.0	C	7.4	323.	0.1	244.	126.	6.4	0.0	-0.50	-0.70
678.0	678.4	C	14.1	300.	0.1	244.	128.	6.4	0.0	-1.30	-1.10
682.0	682.4	C	24.4	279.	0.1	241.	126.	6.6	0.0	-2.60	-1.40
686.0	686.4	C	23.8	294.	0.1	234.	125.	6.6	0.0	-2.40	-1.90
689.7	690.0	C	1.1	313.	0.1	234.	128.	6.6	0.0	-0.10	-0.10
694.0	694.7	B	16.7	277.	0.1	233.	129.	6.5	0.0	-1.70	-0.80
698.3	698.7	B	17.6	314.	0.1	232.	124.	6.6	0.0	-1.40	-1.70
701.7	702.0	C	15.0	338.	0.1	230.	121.	6.5	0.0	-0.60	-1.50
703.6	703.7	C	10.3	27.	0.1	227.	117.	6.4	0.0	0.50	-0.50
709.7	710.0	C	29.6	306.	0.0	222.	119.	6.4	0.0	-2.50	-2.90
713.6	714.0	C	27.5	313.	0.0	224.	111.	6.5	0.0	-1.80	-2.90
719.6	719.8	C	13.3	329.	0.0	219.	106.	6.5	0.0	-0.40	-1.30
722.6	723.0	C	14.0	98.	0.0	219.	106.	6.5	0.0	1.30	1.10
729.6	729.7	C	15.7	7.	0.0	211.	101.	6.6	0.0	0.70	-0.90
732.0	732.3	C	27.1	19.	0.0	212.	100.	6.4	0.0	1.80	-1.00
735.2	735.3	C	10.5	55.	0.0	211.	98.	6.4	0.0	1.00	0.30
736.0	736.4	B	9.4	357.	0.0	211.	98.	6.4	0.0	0.30	-0.60
739.0	740.0	C	16.0	30.	0.0	212.	101.	6.4	0.0	1.20	-0.30
743.7	744.0	C	1.2	224.	0.0	219.	104.	6.4	0.0	-0.10	0.0

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
746.6	746.7	C	15.6	25.	0.0	218.	104.	6.3	0.0	1.00	-0.50
748.0	748.5	C	10.6	21.	0.0	217.	104.	6.2	0.0	0.60	-0.40
752.0	752.3	C	5.9	42.	0.0	214.	102.	6.4	0.0	0.50	0.0
754.2	754.7	C	11.1	335.	0.0	210.	99.	6.5	0.0	0.10	-0.90
758.0	758.6	B	19.5	327.	0.0	207.	87.	6.4	0.0	0.0	-1.70
762.0	762.6	C	9.8	278.	0.1	218.	85.	6.3	0.0	-0.70	-0.90
764.0	764.4	C	15.2	148.	0.1	220.	72.	6.1	0.0	-0.40	1.00
772.0	772.6	C	19.8	212.	0.1	197.	14.	6.2	0.0	-1.30	-1.90
780.0	780.3	B	25.6	209.	0.1	195.	313.	6.2	0.0	0.70	-1.80
787.6	788.0	C	26.8	142.	0.1	195.	252.	6.3	0.0	0.50	-2.10
792.0	792.3	C	32.3	340.	0.2	216.	242.	6.3	0.0	-2.10	1.30
798.0	798.6	C	13.3	182.	0.2	241.	215.	6.3	0.0	1.30	0.60
801.7	802.2	B	8.3	150.	0.2	238.	181.	6.3	0.0	0.80	0.40
803.6	804.2	C	6.0	275.	0.2	230.	154.	6.2	0.0	-0.50	0.0
807.0	808.0	B	13.7	231.	0.2	213.	106.	6.2	0.0	-1.20	-0.10
810.0	810.6	A	12.9	217.	0.2	202.	83.	6.2	0.0	-1.20	-0.30
815.0	816.0	C	22.7	261.	0.1	194.	39.	6.2	0.0	-0.70	-2.20
819.7	820.2	C	31.0	214.	0.1	203.	21.	6.0	0.0	-2.30	-3.00
828.0	828.5	B	23.2	274.	0.2	234.	291.	6.3	0.0	2.30	1.60
830.0	830.5	A	12.4	169.	0.2	235.	265.	6.3	0.0	0.50	-0.70
833.6	833.7	B	58.7	101.	0.2	231.	216.	6.3	0.0	0.80	-7.30
849.6	850.0	C	19.5	169.	0.4	178.	46.	6.1	0.0	-1.70	-0.10
860.0	862.0	C	12.0	220.	0.5	158.	19.	6.5	0.0	-0.80	-1.20
865.2	865.3	B	17.4	264.	0.5	155.	6.	6.5	0.0	0.50	-1.20
869.6	870.0	B	20.4	248.	0.5	152.	350.	6.4	0.0	0.60	-1.40
870.7	870.8	B	15.7	243.	0.5	149.	346.	6.4	0.0	0.40	-1.10
872.0	872.6	C	20.1	245.	0.5	144.	340.	6.4	0.0	0.80	-1.20
877.6	877.7	C	12.1	255.	0.4	141.	338.	6.6	0.0	0.70	-0.50
881.6	882.0	B	15.0	271.	0.3	148.	338.	6.6	0.0	1.20	-0.20
885.6	885.7	C	24.8	171.	0.3	129.	324.	6.7	0.0	-1.50	-2.70
890.0	892.0	B	12.3	279.	0.2	130.	325.	6.7	0.0	1.20	0.30
908.0	910.0	C	52.1	314.	0.1	107.	325.	6.4	0.0	6.70	5.40
919.6	919.9	C	6.5	224.	0.1	63.	303.	6.3	0.0	0.40	-0.20
920.7	920.8	C	5.4	41.	0.1	66.	292.	6.3	0.0	-0.40	0.10
924.3	925.0	B	11.9	247.	0.1	309.	247.	6.3	0.0	1.00	1.00
930.3	931.0	B	20.2	117.	0.1	247.	153.	6.2	0.0	2.40	1.00
932.0	932.5	B	17.9	246.	0.1	235.	133.	6.2	0.0	-1.40	0.20
935.0	935.3	B	6.4	178.	0.1	212.	99.	6.2	0.0	-0.20	0.40
939.0	939.8	C	37.5	285.	0.2	171.	49.	6.2	0.0	-0.30	-3.70
941.0	942.0	B	7.5	127.	0.2	140.	23.	6.2	0.0	-0.50	0.20
943.0	943.2	B	7.2	142.	0.2	114.	21.	6.2	0.0	-0.60	0.0
945.0	946.0	B	8.9	121.	0.2	83.	7.	6.3	0.0	-0.70	0.10
947.0	948.0	A	9.6	158.	0.2	57.	3.	6.2	0.0	-0.90	-0.50
951.0	952.0	B	7.8	160.	0.2	21.	323.	6.2	0.0	-0.50	-0.70
953.6	954.0	B	7.6	143.	0.2	335.	297.	6.2	0.0	-0.40	-0.70
958.0	958.2	B	8.3	162.	0.2	287.	261.	6.5	0.0	0.30	-0.50
961.0	961.3	B	6.8	107.	0.2	268.	237.	6.4	0.0	-0.10	-0.60
966.0	966.6	C	5.5	40.	0.2	244.	183.	6.3	0.0	-0.20	-0.50
968.4	968.5	C	2.5	109.	0.2	236.	173.	6.3	0.0	0.20	0.0
971.8	972.0	C	7.3	36.	0.2	228.	156.	6.4	0.0	0.0	-0.60
976.6	976.7	B	13.7	349.	0.2	225.	134.	6.7	0.0	-0.60	-1.40
979.6	980.0	B	5.9	318.	0.2	228.	136.	6.5	0.0	-0.50	-0.50
982.4	982.5	C	1.8	227.	0.2	233.	138.	6.6	0.0	-0.10	0.10
984.0	984.5	C	2.9	177.	0.2	237.	139.	6.7	0.0	0.10	0.30
986.0	986.4	B	3.0	118.	0.2	241.	140.	6.9	0.0	0.30	0.20

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
989.7	990.0	C	12.3	50.	0.2	243.	129.	6.6	0.0	0.80	-0.40
991.7	992.0	B	4.1	171.	0.2	241.	127.	6.6	0.0	0.10	0.40
994.0	994.4	B	6.1	145.	0.2	250.	128.	6.6	0.0	0.40	0.60
997.7	998.0	C	6.4	179.	0.2	256.	130.	6.6	0.0	0.10	0.60
1001.0	1001.2	B	5.8	191.	0.2	260.	133.	6.5	0.0	0.0	0.50
1002.1	1002.3	B	3.1	171.	0.2	261.	134.	6.5	0.0	0.10	0.30
1005.2	1005.4	B	6.2	170.	0.2	265.	131.	6.5	0.0	0.20	0.60
1007.6	1008.0	B	10.1	189.	0.2	271.	136.	6.4	0.0	0.10	0.90
1011.2	1011.3	B	6.8	202.	0.2	272.	135.	6.2	0.0	-0.10	0.50
1015.0	1015.3	B	10.0	215.	0.2	269.	132.	6.5	0.0	-0.40	0.60
1018.0	1019.0	B	5.4	163.	0.2	273.	142.	6.2	0.0	0.30	0.50
1023.6	1024.0	D	12.3	133.	0.2	288.	143.	6.3	0.0	1.10	0.90
1026.0	1026.3	C	16.3	222.	0.2	285.	137.	6.3	0.0	-0.70	0.90
1029.8	1030.0	C	7.4	134.	0.2	286.	135.	6.3	0.0	0.60	0.60
1032.0	1032.4	B	9.5	53.	0.2	287.	138.	6.3	0.0	0.50	-0.40
1035.0	1035.3	B	3.4	101.	0.2	289.	141.	6.3	0.0	0.30	0.10
1037.6	1038.0	B	9.7	64.	0.2	290.	142.	6.3	0.0	0.60	-0.30
1040.0	1040.7	B	7.7	59.	0.2	280.	134.	6.3	0.0	0.50	-0.20
1043.0	1043.3	B	8.2	58.	0.2	269.	125.	6.2	0.0	0.60	-0.10
1047.0	1047.3	B	14.3	205.	0.2	238.	85.	6.2	0.0	-1.20	0.0
1051.0	1051.6	C	6.5	102.	0.1	158.	24.	6.1	0.0	-0.20	0.40
1054.0	1054.6	B	5.6	139.	0.1	120.	8.	6.1	0.0	-0.50	-0.10
1057.0	1057.3	B	5.6	164.	0.1	94.	332.	6.2	0.0	-0.40	-0.50
1059.2	1059.8	B	20.9	167.	0.1	75.	304.	6.2	0.0	-0.60	-2.00
1061.7	1062.0	B	13.7	189.	0.1	54.	276.	6.2	0.0	0.70	-0.60
1066.0	1066.3	B	5.3	97.	0.1	25.	239.	6.2	0.0	-0.20	-0.50
1068.0	1068.4	C	15.8	200.	0.2	21.	212.	6.1	0.0	1.40	1.10
1070.0	1070.4	C	12.2	171.	0.2	359.	186.	6.2	0.0	1.10	0.80
1073.6	1074.0	B	4.7	152.	0.3	315.	139.	6.2	0.0	0.30	0.40
1076.6	1076.7	B	4.7	89.	0.3	276.	102.	6.2	0.0	0.40	0.30
1082.3	1083.0	C	3.6	49.	0.3	206.	70.	6.1	0.0	0.30	0.20
1085.6	1086.0	C	22.9	89.	0.3	193.	69.	6.1	0.0	1.40	2.20
1088.0	1088.3	C	29.8	28.	0.3	168.	44.	6.1	0.0	2.90	2.10
1093.7	1094.0	C	12.0	277.	0.3	98.	358.	6.2	0.0	0.70	-0.40
1100.0	1100.4	C	6.6	227.	0.3	102.	4.	6.3	0.0	-0.20	-0.60
1102.0	1102.3	C	4.1	89.	0.3	109.	16.	6.3	0.0	-0.10	0.30
1108.6	1109.0	B	7.2	168.	0.3	75.	346.	6.3	0.0	-0.60	-0.60
1113.7	1114.0	C	10.9	336.	0.3	74.	348.	6.4	0.0	1.00	0.80
1124.0	1125.0	C	6.2	103.	0.2	49.	322.	6.4	0.0	-0.60	-0.20
1129.6	1130.0	C	15.3	17.	0.2	43.	314.	6.5	0.0	-0.10	1.30
1133.6	1134.2	C	15.2	318.	0.2	50.	319.	6.4	0.0	1.30	1.30
1141.7	1142.0	C	9.0	181.	0.1	21.	294.	6.4	0.0	0.10	-0.70
1147.0	1147.4	B	14.0	215.	0.2	326.	220.	6.2	0.0	1.20	1.10
1151.0	1151.3	D	15.2	249.	0.3	266.	182.	6.3	0.0	-0.20	1.20
1155.6	1156.0	C	18.5	140.	0.3	168.	125.	6.3	0.0	1.30	1.80
1160.0	1160.5	C	16.9	89.	0.3	139.	100.	6.4	0.0	1.60	1.30
1162.0	1162.3	B	16.2	39.	0.3	128.	89.	6.3	0.0	1.50	0.30
1170.0	1170.6	C	18.9	39.	0.3	113.	75.	6.4	0.0	1.90	0.80
1175.1	1175.6	C	22.9	15.	0.3	110.	73.	6.5	0.0	2.10	0.10
1180.3	1180.5	C	21.7	4.	0.3	108.	72.	6.6	0.0	1.80	-0.30
1191.0	1192.0	C	18.4	242.	0.1	42.	349.	6.2	0.0	0.40	-1.30
1193.0	1194.0	C	22.6	194.	0.1	34.	335.	6.2	0.0	-0.80	-2.20
1199.0	1200.5	B	9.7	129.	0.2	25.	289.	6.2	0.0	-0.60	-0.90
1200.5	1202.0	B	30.7	193.	0.2	29.	289.	6.3	0.0	1.30	-1.90
1204.0	1206.5	B	32.7	195.	0.2	26.	273.	6.5	0.0	2.40	-1.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1206.5	1208.5	B	16.2	177.	0.2	22.	259.	6.5	0.0	1.00	-0.60
1220.3	1221.3	C	57.1	216.	0.2	360.	124.	6.4	0.0	-4.50	4.00
1228.0	1230.0	C	54.9	182.	0.3	355.	82.	6.4	0.0	-5.00	2.70
1230.5	1231.7	B	35.1	195.	0.3	9.	84.	6.4	0.0	-3.00	0.60
1238.5	1242.0	C	25.8	134.	0.3	65.	60.	6.2	0.0	-0.60	1.90
1250.0	1251.5	C	16.7	30.	0.2	23.	296.	6.1	0.0	-0.90	0.70
1256.0	1256.5	C	13.3	260.	0.2	12.	270.	6.3	0.0	1.20	1.00
1280.5	1281.0	C	8.7	54.	0.2	4.	127.	6.2	0.0	0.60	-0.20
1288.0	1290.0	C	7.0	27.	0.2	21.	62.	6.4	0.0	0.70	0.30
1298.0	1300.0	B	4.4	155.	0.4	40.	360.	6.2	0.0	-0.40	-0.20
1300.0	1301.5	C	8.9	180.	0.4	36.	337.	6.2	0.0	-0.50	-0.80
1304.5	1305.3	C	28.5	116.	0.4	25.	289.	6.3	0.0	-2.40	-2.70
1319.5	1319.8	B	9.5	147.	0.3	7.	239.	6.4	0.0	0.40	-0.50
1325.9	1327.1	B	9.6	152.	0.3	9.	237.	6.3	0.0	0.50	-0.40
1327.1	1329.5	B	11.7	134.	0.3	6.	232.	6.3	0.0	0.40	-0.70
1353.0	1353.5	B	8.8	153.	0.3	13.	226.	6.4	0.0	0.60	-0.20
1359.0	1360.0	C	10.6	143.	0.2	2.	137.	6.2	0.0	0.80	0.90
1364.3	1364.8	C	6.5	109.	0.2	12.	88.	6.2	0.0	0.40	0.60
1371.0	1372.0	C	10.5	107.	0.2	10.	23.	6.3	0.0	-0.40	0.60
1379.0	1381.5	C	17.9	74.	0.2	126.	331.	6.2	0.0	-1.20	0.50
1381.5	1382.5	C	13.5	105.	0.2	126.	308.	6.2	0.0	-1.30	-0.80
1386.0	1388.5	C	14.8	163.	0.2	16.	266.	6.4	0.0	0.40	-1.00
1394.5	1396.3	B	10.2	120.	0.2	5.	191.	6.1	0.0	0.70	-0.20
1399.0	1400.0	B	10.1	106.	0.2	345.	153.	6.2	0.0	0.90	0.20
1400.0	1402.0	C	11.7	117.	0.2	343.	143.	6.2	0.0	1.10	0.60
1406.0	1408.0	B	5.6	79.	0.2	338.	88.	6.3	0.0	0.50	0.40
1419.0	1420.5	C	11.8	189.	0.1	26.	30.	6.2	0.0	-1.10	-0.70
1420.5	1422.0	C	11.2	158.	0.1	25.	27.	6.2	0.0	-1.00	-0.20
1422.0	1424.0	C	6.5	96.	0.1	22.	354.	6.2	0.0	-0.40	0.20
1425.5	1426.3	B	14.0	175.	0.1	21.	312.	6.2	0.0	-0.40	-1.30
1426.3	1428.0	B	12.8	122.	0.1	21.	297.	6.2	0.0	-1.00	-1.10
1428.0	1429.5	B	14.6	141.	0.1	17.	281.	6.3	0.0	-0.50	-1.40
1430.0	1432.0	B	28.0	28.	0.1	12.	260.	6.3	0.0	-2.70	-0.40
1437.0	1438.5	C	11.4	270.	0.2	7.	216.	6.3	0.0	0.10	1.00
1438.5	1440.5	C	30.7	242.	0.2	2.	193.	6.2	0.0	0.60	3.00
1443.9	1444.6	A	8.8	152.	0.2	342.	130.	6.2	0.0	0.50	0.80
1444.6	1446.3	B	8.2	111.	0.2	340.	118.	6.2	0.0	0.70	0.60
1446.3	1447.3	B	5.1	169.	0.2	343.	109.	6.2	0.0	0.0	0.40
1448.0	1449.5	C	3.2	63.	0.2	356.	101.	6.2	0.0	0.30	0.10
1458.0	1460.2	B	12.4	150.	0.2	45.	39.	6.2	0.0	-0.90	0.20
1460.2	1462.0	C	3.4	161.	0.2	37.	357.	6.2	0.0	-0.30	-0.20
1462.0	1464.0	B	9.9	80.	0.2	31.	331.	6.2	0.0	-0.70	0.20
1464.0	1466.0	B	11.3	171.	0.2	24.	301.	6.2	0.0	-0.20	-1.00
1466.0	1468.0	A	10.6	162.	0.2	21.	275.	6.2	0.0	0.10	-0.80
1468.0	1470.3	B	8.4	49.	0.2	21.	250.	6.2	0.0	-0.80	-0.50
1470.3	1472.3	C	4.9	104.	0.2	21.	222.	6.2	0.0	0.0	-0.40
1472.3	1474.0	B	5.8	186.	0.2	14.	197.	6.2	0.0	0.50	0.40
1474.0	1476.0	B	7.5	174.	0.2	13.	173.	6.2	0.0	0.60	0.60
1476.0	1478.0	B	10.7	182.	0.2	18.	152.	6.2	0.0	0.50	1.00
1488.0	1489.5	B	8.9	197.	0.2	31.	355.	6.1	0.0	-0.50	-0.80
1490.3	1492.3	B	19.3	240.	0.2	25.	319.	6.1	0.0	1.20	-0.60
1492.3	1494.3	A	11.5	164.	0.2	23.	294.	6.1	0.0	-0.20	-1.00
1494.3	1496.3	A	9.7	121.	0.2	22.	274.	6.1	0.0	-0.50	-0.90
1496.3	1498.0	B	10.2	153.	0.2	34.	260.	6.1	0.0	0.20	-0.70
1498.0	1500.0	C	9.2	256.	0.3	44.	243.	6.1	0.0	0.60	0.80

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1500.0	1502.0	C	13.2	132.	0.3	270.	212.	6.1	0.0	0.80	-0.40
1506.3	1508.0	B	7.7	144.	0.3	20.	107.	6.1	0.0	0.30	0.70
1508.0	1510.0	A	5.1	141.	0.3	26.	78.	6.1	0.0	0.0	0.40
1510.0	1512.0	A	5.6	146.	0.3	34.	47.	6.1	0.0	-0.30	0.20
1512.0	1514.0	A	2.4	98.	0.3	34.	32.	6.1	0.0	0.0	0.20
1514.0	1516.0	B	6.9	205.	0.3	27.	344.	6.1	0.0	-0.20	-0.60
1516.0	1518.0	C	34.3	77.	0.3	25.	307.	6.1	0.0	-3.40	-0.60
1518.0	1520.0	D	6.6	125.	0.3	6.	273.	6.1	0.0	-0.30	-0.60
1521.3	1522.5	B	6.4	165.	0.3	309.	227.	6.2	0.0	0.50	0.0
1526.0	1528.0	B	3.4	91.	0.3	118.	93.	6.2	0.0	0.30	0.30
1528.0	1530.0	B	7.7	217.	0.3	62.	61.	6.2	0.0	-0.70	-0.40
1530.0	1532.0	A	7.7	171.	0.3	38.	324.	6.2	0.0	-0.40	-0.70
1532.0	1534.0	B	12.4	158.	0.3	18.	277.	6.2	0.0	0.0	-1.00
1534.0	1536.0	C	1.4	144.	0.3	12.	253.	6.3	0.0	0.0	-0.10
1536.0	1538.0	B	11.2	162.	0.3	11.	232.	6.3	0.0	0.80	-0.20
1538.0	1540.0	B	4.7	160.	0.3	4.	205.	6.2	0.0	0.40	0.10
1540.0	1542.0	C	10.8	252.	0.3	350.	170.	6.1	0.0	-0.40	0.60
1543.0	1545.0	C	9.2	175.	0.3	337.	130.	6.1	0.0	0.20	0.80
1545.0	1546.0	B	10.1	172.	0.2	329.	112.	6.1	0.0	0.0	0.80
1546.0	1548.0	B	4.5	125.	0.2	321.	94.	6.2	0.0	0.20	0.40
1548.0	1550.0	C	7.8	127.	0.2	316.	83.	6.2	0.0	0.20	0.70
1552.5	1553.5	C	3.8	194.	0.2	326.	76.	6.2	0.0	-0.30	0.0
1557.0	1558.0	B	7.5	210.	0.2	323.	48.	6.4	0.0	-0.70	-0.50
1560.0	1562.5	B	13.2	203.	0.2	329.	46.	6.5	0.0	-1.30	-0.80
1562.5	1564.3	B	15.1	210.	0.2	319.	47.	6.2	0.0	-1.40	-1.00
1564.3	1566.3	C	15.7	164.	0.2	281.	345.	6.2	0.0	-1.30	-1.30
1568.0	1570.0	C	17.5	62.	0.2	217.	330.	6.3	0.0	-0.90	0.80
1572.0	1574.0	C	30.5	347.	0.2	170.	327.	6.2	0.0	2.00	3.10
1574.0	1576.0	B	45.3	45.	0.2	159.	327.	6.2	0.0	-1.70	3.60
1576.5	1578.5	C	25.7	34.	0.2	153.	325.	6.2	0.0	-0.40	2.00
1594.3	1595.3	C	9.7	307.	0.2	136.	307.	6.4	0.0	0.80	0.80
1604.0	1606.0	C	19.2	46.	0.2	132.	296.	6.0	0.0	-1.40	0.30
1608.0	1609.5	D	37.1	116.	0.2	139.	303.	6.1	0.0	-3.70	-3.20
1614.0	1616.0	B	6.8	123.	0.2	139.	303.	6.5	0.0	-0.60	-0.60
1616.0	1618.0	C	7.6	187.	0.3	137.	298.	6.4	0.0	0.10	-0.60
1620.0	1622.0	C	29.4	104.	0.3	140.	299.	6.3	0.0	-3.00	-2.20
1622.0	1624.0	B	29.2	98.	0.4	138.	300.	6.2	0.0	-3.00	-1.90
1626.5	1628.1	C	30.0	317.	0.4	134.	290.	6.3	0.0	1.70	3.10
1628.1	1630.3	B	32.8	319.	0.5	136.	292.	6.4	0.0	1.90	3.50
1636.0	1637.5	B	36.5	15.	0.6	134.	289.	6.0	0.0	-1.70	2.10
1640.0	1642.3	C	37.3	2.	0.6	137.	294.	6.3	0.0	-0.60	3.20
1644.0	1646.0	B	46.7	11.	0.7	142.	303.	6.4	0.0	-0.90	4.50
1646.0	1648.0	B	35.6	340.	0.7	144.	305.	6.3	0.0	1.60	3.80
1648.0	1650.0	B	39.5	350.	0.8	147.	307.	6.5	0.0	1.30	4.40
1650.0	1652.0	B	44.1	356.	0.8	146.	306.	6.5	0.0	0.90	5.00
1652.0	1654.0	A	30.0	280.	0.9	145.	304.	6.4	0.0	3.10	1.80
1654.0	1656.0	B	35.6	18.	0.9	144.	304.	6.3	0.0	-1.00	2.70
1660.0	1661.3	B	42.2	19.	1.0	146.	305.	6.2	0.0	-1.20	3.40
1662.0	1664.5	A	42.9	17.	1.1	147.	301.	6.3	0.0	-1.40	3.40
1664.5	1666.5	B	32.6	350.	1.1	146.	303.	6.1	0.0	0.70	3.10
1666.5	1668.3	B	35.9	2.	1.1	146.	306.	6.3	0.0	0.20	3.40
1668.3	1670.0	A	34.2	10.	1.2	146.	307.	6.4	0.0	-0.30	3.00
1670.0	1672.0	A	31.3	4.	1.2	146.	307.	6.5	0.0	0.10	2.90
1672.0	1674.0	B	27.5	2.	1.2	147.	307.	6.7	0.0	0.20	2.60
1674.0	1676.0	B	25.8	0.	1.3	149.	306.	6.7	0.0	0.20	2.40

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1678.6	1680.0	C	26.3	3.	1.4	147.	305.	6.8	0.0	0.0	2.40
1683.5	1685.5	C	49.6	10.	1.4	145.	307.	6.6	0.0	-0.40	5.40
1686.0	1688.0	B	43.8	16.	1.5	147.	313.	6.5	0.0	-0.40	4.30
1688.0	1690.5	A	41.6	357.	1.5	148.	317.	6.4	0.0	1.50	4.60
1690.5	1692.0	B	39.6	337.	1.5	151.	320.	6.5	0.0	3.00	4.30
1692.0	1694.0	A	33.2	16.	1.5	154.	321.	6.6	0.0	0.20	3.20
1694.0	1696.0	C	3.9	325.	1.6	155.	318.	6.5	0.0	0.20	0.20
1696.0	1697.9	C	31.9	16.	1.6	152.	314.	6.5	0.0	-0.20	2.80
1698.0	1700.3	B	24.4	339.	1.6	149.	310.	6.6	0.0	1.20	2.40
1700.3	1702.0	B	23.0	350.	1.7	148.	307.	6.7	0.0	0.60	2.20
1702.0	1704.0	B	27.6	355.	1.7	148.	305.	6.6	0.0	0.40	2.60
1704.0	1706.0	B	29.0	9.	1.7	147.	305.	6.5	0.0	-0.30	2.40
1706.0	1708.0	A	20.3	17.	1.7	147.	306.	6.5	0.0	-0.50	1.40
1708.0	1710.3	B	23.8	4.	1.8	149.	306.	6.5	0.0	0.0	2.00
1710.3	1712.3	B	24.5	4.	1.8	151.	314.	6.5	0.0	0.30	2.20
1712.3	1714.0	B	20.2	14.	1.8	152.	318.	6.6	0.0	0.0	1.70
1714.0	1716.0	B	26.2	27.	1.9	151.	319.	6.5	0.0	-0.50	2.00
1716.0	1718.0	B	21.0	359.	1.9	151.	320.	6.4	0.0	0.60	1.90
1718.0	1720.0	B	25.0	20.	1.9	151.	321.	6.5	0.0	-0.10	2.10
1720.0	1722.0	B	23.1	16.	1.9	150.	322.	6.5	0.0	0.10	2.00
1723.0	1724.0	C	9.0	344.	2.0	150.	323.	6.5	0.0	0.40	0.70
1724.5	1726.0	C	18.6	5.	2.0	151.	323.	6.3	0.0	0.40	1.60
1727.0	1728.0	B	25.2	30.	2.0	151.	322.	6.2	0.0	-0.50	1.80
1728.5	1730.3	B	31.6	37.	2.1	152.	320.	6.3	0.0	-1.10	2.10
1730.3	1730.6	B	28.6	28.	2.1	152.	319.	6.3	0.0	-0.60	2.10
1732.5	1733.5	B	22.3	42.	2.1	153.	320.	6.4	0.0	-1.00	1.20
1736.3	1737.5	C	22.0	22.	2.2	153.	321.	6.4	0.0	-0.20	1.70
1740.0	1742.0	B	17.7	17.	2.2	153.	315.	6.5	0.0	-0.20	1.30
1742.5	1744.0	B	25.2	26.	2.3	152.	316.	6.5	0.0	-0.60	1.80
1744.0	1746.0	C	28.2	17.	2.3	154.	320.	6.4	0.0	0.0	2.40
1746.5	1748.0	B	17.6	13.	2.4	156.	322.	6.4	0.0	0.10	1.40
1748.5	1750.0	B	21.7	23.	2.4	156.	322.	6.2	0.0	-0.20	1.60
1750.5	1751.5	B	14.7	324.	2.4	157.	321.	6.1	0.0	1.00	1.00
1752.0	1754.5	C	20.2	247.	2.5	158.	320.	6.3	0.0	1.30	-0.70
1756.0	1758.0	C	12.7	233.	2.6	158.	315.	6.2	0.0	0.60	-0.70
1760.5	1761.5	C	17.5	220.	2.7	157.	314.	6.2	0.0	0.60	-1.20
1763.0	1764.0	B	7.7	225.	2.7	157.	315.	6.0	0.0	0.20	-0.60
1764.0	1766.0	C	49.7	14.	2.7	157.	315.	6.1	0.0	0.0	5.00
1776.5	1778.5	C	16.9	152.	3.0	158.	318.	6.3	0.0	-1.40	-1.90
1778.5	1781.5	C	23.3	22.	3.1	155.	311.	6.4	0.0	-0.60	1.50
1785.9	1786.4	B	11.4	261.	3.2	156.	326.	6.6	0.0	0.70	-0.40
1790.0	1790.5	B	28.8	3.	3.3	155.	335.	6.4	0.0	1.30	2.70
1790.5	1792.0	C	54.0	24.	3.3	155.	335.	6.4	0.0	1.10	6.60
1796.5	1798.0	B	21.9	3.	3.5	153.	333.	6.4	0.0	0.80	1.90
1798.0	1799.5	B	22.7	349.	3.5	153.	334.	6.4	0.0	1.30	1.90
1800.0	1802.0	B	23.1	20.	3.5	152.	338.	6.4	0.0	0.40	2.00
1802.0	1804.0	B	33.3	46.	3.6	151.	340.	6.5	0.0	-0.70	2.70
1804.0	1806.0	B	30.2	39.	3.6	151.	341.	6.5	0.0	-0.20	2.60
1806.0	1808.0	B	32.5	37.	3.7	150.	341.	6.5	0.0	-0.10	2.90
1808.0	1810.3	B	29.3	18.	3.7	150.	346.	6.4	0.0	1.10	2.80
1810.3	1812.0	C	32.0	60.	3.7	151.	354.	6.4	0.0	-0.70	2.60
1812.0	1814.0	C	16.4	351.	3.7	152.	356.	6.4	0.0	1.10	1.10
1814.0	1816.0	B	10.3	16.	3.7	153.	356.	6.6	0.0	0.30	0.80
1816.0	1818.0	B	10.8	355.	3.7	155.	357.	6.7	0.0	0.60	0.70
1822.5	1824.5	C	10.2	316.	3.8	157.	4.	6.7	0.0	0.60	0.0

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1827.8	1829.5	C	25.2	280.	3.8	158.	359.	6.7	0.0	1.40	-1.10
1830.0	1832.0	C	42.3	38.	3.8	158.	356.	6.6	0.0	1.20	4.70
1832.0	1834.0	B	14.4	7.	3.9	157.	356.	6.5	0.0	0.70	1.10
1834.0	1836.0	A	13.2	58.	3.9	157.	357.	6.6	0.0	-0.40	0.90
1836.5	1838.0	C	20.0	58.	3.9	155.	357.	6.4	0.0	-0.40	1.50
1838.0	1840.0	B	13.7	32.	3.9	156.	357.	6.4	0.0	0.20	1.10
1840.0	1842.0	B	12.6	54.	3.9	160.	21.	6.3	0.0	0.20	1.10
1842.0	1844.0	B	14.7	37.	3.9	163.	21.	6.1	0.0	0.60	1.20
1845.0	1847.5	C	22.7	86.	4.0	161.	351.	6.4	0.0	-1.70	0.70
1854.0	1855.5	C	69.6	7.	3.9	163.	293.	5.9	0.0	-3.00	8.10
1863.5	1863.7	B	28.3	142.	3.9	164.	263.	6.3	0.0	0.10	-2.90
1866.7	1868.6	C	19.7	261.	3.9	164.	256.	6.4	0.0	1.80	1.60
1870.0	1871.5	B	8.8	200.	3.9	164.	254.	6.5	0.0	1.00	-0.10
1872.0	1874.0	C	19.3	292.	3.9	161.	266.	6.6	0.0	1.20	1.70
1876.5	1878.3	C	7.7	246.	3.9	164.	288.	6.3	0.0	0.70	-0.10
1878.3	1879.3	B	7.6	321.	3.9	165.	285.	6.3	0.0	0.30	0.40
1882.0	1884.5	B	8.5	284.	3.9	164.	257.	6.2	0.0	0.60	0.60
1884.5	1888.3	B	24.3	310.	3.9	164.	255.	6.3	0.0	0.40	2.00
1892.5	1893.5	B	5.1	266.	3.9	158.	211.	6.5	0.0	0.40	0.50
1896.0	1898.5	B	7.8	310.	4.0	162.	225.	6.2	0.0	0.0	0.40
1898.5	1900.0	C	8.9	346.	4.0	165.	226.	6.2	0.0	-0.40	0.0
1905.0	1906.7	B	8.4	104.	4.0	164.	193.	6.3	0.0	0.80	-0.20
1911.0	1911.5	B	7.8	265.	4.1	161.	182.	6.3	0.0	0.10	0.70
1912.0	1914.0	B	12.9	270.	4.1	160.	182.	6.3	0.0	-0.20	0.90
1914.7	1915.5	B	8.6	267.	4.1	160.	179.	6.3	0.0	0.0	0.70
1915.5	1918.0	B	6.4	13.	4.1	161.	170.	6.3	0.0	0.0	-0.30
1918.0	1920.0	B	10.4	348.	4.1	162.	152.	6.4	0.0	-0.40	-0.60
1920.0	1922.0	A	11.0	328.	4.2	161.	140.	6.5	0.0	-0.60	-0.60
1922.0	1924.0	B	5.3	334.	4.2	160.	132.	6.5	0.0	-0.10	-0.10
1924.0	1926.0	B	9.7	345.	4.2	164.	116.	6.4	0.0	-0.10	-0.50
1926.0	1928.0	B	9.7	342.	4.2	168.	86.	6.3	0.0	0.10	-0.40
1928.0	1930.5	B	10.2	349.	4.2	163.	53.	6.3	0.0	0.50	0.0
1930.5	1932.5	A	6.7	312.	4.3	161.	37.	6.4	0.0	0.0	-0.30
1932.5	1934.0	B	8.2	350.	4.3	158.	33.	6.5	0.0	0.40	0.20
1934.0	1936.0	B	9.0	303.	4.3	156.	39.	6.5	0.0	0.0	-0.50
1936.0	1938.0	C	9.1	163.	4.3	157.	54.	6.6	0.0	-1.00	0.30
1938.0	1940.5	B	7.7	348.	4.3	160.	57.	6.6	0.0	0.30	0.0
1940.5	1942.2	B	8.1	314.	4.3	160.	50.	6.6	0.0	0.0	-0.40
1942.2	1944.1	B	13.5	333.	4.3	159.	43.	6.7	0.0	0.70	-0.20
1944.1	1946.1	B	12.1	326.	4.3	158.	41.	6.7	0.0	0.50	-0.30
1946.1	1948.0	C	7.0	274.	4.3	157.	48.	6.7	0.0	-0.50	-0.60
1950.0	1952.0	C	14.1	329.	4.3	161.	54.	6.6	0.0	0.50	-0.50
1952.0	1954.0	C	7.4	179.	4.3	165.	44.	6.6	0.0	-1.10	-0.20
1954.0	1956.0	C	19.7	39.	4.4	163.	37.	6.5	0.0	1.30	1.70
1956.0	1956.7	B	16.7	289.	4.4	160.	259.	6.5	0.0	1.00	1.40
1965.0	1966.5	C	11.2	324.	4.4	155.	351.	6.7	0.0	0.70	0.30
1971.0	1972.0	B	6.3	237.	4.4	155.	355.	6.4	0.0	-0.40	-0.80
1972.3	1974.0	B	23.4	332.	4.4	156.	356.	6.4	0.0	1.90	1.10
1974.0	1976.0	B	5.2	26.	4.4	157.	351.	6.5	0.0	-0.20	0.20
1976.0	1978.0	B	9.4	14.	4.4	157.	347.	6.6	0.0	0.10	0.60
1978.0	1980.0	B	11.9	317.	4.4	157.	344.	6.7	0.0	0.80	0.30
1980.0	1982.0	B	9.6	342.	4.4	156.	337.	6.7	0.0	0.40	0.50
1982.0	1984.0	A	10.0	335.	4.4	156.	334.	6.8	0.0	0.50	0.50
1984.0	1986.0	A	9.1	323.	4.4	156.	335.	6.8	0.0	0.50	0.30
1986.0	1988.0	A	12.2	326.	4.4	155.	343.	6.7	0.0	0.80	0.50

CORRELATION INTERVAL	CURR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1988.0	1990.0	A	13.4	354.	4.4	155.	351.	6.6	0.0	0.70	0.90
1990.5	1992.0	C	9.6	334.	4.4	155.	356.	6.4	0.0	0.50	0.30
1994.0	1996.7	C	3.6	104.	4.4	159.	349.	6.5	0.0	-0.70	-0.30
1996.7	1998.3	C	12.9	317.	4.4	158.	340.	6.6	0.0	0.90	0.40
2006.0	2007.5	C	11.0	293.	4.5	156.	317.	6.6	0.0	0.80	0.20
2008.0	2010.3	B	6.0	74.	4.5	156.	318.	6.6	0.0	-0.80	-0.40
2012.0	2013.5	C	21.9	259.	4.5	156.	318.	6.6	0.0	1.70	-0.40
2014.5	2016.3	B	4.5	123.	4.5	156.	326.	6.6	0.0	-0.80	-0.70
2018.0	2020.5	B	9.6	347.	4.6	156.	333.	6.5	0.0	0.30	0.50
2022.0	2024.0	C	3.9	323.	4.6	156.	324.	6.6	0.0	0.0	-0.10
2026.0	2028.0	C	28.5	272.	4.6	157.	324.	6.6	0.0	2.50	0.0
2037.3	2038.0	C	8.0	15.	4.7	156.	338.	6.7	0.0	-0.10	0.40
2039.0	2040.5	C	28.7	319.	4.7	155.	341.	6.7	0.0	2.60	1.50
2040.5	2042.5	B	27.8	318.	4.7	155.	341.	6.7	0.0	2.50	1.40
2046.5	2048.5	B	28.4	19.	4.6	152.	356.	6.3	0.0	1.30	2.60
2052.0	2053.5	C	36.1	30.	4.6	160.	59.	6.2	0.0	3.50	2.10
2056.5	2058.0	C	41.4	318.	4.5	154.	352.	6.3	0.0	4.10	1.70
2060.5	2062.3	B	21.8	16.	4.5	152.	10.	6.3	0.0	1.30	1.80
2062.3	2064.0	B	18.5	4.	4.5	153.	9.	6.3	0.0	1.20	1.30
2064.0	2064.6	C	7.9	348.	4.5	154.	6.	6.2	0.0	0.30	0.30
2066.0	2066.7	B	29.8	19.	4.5	155.	356.	6.2	0.0	1.40	2.70
2066.7	2068.0	B	9.4	284.	4.4	155.	352.	6.2	0.0	0.30	-0.40
2070.0	2071.0	C	41.9	356.	4.4	154.	336.	6.0	0.0	2.50	4.00
2073.5	2075.3	C	3.5	300.	4.4	155.	327.	6.1	0.0	0.0	-0.20
2083.5	2084.5	B	9.3	351.	4.3	152.	330.	6.1	0.0	0.20	0.50
2084.5	2086.5	B	7.7	6.	4.3	148.	337.	6.1	0.0	0.0	0.40
2086.5	2088.0	B	17.9	14.	4.2	150.	350.	6.0	0.0	0.60	1.40
2088.6	2090.0	C	16.5	298.	4.2	154.	1.	6.1	0.0	0.90	-0.30
2090.7	2092.3	C	24.6	12.	4.2	154.	359.	6.3	0.0	1.40	2.10
2092.3	2094.0	B	12.4	318.	4.2	154.	349.	6.3	0.0	0.80	0.30
2094.0	2096.0	B	11.4	318.	4.2	156.	333.	6.1	0.0	0.70	0.40
2096.0	2098.0	C	10.8	24.	4.3	155.	316.	6.1	0.0	-0.40	0.40
2098.0	2100.0	C	18.3	333.	4.4	153.	311.	6.1	0.0	0.80	1.30
2100.0	2102.0	B	16.2	344.	4.3	156.	314.	6.0	0.0	0.50	1.10
2102.0	2104.0	C	20.8	344.	4.2	160.	300.	6.0	0.0	0.40	1.50
2106.5	2108.3	C	22.5	320.	4.1	157.	243.	6.1	0.0	-0.40	1.30
2110.0	2112.4	B	24.1	10.	4.1	157.	222.	6.1	0.0	-2.00	-1.10
2114.0	2116.0	B	16.3	7.	4.1	155.	192.	6.1	0.0	-1.00	-1.10
2116.0	2117.0	B	12.0	20.	4.1	154.	192.	6.1	0.0	-0.50	-0.90
2117.0	2118.3	B	7.6	310.	4.1	156.	195.	6.1	0.0	-0.20	0.20
2118.3	2120.5	B	13.6	323.	4.1	159.	197.	6.2	0.0	-0.80	0.0
2120.5	2122.0	B	15.8	302.	4.1	164.	182.	6.2	0.0	-1.10	-0.70
2124.0	2126.0	B	19.2	234.	4.2	149.	115.	6.0	0.0	-1.40	0.40
2126.5	2128.5	B	28.5	276.	4.2	148.	115.	5.9	0.0	-2.50	-1.40
2132.0	2134.5	B	14.8	282.	4.2	151.	97.	6.1	0.0	-1.10	-0.90
2134.5	2136.0	C	3.6	315.	4.2	152.	88.	6.0	0.0	-0.10	0.0
2136.0	2138.0	B	12.4	323.	4.2	153.	86.	6.0	0.0	-0.10	-0.70
2138.0	2140.0	B	14.6	337.	4.2	151.	87.	5.9	0.0	0.20	-0.70
2140.0	2142.0	B	10.4	313.	4.2	152.	91.	6.0	0.0	-0.30	-0.60
2142.5	2144.3	B	12.1	282.	4.2	154.	83.	6.0	0.0	-0.80	-0.80
2146.0	2148.0	B	38.5	339.	4.2	151.	84.	6.1	0.0	1.00	-2.50
2150.5	2152.5	B	41.7	355.	4.2	148.	105.	6.2	0.0	0.90	-3.10
2152.5	2154.3	B	31.0	3.	4.2	149.	113.	6.2	0.0	0.70	-2.00
2154.3	2156.5	B	32.4	359.	4.2	152.	116.	6.0	0.0	0.30	-2.30
2157.5	2158.3	C	9.3	297.	4.2	159.	112.	5.9	0.0	-0.60	-0.40

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2160.5	2162.3	C	19.5	333.	4.2	149.	102.	5.9	0.0	-0.20	-1.30
2162.7	2164.5	B	17.9	324.	4.2	142.	104.	5.8	0.0	-0.40	-1.20
2164.5	2166.3	B	22.1	322.	4.3	147.	119.	5.8	0.0	-1.00	-1.60
2166.3	2168.0	C	36.8	30.	4.3	149.	122.	5.8	0.0	1.90	-1.60
2170.0	2171.3	B	5.1	29.	4.3	152.	111.	5.8	0.0	0.40	0.20
2173.9	2174.5	C	16.7	52.	4.3	154.	78.	5.8	0.0	1.40	1.10
2176.5	2177.5	B	7.5	19.	4.3	157.	53.	5.9	0.0	0.40	0.40
2177.5	2178.5	B	8.9	342.	4.3	154.	36.	5.9	0.0	0.40	0.10
2178.5	2180.5	C	3.4	24.	4.3	153.	24.	5.9	0.0	-0.10	0.20
2180.5	2182.3	C	25.0	19.	4.3	152.	21.	5.9	0.0	1.70	1.90
2184.0	2185.3	B	22.8	358.	4.2	151.	10.	5.8	0.0	1.60	1.40
2186.0	2188.0	B	25.1	303.	4.2	148.	7.	5.7	0.0	1.50	-0.30
2188.7	2190.0	B	13.6	352.	4.2	145.	9.	5.7	0.0	0.80	0.70
2190.0	2192.0	C	7.6	239.	4.2	146.	22.	5.9	0.0	-0.60	-0.70
2192.0	2194.0	C	12.6	352.	4.2	150.	24.	6.0	0.0	0.80	0.50
2194.0	2196.0	B	8.7	341.	4.2	151.	4.	6.0	0.0	0.40	0.30
2196.0	2198.0	B	10.2	357.	4.2	151.	353.	6.0	0.0	0.40	0.60
2198.0	2200.0	B	9.2	25.	4.2	150.	352.	6.0	0.0	0.0	0.60
2201.0	2202.1	B	16.9	42.	4.2	150.	356.	6.0	0.0	0.0	1.30
2202.1	2204.3	B	14.3	19.	4.2	150.	1.	6.0	0.0	0.50	1.10
2205.0	2206.0	D	21.3	268.	4.2	150.	11.	6.0	0.0	0.20	-1.50
2206.0	2207.3	B	10.8	295.	4.2	150.	12.	6.0	0.0	0.30	-0.40
2207.3	2210.0	B	9.5	7.	4.2	149.	10.	6.0	0.0	0.40	0.60
2210.0	2212.0	B	5.2	350.	4.2	146.	12.	6.0	0.0	0.10	0.20
2212.0	2214.0	B	8.8	327.	4.2	148.	12.	6.0	0.0	0.40	0.10
2214.0	2216.0	C	21.9	280.	4.2	151.	21.	5.9	0.0	0.30	-1.40
2216.0	2217.5	C	13.4	288.	4.3	149.	21.	5.9	0.0	0.20	-0.70
2218.0	2220.0	B	6.9	327.	4.3	147.	26.	5.9	0.0	0.20	0.0
2220.0	2222.0	C	18.2	330.	4.3	145.	31.	5.9	0.0	1.10	0.0
2222.0	2224.0	B	15.6	327.	4.3	148.	27.	6.0	0.0	0.90	0.0
2224.0	2226.0	B	6.7	300.	4.3	152.	23.	6.0	0.0	0.0	-0.30
2226.0	2228.0	B	13.7	319.	4.3	150.	8.	6.0	0.0	0.80	0.10
2228.0	2230.0	B	10.1	319.	4.3	147.	2.	5.9	0.0	0.50	0.10
2230.0	2232.1	B	16.5	100.	4.3	146.	8.	5.9	0.0	-1.20	0.60
2232.1	2234.1	B	8.0	93.	4.3	145.	14.	5.9	0.0	-0.60	0.40
2234.5	2236.5	B	10.7	41.	4.3	148.	17.	6.0	0.0	0.20	0.90
2236.5	2238.5	A	15.8	48.	4.3	149.	7.	6.0	0.0	0.10	1.30
2242.5	2243.5	C	21.2	212.	4.3	148.	18.	5.9	0.0	-1.80	-2.00
2246.5	2246.8	B	8.2	324.	4.3	147.	21.	5.9	0.0	0.30	0.0
2248.0	2249.5	C	7.7	332.	4.3	145.	21.	5.9	0.0	0.30	0.10
2254.5	2256.3	B	8.4	345.	4.3	146.	32.	5.8	0.0	0.40	0.20
2256.3	2258.0	B	3.9	117.	4.4	147.	29.	5.9	0.0	-0.50	0.20
2258.0	2260.5	C	11.0	263.	4.4	149.	26.	5.9	0.0	-0.40	-0.90
2260.5	2262.0	B	11.4	268.	4.3	151.	25.	5.9	0.0	-0.30	-0.90
2263.5	2264.6	B	26.0	106.	4.3	153.	358.	5.9	0.0	-2.30	0.30
2266.3	2268.1	C	11.1	58.	4.3	151.	330.	5.9	0.0	-0.80	0.20
2268.1	2269.5	C	7.7	334.	4.3	149.	321.	5.9	0.0	0.20	0.30
2270.0	2272.0	B	6.4	359.	4.3	149.	319.	5.9	0.0	-0.10	0.20
2272.0	2274.0	A	11.4	353.	4.3	148.	322.	6.2	0.0	0.20	0.70
2274.0	2276.0	C	5.8	359.	4.3	146.	327.	6.3	0.0	-0.10	0.20
2276.5	2277.5	B	20.9	341.	4.3	149.	322.	6.2	0.0	1.00	1.60
2277.5	2280.3	B	14.0	341.	4.3	150.	312.	6.0	0.0	0.40	0.90
2280.3	2282.3	B	13.3	320.	4.3	149.	302.	6.0	0.0	0.60	0.80
2282.3	2284.3	C	16.9	360.	4.3	148.	290.	5.9	0.0	-0.40	0.80
2298.0	2300.0	B	43.6	345.	4.2	147.	291.	5.9	0.0	0.30	3.80

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2300.5	2302.3	C	41.7	31.	4.2	146.	293.	5.9	0.0	-2.90	1.30
2304.3	2305.5	C	19.2	55.	4.2	149.	304.	5.9	0.0	-1.60	-0.10
2306.0	2308.0	B	16.9	274.	4.2	149.	304.	5.8	0.0	1.30	0.40
2311.0	2312.5	C	5.5	288.	4.2	154.	298.	5.8	0.0	0.30	0.0
2312.5	2314.3	B	8.9	284.	4.1	153.	299.	5.8	0.0	0.60	0.20
2314.3	2315.3	C	13.3	26.	4.1	153.	300.	5.9	0.0	-0.70	0.30
2320.1	2322.5	B	29.4	346.	4.1	152.	288.	5.9	0.0	0.0	2.10
2327.9	2329.3	C	37.4	220.	4.1	148.	301.	5.9	0.0	2.30	-1.80
2336.0	2338.3	B	15.9	23.	4.1	146.	309.	6.0	0.0	-0.60	0.70
2338.3	2340.2	B	15.6	6.	4.1	146.	308.	6.0	0.0	-0.20	0.90
2340.2	2342.5	C	25.6	1.	4.1	146.	309.	6.0	0.0	0.10	1.90
2343.5	2344.5	B	23.8	3.	4.1	146.	310.	6.0	0.0	0.0	1.70
2344.5	2348.0	B	20.4	2.	4.1	146.	310.	6.0	0.0	0.0	1.40
2348.0	2350.0	B	17.0	346.	4.1	146.	311.	6.0	0.0	0.40	1.20
2350.0	2352.0	C	7.2	311.	4.1	145.	312.	6.0	0.0	0.30	0.20
2352.5	2354.3	C	21.9	330.	4.1	145.	317.	6.0	0.0	1.20	1.60
2354.3	2356.3	C	7.0	274.	4.1	146.	322.	6.0	0.0	0.30	-0.20
2356.3	2358.3	C	6.4	30.	4.1	147.	319.	6.0	0.0	-0.40	0.10
2358.3	2360.0	B	10.7	358.	4.1	146.	315.	6.0	0.0	0.0	0.60
2360.0	2362.0	A	11.6	354.	4.1	145.	315.	6.0	0.0	0.10	0.70
2362.0	2364.0	A	11.9	1.	4.1	145.	316.	6.0	0.0	0.0	0.70
2364.0	2366.0	A	11.4	346.	4.1	146.	321.	6.0	0.0	0.30	0.70
2366.0	2368.0	B	11.2	0.	4.1	146.	324.	6.1	0.0	0.10	0.70
2368.0	2370.0	C	11.2	45.	4.1	146.	323.	6.0	0.0	-0.70	0.30
2370.0	2372.0	B	5.4	77.	4.1	146.	321.	5.9	0.0	-0.70	-0.30
2374.0	2376.0	B	22.5	54.	4.1	143.	317.	6.0	0.0	-1.60	0.50
2376.0	2378.0	B	28.6	46.	4.1	143.	321.	6.0	0.0	-1.50	1.30
2378.0	2380.5	B	24.1	23.	4.1	145.	321.	6.0	0.0	-0.40	1.60
2380.5	2382.5	A	12.0	328.	4.1	143.	314.	6.0	0.0	0.50	0.70
2382.5	2384.5	B	15.1	10.	4.1	143.	314.	6.0	0.0	-0.20	0.90
2384.5	2386.3	A	27.1	22.	4.1	141.	320.	6.0	0.0	-0.40	1.90
2386.3	2388.6	B	24.9	18.	4.1	140.	331.	6.0	0.0	0.20	2.00
2388.6	2390.3	B	19.8	19.	4.0	141.	344.	5.9	0.0	0.40	1.60
2390.3	2392.5	C	21.7	103.	4.0	140.	358.	5.8	0.0	-1.80	0.40
2396.0	2398.0	B	17.4	18.	4.0	145.	350.	6.0	0.0	0.50	1.40
2398.0	2400.5	B	11.5	66.	4.0	143.	348.	6.0	0.0	-0.70	0.50
2400.5	2402.3	B	13.5	76.	4.0	142.	350.	5.9	0.0	-0.90	0.50
2402.3	2404.3	C	7.4	252.	4.0	142.	349.	5.9	0.0	-0.10	-0.60
2404.3	2406.5	B	10.1	350.	3.9	143.	346.	5.9	0.0	0.40	0.60
2406.5	2408.0	B	9.2	3.	3.9	143.	344.	6.0	0.0	0.20	0.60
2408.0	2410.5	B	11.4	335.	3.9	143.	341.	6.0	0.0	0.60	0.60
2410.5	2412.5	B	11.6	28.	3.9	140.	341.	6.0	0.0	-0.10	0.80
2412.5	2414.3	B	10.6	315.	3.9	141.	353.	6.0	0.0	0.60	0.20
2414.3	2416.3	B	13.2	299.	3.9	142.	357.	5.9	0.0	0.70	-0.10
2416.3	2418.3	C	16.8	296.	3.9	142.	354.	5.9	0.0	1.00	-0.10
2418.3	2420.5	B	8.2	1.	3.9	143.	349.	5.9	0.0	0.20	0.50
2420.5	2422.3	B	32.9	304.	3.8	143.	348.	6.0	0.0	2.80	0.70
2422.3	2424.5	B	4.8	244.	3.8	143.	345.	6.0	0.0	-0.20	-0.50
2426.0	2428.0	B	18.4	6.	3.8	142.	327.	6.0	0.0	0.30	1.40
2428.0	2430.3	B	6.9	39.	3.8	142.	319.	6.0	0.0	-0.50	0.10
2430.3	2432.3	B	14.5	354.	3.8	141.	315.	6.0	0.0	0.20	1.00
2432.3	2434.3	B	17.2	358.	3.8	140.	312.	6.0	0.0	0.10	1.20
2434.3	2436.3	B	1.1	261.	3.8	141.	319.	6.0	0.0	-0.20	-0.30
2436.3	2438.5	B	15.3	321.	3.8	142.	331.	6.0	0.0	1.00	0.80
2438.5	2440.5	B	22.7	11.	3.8	141.	337.	6.0	0.0	0.60	1.90

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2440.5	2442.5	B	11.5	22.	3.8	140.	341.	5.9	0.0	0.0	0.80
2445.5	2446.5	C	18.9	153.	3.8	145.	329.	5.9	0.0	-1.80	-1.90
2446.5	2448.5	B	10.9	352.	3.8	143.	331.	5.9	0.0	0.30	0.70
2448.5	2450.0	A	10.8	12.	3.8	139.	331.	5.9	0.0	0.0	0.70
2450.0	2452.3	A	15.3	343.	3.9	142.	339.	5.9	0.0	0.80	1.00
2452.3	2454.3	C	15.2	20.	3.9	144.	339.	5.9	0.0	0.10	1.10
2454.3	2456.0	B	8.2	314.	3.9	142.	337.	6.0	0.0	0.40	0.20
2456.0	2458.0	B	14.3	298.	3.9	140.	344.	6.0	0.0	0.90	0.10
2458.0	2460.0	C	10.5	297.	3.9	139.	354.	6.0	0.0	0.50	-0.10
2460.0	2462.0	B	12.1	357.	3.9	140.	357.	5.9	0.0	0.60	0.80
2462.0	2464.0	C	31.7	341.	3.9	140.	356.	5.9	0.0	2.60	2.00
2464.0	2466.3	B	19.5	351.	3.9	140.	350.	6.0	0.0	1.20	1.40
2466.3	2468.0	B	18.8	333.	3.9	140.	345.	6.0	0.0	1.30	1.10
2468.0	2470.0	C	4.3	49.	3.9	141.	343.	6.1	0.0	-0.40	0.10
2470.0	2472.0	C	22.2	19.	3.9	141.	343.	6.1	0.0	0.50	1.90
2472.0	2474.0	B	15.2	346.	3.9	142.	348.	6.1	0.0	0.90	1.00
2474.0	2476.0	B	17.8	3.	3.9	142.	352.	6.1	0.0	0.90	1.40
2476.0	2478.0	B	25.7	313.	3.9	143.	349.	6.1	0.0	2.10	0.80
2482.0	2484.0	B	11.5	327.	3.9	139.	357.	6.0	0.0	0.70	0.40
2484.5	2486.5	B	13.6	4.	3.9	142.	341.	6.0	0.0	0.40	1.00
2486.5	2488.0	B	14.0	19.	3.9	138.	334.	6.0	0.0	0.0	1.00
2494.0	2495.5	C	7.0	360.	3.9	143.	317.	6.1	0.0	-0.10	0.30
2501.0	2502.0	C	9.1	338.	3.9	135.	305.	6.1	0.0	0.10	0.50
2508.0	2508.5	C	4.1	123.	3.8	144.	297.	6.1	0.0	-0.50	-0.70
2515.6	2516.0	C	33.6	346.	3.8	145.	240.	6.1	0.0	-2.30	0.60
2523.0	2524.0	C	13.6	19.	3.7	142.	241.	6.0	0.0	-1.10	-0.60
2524.0	2524.4	B	8.7	353.	3.7	142.	241.	6.0	0.0	-0.50	-0.10
2526.0	2526.3	B	5.9	338.	3.7	142.	242.	6.0	0.0	-0.20	0.0
2529.6	2530.0	B	8.3	345.	3.7	142.	241.	6.0	0.0	-0.40	0.0
2533.0	2533.2	B	5.6	71.	3.6	140.	242.	6.0	0.0	-0.30	-0.70
2535.7	2536.0	B	19.3	328.	3.6	136.	255.	5.9	0.0	-0.40	1.00
2540.0	2540.3	C	9.2	353.	3.6	141.	250.	5.9	0.0	-0.50	0.0
2542.0	2542.3	C	4.1	33.	3.6	141.	248.	6.1	0.0	-0.30	-0.40
2543.0	2544.0	C	35.8	52.	3.6	141.	249.	6.0	0.0	-3.60	-2.80
2554.0	2554.6	C	19.3	287.	3.6	140.	240.	6.0	0.0	0.50	1.50
2559.6	2560.0	B	17.3	42.	3.6	137.	241.	6.0	0.0	-1.50	-1.30
2562.0	2562.4	C	22.8	339.	3.6	139.	242.	6.0	0.0	-1.20	0.60
2565.7	2566.2	C	15.4	341.	3.6	140.	248.	6.0	0.0	-0.70	0.40
2571.8	2572.2	B	14.4	354.	3.6	142.	254.	6.0	0.0	-0.80	0.20
2574.0	2574.2	B	3.9	57.	3.6	143.	241.	6.0	0.0	-0.20	-0.50
2579.0	2580.0	C	11.3	77.	3.6	138.	191.	5.9	0.0	0.40	-0.80
2581.6	2582.0	B	16.1	353.	3.6	149.	170.	5.9	0.0	-0.90	-1.10
2584.0	2584.4	B	14.5	25.	3.6	142.	134.	5.9	0.0	0.50	-0.70
2589.0	2589.3	D	22.2	57.	3.6	143.	68.	5.9	0.0	1.90	1.80
2596.0	2597.0	B	5.5	208.	3.5	142.	3.	6.0	0.0	-0.60	-0.60
2599.0	2600.0	C	24.9	14.	3.5	140.	357.	6.0	0.0	1.30	2.20
2605.6	2606.0	C	33.7	114.	3.5	135.	12.	6.0	0.0	-2.70	1.10
2607.7	2608.0	C	25.8	132.	3.5	142.	21.	6.0	0.0	-2.30	0.40
2611.0	2611.4	C	9.3	45.	3.5	139.	13.	5.9	0.0	0.10	0.80
2613.0	2614.0	B	11.8	346.	3.4	136.	357.	5.9	0.0	0.70	0.70
2615.6	2616.0	B	19.9	22.	3.4	138.	14.	6.0	0.0	1.20	1.70
2618.0	2618.5	C	17.6	81.	3.4	138.	13.	6.0	0.0	-0.50	1.30
2620.0	2620.6	B	19.0	319.	3.4	142.	14.	6.0	0.0	1.30	0.10
2624.0	2625.0	B	10.6	2.	3.4	143.	325.	6.0	0.0	0.10	0.70
2627.6	2628.0	B	25.7	51.	3.4	142.	321.	6.0	0.0	-1.50	1.00

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2631.6	2632.0	C	5.9	174.	3.4	140.	296.	6.1	0.0	-0.20	-0.80
2634.0	2634.4	C	5.9	296.	3.3	143.	289.	6.1	0.0	0.30	0.20
2638.0	2638.4	C	13.1	339.	3.3	141.	266.	6.0	0.0	-0.30	0.60
2642.0	2642.3	C	15.1	290.	3.3	141.	267.	6.0	0.0	0.80	1.10
2646.0	2646.4	C	18.0	35.	3.3	139.	267.	6.0	0.0	-1.60	-0.50
2649.6	2650.0	B	17.4	264.	3.3	142.	282.	6.1	0.0	1.50	0.80
2656.0	2658.0	B	6.7	349.	3.2	136.	283.	6.0	0.0	-0.20	0.20
2660.0	2662.0	B	13.2	342.	3.2	139.	301.	6.0	0.0	0.20	0.90
2663.0	2664.0	B	12.9	348.	3.2	148.	294.	6.1	0.0	0.0	0.80
2667.0	2668.0	B	12.4	348.	3.2	139.	271.	6.1	0.0	-0.40	0.50
2671.7	2672.0	C	10.5	246.	3.2	140.	288.	6.0	0.0	0.80	0.0
2677.0	2677.3	B	5.3	36.	3.2	139.	287.	6.0	0.0	-0.50	-0.20
2679.0	2680.0	C	10.2	289.	3.1	145.	292.	6.0	0.0	0.70	0.50
2684.0	2684.4	C	2.9	197.	3.1	142.	252.	6.2	0.0	0.30	-0.20
2686.0	2686.3	B	13.3	6.	3.1	140.	246.	6.1	0.0	-1.00	-0.20
2690.0	2690.4	B	14.6	327.	3.1	138.	259.	6.0	0.0	-0.20	0.80
2695.0	2695.3	C	21.6	342.	3.0	142.	259.	6.1	0.0	-0.80	1.00
2698.0	2699.0	B	15.3	44.	3.0	139.	251.	6.1	0.0	-1.40	-1.00
2701.0	2702.0	B	18.8	354.	3.0	142.	259.	6.0	0.0	-1.00	0.50
2703.6	2704.0	B	24.2	8.	2.9	140.	251.	6.0	0.0	-1.90	-0.10
2707.0	2707.3	B	11.7	23.	2.9	135.	254.	6.0	0.0	-1.00	-0.40
2708.0	2708.8	B	22.8	17.	2.9	135.	258.	6.1	0.0	-1.90	-0.20
2713.6	2714.0	C	24.3	10.	2.9	137.	261.	6.1	0.0	-1.80	0.20
2717.0	2717.7	C	35.4	28.	2.8	136.	261.	6.0	0.0	-3.40	-0.70
2720.0	2720.4	C	29.7	12.	2.8	140.	256.	6.0	0.0	-2.40	0.0
2723.7	2724.2	C	27.1	18.	2.8	139.	245.	6.1	0.0	-2.50	-0.80
2726.0	2726.6	C	12.7	22.	2.8	138.	247.	6.1	0.0	-1.10	-0.50
2733.6	2734.0	C	8.6	2.	2.7	138.	267.	6.1	0.0	-0.50	0.10
2738.0	2738.3	C	6.7	25.	2.7	137.	289.	6.1	0.0	-0.50	0.0
2742.0	2742.3	C	14.1	46.	2.7	136.	292.	6.0	0.0	-1.20	-0.10
2745.7	2746.0	C	5.0	356.	2.7	139.	285.	6.1	0.0	-0.20	0.10
2747.0	2747.7	A	13.3	24.	2.7	136.	285.	6.1	0.0	-0.90	0.20
2750.0	2750.6	B	4.0	341.	2.6	132.	288.	6.2	0.0	-0.10	0.10
2752.0	2752.6	B	7.9	90.	2.6	131.	292.	6.2	0.0	-0.90	-0.70
2755.6	2756.0	B	4.2	124.	2.6	130.	315.	6.2	0.0	-0.60	-0.50
2759.6	2760.0	B	9.2	140.	2.6	137.	346.	6.1	0.0	-1.10	-0.60
2761.0	2762.0	C	11.2	155.	2.6	136.	354.	6.2	0.0	-1.30	-0.80
2764.0	2765.0	C	17.6	209.	2.5	135.	359.	6.3	0.0	-1.10	-1.80
2767.0	2768.0	C	35.4	139.	2.5	134.	4.	6.3	0.0	-4.10	-1.10

THE FOLLOWING PARAMETERS APPLY TO THE LOG FROM 368.0 FEET TO 2768.0

MAGNETIC DECLINATION IS 21.0 DEGREES.

2.0 FEET WERE SUBTRACTED FROM THE DIP LOG TO CORRECT DEPTH TO THE BASE LOG DEPTH.

DRIFT AZIMUTH AND AZIMUTH OF NO. 1 ARM HAVE BEEN CORRECTED TO TRUE NORTH IN THIS PRESENTATION.