



DIP LOG CALCULATIONS

COMPANY REICHOLD ENERGY CORPORATION
WELL COLUMBIA COUNTY 14-2
FIELD MIST NEHALEM BASIN
COUNTY COLUMBIA STATE OREGON

RECEIVED-PTLD
DEC 15 1980

DEPT OF GEOLOGY & MINERALS
WELEX
A Halliburton Company

Table with columns: CORRELATION INTERVAL, CORR. GRADE, DIP ANG., DIP AZ., DREFI ANG., DREFI AZ., NO. 1, DIA 13, DIA 24, DIA 312, DISPLACEMENTS H13, H24. Rows 949.5 to 1125.5.

Table with columns: CORRELATION INTERVAL, CORR. GRADE, DIP ANG., DIP AZ., DREFI ANG., DREFI AZ., NO. 1, DIA 13, DIA 24, DIA 312, DISPLACEMENTS H13, H24. Rows 1129.5 to 1305.5.

Table with columns: CORRELATION INTERVAL, CORR. GRADE, DIP ANG., DIP AZ., DREFI ANG., DREFI AZ., NO. 1, DIA 13, DIA 24, DIA 312, DISPLACEMENTS H13, H24. Rows 1307.5 to 1445.5.

CORRELATION INTERVAL	CURR. GRADE	DIP ANG.	DIP AZ.	DREFT ANG.	DREFT AZ.	AZ. NO.	DIA			DISPLACEMENTS		
							15	24	42	H15	H24	
1445.5	1446.5	A	16.0	291	2.0	66	294	5.7	5.7	-0.03	-1.35	.50
1447.5	1448.5	A	15.1	299	2.1	68	294	5.6	5.6	-0.18	-1.52	.25
1449.5	1450.5	C	12.7	508	2.1	69	295	5.6	5.6	-1.15	-1.10	.00
1451.5	1452.5	C	17.0	555	2.1	69	295	5.6	5.6	-0.05	-1.15	-1.05
1453.5	1454.5	C	20.1	12	2.1	70	297	5.6	5.6	-0.20	-1.05	-1.05
1455.5	1456.5	C	12.5	514	2.1	71	300	5.7	5.7	-0.95	-1.16	-0.02
1457.5	1458.5	A	11.8	514	2.1	72	303	5.5	5.5	-0.35	-1.01	.25
1467.5	1468.5	C	17.2	305	1.9	71	336	5.7	5.7	-1.15	-1.07	1.19
1469.5	1470.5	A	13.8	322	1.9	73	345	5.7	5.7	-1.15	-1.05	.77
1471.5	1472.5	A	15.0	321	1.9	73	351	5.7	5.7	-1.06	-1.07	.71
1473.5	1474.5	C	17.6	311	1.9	73	354	5.7	5.7	-1.15	-0.84	1.43
1475.5	1476.5	C	18.1	311	1.8	72	357	5.6	5.6	-1.50	-0.81	1.23
1477.5	1478.5	C	14.4	355	1.8	72	3	5.6	5.6	-1.15	-1.03	.95
1479.5	1480.5	C	12.2	327	1.8	72	12	5.6	5.6	-0.06	-0.62	.97
1481.5	1482.5	A	12.2	325	1.8	71	19	5.6	5.6	-0.06	-0.45	1.07
1483.5	1484.5	C	10.5	357	1.6	72	26	5.6	5.6	-0.35	-0.50	.67
1485.5	1486.5	C	7.5	3	1.6	73	35	5.5	5.6	-0.37	-0.50	.40
1487.5	1488.5	C	8.1	354	1.6	65	55	5.6	5.6	-0.75	-0.53	.82
1509.5	1510.5	C	9.7	16	2.1	68	96	5.7	5.7	-0.02	-0.91	1.35
1515.5	1516.5	C	5.0	72	2.0	72	106	5.6	5.6	.00	-0.50	.55
1515.5	1516.5	A	9.3	266	2.0	72	109	5.6	5.6	.00	.22	-0.51
1517.5	1518.5	C	8.0	258	2.1	73	112	5.6	5.6	.00	.25	-0.55
1519.5	1520.5	C	6.4	305	2.2	73	115	5.5	5.5	.25	.01	.91
1525.5	1526.5	C	5.0	306	2.1	70	127	5.7	5.7	.00	.53	.90
1551.5	1552.5	C	2.4	265	2.4	78	155	5.7	5.7	.55	.07	.66
1553.5	1554.5	C	4.7	275	2.3	77	157	5.7	5.7	.01	.01	-0.20
1555.5	1556.5	C	2.5	276	2.5	76	162	5.7	5.7	.02	.01	.00
1557.5	1558.5	A	2.5	262	2.5	75	165	5.7	5.7	.05	.00	-0.02
1559.5	1560.5	A	2.0	279	2.5	74	174	5.7	5.7	.05	.00	-0.05
1561.5	1562.5	C	2.4	261	2.4	61	179	5.7	5.7	.01	.00	.01
1563.5	1564.5	C	2.2	266	2.4	64	185	5.7	5.7	.01	.01	.01
1565.5	1566.5	A	2.3	267	2.3	64	186	5.7	5.7	.00	.01	.01
1569.5	1570.5	A	9.6	301	2.4	65	195	5.6	5.6	.05	.02	-0.10
1571.5	1572.5	A	11.5	308	2.4	66	205	5.6	5.6	.02	.02	-0.15
1573.5	1574.5	C	12.7	324	2.4	66	206	5.6	5.6	.05	.22	-1.00
1575.5	1576.5	C	11.2	316	2.4	66	212	5.6	5.6	.05	.05	-0.97
1577.5	1578.5	C	8.0	266	2.4	66	227	5.7	5.7	-0.45	-0.05	-0.92
1579.5	1580.5	C	11.7	304	2.4	92	241	5.7	5.7	.00	-0.05	-0.05
1581.5	1582.5	A	28.5	341	2.5	95	246	5.7	5.7	.00	-0.05	-2.05
1583.5	1584.5	C	36.2	357	2.5	94	256	5.7	5.7	1.00	-0.40	-4.00
1589.5	1590.5	C	16.1	1	2.5	96	266	5.7	5.7	.35	-0.35	-1.95
1591.5	1592.5	C	19.9	559	2.5	96	276	5.7	5.7	.20	-0.75	-1.75
1593.5	1594.5	C	21.5	351	2.5	99	275	5.7	5.7	1.00	-1.00	-2.00
1605.5	1606.5	C	15.6	302	2.6	104	292	5.7	5.7	-0.35	-1.12	.00
1607.5	1608.5	A	16.0	303	2.6	104	293	5.7	5.7	-0.25	-1.07	.02
1609.5	1610.5	C	15.9	263	2.6	104	294	5.7	5.7	-0.76	-1.00	.35
1611.5	1612.5	C	10.4	261	2.6	105	294	5.7	5.7	-0.35	-0.95	.72
1613.5	1614.5	C	13.2	263	2.7	106	294	5.7	5.7	-0.06	-1.00	.72
1615.5	1616.5	C	25.2	352	2.7	107	295	5.7	5.7	-0.32	-1.05	-1.00
1617.5	1618.5	C	28.4	345	2.7	104	296	5.7	5.7	.05	-0.10	-1.25
1625.5	1626.5	A	35.7	316	2.8	109	296	5.7	5.7	-1.00	-0.70	-0.02
1627.5	1628.5	A	34.9	319	2.8	109	291	5.7	5.7	-1.70	-0.00	.05
1629.5	1630.5	C	27.4	303	2.9	105	291	5.6	5.6	-1.30	-0.00	.00
1635.5	1636.5	C	35.1	314	3.0	110	295	5.9	5.9	-0.71	-0.01	-0.02
1639.5	1640.5	A	35.2	303	3.1	111	297	5.8	5.8	-0.01	-0.04	.34

CORRELATION INTERVAL	CURR. GRADE	DIP ANG.	DIP AZ.	DREFT ANG.	DREFT AZ.	AZ. NO.	DIA			DISPLACEMENTS		
							15	24	42	H15	H24	
1641.5	1642.5	C	35.4	301	3.1	112	287	5.7	5.7	-0.05	-0.02	.53
1651.5	1652.5	C	21.6	313	3.3	113	286	5.7	5.7	-1.65	-1.90	-0.10
1655.5	1656.5	C	22.1	326	3.5	114	286	5.7	5.7	-0.37	-1.05	-0.70
1665.5	1666.5	A	35.2	310	3.5	114	290	5.7	5.7	-1.50	-0.05	.05
1675.5	1676.5	C	21.0	311	3.7	115	290	6.1	6.1	-1.05	-1.90	.02
1697.5	1698.5	C	29.7	4	4.1	117	304	5.6	5.6	.01	-0.07	-0.11
1709.5	1710.5	C	17.8	327	4.2	120	310	5.6	5.6	-0.90	-1.00	.00
1717.5	1718.5	C	33.3	332	4.4	123	313	5.6	5.6	-1.00	-0.00	.01
1719.5	1720.5	C	34.8	333	4.4	123	314	5.6	5.6	-1.25	-0.40	.01
1721.5	1722.5	C	27.2	342	4.4	123	317	5.6	5.6	-0.97	-0.45	-0.35
1725.5	1726.5	C	28.0	343	4.5	123	322	5.6	5.6	-1.00	-0.25	-0.25
1725.5	1726.5	C	29.2	345	4.4	123	326	5.6	5.6	-1.15	-0.70	-0.60
1727.5	1728.5	A	38.6	297	4.4	121	333	5.6	5.6	-1.95	-0.10	3.00
1735.5	1736.5	C	21.2	357	4.4	125	359	5.8	5.8	-0.52	-1.75	.45
1737.5	1738.5	C	25.2	15	4.4	126	3	5.6	5.6	-0.30	-0.40	.00
1739.5	1740.5	C	20.8	30	4.4	126	7	5.6	5.6	-1.00	-1.95	-0.00
1741.5	1742.5	C	13.8	15	4.4	126	9	5.6	5.6	-0.20	-1.15	-0.01
1753.5	1754.5	C	36.4	342	4.5	125	10	5.6	5.6	-2.25	-0.25	2.05
1755.5	1756.5	A	32.2	336	4.5	124	16	5.6	5.6	-1.95	-1.50	2.09
1765.5	1766.5	C	33.3	331	4.7	128	15	5.8	5.8	-3.21	-7.20	.01
1767.5	1768.5	A	42.1	351	4.8	127	15	5.8	5.8	-2.88	-0.55	2.75
1769.5	1770.5	C	41.6	352	4.8	127	15	5.8	5.8	-2.67	-0.55	2.75
1771.5	1772.5	C	30.0	353	4.9	126	15	5.8	5.8	-1.00	-0.20	1.70
1775.5	1776.5	C	25.8	4	4.9	128	15	5.8	5.8	-1.00	-0.15	0.75
1775.5	1776.5	C	24.3	352	4.9	130	15	5.8	5.8	-1.67	-7.27	0.77
1777.5	1778.5	C	34.4	351	4.9	132	15	5.8	5.8	-7.21	-7.20	0.77
1779.5	1780.5	C	39.4	355	4.9	133	16	5.7	5.7	-0.44	-0.04	14.33
1781.5	1782.5	C	23.2	327	5.0	133	17	5.7	5.7	-1.25	-0.00	1.20
1785.5	1786.5	C	20.7	314	5.0	133	17	5.7	5.7	-0.90	-0.05	1.00
1787.5	1788.5	C	17.2	344	5.0	132	16	5.7	5.7	-1.50	-0.02	.95
1789.5	1790.5	C	23.4	329	5.0	133	20	5.7	5.7	-1.00	-0.25	1.02
1791.5	1792.5	A	27.7	357	5.1	133	20	5.7	5.7	-1.00	-1.10	2.15
1795.5	1796.5	C	33.3	16	5.0	132	21	5.7	5.7	-1.00	-0.10	1.19
1795.5	1796.5	C	17.0	269	5.0	132	21	5.6	5.6	.55	.00	1.10
1797.5	1798.5	C	23.5	294	5.0	133	22	5.6	5.6	.05	.00	1.00
1799.5	1800.5	C	25.5	330	5.1	134	24	5.7	5.7	-0.40	.05	.05
1807.5	1808.5	C	25.2	337	5.2	135	35	5.6	5.6	-0.55	-0.92	.05
1811.5	1812.5	C	21.6	35	5.1	136	36	5.6	5.6	-1.10	-1.90	.75
1815.5	1816.5	C	22.0	3	5.1	135	32	5.7	5.7	-0.90	-1.10	1.00
1817.5	1818.5	C	25.0	29	5.1	135	32	5.7	5.7	.00	-0.20	.01
1825.5	1826.5	C	38.9	64	5.2	131	33	5.7	5.7	-0.02	-0.02	2.00
1829.5	1830.5	C	14.0	341	5.3	131	104	5.7	5.7	.02	.70	.25
1831.5	1832.5	C	15.7	295	5.3	131	115	5.7	5.7	1.10	.30	-0.05
1835.5	1836.5	C	36.1	296	5.3	130	120	5.7	5.7	2.50	2.10	-1.70
1845.5	1846.5	C	9.1	247	5.7	127	145	5.7	5.7	.00	-1.00	.00
1845.5	1846.5	A	15.5	155	5.7	129	204	5.7	5.7	-1.05	-0.00	1.70
1847.5	1848.5	C	11.0	269	5.7	128	211	5.6	5.6	-1.10	-1.05	.02
1849.5	1850.5	C	26.5	281	5.7	128	217	5.7	5.7	-0.50	-0.05	-1.55
1851.5	1852.5	A	25.9	282	5.7	129	224	5.7	5.7	.00	-1.70	-1.00
1855.5	1856.5	C	17.4	325	5.6	131	250	5.6	5.6	.00	-0.00	-1.00
1859.5	1860.5	C	26.8	65	5.7	131	255	5.6	5.			

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.	DIA 13	DIA 24	DIA 312	DISPLACEMENTS	H13	H24
3081.5	3082.5	A	26.5	265	13.4	137	356	5.6	5.6	-2.04	0.10	1.75
3083.5	3084.5	C	18.0	275	13.4	139	356	5.7	5.7	.50	1.50	1.00
3091.5	3092.5	C	72.3	20	13.3	143	355	5.6	5.6	-4.25	-10.40	-1.35
3093.5	3094.5	C	72.4	22	13.2	143	355	5.5	5.5	-4.09	-10.35	-1.45
3095.5	3096.5	C	11.9	84	13.2	142	355	5.4	5.4	1.23	.05	-1.00
3097.5	3098.5	C	12.6	87	13.2	143	355	5.4	5.4	1.17	.08	-1.00
3101.5	3102.5	C	11.4	74	13.2	144	3	5.3	5.4	1.15	.27	-1.05
3103.5	3104.5	C	17.5	84	13.2	144	6	5.4	5.4	1.22	.02	-2.55
3105.5	3106.5	C	19.1	81	13.1	142	7	5.3	5.3	1.15	-.25	-2.45
3110.5	3116.5	C	11.1	61	12.9	142	5	5.3	5.3	.05	.02	-1.45
3117.5	3118.5	C	12.7	70	12.6	142	5	5.3	5.3	.05	.01	-1.70
3119.5	3120.5	C	19.2	60	12.0	142	4	5.4	5.4	1.05	-.03	-1.80
3121.5	3122.5	A	23.2	50	12.0	143	5	5.4	5.4	.45	-1.15	-1.70
3139.5	3140.5	C	20.1	15	12.0	142	4	5.5	5.6	.00	-1.05	-.00
3143.5	3144.5	C	23.7	9	12.0	140	7	5.6	5.6	-.55	-1.07	.00
3151.5	3152.5	C	12.4	55	12.5	141	5	5.4	5.4	.15	-.55	-1.05
3161.5	3162.5	C	7.4	242	12.2	143	10	5.3	5.3	.95	1.40	-.45
3171.5	3172.5	C	10.4	320	11.0	145	31	5.6	5.6	-.40	-.03	-.15
3199.5	3200.5	C	75.3	89	11.0	142	26	5.4	5.4	1.07	-10.40	-10.35
3201.5	3202.5	C	20.7	323	11.6	140	27	5.6	5.6	-.75	-.75	.00
3205.5	3206.5	C	68.3	339	11.5	137	26	5.8	5.8	-5.25	-2.45	0.10
3231.5	3232.5	C	24.4	328	11.4	142	352	5.1	5.1	-.45	-1.25	.04
3241.5	3242.5	C	29.5	0	11.4	143	355	5.4	5.4	-1.20	-1.05	.15
3243.5	3244.5	C	24.0	357	11.4	139	357	5.5	5.5	.10	-1.20	.15
3245.5	3246.5	C	24.6	14	11.5	130	354	5.6	5.4	-1.05	-2.05	-.00
3259.5	3260.5	C	25.4	332	11.4	135	307	5.6	5.6	-.55	-1.25	.00
3267.5	3268.5	C	34.2	332	11.5	139	261	5.1	5.1	-.30	-1.40	-1.00
3269.5	3270.5	C	22.7	340	11.2	139	270	5.1	5.1	.35	-.75	-1.70
3271.5	3272.5	C	33.7	342	11.2	140	269	5.1	5.1	.00	-.40	-1.30
3275.5	3276.5	C	63.0	347	11.1	139	253	5.1	5.1	1.00	-1.75	-0.25
3295.5	3296.5	C	73.6	229	10.6	141	174	5.1	5.1	-4.80	-23.00	-13.25
3309.5	3310.5	C	22.8	326	10.7	140	180	5.0	5.0	1.15	1.20	-.40
3349.5	3350.5	C	36.1	320	10.2	130	170	5.3	5.3	3.05	2.05	-2.12
3363.5	3364.5	C	30.7	47	10.5	130	169	5.4	5.4	-.25	2.00	3.00
3365.5	3366.5	C	37.1	50	10.5	130	166	5.3	5.3	-.05	2.05	2.00
3367.5	3368.5	C	34.4	21	10.5	130	164	5.3	5.3	.30	2.10	1.00
3375.5	3376.5	C	31.1	232	10.5	134	164	5.3	5.3	2.00	.05	-2.20
3385.5	3386.5	C	37.6	200	10.5	134	155	5.4	5.4	2.35	.70	-4.75
3405.5	3406.5	C	71.0	203	10.5	134	133	5.3	5.3	-.49	-17.15	-13.17
3407.5	3408.5	C	70.3	18	10.1	132	160	5.3	5.3	-1.39	2.99	10.00
3435.5	3440.5	C	43.1	93	10.0	131	124	5.6	5.6	-0.50	-4.70	4.40
3471.5	3472.5	C	19.6	328	10.5	133	121	5.3	5.3	.00	.40	.00
3475.5	3476.5	C	43.4	16	10.6	133	122	5.3	5.3	-.75	1.95	3.20
3485.5	3486.5	C	44.3	12	10.7	131	116	5.3	5.3	-1.30	1.70	2.70
3487.5	3488.5	A	30.3	311	10.7	131	113	5.3	5.3	1.15	2.00	-.40
3493.5	3494.5	A	43.5	346	10.0	132	100	5.4	5.4	-.30	2.40	2.00
3501.5	3502.5	C	32.3	325	10.0	133	89	5.3	5.3	.00	3.00	1.50
3517.5	3518.5	C	34.3	332	11.1	137	113	5.1	5.1	2.10	2.00	1.50
3519.5	3520.5	C	31.2	332	11.1	134	110	5.0	5.0	2.02	4.10	1.10
3551.5	3552.5	C	61.6	301	11.1	132	97	5.6	5.6	3.00	7.25	.00
3557.5	3558.5	C	30.5	192	11.1	130	96	5.6	5.6	2.25	-2.05	-0.20

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.	DIA 13	DIA 24	DIA 312	DISPLACEMENTS	H13	H24
623.5	624.5	C	76.3	321	.3	205	325	5.7	5.7	-14.71	-21.40	9.00
655.5	656.5	C	10.7	257	.3	221	327	5.5	5.5	.00	.01	1.67
675.5	676.5	C	17.9	154	.0	238	314	5.5	5.5	-.01	1.77	.00
695.5	696.5	C	66.2	325	.0	248	306	5.4	5.4	-0.30	-10.35	.01
695.5	696.5	C	66.3	329	.1	251	314	5.5	5.5	-0.30	-12.40	1.02
711.5	712.5	C	22.9	219	.0	253	330	5.6	5.6	-.35	2.05	1.15
715.5	716.5	C	15.0	249	.0	290	330	5.7	5.7	-.00	.75	1.20
721.5	722.5	C	24.6	272	.1	293	343	5.8	5.8	-.00	.00	2.00
725.5	726.5	C	27.1	277	.1	296	347	5.8	5.8	-1.00	-.00	2.00
727.5	728.5	C	23.1	297	.1	300	349	5.3	5.3	-1.00	-.00	2.90
729.5	730.5	C	20.2	300	.1	299	346	5.2	5.2	-1.00	-.77	2.50
731.5	732.5	C	23.0	317	.1	296	346	5.7	5.7	-1.10	-.75	2.00
733.5	734.5	C	21.2	324	.1	299	349	5.7	5.7	-1.40	-1.20	1.95
737.5	738.5	C	16.3	330	.1	300	330	5.8	5.8	-1.11	-1.05	1.02
739.5	740.5	C	27.4	260	.1	300	330	5.8	5.8	-1.05	-2.20	1.00
741.5	742.5	C	16.5	324	.2	300	347	5.7	5.7	-1.35	-.00	3.00
743.5	744.5	C	25.0	314	.2	302	350	5.8	5.8	-1.57	-1.25	1.37
749.5	750.5	C	15.1	279	.1	307	330	5.0	5.0	-1.01	-1.70	2.11
751.5	752.5	C	18.3	279	.2	300	331	5.6	5.6	-.00	.00	1.30
753.5	754.5	C	25.3	265	.2	305	351	5.9	5.9	-.75	.05	1.57
755.5	756.5	C	22.3	249	.2	306	352	5.9	5.9	-.31	.75	2.70
767.5	768.5	C	28.1	253	.3	314	360	5.9	5.9	.00	1.33	2.00
771.5	772.5	C	71.7	244	.4	316	1	5.7	5.7	.01	1.00	2.25
773.5	774.5	C	33.4	221	.5	316	306	5.8	5.8	.00	12.00	11.00
783.5	784.5	C	6.3	291	.5	317	2	5.8	5.8	1.00	7.20	2.75
785.5	786.5	C	11.9	209	.5	322	16	5.8	5.8	.03	.05	.00
787.5	788.5	C	7.9	302	.5	324	15	5.6	5.6	.00	1.15	.01
791.5	792.5	C	6.8	214	.5	327	17	5.5	5.5	.00	.01	.04
793.5	794.5	C	14.0	304	.5	327	16	5.5	5.5	.07	.05	.01
795.5	796.5	C	6.6	303	.5	320	16	5.8	5.8	.00	.00	1.40
799.5	800.5	C	.4	168	.5	320	16	5.8	5.8	.00	.01	.70
801.5	802.5	C	2.5	166	.5	320	16	5.0	5.0	.00	.00	.00
805.5	806.5	C	7.7	192	.6	320	21	5.6	5.6	.03	.00	.00
807.5	808.5	C	.3	174	.6	320	23	5.8	5.8	.45	.35	.01
809.5	810.5	C	8.1	35	.7	329	26	5.8	5.8	.00	.00	-.01
811.5	812.5	C	.7	181	.7	333	34	5.8	5.8	.00	-.05	-.01
817.5	818.5	C	.7	192	.8	336	46	5.8	5.8	.00	.01	.00
819.5	820.5	C	.9	195	.7	337	40	5.5	5.6	.01	.02	.00
821.5	822.5	C	.9	186	.7	337	40	5.6	5.6	.02	.05	.00
823.5	824.5	C	11.4	152	.7	337	40	5.6	5.6	.05	.00	-.21
825.5	826.5	C	.9	166	.7	337	40	5.8	5.8	.00	.01	-1.10
827.5	828.5	C	9.3	127	.7	337	40	5.3	5.0	.01	-.01	-1.00
829.5	830.5	C	.7	159	.7	336	40	5.3	5.0	.01	-.40	-1.00
831.5	832.5	C	.9	164	.7	335	37	5.7	2.7	.01	-.01	-.00
833.5	834.5	C	6.2	155	.7	336	42	5.7	5.7	.01	-.01	-.00
841.5	842.5	C	35.2	125	.7	341	30	5.8	5.8	.01	.00	-.35
843.5	846.5	C	.8	191	.7	336	39	5.6	5.6	.01	-2.37	-2.27
847.5	848.5	C	1.0	192	.8	339	36	5.8	5.8	.01	.02	.00
849.5	850.5	C	3.4	230	.7	340	37	5.8	5.8	.05	.25	-.01
851.5	852.5	C	16.2	233	.6	339	35	5.6	5.6	.30	.30	.00
855.5	856.5	C	11.0	230	.7	337	33	5.7	5.7	.01	1.05	.00
857.5	858.5	C	3.5	155	.8	339	30	5.7	5.7	.01	1.07	.00
859.5	860.5	C	.9	187	.6	341	39	5.7	5.7	.00	.01	-.00
861.5	862.5	C	.9	193	.6	342	40	5.7	5.7	.00	.01	.00
867.5	868.5	C	3.5	237	.7	345	41	5.7	5.7	.01	.00	.00

CORRELATION 1 TERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DIP T ANG.	DIP T AZ.	AZ. NO.1	DIA 15	DIA 24	DISPLACEMENTS			
									H12	H15	H24	
659.5	675.5	0	8.5	236	.7	346	40	5.6	5.5	.01	.51	.00
671.5	672.5	0	.7	127	.8	346	40	5.6	5.6	.06	-7.97	.00
681.5	682.5	4	11.2	240	.9	347	44	5.7	5.7	.01	1.66	.00
685.5	684.5	4	15.1	243	.8	347	45	5.7	5.7	.95	1.59	.00
685.5	686.5	0	16.7	243	.8	346	45	5.7	5.7	1.16	1.66	.01
687.5	688.5	0	11.7	242	.6	344	45	5.7	5.7	.65	1.13	.00
689.5	690.5	8	12.2	242	.9	342	45	5.7	5.7	.05	1.26	.00
691.5	692.5	4	11.5	243	.9	339	47	5.7	5.7	.78	1.15	.00
695.5	694.5	6	8.5	246	.9	339	53	5.7	5.7	.01	.65	.00
695.5	696.5	0	11.1	260	.9	345	65	5.6	5.6	.06	1.11	.00
697.5	698.5	0	20.7	259	.9	348	74	5.6	5.6	1.22	2.15	-7.62
901.5	902.5	0	24.4	238	1.0	351	88	5.6	5.6	1.37	1.75	-1.35
905.5	904.5	6	24.6	225	1.1	351	91	5.6	5.6	1.07	1.15	-6.52
905.5	906.5	0	17.5	244	1.2	350	99	5.6	5.6	1.35	1.89	-1.57
907.5	908.5	4	20.0	242	1.1	353	115	5.6	5.6	1.12	.75	-1.68
909.5	910.5	0	20.1	255	1.1	355	129	5.7	5.7	1.12	.65	-1.94
911.5	912.5	0	24.7	247	1.1	356	139	5.8	5.6	1.09	.66	-2.57
915.5	914.5	0	27.9	254	1.3	356	146	5.6	5.6	1.07	.66	-2.76
919.5	920.5	0	74.6	226	1.3	1	162	5.6	5.6	.00	-15.25	-15.25
921.5	922.5	4	23.3	250	1.3	2	168	5.8	5.6	.75	-1.35	-2.55
925.5	926.5	0	20.2	202	1.2	3	182	5.8	5.6	-.55	-6.66	.00
927.5	926.5	6	15.5	210	1.1	7	190	5.8	5.6	.69	-1.25	.00
929.5	930.5	0	15.5	217	1.1	8	197	5.8	5.6	-.21	-1.25	-7.51
931.5	932.5	0	1.3	209	1.2	5	201	5.8	5.6	-.65	-.51	.00
933.5	934.5	4	10.9	142	1.3	9	204	5.9	5.9	-1.07	-7.65	3.89
941.5	942.5	0	14.5	234	1.2	10	210	5.6	5.6	-.75	-1.47	.00
945.5	944.5	0	20.4	235	1.2	14	224	5.6	5.6	-.55	-2.65	.25
945.5	946.5	0	20.3	235	1.1	15	231	5.6	5.6	-1.35	-1.25	.00
947.5	946.5	4	20.3	231	1.2	17	237	5.6	5.6	-1.55	-2.65	.65
949.5	950.5	0	24.2	238	1.2	17	240	5.6	5.6	-1.25	-6.55	-7.85