

WELL SUMMARY REPORT
(Submit in duplicate)

DEPT OF GEOLOGY
& MINERAL INDUSTRIES

Operator Reichhold Energy Corporation Field Mist
Well No. Columbia County 33-3 Sec. 3, T 6N, R 5W, W. B. & M.
Location 1669'N 380'E of S/4 Corner Elevation above sea level 1028.8 feet
All depth measurements taken from top of KB, which is 1039.3 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date 6/23/80 Signed W.S. [Signature]
W. Bruer D. Dawson Title Engineer
~~Engineer~~ or Geologist Superintendent (President, Secretary or Agent)

Commenced drilling 5/29/80 Completed drilling 6/4/80 Drilling tools ~~Rotary~~ Rotary
Total depth 2777 Plugged depth _____ GEOLOGICAL MARKERS DEPTH
Junk _____

Commenced producing 6/4/80 Date Flowing/~~gas lift/pumping~~
(cross out unnecessary words)

Initial production
Production after 30 days

| Clean oil bbl. per day | Gravity Clean oil | Percent water including emulsion | Gas Mcf. per day | Tubing Pressure | Casing Pressure |
|---------------------------------|-------------------|----------------------------------|------------------|-----------------|-----------------|
| | | | 6000 | 800 | 990 |
| SHUT IN FOR PIPELINE CONNECTION | | | | | |

CASING RECORD (Present Hole)

| Size of casing (A.P.L.) | Depth of shoe | Top of casing | Weight of casing | New or second hand | Seamless or Lapweld | Grade of casing | Size of hole drilled | No. of sacks of cement | Depth of cementing if through perforations |
|-------------------------|---------------|---------------|------------------|--------------------|---------------------|-----------------|----------------------|------------------------|--|
| 7" | 406 | 0 | 20 | N | S | K | 9-7/8 | 150 | |
| 4-1/2" | 2749 | 0 | 10.5 | N | S | K | 6-1/4" | 150 | |
| | | | | | | | | | |
| | | | | | | | | | |

PERFORATIONS

| Size of casing | From | To | Size of perforations | Number of rows | Distance between centers | Method of perforations |
|----------------|----------|----------|----------------------|----------------|--------------------------|------------------------|
| 4-1/2" | 2467 ft. | 2495 ft. | 4 HPF | | | Jet |
| | 2504 ft. | 2524 ft. | " | | | " |
| | 2529 ft. | 2535 ft. | " | | | " |
| | 2540 ft. | 2576 ft. | " | | | " |
| | 2581 ft. | 2585 ft. | " | | | " |
| | 2591 ft. | 2601 ft. | " | | | " |
| | 2621 ft. | 2646 ft. | " | | | " |

Electrical Log Depths 2771 (Attach Copy of Log)