


CC 41-02-65 v RP1



DRIFT LOG

1" = 30'

COMPANY REICHHOLD ENERGY CORPORATION		WELL COLUMBIA COUNTY 41-2 REDRILL NO. 1	
FIELD MIST		COUNTY COL. STATE ORE.	
COMPANY REICHHOLD ENERGY CORPORATION		WELL COLUMBIA COUNTY 41-2 REDRILL NO. 1	
FIELD MIST		COUNTY COLUMBIA STATE OREGON	
Location 1218' SOUTH AND 482' WEST OF THE NORTHEAST CORNER OF: Sec. 1, 2 Twp. 6N Rge. 5W			
Permanent Datum 6.L. Elev. 1182.5		Elev. K.B. 1193.9	
Log Measured From K.B. OR 11.4 Ft. Above Perm. Datum		D.F. G.L. 1182.5	
Drilling Measured From K.B.		G.L. 1182.5	
Date	2-16-82		
Run No.	TW0		
Depth - Driller	3040		
Depth - Welex	3030		
Btm. Log Inter.	3000		
Top Log Inter.	550		
Casing - Driller	7 @ 518		
Casing - Welex	NOT LOGGED		
Bit Size	6 1/4		
Type Fluid in Hole	GEL-PCM		
Dens. @ 1 Visc.	66.6 @ 1.48		
pH @ 1 Fluid Loss	11.0 @ 1.12 ml		
Source of Sample	CIRCULATED		
Rm @ Meas. Temp.	2.6 @ 59 °F		
Rmf @ Meas. Temp.	2.85 @ 59 °F		
Rmc @ Meas. Temp.	2.9 @ 62 °F		
Source Rmf Rmc	MEASURED		
Rm @ BHT	1.3 @ 115 °F		
Time Since Circ.	2 HOURS		
Max. Rec. Tempo.	115 °F @ BHT		
Equip. 1 Location	2890 WOODLAND		
Recorded By	CUNNER, WISHART		
Witnessed By	ALGER		


Service Ticket No. 116026 Remarks:

Change in Mud Type or Additional Samples					
Date	Sample No.		Run No.	1	2
Depth - Driller			Tool Type	DIP	
Type Fluid in Hole			Tool Number	81096	
Dens.	Visc.		Pad Type	N/A	
pH	Fluid Loss		Correlated By	N/A	
Source of Sample			Computed By	N/A	
Rm @ Meas. Temp.	@ °F	@ °F	Remarks:	INS. 98886	
Rmf @ Meas. Temp.	@ °F	@ °F		MAN. 90126	
Rmc @ Meas. Temp.	@ °F	@ °F		TRANS. 81096	
Source: Rmf Rmc				DRAFTED BY: B. CASTRO	
Rm @ BHT	1.53 @ 115 °F	@ °F			
Rmf @ BHT	1.46 @ 115 °F	@ °F			
Rmc @ BHT	1.56 @ 115 °F	@ °F			

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses from the use thereof.

MEAS. DEPTH	DRIFT ANGLE	HOLE T.U.D.	HOLE COURSE COORDINATES				TOTAL COORDINATES				
			BEARING	NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST
518	.00	518.00	N 73 E	.0	.0	.0	.0				
549	2.20	548.99	N 73 E	.2	.6	.2	.6				
600	2.00	599.96	N 8 E	1.3	1.1	1.5	1.7				
800	12.30	798.14	N 20 E	24.1	6.0	25.6	7.7				
1000	14.10	992.84	N 27 E	41.9	18.2	67.5	25.9				
1200	14.70	1186.56	N 26 E	44.5	22.2	112.0	48.1				
1400	15.80	1379.51	N 26 E	47.3	23.1	159.2	71.2				
1600	15.20	1572.24	N 27 E	47.8	23.8	207.1	95.0				
1800	12.20	1766.52	N 26 E	42.4	21.1	249.5	116.2				
2000	8.60	1963.21	N 36 E	30.9	18.6	280.4	134.7				
2200	7.80	2161.16	N 26 E	24.4	14.7	304.8	149.4				
2400	8.00	2359.26	N 28 E	24.5	12.5	329.3	161.9				
2600	7.90	2557.33	N 33 E	23.8	14.0	353.1	175.9				
2800	8.10	2755.39	N 37 E	22.8	16.0	375.9	191.9				
3000	8.10	2953.39	N 38 E	22.4	17.2	398.3	209.0				

HORIZONTAL DEPARTURE = 449.77 FEET NORTH 27 DEG. 42. MIN. EAST (GRID)



SCALE OF PLOT 1 INCH = 30 FEET
 CLOSURE ANGLE N 27° 41' E
 CLOSURE DIST 449.77

- end -