

RESULTS OF CORE ANAL
LABORATORY ON 1-14-47.

ELEPHONED IN BY ESCOBA

THE SIGNAL HILL

WELL: C & W #6-1

Retort Method

<u>Depth</u>	<u>Poros.</u>	<u>Perm.</u>	<u>Oil Sat.</u>	<u>Water Sat.</u>	<u>Oil to Wat.Ratio.</u>	<u>Salinity of Con.Water.</u>
1810	37.8	3.0	--	--	0	
2015.6	29	81.1	0	125.0%	0	
2019	30.8	53	0	102.0%	0	
2020	36.7	28.5	0	87%	0	
2023	39	26.5	0	78%	0	
2028.6	29.7	10.2	0	94%	0	
2033±	30.8	59.7	Not enough sample		0	
2037	Too friable		0	11.1 Mlitra.	0	100 GG
2039	"	"	0	18.6 "	0	
2046	10	0	0	87.5%	0	300 GG
2050	30.2	19.4	0	100.1%	0	
2054	29.2	6.4	0	92.9%	0	
2058	27.9	3.6	0	99%	0	240 GG
2060	29.4	3.5	0	97%	0	354 GG
2063-4	29	6.5	0	109.1%	0	
2066.7	26.7	6	0	106.1%	0	
2070.6	25.5	5.1	0	120%	0	390 GG