

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator Marvin Lewis Field Rickreall Area  
Well No. Crossley-Jennings 1 Sec. 31, T 6S, R 4W, WM W. B. & M.  
Location (Reserve Oil & Gas Briven 1) Elevation above sea level \_\_\_\_\_ feet  
All depth measurements taken from top of \_\_\_\_\_, which is \_\_\_\_\_ feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date Sept. 1965 Signed Marvin Lewis  
Title Operator  
\_\_\_\_\_  
Engineer or Geologist Superintendent (President, Secretary or Agent)

Commenced drilling May 20, 1963 Completed drilling Aug. 30, 1965 Drilling tools Cable Rotary  
Total depth \_\_\_\_\_ Plugged depth \_\_\_\_\_ GEOLOGICAL MARKERS DEPTH  
Junk \_\_\_\_\_ Spencer Fm. 0-3500'  
Yamhill Fm. (?) 3500-5549'  
R<sub>2</sub>-tested Reserve Oil & Gas  
" Bruer No. 1"

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
<u>10 3/4"</u>	<u>529'</u>	<u>0</u>	<u>32.75</u>	<u>New</u>	<u>Seamless</u>	<u>H-40</u>	<u>15 1/2"</u>	<u>350 sks</u>	<u>Around shoe</u>

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				