



## DIP LOG CALCULATIONS

**COMPANY** REICHHOLD ENERGY CORPORATION  
**WELL** N.N.G.-CROWN ZELLERBACH NO.1  
**FIELD** TILLAMOOK AREA  
**COUNTY** TILLAMOOK STATE OREGON

1975

**WELEX**

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
597.8	598.3	C	13.2	306.	.9	159.	245.	9.3	0.0	.70	1.80
598.7	599.3	B	9.6	293.	.9	159.	245.	9.3	0.0	.80	1.30
599.3	599.8	C	15.1	303.	.9	159.	245.	9.3	0.0	.90	2.10
603.2	603.8	C	14.4	288.	.9	159.	244.	9.3	0.0	1.30	2.00
606.0	606.2	C	14.3	295.	.9	159.	244.	9.3	0.0	1.10	2.00
610.0	610.5	D	15.8	304.	.9	159.	250.	9.3	0.0	1.10	2.20
612.8	613.1	D	17.1	304.	.9	159.	253.	9.3	0.0	1.30	2.40
614.2	614.5	C	18.4	303.	.9	159.	252.	9.3	0.0	1.40	2.60
617.8	618.2	D	11.6	293.	.9	159.	250.	9.5	0.0	1.10	1.60
743.0	744.0	C	16.1	301.	.6	177.	310.	9.3	0.0	2.30	1.10
744.0	745.2	C	18.7	286.	.6	178.	311.	9.3	0.0	2.60	.60
752.5	753.1	C	15.4	306.	.6	182.	310.	9.3	0.0	2.20	1.20
753.1	753.8	B	14.9	308.	.6	182.	310.	9.3	0.0	2.10	1.20
754.5	756.3	C	17.5	302.	.6	182.	311.	9.2	0.0	2.50	1.20
756.7	757.0	C	14.9	308.	.6	182.	310.	9.2	0.0	2.10	1.20
757.0	758.4	C	16.2	303.	.6	182.	309.	9.2	0.0	2.30	1.20
758.4	761.2	C	17.3	311.	.6	182.	307.	9.1	0.0	2.40	1.60
766.7	768.0	B	12.3	311.	.5	182.	308.	9.2	0.0	1.70	1.10
793.9	794.3	D	13.7	307.	.5	185.	316.	9.1	0.0	1.90	.90
794.3	795.2	D	12.4	315.	.5	185.	316.	9.1	0.0	1.70	1.00
795.2	796.0	D	12.7	322.	.5	185.	316.	9.1	0.0	1.70	1.20
800.3	800.5	C	13.8	314.	.5	185.	316.	9.1	0.0	1.90	1.10
800.5	801.0	B	13.3	320.	.5	185.	316.	9.1	0.0	1.80	1.20
801.0	801.3	C	12.7	322.	.5	184.	316.	9.1	0.0	1.70	1.20
804.7	805.0	A	11.1	333.	.4	183.	318.	9.1	0.0	1.40	1.20
805.0	806.2	C	8.4	326.	.4	183.	318.	9.1	0.0	1.10	.80
806.2	806.7	C	10.4	320.	.4	183.	317.	9.1	0.0	1.40	.90
806.7	807.2	B	8.8	316.	.4	183.	317.	9.1	0.0	1.20	.70
807.5	808.0	C	11.6	313.	.4	182.	316.	9.1	0.0	1.60	.90
808.0	808.6	C	14.3	309.	.4	182.	316.	9.1	0.0	2.00	1.00
808.6	809.8	D	13.4	323.	.4	182.	316.	9.1	0.0	1.80	1.30
809.8	810.5	B	12.4	328.	.4	182.	316.	9.1	0.0	1.60	1.30
811.2	811.3	B	10.4	318.	.4	182.	316.	9.1	0.0	1.40	.90
811.3	812.1	C	9.4	339.	.4	182.	316.	9.1	0.0	1.10	1.10
812.1	812.8	C	11.0	317.	.4	182.	317.	9.1	0.0	1.50	.90
812.8	814.3	C	11.7	314.	.4	182.	317.	9.1	0.0	1.60	.90
816.0	816.6	B	12.3	314.	.4	182.	319.	9.1	0.0	1.70	.90
817.3	818.0	D	11.2	323.	.4	182.	319.	9.1	0.0	1.50	1.00
818.0	818.3	C	13.9	320.	.4	182.	319.	9.1	0.0	1.90	1.20
822.3	824.5	D	14.4	307.	.4	182.	318.	9.1	0.0	2.00	.90
826.5	827.2	C	15.1	306.	.4	183.	318.	9.1	0.0	2.10	.90
827.2	827.5	C	15.9	301.	.4	183.	318.	9.1	0.0	2.20	.80
833.0	833.8	C	14.7	325.	.4	184.	323.	9.1	0.0	2.00	1.30
833.8	834.1	C	15.9	321.	.4	184.	323.	9.1	0.0	2.20	1.30
838.2	838.5	B	17.2	318.	.4	185.	323.	9.0	0.0	2.40	1.30
838.5	839.0	C	17.8	314.	.4	185.	323.	9.0	0.0	2.50	1.20
839.0	839.0	D	17.8	316.	.4	185.	323.	9.0	0.0	2.50	1.30
845.3	845.8	D	8.9	323.	.3	186.	324.	9.0	0.0	1.20	.70
851.9	852.1	D	13.2	328.	.3	186.	328.	9.1	0.0	1.80	1.10
854.5	855.2	C	15.1	310.	.3	186.	323.	9.1	0.0	2.10	.90
855.2	856.0	B	13.7	314.	.3	186.	323.	9.1	0.0	1.90	.90
859.5	860.0	A	14.7	306.	.3	186.	327.	9.0	0.0	2.00	.60
860.0	860.9	C	14.7	305.	.3	186.	326.	9.0	0.0	2.00	.60
861.8	862.1	B	11.7	323.	.3	186.	326.	9.0	0.0	1.60	.90
863.0	863.2	B	12.4	316.	.3	186.	329.	9.0	0.0	1.70	.70

Dip to the NW



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
863.2	864.0	C	11.7	327.	.3	186.	331.	9.0	0.0	1.60	.90
864.2	864.6	B	10.1	342.	.3	186.	332.	9.0	0.0	1.30	1.00
865.0	865.7	B	10.5	311.	.3	186.	332.	9.0	0.0	1.40	.40
865.7	866.6	B	13.4	335.	.3	186.	332.	9.0	0.0	1.80	1.20
866.6	867.0	C	11.7	320.	.3	186.	332.	9.0	0.0	1.60	.70
867.0	868.0	B	11.8	316.	.3	186.	332.	9.0	0.0	1.60	.60
868.0	868.3	B	12.8	307.	.3	186.	332.	9.0	0.0	1.70	.40
868.3	868.6	B	11.1	314.	.3	186.	332.	9.0	0.0	1.50	.50
868.6	869.1	B	11.3	309.	.3	186.	332.	9.0	0.0	1.50	.40
869.1	869.6	B	14.4	306.	.3	186.	332.	9.0	0.0	1.90	.40
869.6	870.2	C	11.0	319.	.3	186.	333.	9.0	0.0	1.50	.60
871.0	871.4	B	12.4	325.	.3	186.	335.	9.0	0.0	1.70	.80
871.4	872.3	C	13.1	325.	.3	185.	337.	9.0	0.0	1.80	.80
872.3	873.2	D	13.1	324.	.3	185.	336.	9.1	0.0	1.80	.80
875.8	876.6	C	13.2	314.	.2	183.	333.	9.1	0.0	1.80	.60
876.6	878.2	C	11.6	327.	.2	182.	335.	9.1	0.0	1.60	.80
878.2	878.6	C	12.9	323.	.2	181.	335.	9.2	0.0	1.80	.80
881.0	881.3	B	13.2	338.	.2	181.	335.	9.1	0.0	1.80	1.20
881.3	882.2	B	13.7	328.	.2	181.	335.	9.1	0.0	1.90	1.00
884.0	884.7	B	9.8	317.	.2	184.	337.	9.0	0.0	1.30	.40
887.7	889.0	D	13.5	340.	.2	187.	337.	8.9	0.0	1.80	1.20
892.3	895.1	C	12.6	341.	.2	186.	344.	9.0	0.0	1.70	1.00
905.7	905.8	C	10.4	330.	.2	175.	348.	9.0	0.0	1.40	.50
906.3	907.6	D	14.0	319.	.2	174.	349.	9.0	0.0	1.80	.30
907.6	908.8	D	13.5	317.	.2	172.	349.	9.0	0.0	1.70	.20
914.6	915.3	D	13.7	310.	.2	179.	351.	9.1	0.0	1.60	-.10
916.2	916.4	C	9.7	318.	.2	181.	352.	9.1	0.0	1.20	.10
918.2	919.9	C	12.2	326.	.2	186.	350.	9.0	0.0	1.60	.40
919.9	921.2	C	11.1	337.	.2	188.	352.	9.0	0.0	1.50	.60
924.0	924.4	C	11.1	339.	.2	185.	354.	9.0	0.0	1.50	.60
927.2	927.8	A	12.7	329.	.2	183.	351.	9.0	0.0	1.70	.50
928.4	929.3	B	11.1	319.	.2	182.	350.	9.0	0.0	1.40	.20
929.3	930.3	C	13.8	309.	.2	182.	350.	9.0	0.0	1.60	-.10
930.3	931.2	D	14.3	317.	.2	181.	350.	9.0	0.0	1.80	.20
931.9	932.8	B	14.3	317.	.2	179.	350.	9.0	0.0	1.80	.20
932.8	933.2	A	10.6	316.	.2	178.	350.	9.0	0.0	1.30	.10
933.2	933.8	B	11.4	315.	.2	177.	350.	9.0	0.0	1.40	.10
933.8	934.6	D	8.9	317.	.2	176.	350.	9.0	0.0	1.10	.10
938.9	939.3	B	12.6	312.	.2	170.	350.	9.0	0.0	1.50	.00
939.3	939.9	B	10.6	316.	.2	169.	350.	9.0	0.0	1.30	.10
939.9	940.3	C	10.6	316.	.2	169.	350.	9.0	0.0	1.30	.10
941.8	942.9	B	12.7	318.	.2	171.	350.	9.0	0.0	1.60	.20
942.9	944.0	B	13.0	315.	.2	172.	350.	9.0	0.0	1.60	.10
944.2	945.7	C	12.7	305.	.2	174.	350.	9.0	0.0	1.40	-.20
960.2	961.0	B	14.6	330.	.2	173.	345.	9.0	0.0	2.00	.80
965.6	967.4	B	19.0	321.	.2	152.	349.	9.0	0.0	2.50	.50
973.5	974.0	B	14.8	336.	.2	140.	345.	8.9	0.0	2.00	1.00
974.0	974.2	C	15.7	329.	.2	140.	346.	8.8	0.0	2.10	.80
974.2	975.0	C	15.4	321.	.2	140.	346.	8.8	0.0	2.00	.50
975.0	975.3	C	11.7	323.	.2	140.	347.	8.8	0.0	1.50	.40
975.3	976.2	A	12.5	313.	.2	140.	348.	8.8	0.0	1.50	.10
977.0	977.3	C	14.2	313.	.2	141.	349.	8.8	0.0	1.70	.10
977.3	978.5	B	9.7	319.	.2	141.	349.	8.8	0.0	1.20	.20
978.5	979.8	B	11.9	321.	.2	141.	349.	8.8	0.0	1.50	.30
979.8	980.7	B	11.9	321.	.2	141.	349.	8.8	0.0	1.50	.30



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
980.7	981.6	B	13.3	323.	.2	141.	349.	8.8	0.0	1.70	.40
984.9	985.1	C	11.4	317.	.2	141.	348.	8.8	0.0	1.40	.20
985.1	985.5	C	9.5	323.	.2	141.	348.	8.8	0.0	1.20	.30
986.9	987.1	C	10.1	328.	.2	141.	349.	8.8	0.0	1.30	.40
988.5	988.8	C	10.5	311.	.2	141.	349.	8.8	0.0	1.20	.00
989.3	989.6	C	12.2	318.	.2	141.	349.	8.8	0.0	1.50	.20
989.6	989.9	C	11.5	329.	.2	141.	349.	8.8	0.0	1.50	.50
989.9	990.2	C	11.1	322.	.2	141.	349.	8.8	0.0	1.40	.30
990.2	990.7	B	10.7	331.	.2	141.	349.	8.8	0.0	1.40	.50
992.5	994.8	B	11.5	345.	.2	141.	5.	8.9	0.0	1.50	.50
1000.5	1001.1	B	12.2	352.	.2	141.	24.	8.9	0.0	1.50	.20
1001.2	1001.5	C	11.5	327.	.2	141.	347.	8.9	0.0	1.50	.50
1001.5	1003.2	B	13.5	330.	.2	141.	346.	8.9	0.0	1.80	.70
1003.2	1004.1	B	14.2	328.	.2	140.	342.	8.9	0.0	1.90	.80
1005.0	1005.8	C	10.7	339.	.2	140.	339.	8.9	0.0	1.40	.90
1005.8	1006.3	B	14.9	333.	.2	140.	339.	8.8	0.0	2.00	1.10
1006.3	1008.6	B	14.3	320.	.2	140.	337.	8.8	0.0	1.90	.70
1008.6	1009.0	C	14.2	326.	.2	140.	336.	8.8	0.0	1.90	.90
1011.0	1012.2	B	5.3	297.	.2	141.	334.	8.9	0.0	.60	.00
1018.0	1018.5	C	6.2	68.	.2	146.	335.	8.9	0.0	.20	.60
1018.5	1019.4	C	2.0	353.	.2	147.	333.	8.9	0.0	.20	.20
1024.6	1025.2	B	12.1	328.	.3	144.	328.	8.9	0.0	1.60	1.00
1025.2	1025.8	B	10.6	320.	.3	144.	328.	8.9	0.0	1.40	.70
1028.2	1028.8	B	12.8	317.	.3	142.	331.	8.9	0.0	1.70	.70
1028.8	1029.2	C	11.3	325.	.4	142.	331.	8.9	0.0	1.50	.80
1029.2	1030.1	B	12.9	313.	.4	141.	331.	8.9	0.0	1.70	.60
1031.4	1032.5	B	12.1	300.	.4	141.	331.	9.0	0.0	1.50	.20
1032.5	1033.1	A	12.9	298.	.4	141.	329.	9.0	0.0	1.60	.20
1033.8	1034.3	A	12.4	292.	.4	141.	326.	9.0	0.0	1.50	.10
1042.0	1042.9	B	16.1	306.	.4	141.	317.	9.0	0.0	2.20	1.00
1042.9	1043.5	C	16.7	306.	.4	141.	316.	9.0	0.0	2.30	1.10
1046.0	1047.5	B	11.9	301.	.4	141.	313.	9.0	0.0	1.60	.70
1047.5	1048.0	C	13.0	315.	.4	141.	310.	9.0	0.0	1.70	1.20
1049.5	1050.5	B	13.3	305.	.4	141.	313.	9.0	0.0	1.80	.90
1056.0	1057.2	B	12.7	311.	.4	140.	313.	9.0	0.0	1.70	1.00
1057.2	1057.8	B	13.7	319.	.4	140.	313.	9.0	0.0	1.80	1.30
1057.8	1058.9	B	14.0	301.	.4	140.	314.	9.0	0.0	1.90	.80
1058.9	1060.0	B	13.4	314.	.4	140.	315.	9.0	0.0	1.80	1.10
1060.0	1060.8	B	13.6	319.	.4	139.	317.	9.0	0.0	1.80	1.20
1063.5	1064.6	B	14.1	304.	.4	137.	317.	9.0	0.0	1.90	.80
1067.0	1067.7	B	9.2	304.	.4	135.	323.	9.0	0.0	1.20	.40
1068.3	1069.5	A	15.4	313.	.4	134.	323.	9.0	0.0	2.10	1.00
1073.1	1073.6	C	12.8	318.	.4	132.	317.	9.0	0.0	1.70	1.10
1074.0	1074.9	A	13.4	313.	.4	132.	314.	9.0	0.0	1.80	1.10
1074.9	1075.9	A	14.9	313.	.4	132.	312.	9.0	0.0	2.00	1.30
1075.9	1076.7	C	16.1	298.	.4	132.	312.	9.0	0.0	2.20	.90
1076.7	1077.5	B	14.2	314.	.4	132.	314.	9.0	0.0	1.90	1.20
1079.0	1080.0	A	6.6	284.	.4	131.	314.	9.0	0.0	.80	.10
1082.7	1083.1	D	11.3	311.	.4	132.	313.	9.0	0.0	1.50	.90
1084.0	1084.2	C	14.7	287.	.4	132.	313.	9.0	0.0	1.90	.40
1087.1	1087.8	C	13.6	315.	.4	133.	313.	9.0	0.0	1.80	1.20
1087.8	1089.1	C	12.7	307.	.4	133.	313.	9.0	0.0	1.70	.90
1089.1	1089.4	D	12.0	309.	.4	133.	313.	9.0	0.0	1.60	.90
1094.1	1095.0	B	17.2	297.	.4	133.	318.	9.0	0.0	2.30	.70
1098.0	1099.5	D	18.5	295.	.4	133.	315.	9.0	0.0	2.50	.80



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1100.0	1100.9	C	18.7	264.	.4	133.	315.	9.0	0.0	1.90	-.60
1100.9	1101.6	C	16.5	285.	.5	133.	315.	9.0	0.0	2.10	.30
1103.0	1104.0	C	11.8	332.	.5	132.	315.	9.0	0.0	1.40	1.30
1106.0	1107.7	B	10.6	304.	.5	131.	312.	9.0	0.0	1.40	.70
1111.1	1111.9	B	12.8	308.	.5	130.	310.	9.0	0.0	1.70	1.00
1113.8	1114.0	B	10.8	309.	.5	130.	308.	9.0	0.0	1.40	.90
1115.0	1115.3	D	13.2	274.	.5	130.	308.	9.0	0.0	1.60	.10
1116.5	1117.1	C	13.2	313.	.6	130.	308.	9.0	0.0	1.70	1.20
1119.7	1121.0	C	17.0	304.	.6	130.	308.	9.0	0.0	2.30	1.30
1121.0	1122.4	A	17.9	308.	.6	129.	308.	9.0	0.0	2.40	1.50
1124.0	1125.3	C	11.2	333.	.6	128.	308.	9.0	0.0	1.20	1.30
1129.6	1130.5	C	13.3	310.	.6	127.	305.	9.0	0.0	1.70	1.20
1130.5	1131.6	C	14.3	314.	.6	126.	305.	9.0	0.0	1.80	1.40
1134.1	1134.8	B	14.6	317.	.6	126.	305.	9.0	0.0	1.80	1.50
1134.8	1135.6	B	13.0	316.	.6	126.	305.	9.0	0.0	1.60	1.30
1135.6	1136.0	A	10.9	307.	.6	126.	305.	9.0	0.0	1.40	.90
1136.2	1136.5	B	10.4	322.	.6	125.	305.	8.9	0.0	1.20	1.10
1136.5	1137.1	B	12.2	316.	.6	125.	305.	8.9	0.0	1.50	1.20
1137.5	1138.7	B	12.1	323.	.6	125.	305.	8.9	0.0	1.40	1.30
1139.7	1140.8	D	12.2	312.	.6	125.	301.	8.9	0.0	1.50	1.20
1140.8	1141.4	D	13.3	315.	.6	125.	300.	8.9	0.0	1.60	1.40
1143.5	1144.0	D	16.0	301.	.6	125.	298.	8.9	0.0	2.10	1.40
1146.4	1146.8	C	82.8	259.	.6	126.	297.	8.9	0.0	51.90	1.10
1146.8	1147.6	B	11.1	303.	.6	126.	297.	8.9	0.0	1.40	1.00
1147.6	1148.8	C	15.9	297.	.6	126.	297.	8.9	0.0	2.10	1.30
1148.8	1149.5	A	18.7	300.	.6	126.	299.	8.9	0.0	2.50	1.60
1153.7	1154.3	B	15.0	303.	.6	128.	308.	8.9	0.0	2.00	1.10
1154.3	1155.0	C	12.2	319.	.6	129.	308.	8.9	0.0	1.50	1.20
1161.9	1163.0	B	15.3	288.	.6	129.	309.	8.9	0.0	2.00	.60
1163.0	1163.3	C	9.4	308.	.6	128.	310.	8.9	0.0	1.20	.70
1168.0	1169.5	D	15.5	287.	.6	123.	311.	8.9	0.0	2.00	.50
1173.0	1173.2	D	18.6	296.	.6	121.	311.	8.9	0.0	2.50	1.00
1176.0	1176.2	D	7.4	287.	.6	121.	311.	8.9	0.0	.90	.20
1177.2	1178.0	D	20.2	290.	.6	120.	311.	8.9	0.0	2.70	.80
1179.0	1179.2	D	14.4	334.	.6	120.	311.	8.9	0.0	1.60	1.70
1179.2	1179.6	D	15.6	345.	.6	120.	311.	8.9	0.0	1.50	2.00
1180.8	1181.8	D	16.5	299.	.6	120.	313.	8.9	0.0	2.20	.90
1182.7	1183.0	D	9.2	328.	.6	121.	317.	8.9	0.0	1.10	.90
1183.0	1184.0	D	9.8	326.	.6	121.	319.	8.9	0.0	1.20	.90
1188.0	1188.5	D	11.5	306.	.6	123.	316.	8.9	0.0	1.50	.70
1189.0	1189.5	C	13.8	326.	.6	123.	315.	8.9	0.0	1.70	1.40
1191.0	1192.0	B	17.5	316.	.6	123.	312.	8.9	0.0	2.30	1.60
1193.5	1194.4	D	8.7	311.	.6	123.	310.	9.0	0.0	1.10	.70
1212.2	1212.5	D	16.4	309.	.7	123.	295.	8.9	0.0	2.00	1.70
1213.2	1213.7	D	17.1	314.	.7	123.	295.	8.9	0.0	2.00	1.90
1217.7	1218.0	C	7.8	6.	.7	120.	295.	8.9	0.0	.10	.90
1219.0	1219.5	C	8.5	306.	.7	119.	295.	8.9	0.0	1.00	.80
1227.7	1228.0	D	5.2	349.	.8	121.	292.	8.9	0.0	.20	.60
1231.4	1232.0	D	15.2	316.	.8	122.	289.	8.9	0.0	1.60	1.80
1239.5	1240.2	B	11.1	275.	.8	125.	295.	8.9	0.0	1.40	.40
1240.2	1241.3	C	11.1	275.	.8	124.	295.	8.9	0.0	1.40	.40
1241.3	1242.0	C	11.0	280.	.8	123.	295.	8.9	0.0	1.40	.50
1243.8	1244.0	D	8.9	312.	.8	121.	295.	8.9	0.0	1.00	.90
1246.5	1248.2	D	12.4	292.	.8	118.	295.	8.9	0.0	1.60	.90
1260.7	1261.1	C	18.0	285.	.8	120.	292.	8.9	0.0	2.40	1.20



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1262.0	1263.5	D	18.0	305.	.8	120.	291.	8.9	0.0	2.20	1.90
1263.5	1264.2	D	19.8	294.	.8	121.	289.	8.9	0.0	2.60	1.80
1264.2	1265.3	C	19.6	291.	.8	121.	289.	8.9	0.0	2.60	1.70
1265.3	1266.2	C	21.0	299.	.8	121.	289.	8.9	0.0	2.70	2.10
1266.2	1267.5	C	17.1	306.	.8	121.	287.	8.9	0.0	2.00	1.90
1267.5	1269.3	C	15.4	318.	.8	121.	285.	8.9	0.0	1.50	1.90
1270.2	1271.0	B	16.3	302.	.8	121.	283.	8.9	0.0	1.90	1.80
1272.0	1272.3	B	15.1	293.	.8	121.	285.	8.9	0.0	1.90	1.40
1272.3	1274.1	B	15.5	288.	.8	120.	285.	8.9	0.0	2.00	1.30
1274.1	1274.8	B	13.7	294.	.8	119.	285.	8.9	0.0	1.70	1.30
1274.8	1276.3	C	13.5	291.	.8	119.	285.	8.9	0.0	1.70	1.20
1276.3	1278.2	C	15.3	283.	.8	118.	284.	8.9	0.0	2.00	1.20
1278.2	1278.7	C	15.4	302.	.8	118.	283.	8.9	0.0	1.80	1.70
1278.7	1279.0	C	15.0	305.	.8	117.	283.	8.9	0.0	1.70	1.70
1280.5	1281.2	D	11.8	285.	.8	117.	281.	9.0	0.0	1.50	1.00
1281.2	1282.3	D	11.5	290.	.8	116.	279.	9.0	0.0	1.40	1.10
1282.3	1283.5	D	14.5	312.	.8	116.	278.	9.0	0.0	1.40	1.80
1283.5	1284.1	C	16.2	301.	.8	116.	277.	9.0	0.0	1.80	1.90
1287.8	1289.0	D	13.1	284.	.8	115.	271.	8.9	0.0	1.60	1.30
1289.0	1289.2	D	11.4	297.	.8	115.	271.	8.9	0.0	1.20	1.30
1293.9	1294.1	D	14.6	288.	.9	116.	268.	8.9	0.0	1.70	1.60
1295.0	1295.3	D	14.7	290.	.9	116.	270.	8.9	0.0	1.70	1.60
1295.3	1296.6	C	15.8	281.	.9	116.	272.	8.9	0.0	2.00	1.50
1297.0	1298.6	C	10.3	301.	.9	116.	270.	8.9	0.0	1.00	1.20
1310.2	1310.7	B	11.8	286.	1.1	115.	262.	9.0	0.0	1.30	1.30
1312.6	1312.8	B	13.0	279.	1.1	115.	259.	9.0	0.0	1.50	1.40
1314.6	1314.8	B	18.9	307.	1.1	115.	259.	9.0	0.0	1.40	2.50
1316.0	1316.6	A	18.3	308.	1.1	115.	262.	9.0	0.0	1.40	2.40
1317.2	1317.7	B	17.6	310.	1.1	115.	260.	9.0	0.0	1.20	2.30
1319.7	1320.8	B	15.5	298.	1.1	115.	252.	9.0	0.0	1.20	2.00
1322.3	1322.8	A	19.0	285.	1.1	115.	251.	9.0	0.0	1.90	2.40
1325.0	1326.0	A	13.6	313.	1.1	115.	252.	9.0	0.0	.60	1.70
1327.5	1328.0	B	16.4	289.	1.1	115.	247.	9.0	0.0	1.40	2.10
1328.2	1329.1	A	14.1	297.	1.1	115.	245.	9.0	0.0	.90	1.80
1329.2	1330.0	A	8.9	274.	1.1	115.	243.	9.0	0.0	.90	1.00
1332.0	1332.8	A	14.1	293.	1.1	114.	237.	8.9	0.0	.80	1.80
1335.0	1336.0	C	14.1	289.	1.1	113.	240.	8.9	0.0	1.00	1.80
1341.0	1342.0	C	14.7	295.	1.1	112.	257.	8.8	0.0	1.30	1.80
1344.0	1344.7	B	29.5	283.	1.0	113.	257.	9.0	0.0	3.50	3.80
1346.0	1346.6	C	6.2	309.	1.0	113.	262.	9.0	0.0	.40	.70
1353.2	1353.8	C	17.8	190.	1.0	112.	266.	8.8	0.0	.90	-1.60
1355.5	1356.0	B	12.5	263.	1.0	111.	273.	8.8	0.0	1.60	.70
1356.8	1357.2	B	3.6	297.	1.0	110.	271.	8.8	0.0	.30	.30
1362.2	1363.0	A	12.8	286.	1.0	109.	263.	8.9	0.0	1.40	1.40
1364.0	1364.6	B	18.4	292.	1.0	109.	258.	8.9	0.0	1.80	2.30
1369.3	1370.0	C	19.5	298.	1.1	109.	261.	8.9	0.0	1.80	2.50
1372.0	1372.5	B	8.8	327.	1.1	108.	259.	8.9	0.0	.20	1.00
1375.7	1376.0	A	7.4	290.	1.1	107.	259.	9.0	0.0	.70	.80
1377.8	1378.0	B	12.1	299.	1.1	106.	258.	9.0	0.0	1.00	1.50
1379.2	1379.5	B	12.7	273.	1.1	106.	256.	9.0	0.0	1.50	1.30
1381.0	1381.3	B	15.8	276.	1.1	105.	253.	9.0	0.0	1.80	1.80
1383.2	1383.5	B	10.2	267.	1.1	105.	251.	9.0	0.0	1.20	1.00
1385.0	1385.2	C	10.2	268.	1.1	105.	252.	8.9	0.0	1.20	1.00
1386.0	1387.0	B	12.1	310.	1.1	105.	253.	8.9	0.0	.60	1.50
1389.0	1390.0	B	8.6	295.	1.1	105.	255.	8.9	0.0	.70	1.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1392.0	1393.0	B	24.3	6.	1.0	105.	255.	8.9	0.0	-1.80	1.60
1397.0	1398.0	A	12.0	305.	1.0	104.	256.	8.9	0.0	.80	1.50
1398.4	1399.0	A	14.4	283.	1.0	104.	260.	8.9	0.0	1.60	1.60
1400.8	1401.4	B	21.6	304.	1.0	103.	267.	8.9	0.0	2.00	2.80
1403.0	1404.0	B	11.7	277.	1.0	103.	265.	8.9	0.0	1.40	1.10
1404.2	1404.7	B	12.7	296.	1.0	102.	264.	8.9	0.0	1.20	1.50
1407.0	1407.8	B	15.6	294.	1.0	101.	261.	8.9	0.0	1.50	1.90
1409.0	1410.0	C	16.3	273.	1.0	101.	261.	8.9	0.0	2.00	1.60
1411.0	1411.5	C	17.4	271.	1.0	101.	256.	8.9	0.0	2.10	1.80
1413.0	1413.7	B	11.7	291.	1.0	101.	253.	8.8	0.0	1.00	1.40
1414.3	1414.6	C	3.5	283.	1.0	101.	254.	8.8	0.0	.30	.30
1416.1	1416.7	C	4.2	203.	1.0	101.	259.	8.8	0.0	.30	-.30
1419.6	1420.2	C	11.7	292.	1.0	101.	266.	8.9	0.0	1.20	1.30
1423.7	1424.2	C	14.1	299.	1.1	101.	265.	8.9	0.0	1.30	1.70
1425.2	1426.0	C	18.3	260.	1.1	101.	258.	8.9	0.0	2.40	1.50
1429.2	1429.8	C	16.1	277.	1.1	101.	254.	8.9	0.0	1.80	1.80
1435.0	1435.7	C	17.9	270.	1.2	101.	257.	8.9	0.0	2.20	1.80
1438.2	1438.5	B	18.1	321.	1.2	101.	251.	8.9	0.0	.40	2.20
1441.6	1442.0	C	10.8	288.	1.2	101.	238.	8.8	0.0	.70	1.30
1443.7	1444.2	B	12.4	301.	1.2	101.	228.	8.8	0.0	.20	1.40
1446.0	1448.0	B	17.1	309.	1.2	101.	223.	8.9	0.0	-.20	1.80
1448.0	1448.7	B	20.0	295.	1.2	101.	220.	8.9	0.0	.30	2.40
1450.0	1450.4	B	12.7	302.	1.3	101.	217.	8.9	0.0	-.10	1.30
1453.0	1453.7	A	14.2	310.	1.3	100.	217.	8.9	0.0	-.40	1.30
1455.0	1456.0	A	12.3	300.	1.3	100.	219.	8.9	0.0	.00	1.30
1457.0	1458.0	B	18.7	289.	1.3	99.	219.	8.9	0.0	.50	2.30
1461.0	1462.0	C	17.1	298.	1.3	99.	212.	9.0	0.0	-.20	1.80
1463.0	1464.0	A	13.1	290.	1.3	99.	219.	8.8	0.0	.30	1.50
1465.0	1465.5	A	12.8	290.	1.3	100.	223.	8.8	0.0	.40	1.50
1466.0	1466.6	A	20.1	317.	1.3	100.	224.	8.8	0.0	-.60	1.90
1469.0	1470.0	B	17.4	296.	1.3	100.	225.	8.9	0.0	.40	2.10
1471.0	1472.0	C	17.9	301.	1.3	101.	225.	9.0	0.0	.20	2.10
1474.0	1474.3	C	15.2	264.	1.2	101.	225.	9.0	0.0	1.40	1.90
1477.0	1478.2	B	8.7	290.	1.2	101.	224.	8.9	0.0	.30	1.00
1479.2	1480.0	C	20.7	289.	1.2	101.	226.	8.9	0.0	.90	2.70
1481.7	1482.3	D	24.4	294.	1.2	101.	240.	8.9	0.0	1.50	3.30
1486.3	1486.6	B	15.2	297.	1.2	101.	254.	8.9	0.0	1.20	1.90
1487.7	1488.3	B	19.5	266.	1.2	101.	252.	8.8	0.0	2.40	2.00
1495.6	1496.0	B	13.3	247.	1.2	101.	242.	8.8	0.0	1.70	1.10
1508.3	1509.2	B	14.7	304.	1.2	101.	223.	8.9	0.0	.00	1.60
1511.2	1512.4	B	7.7	331.	1.2	100.	229.	8.9	0.0	-.40	.50
1514.0	1514.7	B	10.7	285.	1.2	100.	230.	8.9	0.0	.60	1.30
1517.2	1517.6	B	10.7	281.	1.2	99.	230.	8.9	0.0	.70	1.30
1520.0	1520.8	B	22.8	304.	1.2	99.	235.	8.9	0.0	.60	2.90
1524.3	1524.8	B	14.3	251.	1.1	99.	233.	8.9	0.0	1.70	1.50
1524.8	1529.1	B	12.5	280.	1.1	99.	242.	8.9	0.0	1.10	1.50
1530.0	1531.0	B	13.6	286.	1.0	99.	254.	8.8	0.0	1.30	1.60
1531.6	1532.2	C	16.5	293.	1.0	99.	249.	8.9	0.0	1.30	2.10
1535.6	1536.0	B	22.1	268.	1.0	99.	255.	8.9	0.0	2.80	2.30
1538.0	1538.6	B	23.3	293.	1.0	99.	259.	8.8	0.0	2.30	3.00
1540.0	1540.4	C	18.8	321.	1.0	99.	260.	8.8	0.0	.80	2.40
1544.0	1544.6	B	14.3	286.	1.0	99.	274.	8.9	0.0	1.70	1.40
1546.5	1547.1	B	14.6	298.	1.0	99.	271.	8.8	0.0	1.50	1.70
1550.0	1550.7	C	13.4	290.	1.0	99.	265.	8.8	0.0	1.40	1.50
1552.5	1553.0	B	10.5	272.	1.0	98.	257.	8.8	0.0	1.20	1.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1555.0	1556.0	C	8.3	274.	1.0	98.	255.	8.8	0.0	.90	.80
1558.0	1558.7	B	12.3	309.	1.1	98.	252.	8.8	0.0	.60	1.50
1563.0	1563.7	B	16.0	290.	1.1	97.	251.	8.9	0.0	1.40	2.00
1567.0	1568.0	B	12.7	276.	1.1	96.	242.	8.8	0.0	1.20	1.50
1569.3	1570.0	B	13.6	277.	1.1	96.	244.	8.8	0.0	1.30	1.60
1573.0	1574.0	A	11.6	310.	1.0	96.	251.	8.8	0.0	.50	1.40
1574.0	1574.7	A	12.4	292.	1.0	96.	251.	8.8	0.0	1.00	1.50
1577.0	1578.0	B	12.4	292.	1.0	96.	251.	8.8	0.0	1.00	1.50
1579.6	1580.3	B	18.7	274.	1.0	96.	256.	8.8	0.0	2.20	2.00
1583.7	1584.3	B	15.1	288.	1.0	96.	269.	8.8	0.0	1.70	1.60
1585.7	1586.3	B	9.7	301.	1.0	96.	271.	8.8	0.0	.90	1.10
1589.0	1590.2	B	9.6	313.	.9	96.	284.	8.8	0.0	.90	1.10
1592.3	1593.5	B	10.3	302.	.9	96.	282.	8.9	0.0	1.10	1.10
1598.0	1599.5	B	8.5	286.	.9	96.	281.	8.9	0.0	1.00	.70
1600.2	1601.3	B	14.8	340.	.9	95.	279.	8.9	0.0	.60	1.90
1602.3	1602.7	A	11.1	297.	.9	95.	276.	8.9	0.0	1.20	1.20
1604.3	1605.0	B	9.9	279.	.9	94.	276.	8.9	0.0	1.20	.80
1606.0	1606.8	B	16.8	269.	.9	94.	277.	8.9	0.0	2.20	1.10
1608.4	1608.8	B	17.2	299.	.9	93.	281.	8.9	0.0	2.00	1.90
1610.2	1610.6	B	15.0	293.	.9	92.	281.	8.9	0.0	1.80	1.50
1618.0	1618.4	C	17.5	343.	.9	92.	284.	8.8	0.0	.80	2.30
1620.5	1621.3	B	17.4	316.	.9	92.	289.	8.8	0.0	1.80	2.10
1622.0	1622.4	C	9.2	327.	.9	92.	294.	8.8	0.0	.80	1.10
1624.0	1624.5	B	10.3	311.	.9	92.	292.	8.8	0.0	1.10	1.10
1626.5	1627.1	B	18.7	316.	.9	92.	287.	8.8	0.0	1.90	2.30
1629.2	1630.0	B	13.6	273.	.9	92.	290.	8.8	0.0	1.70	.60
1631.0	1632.0	C	14.9	278.	.9	92.	284.	8.8	0.0	1.90	1.00
1632.5	1632.8	B	8.8	292.	.9	92.	282.	8.8	0.0	1.00	.80
1634.0	1634.7	B	15.2	303.	.9	92.	283.	8.8	0.0	1.70	1.70
1636.0	1636.8	B	17.4	296.	.9	92.	290.	8.8	0.0	2.20	1.60
1639.0	1640.0	B	4.7	313.	.9	92.	285.	8.9	0.0	.40	.50
1641.6	1642.0	B	9.1	319.	.9	92.	285.	8.9	0.0	.80	1.10
1643.0	1644.0	A	11.6	342.	.9	92.	288.	8.9	0.0	.60	1.50
1643.7	1644.2	B	10.9	336.	.9	92.	288.	8.9	0.0	.70	1.40
1646.1	1646.3	C	14.4	339.	.9	91.	289.	8.9	0.0	.90	1.90
1648.0	1648.5	B	14.2	327.	.9	91.	292.	8.9	0.0	1.30	1.80
1649.7	1650.2	B	14.6	301.	.9	91.	293.	8.9	0.0	1.80	1.40
1651.0	1652.0	B	12.6	314.	.8	90.	295.	8.9	0.0	1.40	1.40
1654.0	1656.0	B	8.2	294.	.8	88.	297.	8.9	0.0	1.00	.60
1656.0	1658.0	B	14.0	295.	.8	86.	297.	8.9	0.0	1.80	1.10
1659.0	1660.0	B	10.7	307.	.8	85.	300.	8.9	0.0	1.30	1.00
1661.0	1662.0	C	11.8	291.	.8	84.	303.	8.9	0.0	1.50	.70
1664.0	1664.6	B	13.9	293.	.8	84.	310.	9.0	0.0	1.80	.70
1666.3	1667.0	B	13.0	291.	.7	84.	316.	8.8	0.0	1.60	.40
1669.0	1670.0	C	9.7	316.	.7	84.	317.	8.8	0.0	1.20	.80
1670.0	1670.6	B	11.9	299.	.7	84.	316.	8.8	0.0	1.50	.60
1673.0	1674.0	C	16.1	331.	.7	85.	315.	8.8	0.0	1.90	1.80
1675.0	1675.7	C	13.1	325.	.7	86.	316.	8.8	0.0	1.60	1.30
1679.0	1679.5	B	15.6	346.	.7	87.	313.	8.8	0.0	1.50	2.00
1681.0	1682.0	B	17.4	321.	.7	88.	301.	8.9	0.0	2.00	2.00
1685.0	1686.0	A	11.3	302.	.8	88.	278.	8.9	0.0	1.20	1.30
1689.0	1690.0	B	5.5	255.	.8	89.	280.	8.7	0.0	.60	.10
1692.3	1693.0	B	9.8	293.	.9	92.	267.	8.9	0.0	1.00	1.10
1698.0	1699.0	B	13.0	285.	.9	97.	225.	8.7	0.0	.60	1.60
1700.0	1701.0	A	8.5	283.	1.0	99.	223.	8.7	0.0	.40	1.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFIT ANGLE	DRFIT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1702.0	1702.4	A	9.7	307.	1.0	99.	227.	8.7	0.0	.00	1.00
1704.1	1704.5	B	16.1	297.	1.0	99.	224.	8.7	0.0	.30	1.90
1707.3	1707.6	B	15.6	264.	1.0	99.	211.	8.7	0.0	1.00	2.00
1710.0	1710.4	C	8.9	273.	1.1	99.	199.	8.7	0.0	.20	1.00
1713.0	1714.0	B	13.9	279.	1.0	99.	196.	8.7	0.0	.00	1.50
1716.2	1717.0	C	3.5	23.	1.0	99.	198.	8.7	0.0	-.40	-.40
1725.3	1726.0	C	7.2	290.	.8	96.	202.	8.9	0.0	-.10	.70
1731.0	1732.0	A	5.9	300.	.7	93.	204.	9.1	0.0	-.20	.50
1735.0	1736.0	A	14.0	285.	.7	90.	204.	9.0	0.0	.00	1.60
1737.0	1738.0	B	15.0	293.	.7	89.	206.	9.0	0.0	-.20	1.60
1739.0	1740.0	A	12.1	292.	.8	88.	207.	9.0	0.0	-.10	1.30
1741.0	1742.0	A	15.0	276.	.8	86.	209.	8.9	0.0	.50	1.90
1742.2	1743.0	A	14.3	296.	.8	86.	209.	8.9	0.0	-.20	1.50
1745.0	1746.0	A	14.3	289.	.8	83.	214.	8.9	0.0	.20	1.70
1746.5	1747.0	A	11.9	279.	.8	82.	217.	8.9	0.0	.50	1.50
1749.0	1750.0	A	12.7	278.	.8	80.	219.	8.8	0.0	.60	1.60
1751.0	1752.0	B	15.1	299.	.8	79.	219.	8.8	0.0	.00	1.70
1753.0	1754.2	B	8.2	277.	.7	79.	219.	8.8	0.0	.40	1.00
1755.0	1756.0	A	17.0	294.	.7	79.	219.	8.7	0.0	.20	2.00
1759.0	1759.6	C	14.3	292.	.7	79.	218.	8.8	0.0	.20	1.70
1761.3	1762.0	A	13.7	285.	.7	79.	217.	8.9	0.0	.40	1.70
1762.0	1763.0	A	14.8	289.	.7	78.	217.	8.9	0.0	.30	1.80
1764.6	1764.7	B	14.8	277.	.7	77.	217.	8.8	0.0	.70	1.90
1767.2	1768.8	A	15.2	312.	.7	76.	230.	8.9	0.0	-.10	1.70
1769.6	1770.7	A	14.2	292.	.8	75.	227.	9.0	0.0	.50	1.80
1772.0	1772.7	B	14.9	280.	.8	77.	220.	8.8	0.0	.70	1.90
1776.3	1777.0	B	11.5	280.	.8	81.	215.	8.8	0.0	.40	1.40
1779.0	1780.0	B	11.7	291.	.8	84.	210.	9.0	0.0	.00	1.30
1781.0	1782.0	B	12.5	295.	.7	83.	208.	9.0	0.0	-.20	1.30
1783.0	1783.5	A	15.7	293.	.7	82.	207.	9.0	0.0	-.20	1.70
1784.0	1786.0	B	15.0	301.	.7	80.	209.	9.0	0.0	-.40	1.50
1788.0	1788.5	C	12.7	307.	.6	78.	217.	9.1	0.0	-.30	1.30
1790.0	1790.7	B	22.8	308.	.6	76.	224.	9.1	0.0	-.20	2.70
1793.0	1793.5	B	16.3	314.	.6	75.	224.	9.1	0.0	-.40	1.70
1795.0	1796.0	A	19.6	303.	.7	74.	225.	9.1	0.0	.10	2.40
1797.0	1798.0	A	16.2	304.	.7	74.	224.	9.1	0.0	.00	1.90
1799.0	1800.0	A	18.8	301.	.7	73.	230.	9.0	0.0	.40	2.40
1800.0	1800.8	A	15.7	300.	.7	73.	231.	9.0	0.0	.40	2.00
1803.2	1803.8	A	11.2	297.	.7	73.	229.	9.1	0.0	.30	1.40
1804.6	1805.1	A	13.2	303.	.7	73.	230.	9.1	0.0	.20	1.60
1805.9	1806.4	A	12.7	307.	.8	73.	231.	9.0	0.0	.10	1.50
1808.0	1808.4	A	82.5	199.	.8	73.	236.	9.0	0.0	50.60	1.70
1810.1	1810.7	B	8.4	294.	.8	73.	232.	8.8	0.0	.30	1.00
1812.9	1813.1	A	12.0	298.	.8	73.	186.	8.7	0.0	-.80	.70
1814.2	1815.0	A	10.0	299.	.9	72.	179.	8.7	0.0	-.80	.40
1816.3	1816.6	B	12.2	278.	.9	72.	174.	8.7	0.0	-.60	.90
1818.6	1818.7	B	9.2	287.	.9	72.	169.	8.7	0.0	-.70	.40
1819.8	1820.2	B	15.1	285.	.9	71.	166.	8.8	0.0	-1.20	.70
1823.2	1824.5	C	13.4	312.	1.0	71.	157.	9.0	0.0	-1.70	-.50
1825.0	1825.8	A	10.5	304.	1.0	70.	144.	8.9	0.0	-1.30	-.50
1827.2	1828.3	B	13.3	284.	1.0	70.	130.	8.8	0.0	-1.60	-.40
1829.0	1829.8	A	7.0	296.	1.0	70.	121.	8.8	0.0	-.80	-.50
1832.2	1832.7	B	10.0	287.	1.1	69.	123.	8.8	0.0	-1.20	-.50
1834.0	1834.5	A	8.5	306.	1.1	69.	127.	8.8	0.0	-1.00	-.70
1836.0	1836.6	B	8.6	260.	1.1	69.	135.	8.9	0.0	-.70	.30



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1840.2	1841.0	A	7.0	298.	1.1	68.	116.	9.0	0.0	-.80	-.60
1842.5	1844.3	B	8.2	344.	1.1	68.	123.	9.0	0.0	-.60	-1.10
1846.8	1847.2	A	9.9	319.	1.1	68.	123.	9.0	0.0	-1.10	-1.10
1848.0	1848.5	B	12.6	280.	1.1	68.	129.	9.0	0.0	-1.50	-.30
1853.0	1854.0	C	17.7	297.	1.1	68.	135.	8.9	0.0	-2.30	-.90
1855.7	1856.4	C	19.6	346.	1.2	67.	136.	8.9	0.0	-2.00	-2.60
1861.6	1861.8	B	17.3	281.	1.2	66.	138.	9.0	0.0	-2.00	-.10
1862.1	1862.8	A	12.4	309.	1.2	66.	138.	9.1	0.0	-1.60	-.90
1865.0	1865.3	B	12.5	321.	1.2	66.	142.	9.1	0.0	-1.60	-1.10
1869.3	1869.6	B	14.7	360.	1.2	66.	155.	8.9	0.0	-1.60	-1.90
1871.0	1871.3	C	17.5	303.	1.2	66.	162.	8.8	0.0	-2.00	-.10
1879.3	1879.8	C	36.2	300.	1.2	66.	142.	9.0	0.0	-5.40	-1.70
1881.6	1884.0	B	27.1	322.	1.2	66.	160.	8.9	0.0	-3.80	-1.50
1885.0	1886.0	B	8.9	314.	1.3	66.	174.	8.9	0.0	-1.00	-.10
1886.0	1887.0	B	7.2	313.	1.3	66.	174.	8.9	0.0	-.80	-.10
1890.0	1890.6	B	9.3	335.	1.3	67.	166.	8.9	0.0	-1.20	-.70
1894.0	1894.5	B	12.8	314.	1.3	68.	160.	8.9	0.0	-1.60	-.50
1898.2	1898.5	C	10.2	320.	1.3	69.	152.	9.1	0.0	-1.30	-.70
1900.3	1900.8	B	9.0	335.	1.3	70.	142.	8.9	0.0	-1.00	-1.00
1907.0	1907.5	A	5.2	312.	1.3	70.	123.	8.9	0.0	-.50	-.50
1908.2	1908.4	B	5.2	72.	1.3	70.	121.	8.9	0.0	.70	-.10
1912.9	1913.1	A	11.1	345.	1.3	69.	123.	9.0	0.0	-.80	-1.50
1916.0	1916.4	B	14.0	352.	1.3	68.	121.	8.9	0.0	-.80	-1.90
1917.0	1918.5	B	8.8	328.	1.4	67.	102.	8.8	0.0	-.50	-1.10
1920.0	1921.0	B	11.0	330.	1.4	66.	84.	8.8	0.0	-.20	-1.30
1922.1	1922.5	C	15.6	323.	1.4	66.	78.	8.8	0.0	-.40	-1.90
1925.7	1926.1	C	14.3	335.	1.5	66.	64.	8.7	0.0	.50	-1.30
1929.2	1929.3	B	5.7	334.	1.6	66.	54.	8.8	0.0	.40	-.30
1937.7	1938.0	C	13.8	326.	1.6	64.	34.	9.0	0.0	1.10	-.70
1941.6	1942.0	C	17.7	46.	1.6	63.	26.	9.1	0.0	2.30	2.40
1945.7	1946.3	C	12.1	34.	1.6	63.	45.	8.9	0.0	1.80	1.00
1952.0	1954.0	C	15.7	10.	1.6	63.	17.	9.2	0.0	2.30	1.40
1956.0	1956.4	B	18.9	333.	1.6	63.	10.	9.1	0.0	2.40	.30
1961.0	1961.9	C	20.3	323.	1.6	63.	12.	9.2	0.0	2.30	-.30
1964.1	1965.2	B	7.3	8.	1.6	63.	9.	8.9	0.0	1.00	.80
1972.3	1972.8	B	15.5	316.	1.6	63.	11.	8.9	0.0	1.50	-.40
1978.0	1978.7	B	10.7	317.	1.6	63.	8.	8.9	0.0	1.10	-.10
1980.6	1981.5	B	17.7	320.	1.6	64.	8.	8.9	0.0	1.90	-.20
1983.2	1984.0	C	16.5	23.	1.7	65.	11.	9.0	0.0	2.20	2.00
1989.6	1990.0	B	14.7	317.	1.7	68.	339.	8.7	0.0	1.80	.70
1990.0	1990.8	B	14.5	320.	1.7	68.	335.	8.7	0.0	1.80	.90
1992.0	1992.6	B	16.8	292.	1.7	68.	316.	8.7	0.0	2.00	.60
1994.2	1995.3	B	13.5	9.	1.7	69.	301.	8.7	0.0	.20	1.70
1997.0	1998.0	B	19.1	316.	1.7	69.	289.	8.7	0.0	1.90	2.30
1999.0	2000.0	B	18.9	336.	1.7	70.	283.	8.8	0.0	1.00	2.50
2000.3	2000.7	B	16.8	316.	1.7	70.	280.	8.8	0.0	1.40	2.10
2009.0	2010.0	C	25.5	325.	1.5	65.	240.	8.7	0.0	-.40	2.80
2015.7	2016.3	B	23.1	286.	1.6	65.	223.	9.0	0.0	.90	3.00
2018.3	2019.0	C	13.4	53.	1.6	65.	232.	8.9	0.0	-2.00	-1.40
2027.2	2028.0	C	20.6	288.	1.8	67.	255.	8.8	0.0	1.90	2.50
2030.2	2031.0	C	14.9	296.	1.8	68.	256.	8.9	0.0	1.10	1.80
2033.0	2033.7	C	7.0	334.	1.8	68.	261.	8.9	0.0	-.10	.70
2038.0	2038.4	B	8.6	271.	1.7	68.	263.	9.0	0.0	.90	.70
2045.2	2045.7	B	15.2	309.	1.6	68.	264.	8.8	0.0	1.00	1.90
2046.3	2046.4	C	11.6	307.	1.6	68.	261.	8.8	0.0	.70	1.40



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2049.0	2050.0	B	20.3	309.	1.6	68.	251.	8.8	0.0	.90	2.60
2050.4	2050.6	C	28.1	292.	1.6	68.	249.	8.8	0.0	2.30	3.80
2052.2	2054.0	B	28.7	284.	1.6	69.	241.	8.9	0.0	2.40	3.90
2057.8	2058.4	B	28.9	282.	1.6	69.	249.	8.9	0.0	2.90	3.80
2060.0	2062.0	C	25.5	264.	1.7	70.	233.	9.2	0.0	2.70	3.30
2064.0	2064.3	B	17.0	318.	1.8	70.	246.	9.5	0.0	.20	2.10
2069.3	2069.8	C	27.2	254.	1.9	71.	183.	9.0	0.0	.70	3.50
2075.3	2075.6	C	25.3	224.	2.0	72.	185.	9.1	0.0	2.50	3.40
2096.1	2096.5	B	10.0	331.	1.8	75.	135.	8.8	0.0	-1.00	-1.10
2098.0	2099.2	B	12.3	11.	1.8	76.	128.	8.8	0.0	-.30	-1.60
2099.2	2100.2	B	13.0	7.	1.8	76.	127.	8.8	0.0	-.40	-1.70
2103.7	2104.4	C	10.1	40.	1.7	75.	131.	9.1	0.0	.40	-1.10
2104.4	2106.2	B	13.6	35.	1.7	75.	131.	9.1	0.0	.30	-1.60
2107.0	2108.0	A	9.1	31.	1.6	74.	130.	9.2	0.0	.20	-1.10
2109.6	2110.0	A	8.3	333.	1.6	73.	131.	9.2	0.0	-.80	-1.00
2112.2	2113.0	C	2.2	293.	1.7	73.	132.	9.1	0.0	-.10	-.10
2115.0	2116.4	C	18.7	283.	1.8	73.	169.	8.7	0.0	-1.30	1.00
2117.0	2117.3	B	10.3	325.	1.8	73.	179.	8.8	0.0	-1.20	-.30
2122.3	2122.8	B	23.6	297.	1.9	73.	186.	9.2	0.0	-1.70	1.50
2127.0	2128.0	C	25.3	288.	1.9	73.	165.	9.0	0.0	-2.30	1.00
2131.3	2132.0	A	6.0	331.	1.9	73.	183.	8.9	0.0	-.70	-.30
2133.0	2134.5	C	19.2	322.	1.9	73.	194.	9.2	0.0	-2.00	.40
2136.5	2136.6	A	9.1	348.	1.9	73.	200.	9.2	0.0	-1.20	-.40
2138.2	2139.2	B	9.4	328.	1.9	73.	198.	9.0	0.0	-1.00	.00
2141.3	2142.0	A	8.9	333.	2.0	73.	199.	8.9	0.0	-1.00	-.10
2144.0	2144.6	B	18.7	323.	2.0	74.	199.	8.9	0.0	-1.80	.50
2147.7	2148.5	B	16.4	325.	2.0	74.	200.	9.0	0.0	-1.60	.40
2149.0	2150.0	B	13.8	332.	2.0	75.	201.	9.1	0.0	-1.50	.10
2152.0	2152.3	B	6.7	92.	2.0	75.	202.	8.9	0.0	-.20	-1.10
2154.0	2154.3	B	12.1	318.	2.0	75.	188.	8.9	0.0	-1.20	.10
2155.7	2156.5	B	11.5	321.	2.0	75.	180.	9.0	0.0	-1.30	-.20
2158.0	2158.4	B	7.0	314.	2.0	75.	178.	9.0	0.0	-.70	-.10
2160.0	2160.8	C	9.6	335.	2.0	75.	175.	9.0	0.0	-1.20	-.60
2165.0	2166.0	B	14.3	30.	2.0	75.	177.	9.1	0.0	-1.40	-2.10
2167.0	2167.3	B	12.1	343.	2.0	76.	177.	9.2	0.0	-1.60	-.90
2173.0	2174.0	C	14.1	18.	1.9	76.	176.	9.0	0.0	-1.60	-1.90
2176.2	2176.5	C	17.1	332.	1.9	76.	178.	9.0	0.0	-2.20	-.70
2180.0	2181.0	C	9.1	35.	1.9	76.	178.	9.1	0.0	-.80	-1.40
2182.3	2182.7	B	28.2	346.	1.9	76.	178.	9.1	0.0	-4.10	-2.10
2185.6	2186.0	A	36.9	10.	1.9	76.	178.	9.0	0.0	-5.40	-4.70
2190.0	2190.4	B	8.5	244.	1.9	76.	166.	9.0	0.0	.20	.90
2193.6	2193.7	B	33.1	292.	1.9	76.	169.	9.0	0.0	-3.20	1.40
2200.0	2201.0	C	38.1	301.	1.9	76.	174.	9.0	0.0	-4.20	1.30
2204.0	2205.2	B	23.0	339.	2.0	76.	172.	9.1	0.0	-3.20	-1.60
2206.3	2206.7	B	15.1	338.	2.0	76.	171.	9.1	0.0	-2.00	-1.10
2210.3	2210.4	C	16.3	300.	2.0	76.	170.	9.1	0.0	-1.60	.30
2211.7	2212.0	C	14.6	347.	2.0	77.	177.	9.3	0.0	-2.00	-1.20
2215.0	2216.0	C	8.2	317.	2.0	77.	193.	9.7	0.0	-.80	.10
2216.0	2216.4	C	10.2	329.	2.0	77.	194.	9.7	0.0	-1.20	-.10
2218.3	2218.7	C	11.3	328.	2.1	78.	184.	9.6	0.0	-1.40	-.30
2224.5	2225.0	C	13.6	330.	2.0	79.	181.	9.5	0.0	-1.80	-.50
2229.0	2229.3	B	11.2	308.	2.0	79.	177.	9.2	0.0	-1.10	.10
2234.3	2234.6	B	13.1	354.	2.0	79.	177.	9.5	0.0	-1.80	-1.30
2236.5	2236.7	B	11.8	340.	2.0	79.	174.	9.6	0.0	-1.60	-.90
2238.0	2238.3	C	5.9	350.	2.0	79.	169.	9.5	0.0	-.70	-.70



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2240.0	2240.3	C	8.7	32.	2.0	79.	167.	9.5	0.0	-.60	-1.40
2242.0	2242.6	C	15.6	32.	2.0	80.	173.	9.5	0.0	-1.40	-2.40
2249.0	2249.5	B	16.7	278.	2.1	81.	165.	9.3	0.0	-1.10	1.00
2250.3	2250.8	A	13.5	327.	2.1	81.	165.	9.1	0.0	-1.70	-.80
2251.0	2251.5	A	11.9	342.	2.1	81.	165.	9.2	0.0	-1.50	-1.10
2253.7	2254.5	A	7.3	319.	2.1	82.	169.	9.2	0.0	-.80	-.30
2256.1	2256.3	A	11.4	338.	2.1	82.	170.	9.5	0.0	-1.50	-.90
2262.0	2262.3	B	9.2	335.	2.1	83.	167.	9.1	0.0	-1.10	-.70
2263.2	2263.7	A	10.2	352.	2.1	83.	167.	9.1	0.0	-1.20	-1.10
2265.3	2265.7	B	14.2	357.	2.1	83.	167.	9.0	0.0	-1.70	-1.60
2267.7	2268.0	A	12.0	347.	2.1	83.	170.	9.1	0.0	-1.50	-1.10
2269.0	2269.6	B	11.7	357.	2.1	83.	170.	9.1	0.0	-1.40	-1.30
2271.3	2271.9	A	1.4	14.	2.1	83.	170.	9.0	0.0	.00	-.30
2274.0	2274.3	B	19.1	330.	2.1	83.	168.	9.1	0.0	-2.50	-1.10
2275.0	2276.0	B	20.6	326.	2.1	83.	165.	9.1	0.0	-2.70	-1.10
2277.0	2278.4	B	19.0	336.	2.1	83.	164.	9.1	0.0	-2.50	-1.50
2279.9	2280.2	B	16.5	31.	2.1	83.	164.	8.9	0.0	-1.10	-2.40
2285.1	2285.6	A	20.8	22.	2.1	83.	161.	9.0	0.0	-1.70	-3.00
2289.2	2290.0	C	13.2	330.	2.1	83.	162.	8.9	0.0	-1.60	-.90
2291.3	2291.6	C	22.0	8.	2.2	83.	161.	8.8	0.0	-2.30	-2.90
2298.0	2299.0	C	7.0	51.	2.2	83.	162.	8.9	0.0	.00	-1.00
2301.0	2301.5	B	6.1	23.	2.2	83.	160.	8.9	0.0	-.30	-.90
2303.0	2303.6	A	19.7	322.	2.2	83.	159.	8.9	0.0	-2.50	-1.10
2305.0	2305.6	B	19.6	332.	2.3	83.	159.	8.8	0.0	-2.50	-1.50
2307.0	2308.0	B	30.5	341.	2.3	83.	135.	8.6	0.0	-3.30	-3.90
2309.0	2310.0	B	25.0	344.	2.3	83.	118.	8.6	0.0	-1.70	-3.30
2311.6	2311.7	C	14.0	315.	2.3	83.	109.	8.6	0.0	-1.20	-1.50
2313.6	2314.0	C	24.2	338.	2.4	83.	106.	8.5	0.0	-1.30	-3.10
2316.4	2316.9	C	19.4	1.	2.4	83.	98.	8.6	0.0	.40	-2.00
2321.8	2322.0	B	19.8	349.	2.5	83.	76.	8.6	0.0	.80	-1.70
2323.8	2323.9	B	25.0	0.	2.5	83.	69.	8.6	0.0	2.00	-1.40
2326.3	2326.9	A	23.0	345.	2.6	83.	62.	8.6	0.0	1.40	-1.60
2327.7	2328.2	C	18.6	339.	2.6	83.	56.	8.6	0.0	1.10	-1.20
2331.8	2332.3	C	17.1	343.	2.7	83.	55.	8.6	0.0	1.20	-.90
2334.0	2334.6	C	20.5	310.	2.7	83.	53.	8.6	0.0	.00	-2.10
2335.2	2336.0	B	9.1	349.	2.7	83.	50.	8.7	0.0	.90	-.10
2339.0	2339.6	B	11.4	337.	2.7	83.	33.	8.7	0.0	1.10	-.10
2345.2	2346.0	C	18.5	337.	2.7	83.	354.	8.7	0.0	2.30	1.10
2347.7	2348.5	C	25.5	19.	2.7	83.	345.	8.7	0.0	2.40	3.60
2356.0	2356.5	B	14.7	301.	2.7	85.	317.	8.7	0.0	1.60	.70
2360.0	2360.4	C	18.6	277.	2.7	86.	306.	8.7	0.0	2.00	.30
2367.0	2367.2	C	17.1	296.	2.8	86.	286.	8.7	0.0	1.80	1.50
2368.0	2368.5	B	17.8	315.	2.8	86.	285.	8.7	0.0	1.50	2.00
2372.0	2372.5	B	18.9	294.	2.8	86.	274.	8.8	0.0	1.90	1.90
2373.0	2373.7	B	21.1	306.	2.9	86.	276.	8.8	0.0	1.90	2.40
2376.2	2376.7	C	21.7	310.	2.9	86.	272.	8.8	0.0	1.70	2.60
2378.4	2379.7	B	15.8	248.	2.9	86.	279.	8.8	0.0	1.60	.00
2380.0	2381.0	B	16.4	254.	3.0	86.	274.	8.7	0.0	1.80	.40
2382.5	2382.9	A	17.9	293.	3.0	86.	270.	8.7	0.0	1.70	1.80
2384.3	2385.0	B	15.3	298.	3.0	87.	266.	8.8	0.0	1.20	1.60
2388.2	2389.0	B	16.3	301.	3.0	87.	273.	8.8	0.0	1.40	1.70
2391.0	2391.7	B	17.0	313.	3.0	88.	279.	8.8	0.0	1.30	1.90
2393.0	2393.4	B	20.4	307.	2.9	88.	277.	8.8	0.0	1.80	2.30
2396.1	2396.4	B	17.9	320.	2.9	88.	279.	8.8	0.0	1.20	2.10
2399.0	2399.2	B	17.3	306.	2.9	88.	274.	8.8	0.0	1.40	1.90



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2400.0	2400.5	A	17.9	322.	2.9	88.	272.	8.8	0.0	.90	2.10
2400.5	2402.9	B	18.1	312.	2.9	88.	270.	8.8	0.0	1.20	2.10
2402.9	2404.0	B	19.5	313.	2.9	88.	267.	8.8	0.0	1.20	2.30
2405.0	2406.0	C	24.4	308.	2.9	88.	266.	8.8	0.0	1.80	3.00
2406.0	2406.8	A	23.5	312.	2.9	88.	265.	8.8	0.0	1.50	2.90
2407.0	2408.0	B	20.8	308.	2.9	88.	264.	8.9	0.0	1.40	2.50
2409.0	2409.5	B	20.7	330.	3.0	88.	264.	8.8	0.0	.40	2.40
2410.5	2412.0	B	11.5	313.	3.0	88.	264.	8.9	0.0	.50	1.20
2413.0	2414.2	B	6.3	284.	3.0	88.	258.	9.0	0.0	.40	.40
2415.0	2416.0	B	3.2	62.	3.0	88.	251.	8.9	0.0	-.70	-.60
2419.0	2419.3	C	.9	84.	3.0	88.	239.	8.8	0.0	-.30	-.50
2421.0	2422.0	C	18.9	7.	3.0	88.	244.	8.9	0.0	-2.00	.40
2428.0	2428.7	B	4.4	218.	3.0	88.	248.	8.9	0.0	.30	-.30
2431.0	2432.0	C	4.1	338.	3.0	88.	257.	8.9	0.0	-.30	.10
2434.3	2434.7	C	12.6	206.	3.0	88.	256.	8.9	0.0	1.00	-.70
2437.0	2438.0	C	30.4	279.	3.1	89.	255.	8.9	0.0	3.40	5.50
2441.0	2441.7	C	12.7	40.	3.1	89.	244.	9.2	0.0	-2.00	-.90
2445.0	2446.0	C	11.8	40.	3.1	89.	259.	9.3	0.0	-1.80	-.40
2455.0	2455.7	C	7.7	208.	3.1	89.	263.	9.3	0.0	.40	-.70
2456.0	2456.4	C	9.6	66.	3.1	89.	263.	9.2	0.0	-1.70	-.90
2464.3	2464.7	D	30.5	116.	3.0	89.	259.	9.2	0.0	-3.70	-5.10
2476.0	2476.7	C	7.9	300.	2.9	89.	259.	9.1	0.0	.40	.70
2487.0	2488.2	C	11.1	297.	3.0	89.	251.	8.9	0.0	.60	1.10
2493.0	2494.0	C	15.5	10.	3.0	89.	262.	8.9	0.0	-1.30	.80
2509.7	2510.2	C	18.6	333.	2.9	89.	259.	8.9	0.0	.00	2.00
2512.0	2512.4	C	13.7	336.	2.9	90.	258.	9.0	0.0	-.20	1.30
2521.8	2522.2	C	11.0	303.	2.9	91.	259.	8.9	0.0	.60	1.10
2528.4	2530.0	C	26.3	337.	2.9	91.	257.	8.9	0.0	-.20	2.90
2534.3	2534.7	C	26.5	344.	3.0	91.	255.	8.9	0.0	-.80	2.60
2539.6	2540.2	B	20.4	319.	3.0	91.	252.	8.8	0.0	.40	2.30
2542.0	2542.4	C	22.0	301.	3.0	91.	241.	8.8	0.0	.90	2.60
2547.0	2548.0	B	27.5	320.	3.0	91.	229.	8.8	0.0	-.80	2.60
2548.0	2549.0	A	31.9	328.	3.0	91.	229.	8.9	0.0	-1.60	2.70
2550.0	2551.0	A	27.2	326.	3.0	91.	229.	8.9	0.0	-1.20	2.30
2552.0	2553.0	B	33.0	330.	3.0	91.	232.	8.9	0.0	-1.60	2.90
2554.8	2555.2	B	33.5	327.	2.9	91.	234.	8.9	0.0	-1.20	3.30
2557.0	2558.1	B	32.1	339.	2.9	91.	235.	9.0	0.0	-2.00	2.50
2560.4	2561.3	B	20.0	327.	2.9	91.	235.	8.9	0.0	-.70	1.70
2563.0	2563.3	B	19.7	315.	2.9	91.	235.	8.9	0.0	-.10	2.00
2565.7	2566.2	C	9.0	85.	2.9	92.	240.	9.0	0.0	-1.20	-1.50
2570.0	2572.0	B	13.5	315.	2.8	92.	251.	8.8	0.0	.30	1.40
2573.0	2573.5	B	18.2	324.	2.9	92.	246.	8.7	0.0	-.10	1.80
2574.0	2574.7	B	16.9	338.	2.9	92.	244.	8.7	0.0	-.70	1.30
2578.0	2579.0	C	14.8	335.	2.9	92.	246.	8.9	0.0	-.50	1.20
2581.0	2582.0	B	8.8	350.	3.0	92.	245.	8.8	0.0	-.70	.30
2583.0	2583.3	C	20.4	29.	3.0	92.	242.	8.8	0.0	-2.80	-.70
2586.0	2586.4	B	10.4	346.	3.0	92.	245.	8.9	0.0	-.70	.50
2589.0	2590.0	C	20.2	314.	3.0	92.	246.	9.0	0.0	.40	2.30
2593.7	2594.0	C	10.7	285.	3.0	92.	250.	9.0	0.0	.80	1.00
2599.6	2599.7	C	27.1	341.	3.0	92.	260.	9.0	0.0	-.30	3.00
2610.3	2610.7	C	43.4	293.	3.1	94.	269.	8.9	0.0	5.50	5.80
2612.2	2614.0	C	29.2	337.	3.1	94.	267.	8.8	0.0	.50	3.60
2666.0	2668.0	C	31.1	349.	3.1	96.	291.	9.0	0.0	1.40	4.30
2670.0	2671.0	B	33.1	333.	3.1	96.	289.	9.0	0.0	2.60	4.60
2676.0	2677.0	B	33.7	327.	3.1	96.	291.	9.0	0.0	3.20	4.60



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2681.0	2681.6	B	43.3	328.	3.2	96.	292.	9.1	0.0	4.60	6.60
2686.0	2686.7	B	33.6	331.	3.1	96.	292.	9.1	0.0	3.00	4.70
2689.3	2689.5	B	38.3	330.	3.1	96.	292.	9.1	0.0	3.70	5.60
2693.0	2694.0	A	37.7	313.	3.1	96.	286.	9.0	0.0	4.30	5.00
2695.0	2696.3	B	30.8	276.	3.0	96.	289.	9.0	0.0	4.10	1.70
2698.0	2698.3	C	42.5	331.	3.0	96.	290.	8.9	0.0	4.00	6.40
2700.0	2700.5	C	47.7	309.	3.0	96.	290.	8.9	0.0	6.70	6.50
2708.0	2710.0	C	34.9	11.	3.0	96.	289.	9.0	0.0	-.50	4.30
2714.0	2716.0	D	10.7	323.	3.1	96.	284.	9.0	0.0	.60	1.10
2722.0	2723.0	C	10.2	279.	3.1	96.	281.	9.1	0.0	1.00	.50
2727.7	2728.4	C	26.5	338.	3.2	96.	283.	9.1	0.0	1.30	3.50
2736.0	2736.5	C	30.3	352.	3.2	96.	284.	9.1	0.0	.60	4.00
2750.0	2752.0	D	38.8	360.	3.1	96.	290.	9.1	0.0	.80	5.60
2760.0	2760.4	B	41.3	18.	3.2	96.	292.	9.0	0.0	-1.00	5.30
2762.3	2762.6	B	32.4	354.	3.1	96.	299.	9.0	0.0	1.70	4.60
2764.5	2765.0	C	25.4	271.	3.1	96.	300.	9.0	0.0	3.00	.40
2767.0	2767.5	B	10.3	286.	3.1	96.	297.	9.1	0.0	1.00	.40
2769.0	2769.7	B	9.5	304.	3.1	96.	293.	9.0	0.0	.80	.70
2771.0	2771.4	B	8.5	312.	3.1	96.	291.	9.0	0.0	.60	.70
2773.7	2774.0	B	16.5	301.	3.0	96.	287.	9.0	0.0	1.70	1.50
2776.0	2777.0	C	19.7	317.	3.0	96.	282.	9.0	0.0	1.60	2.30
2785.0	2786.0	C	17.4	214.	3.0	96.	284.	9.1	0.0	.80	-1.60
2794.0	2795.0	D	30.1	351.	3.2	96.	288.	9.1	0.0	1.00	4.10
2804.0	2804.6	C	2.6	312.	3.1	97.	289.	9.1	0.0	-.10	.00
2812.0	2813.0	C	20.2	71.	2.9	97.	295.	9.1	0.0	-2.80	.00
2813.0	2814.0	B	12.4	64.	2.9	97.	295.	9.1	0.0	-1.70	.10
2817.7	2818.2	B	6.4	104.	3.0	97.	295.	9.2	0.0	-1.30	-.70
2823.0	2823.9	D	19.9	333.	3.0	97.	294.	9.2	0.0	1.50	2.50
2827.0	2827.4	B	19.3	359.	3.1	97.	295.	9.2	0.0	.40	2.40
2830.0	2832.0	B	20.0	287.	3.1	97.	302.	9.2	0.0	2.40	.90
2834.0	2836.0	C	20.2	271.	3.0	97.	299.	9.2	0.0	2.30	.30
2837.0	2838.0	B	5.8	98.	3.0	97.	299.	9.2	0.0	-1.20	-.50
2840.2	2841.0	C	15.4	235.	3.0	97.	303.	9.2	0.0	.70	-1.30
2857.0	2858.4	A	10.1	222.	2.9	97.	292.	9.1	0.0	.30	-1.00
2858.2	2859.0	A	10.9	221.	2.9	97.	293.	9.1	0.0	.30	-1.10
2861.8	2862.2	C	9.6	250.	2.9	97.	300.	9.1	0.0	.60	-.50
2865.0	2866.0	B	16.3	49.	2.9	97.	308.	9.1	0.0	-1.20	1.30
2869.0	2870.0	A	20.9	55.	2.8	97.	300.	9.2	0.0	-2.10	1.10
2871.3	2871.8	B	11.2	200.	2.8	97.	300.	9.2	0.0	-.40	-1.60
2874.2	2876.0	B	17.3	154.	2.8	97.	302.	9.2	0.0	-2.30	-2.60
2890.4	2890.7	C	38.3	320.	2.7	97.	328.	9.2	0.0	5.70	3.10
2899.0	2900.0	C	19.8	349.	2.6	97.	321.	9.1	0.0	1.90	2.50
2900.0	2901.0	B	26.1	1.	2.6	97.	318.	9.1	0.0	2.00	3.70
2911.7	2912.9	C	24.8	217.	2.6	96.	299.	9.1	0.0	.70	-2.70
2914.3	2914.6	B	24.1	200.	2.6	96.	300.	9.1	0.0	-.40	-3.30
2917.6	2917.8	B	17.3	173.	2.6	96.	297.	9.1	0.0	-1.40	-2.70
2921.7	2922.0	C	33.2	180.	2.6	96.	294.	9.1	0.0	-1.70	-5.30
2930.0	2932.0	C	20.6	171.	2.5	96.	293.	9.1	0.0	-1.50	-3.20
2941.2	2942.0	C	20.2	168.	2.5	94.	297.	9.0	0.0	-1.80	-3.10
2950.8	2951.5	C	10.3	220.	2.6	94.	292.	9.0	0.0	.30	-1.00
2953.7	2954.2	C	18.0	196.	2.5	94.	290.	9.0	0.0	-.10	-2.30
2959.0	2960.0	B	11.8	184.	2.5	94.	286.	9.0	0.0	-.40	-1.70
2961.8	2962.5	B	19.4	214.	2.5	94.	280.	9.0	0.0	1.20	-1.50
2964.0	2965.0	B	16.4	207.	2.5	94.	285.	9.0	0.0	.50	-1.70
2971.0	2972.0	C	19.4	250.	2.4	94.	290.	9.0	0.0	2.00	-.30



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2982.0	2984.0	C	5.4	243.	2.5	95.	285.	9.1	0.0	.30	-.30
2986.0	2987.0	B	3.7	78.	2.5	95.	282.	9.1	0.0	-.80	-.40
2988.3	2988.6	A	6.0	9.	2.5	95.	282.	9.1	0.0	-.40	.40
2995.0	2995.3	B	17.5	74.	2.4	96.	287.	9.1	0.0	-2.60	-.50
3001.5	3002.0	B	10.2	147.	2.3	95.	290.	9.1	0.0	-1.30	-1.60
3004.0	3004.7	C	17.3	175.	2.3	95.	288.	9.1	0.0	-.90	-2.60
3015.0	3016.0	C	10.3	140.	2.3	95.	295.	9.0	0.0	-1.50	-1.50
3025.0	3026.0	B	13.0	164.	2.3	96.	296.	9.0	0.0	-1.30	-2.00
3026.0	3026.4	B	15.8	148.	2.3	96.	296.	9.0	0.0	-2.00	-2.30
3029.0	3029.6	B	25.5	149.	2.3	96.	308.	9.0	0.0	-3.60	-3.40
3037.0	3037.5	B	9.4	155.	2.3	96.	292.	9.0	0.0	-1.10	-1.50
3045.6	3046.0	B	6.3	86.	2.3	96.	298.	9.0	0.0	-1.10	-.30
3047.0	3049.0	C	1.3	52.	2.3	96.	300.	9.0	0.0	-.40	-.10
3049.0	3050.7	A	5.7	267.	2.3	96.	300.	9.0	0.0	.40	-.10
3053.0	3054.0	B	7.6	301.	2.3	96.	298.	9.0	0.0	.70	.50
3057.6	3058.0	B	.8	302.	2.3	96.	303.	9.0	0.0	-.20	-.10
3069.0	3070.0	B	7.1	161.	2.3	96.	314.	9.0	0.0	-1.10	-1.00
3070.0	3071.0	B	8.3	156.	2.3	96.	315.	9.0	0.0	-1.30	-1.10
3074.0	3076.0	B	4.5	158.	2.3	96.	310.	9.0	0.0	-.80	-.70
3079.2	3080.0	A	8.0	62.	2.3	96.	315.	9.0	0.0	-.80	.50
3082.0	3084.0	B	18.9	228.	2.3	96.	316.	9.0	0.0	.20	-2.10
3085.0	3086.0	B	14.4	187.	2.3	96.	316.	8.9	0.0	-1.30	-2.10
3087.5	3088.1	B	15.3	205.	2.3	96.	312.	9.0	0.0	-.60	-2.10
3090.0	3091.0	B	16.9	214.	2.3	96.	315.	9.0	0.0	-.40	-2.20
3093.0	3094.0	C	13.6	340.	2.3	95.	313.	9.0	0.0	1.20	1.60
3097.3	3098.4	B	18.1	310.	2.3	94.	315.	9.0	0.0	2.20	1.30
3099.0	3100.0	B	18.7	309.	2.3	94.	318.	9.0	0.0	2.30	1.20
3105.0	3106.0	B	11.9	248.	2.3	95.	322.	9.0	0.0	.40	-1.00
3106.2	3106.4	B	12.6	247.	2.3	95.	322.	9.0	0.0	.40	-1.10
3109.0	3110.0	B	10.8	221.	2.3	96.	324.	9.0	0.0	-.40	-1.40
3110.0	3110.8	A	9.7	257.	2.3	96.	325.	9.0	0.0	.40	-.70
3113.9	3114.7	B	14.1	256.	2.2	96.	328.	9.0	0.0	.60	-1.10
3115.8	3116.7	B	7.3	163.	2.2	96.	331.	9.0	0.0	-1.20	-.80
3118.2	3118.4	B	9.5	254.	2.2	96.	337.	9.0	0.0	.10	-.90
3120.7	3121.3	B	10.8	236.	2.1	96.	337.	9.0	0.0	-.30	-1.30
3128.2	3128.9	B	14.3	266.	2.1	94.	336.	9.0	0.0	.70	-1.00
3131.0	3132.0	A	8.6	277.	2.2	94.	336.	9.0	0.0	.50	-.40
3132.0	3132.7	C	2.7	279.	2.2	94.	335.	9.0	0.0	.00	-.10
3136.0	3136.6	B	9.2	264.	2.2	94.	331.	9.0	0.0	.40	-.60
3139.0	3140.0	A	13.9	271.	2.2	94.	324.	8.9	0.0	1.10	-.50
3140.9	3141.2	B	8.4	266.	2.2	94.	322.	9.0	0.0	.50	-.40
3143.0	3143.2	C	6.1	261.	2.2	94.	325.	9.0	0.0	.20	-.40
3144.0	3144.5	A	12.0	279.	2.2	94.	327.	9.0	0.0	1.00	-.30
3146.0	3146.6	B	5.1	282.	2.2	94.	326.	9.0	0.0	.30	-.10
3148.2	3149.0	C	18.2	259.	2.2	94.	322.	9.0	0.0	1.20	-1.10
3150.0	3150.5	B	14.5	247.	2.1	94.	317.	9.0	0.0	.70	-1.10
3153.0	3154.0	B	1.8	29.	2.1	94.	325.	9.0	0.0	-.20	.20
3163.0	3163.5	B	11.0	245.	2.1	94.	330.	9.0	0.0	.10	-1.10
3165.0	3166.0	C	5.1	284.	2.1	93.	330.	9.0	0.0	.30	-.10
3166.2	3166.6	C	5.7	276.	2.1	93.	329.	9.0	0.0	.30	-.20
3168.2	3168.3	C	10.7	246.	2.1	93.	326.	9.0	0.0	.20	-1.00
3170.0	3170.3	B	19.7	262.	2.1	92.	324.	9.0	0.0	1.40	-1.10
3173.2	3173.7	C	5.4	246.	2.1	92.	324.	9.0	0.0	.00	-.50
3176.0	3176.8	A	8.3	261.	2.1	92.	324.	9.0	0.0	.40	-.50
3182.7	3183.5	B	7.7	285.	2.1	92.	328.	9.0	0.0	.60	-.10



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3185.7	3185.8	B	12.3	234.	2.1	92.	328.	9.0	0.0	-.10	-1.40
3188.0	3188.6	B	15.8	270.	2.1	92.	327.	9.0	0.0	1.20	-.70
3191.0	3191.9	A	9.6	299.	2.1	92.	323.	8.9	0.0	1.00	.30
3192.0	3193.2	B	7.2	318.	2.1	92.	323.	8.9	0.0	.70	.50
3194.3	3194.8	B	9.9	246.	2.1	92.	325.	8.9	0.0	.20	-.90
3197.0	3198.3	B	11.9	255.	2.1	91.	326.	9.0	0.0	.50	-.90
3198.3	3199.2	A	12.1	247.	2.1	91.	326.	9.0	0.0	.30	-1.10
3199.5	3200.4	A	9.0	259.	2.1	91.	326.	9.0	0.0	.40	-.60
3201.8	3202.1	B	6.3	244.	2.1	91.	326.	8.9	0.0	.00	-.60
3205.0	3205.3	B	21.0	279.	2.1	90.	328.	8.9	0.0	2.00	-.50
3211.0	3211.7	C	5.6	263.	2.1	89.	337.	9.0	0.0	.10	-.40
3214.2	3214.4	C	11.5	251.	2.1	89.	330.	9.0	0.0	.30	-1.00
3214.2	3214.4	A	7.4	227.	2.1	89.	330.	9.0	0.0	-.30	-.90
3216.0	3216.3	A	15.1	258.	2.0	89.	337.	9.0	0.0	.50	-1.30
3219.6	3220.0	B	9.5	284.	2.0	89.	339.	9.0	0.0	.70	-.30
3224.5	3225.2	A	13.0	257.	2.0	88.	336.	9.0	0.0	.40	-1.10
3227.0	3227.8	A	6.3	219.	2.0	88.	338.	9.0	0.0	-.50	-.80
3229.0	3230.0	B	11.0	280.	2.0	88.	336.	8.9	0.0	.80	-.40
3230.1	3230.8	A	10.1	273.	2.0	88.	335.	8.9	0.0	.60	-.50
3232.2	3232.7	B	12.4	277.	2.0	88.	334.	8.9	0.0	.90	-.50
3234.0	3235.2	B	10.3	258.	2.0	88.	340.	8.9	0.0	.20	-.90
3237.0	3237.5	A	10.9	278.	2.0	88.	339.	8.9	0.0	.70	-.50
3239.0	3240.0	C	10.7	271.	2.0	88.	336.	8.9	0.0	.60	-.60
3242.8	3243.7	B	12.4	260.	2.1	87.	338.	8.9	0.0	.40	-1.00
3245.6	3246.4	A	11.0	279.	2.1	87.	340.	8.9	0.0	.70	-.50
3248.3	3248.6	C	7.9	268.	2.1	86.	339.	8.9	0.0	.30	-.50
3250.9	3251.3	B	10.5	280.	2.1	86.	332.	8.9	0.0	.80	-.30
3251.9	3252.5	B	7.1	259.	2.1	86.	331.	8.8	0.0	.20	-.50
3256.0	3256.5	A	11.4	261.	2.1	86.	327.	8.9	0.0	.60	-.70
3258.9	3259.1	B	6.5	271.	2.1	86.	322.	9.0	0.0	.40	-.20
3263.0	3264.0	B	10.9	266.	2.1	85.	319.	9.0	0.0	.80	-.40
3267.7	3268.3	B	14.7	254.	2.1	85.	335.	8.9	0.0	.40	-1.30
3270.3	3272.5	B	10.6	261.	2.1	84.	344.	8.8	0.0	.20	-.90
3273.8	3274.2	A	11.8	264.	2.1	84.	341.	8.8	0.0	.40	-.90
3276.0	3278.0	A	13.6	250.	2.1	83.	337.	8.9	0.0	.20	-1.30
3280.0	3280.5	B	12.4	263.	2.1	83.	337.	8.9	0.0	.50	-.90
3283.0	3284.0	B	10.3	238.	2.1	83.	332.	8.9	0.0	-.10	-1.10
3285.7	3286.3	B	17.9	259.	2.1	83.	331.	8.9	0.0	.90	-1.30
3289.0	3289.7	A	10.9	269.	2.1	83.	334.	8.8	0.0	.60	-.60
3293.5	3294.0	A	11.4	254.	2.1	83.	320.	8.8	0.0	.60	-.70
3295.0	3297.0	B	14.2	249.	2.1	83.	315.	8.8	0.0	.80	-.90
3300.0	3301.7	C	2.1	242.	2.1	83.	304.	8.9	0.0	-.10	-.20
3302.0	3304.0	C	9.7	284.	2.1	83.	306.	8.9	0.0	1.00	.30
3305.0	3305.9	B	11.8	244.	2.1	83.	310.	8.9	0.0	.60	-.80
3305.9	3306.3	A	8.3	249.	2.1	83.	311.	8.9	0.0	.40	-.50
3306.3	3307.2	B	11.3	251.	2.1	83.	311.	8.9	0.0	.70	-.60
3307.2	3308.7	B	8.4	254.	2.1	83.	311.	8.9	0.0	.50	-.40
3308.7	3310.3	C	8.9	275.	2.1	83.	311.	8.9	0.0	.80	.00
3310.3	3312.5	C	14.8	246.	2.1	83.	310.	8.9	0.0	.90	-.90
3312.5	3314.3	C	10.4	243.	2.1	83.	309.	8.9	0.0	.50	-.70
3314.3	3316.3	B	11.1	260.	2.1	83.	308.	8.9	0.0	.90	-.30
3316.3	3318.3	A	12.0	261.	2.1	83.	308.	8.9	0.0	1.00	-.30
3318.3	3320.0	B	8.1	264.	2.1	83.	310.	8.9	0.0	.60	-.20
3321.0	3322.0	C	3.0	281.	2.1	83.	311.	8.9	0.0	.10	.00
3322.0	3324.0	B	6.4	275.	2.1	83.	310.	9.0	0.0	.50	.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3324.0	3326.0	B	8.1	239.	2.1	83.	306.	8.9	0.0	.30	-.60
3326.0	3328.0	B	11.6	236.	2.1	83.	301.	8.9	0.0	.60	-.80
3328.0	3330.0	B	10.9	239.	2.1	83.	301.	8.9	0.0	.60	-.70
3330.0	3332.0	B	9.3	254.	2.1	83.	302.	8.9	0.0	.70	-.30
3332.0	3334.0	A	13.5	257.	2.1	83.	302.	8.9	0.0	1.20	-.30
3334.0	3336.0	B	10.0	260.	2.1	83.	298.	8.9	0.0	.90	-.10
3336.0	3338.0	A	12.0	254.	2.1	83.	295.	9.0	0.0	1.10	-.20
3338.0	3340.0	B	6.8	271.	2.1	83.	295.	8.9	0.0	.60	.10
3340.0	3342.0	A	10.0	261.	2.1	83.	299.	8.9	0.0	.90	-.10
3342.0	3344.0	B	13.4	262.	2.1	82.	301.	8.9	0.0	1.30	-.10
3344.0	3346.0	B	7.1	229.	2.1	82.	298.	8.9	0.0	.20	-.60
3346.0	3348.0	B	14.6	259.	2.1	82.	294.	8.9	0.0	1.50	.00
3348.0	3350.0	B	12.9	255.	2.1	81.	289.	8.9	0.0	1.30	.00
3350.0	3352.0	C	11.6	256.	2.1	81.	285.	8.9	0.0	1.20	.10
3352.0	3354.0	B	9.5	272.	2.1	81.	285.	8.9	0.0	1.00	.40
3354.0	3356.0	B	11.4	262.	2.1	81.	288.	8.9	0.0	1.20	.20
3356.0	3358.0	B	13.2	250.	2.1	81.	287.	8.9	0.0	1.30	-.10
3358.0	3360.0	C	10.4	267.	2.1	81.	287.	8.9	0.0	1.10	.30
3360.0	3362.0	B	7.4	268.	2.1	81.	285.	8.9	0.0	.70	.20
3362.0	3364.0	B	6.5	277.	2.1	81.	284.	8.9	0.0	.60	.30
3364.0	3366.0	B	7.7	253.	2.1	81.	282.	8.9	0.0	.70	.00
3366.0	3368.0	B	8.2	253.	2.1	81.	276.	9.0	0.0	.80	.10
3368.0	3370.0	D	3.8	312.	2.1	81.	277.	9.0	0.0	.10	.30
3379.0	3380.0	C	10.1	302.	2.1	81.	291.	8.9	0.0	1.00	.90
3380.0	3382.0	C	8.1	287.	2.1	81.	289.	8.9	0.0	.80	.50
3382.0	3384.0	B	10.3	253.	2.1	81.	285.	8.9	0.0	1.00	.00
3384.0	3386.0	B	7.7	291.	2.1	80.	282.	8.9	0.0	.70	.60
3386.0	3388.0	B	7.1	294.	2.1	80.	279.	8.9	0.0	.60	.60
3388.0	3390.0	C	10.4	284.	2.1	80.	279.	9.0	0.0	1.10	.80
3394.0	3396.0	B	11.0	265.	2.1	79.	260.	9.0	0.0	1.20	.80
3396.0	3398.0	C	9.8	314.	2.1	78.	263.	9.0	0.0	.40	1.10
3398.0	3400.0	B	9.8	274.	2.1	78.	263.	9.0	0.0	1.00	.80
3402.0	3404.0	B	8.5	301.	2.1	78.	261.	9.0	0.0	.50	.90
3404.0	3406.0	A	8.9	292.	2.1	78.	263.	9.0	0.0	.70	.90
3406.0	3408.0	B	6.8	310.	2.1	78.	267.	9.0	0.0	.30	.70
3408.0	3410.0	B	6.0	322.	2.1	78.	268.	9.0	0.0	.10	.60
3410.0	3412.0	A	9.4	299.	2.1	78.	266.	9.0	0.0	.70	1.00
3412.0	3414.0	A	9.6	285.	2.1	78.	266.	9.0	0.0	.90	.90
3414.0	3416.0	B	8.6	296.	2.1	78.	261.	9.0	0.0	.60	.90
3416.0	3418.0	B	6.5	268.	2.1	78.	261.	9.0	0.0	.60	.40
3418.0	3420.0	C	6.7	326.	2.1	78.	268.	9.0	0.0	.10	.70
3422.0	3424.0	B	23.3	156.	2.1	79.	271.	9.0	0.0	-1.20	-3.50
3424.0	3426.0	B	23.9	169.	2.1	79.	267.	9.0	0.0	-.20	-3.20
3426.0	3428.0	B	26.8	136.	2.1	80.	269.	9.0	0.0	-2.50	-4.20
3428.0	3430.0	B	27.0	141.	2.1	81.	275.	9.0	0.0	-2.60	-4.20
3430.0	3432.0	B	22.6	160.	2.1	81.	279.	9.0	0.0	-1.40	-3.40
3432.0	3434.0	A	22.4	143.	2.0	81.	279.	9.0	0.0	-2.20	-3.40
3434.0	3436.0	A	23.8	152.	2.0	80.	272.	8.9	0.0	-1.50	-3.60
3436.0	3438.0	A	22.1	147.	2.0	80.	262.	8.9	0.0	-1.10	-3.30
3438.0	3439.0	C	15.2	141.	2.0	80.	259.	8.9	0.0	-.90	-2.30
3445.0	3447.3	C	9.9	106.	1.9	79.	257.	9.0	0.0	-1.30	-1.50
3449.5	3450.6	C	2.3	320.	1.9	79.	267.	9.0	0.0	-.10	.10
3450.6	3452.5	B	11.1	314.	2.0	79.	267.	9.0	0.0	.60	1.30
3452.5	3454.0	B	12.2	278.	2.0	79.	265.	9.0	0.0	1.30	1.10
3454.0	3456.0	B	11.3	304.	2.0	79.	260.	8.9	0.0	.70	1.30



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFIT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3456.0	3458.0	B	9.3	279.	2.0	79.	263.	8.9	0.0	.90	.80
3458.0	3460.0	A	12.2	293.	2.1	79.	266.	9.0	0.0	1.10	1.30
3460.0	3462.0	A	11.8	288.	2.1	79.	264.	9.0	0.0	1.10	1.20
3462.0	3464.0	B	13.6	275.	2.0	79.	264.	9.0	0.0	1.50	1.20
3464.0	3466.0	C	8.8	282.	2.0	79.	262.	9.0	0.0	.80	.80
3466.0	3468.0	A	9.8	274.	2.0	79.	262.	9.0	0.0	1.00	.80
3468.0	3470.0	A	10.9	291.	2.0	79.	268.	9.0	0.0	1.00	1.10
3470.0	3472.0	A	14.2	285.	2.0	79.	268.	9.0	0.0	1.50	1.40
3472.0	3474.0	A	11.9	277.	1.9	79.	268.	9.0	0.0	1.30	1.00
3474.0	3476.0	A	14.3	268.	1.9	79.	269.	9.0	0.0	1.70	1.00
3476.0	3478.0	A	12.1	285.	1.9	78.	273.	9.0	0.0	1.30	1.10
3478.0	3480.0	A	10.2	295.	1.9	78.	278.	9.0	0.0	1.00	1.00
3480.0	3482.0	A	10.4	284.	1.9	78.	274.	9.0	0.0	1.10	.90
3482.0	3484.0	B	15.3	293.	1.9	79.	268.	9.0	0.0	1.50	1.70
3484.0	3486.0	B	15.0	264.	1.9	79.	264.	9.0	0.0	1.80	1.10
3486.0	3487.3	C	7.1	295.	1.9	80.	263.	9.0	0.0	.50	.70
3492.0	3494.0	C	16.3	348.	1.9	81.	257.	9.0	0.0	-.60	1.50
3494.0	3496.0	C	19.5	0.	1.9	81.	256.	9.0	0.0	-1.30	1.40
3496.0	3498.0	C	13.8	320.	1.9	81.	254.	9.0	0.0	.30	1.60
3498.0	3500.0	C	12.8	309.	1.9	81.	251.	9.0	0.0	.50	1.50
3501.0	3504.0	C	11.1	323.	1.9	81.	254.	9.0	0.0	.10	1.20
3506.0	3508.0	C	8.5	325.	1.9	80.	249.	9.0	0.0	-.10	.80
3510.3	3512.0	C	12.3	290.	1.9	80.	250.	8.9	0.0	.90	1.40
3516.0	3518.0	C	12.6	108.	1.9	82.	255.	8.9	0.0	-1.50	-1.90
3518.0	3520.0	C	44.3	4.	1.9	82.	257.	9.0	0.0	-3.50	4.00
3520.0	3521.5	B	34.8	11.	1.9	83.	260.	9.0	0.0	-2.90	2.50
3521.5	3524.0	B	40.3	351.	1.9	83.	258.	9.0	0.0	-1.60	4.60
3524.0	3526.0	A	37.7	357.	2.0	83.	260.	9.0	0.0	-1.90	3.90
3526.0	3528.0	A	44.8	357.	2.0	83.	261.	9.0	0.0	-2.20	5.20
3528.0	3530.0	B	24.1	324.	2.0	83.	259.	9.0	0.0	.70	3.10
3534.0	3536.0	C	20.6	22.	2.0	84.	264.	9.0	0.0	-2.00	.90
3550.0	3552.0	C	54.3	25.	2.0	84.	216.	8.9	0.0	-10.90	-5.30
3557.0	3559.5	B	64.5	331.	2.1	86.	197.	8.9	0.0	-12.30	1.60
3559.5	3563.0	C	68.7	331.	2.1	86.	192.	8.9	0.0	-15.60	.60
3566.6	3568.7	D	60.7	345.	2.1	86.	186.	8.9	0.0	-12.90	-4.30
3577.0	3578.5	C	18.3	284.	2.1	85.	188.	9.0	0.0	-.60	1.60
3582.0	3584.0	C	14.5	260.	2.1	84.	182.	9.0	0.0	.20	1.60
3584.0	3586.0	B	10.7	218.	2.1	84.	178.	9.1	0.0	1.10	1.30
3586.0	3588.0	B	9.0	258.	2.1	84.	175.	9.0	0.0	.10	.90
3588.0	3590.0	A	11.0	242.	2.1	84.	175.	9.0	0.0	.50	1.30
3590.0	3592.0	A	13.3	263.	2.1	84.	175.	9.0	0.0	-.10	1.30
3592.0	3594.0	B	8.5	237.	2.1	85.	174.	9.0	0.0	.50	1.00
3594.0	3596.0	A	10.1	250.	2.0	85.	171.	9.0	0.0	.20	1.10
3596.0	3598.0	A	12.2	245.	2.0	85.	169.	9.0	0.0	.30	1.40
3598.0	3600.0	A	9.2	234.	2.0	86.	169.	8.9	0.0	.50	1.10
3600.0	3602.0	A	7.8	238.	2.0	86.	170.	9.0	0.0	.40	.90
3602.0	3604.0	A	9.2	238.	2.0	86.	173.	9.0	0.0	.50	1.10
3604.0	3606.0	B	10.9	241.	2.0	86.	174.	9.0	0.0	.50	1.30
3606.0	3608.0	B	12.9	238.	2.0	86.	175.	9.0	0.0	.70	1.60
3608.0	3610.0	B	12.8	219.	2.0	86.	175.	8.9	0.0	1.20	1.60
3610.0	3612.0	A	8.5	228.	2.0	86.	177.	8.8	0.0	.70	1.00
3612.0	3614.0	A	13.0	250.	2.0	87.	178.	8.9	0.0	.40	1.50
3614.0	3616.0	A	9.6	248.	2.0	88.	179.	8.9	0.0	.40	1.10
3616.0	3618.0	B	9.3	235.	2.0	88.	182.	8.9	0.0	.70	1.10
3618.0	3620.0	B	8.7	230.	2.0	89.	185.	8.8	0.0	.80	1.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3620.0	3622.0	A	6.2	232.	2.0	89.	176.	8.8	0.0	.50	.70
3622.0	3624.0	A	5.9	225.	2.0	88.	168.	8.9	0.0	.50	.70
3624.0	3626.0	B	11.7	222.	2.0	88.	168.	9.0	0.0	.90	1.50
3626.0	3628.0	B	9.6	226.	2.1	87.	163.	8.9	0.0	.60	1.20
3628.0	3630.0	A	8.7	235.	2.1	86.	159.	8.9	0.0	.30	1.00
3630.0	3632.0	A	7.0	235.	2.1	86.	160.	8.9	0.0	.30	.80
3632.0	3634.0	B	8.4	252.	2.1	86.	161.	9.0	0.0	.00	.80
3634.0	3636.0	B	8.3	250.	2.1	86.	159.	9.0	0.0	.00	.80
3636.0	3638.0	B	7.5	230.	2.1	86.	160.	9.0	0.0	.40	.90
3638.0	3640.0	B	7.6	254.	2.1	86.	162.	9.0	0.0	.00	.70
3640.0	3642.0	B	10.6	255.	2.1	85.	162.	9.0	0.0	-.10	1.00
3642.0	3644.0	A	9.1	245.	2.1	84.	154.	8.9	0.0	.00	.90
3644.0	3646.0	B	10.0	263.	2.1	84.	143.	8.9	0.0	-.60	.50
3646.0	3648.0	A	12.7	277.	2.1	83.	131.	8.9	0.0	-1.30	-.10
3648.0	3650.0	C	5.3	251.	2.1	82.	117.	8.9	0.0	-.30	.20
3650.0	3652.0	A	9.0	266.	2.1	81.	108.	8.9	0.0	-.90	-.20
3652.0	3654.0	A	9.6	265.	2.1	81.	103.	8.9	0.0	-1.00	-.30
3654.0	3656.0	A	8.8	277.	2.1	81.	101.	8.9	0.0	-.90	-.50
3656.0	3658.0	A	9.5	275.	2.1	81.	96.	8.9	0.0	-1.00	-.60
3658.0	3660.0	A	8.9	288.	2.1	81.	89.	8.9	0.0	-.80	-.80
3660.0	3662.0	B	10.0	254.	2.1	81.	85.	8.9	0.0	-1.10	-.40
3662.0	3664.0	A	7.7	279.	2.1	81.	84.	8.9	0.0	-.70	-.60
3664.0	3666.0	B	10.4	271.	2.1	81.	83.	8.9	0.0	-1.10	-.80
3666.0	3668.0	A	7.2	283.	2.1	81.	82.	9.0	0.0	-.60	-.60
3668.0	3670.0	A	10.1	263.	2.1	81.	78.	9.0	0.0	-1.10	-.70
3670.0	3672.0	A	10.1	259.	2.1	81.	73.	9.0	0.0	-1.10	-.70
3672.0	3674.0	B	8.0	275.	2.1	81.	71.	9.0	0.0	-.70	-.70
3674.0	3676.0	B	9.5	289.	2.1	81.	67.	9.0	0.0	-.60	-1.00
3676.0	3678.0	A	10.1	264.	2.1	81.	64.	9.0	0.0	-1.00	-.90
3678.0	3680.0	B	5.9	241.	2.1	81.	63.	9.0	0.0	-.60	-.20
3680.0	3682.0	A	7.1	269.	2.1	81.	63.	9.0	0.0	-.60	-.60
3682.0	3684.0	A	8.8	271.	2.1	81.	66.	9.0	0.0	-.80	-.80
3684.0	3686.0	A	8.1	264.	2.1	80.	71.	9.0	0.0	-.80	-.60
3686.0	3688.0	A	8.1	267.	2.1	80.	75.	9.0	0.0	-.80	-.60
3688.0	3690.0	B	3.4	267.	2.1	80.	76.	8.9	0.0	-.20	-.10
3690.0	3692.0	A	4.3	269.	2.1	79.	76.	8.9	0.0	-.30	-.20
3692.0	3694.0	B	6.3	242.	2.1	78.	76.	8.9	0.0	-.60	-.10
3694.0	3696.0	A	7.8	255.	2.1	78.	76.	8.9	0.0	-.80	-.40
3696.0	3698.0	A	7.8	254.	2.1	77.	75.	8.9	0.0	-.80	-.40
3698.0	3700.0	A	7.7	253.	2.1	77.	74.	9.0	0.0	-.80	-.40
3700.0	3702.0	A	6.5	260.	2.1	76.	71.	9.0	0.0	-.60	-.40
3702.0	3704.0	C	6.2	250.	2.1	76.	66.	9.0	0.0	-.60	-.30
3708.0	3710.0	C	11.7	265.	2.1	76.	44.	9.0	0.0	-.90	-1.30
3714.0	3716.0	A	7.2	272.	2.0	76.	34.	9.0	0.0	-.30	-.70
3716.0	3718.0	A	6.5	254.	2.0	76.	34.	9.0	0.0	-.50	-.60
3718.0	3720.0	B	11.7	253.	2.0	76.	34.	9.0	0.0	-1.00	-1.30
3720.0	3722.0	A	10.0	260.	2.0	76.	34.	9.0	0.0	-.70	-1.10
3722.0	3724.0	A	10.0	267.	2.0	76.	36.	9.0	0.0	-.60	-1.10
3724.0	3726.0	A	7.9	264.	2.0	76.	37.	9.0	0.0	-.50	-.80
3726.0	3728.0	A	10.1	267.	2.0	76.	37.	9.0	0.0	-.60	-1.10
3728.0	3730.0	A	11.6	259.	2.0	76.	37.	9.0	0.0	-.90	-1.30
3730.0	3732.0	A	9.4	260.	2.0	76.	37.	9.0	0.0	-.70	-1.00
3732.0	3734.0	A	9.3	265.	2.0	76.	37.	9.0	0.0	-.60	-1.00
3734.0	3736.0	A	9.3	270.	2.0	76.	37.	9.0	0.0	-.50	-1.00
3736.0	3738.0	A	10.1	262.	2.0	76.	36.	9.0	0.0	-.70	-1.10



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3738.0	3740.0	A	9.5	252.	2.0	76.	34.	9.0	0.0	-.80	-1.00
3740.0	3742.0	C	12.1	262.	2.0	76.	33.	9.0	0.0	-.80	-1.40
3742.0	3744.0	C	13.9	229.	2.0	76.	38.	9.0	0.0	-1.70	-1.20
3746.0	3748.0	C	6.8	241.	2.0	76.	44.	9.0	0.0	-.70	-.50
3748.0	3750.0	B	9.4	307.	2.0	76.	43.	9.0	0.0	.20	-.80
3750.0	3752.0	A	10.0	267.	2.0	76.	42.	9.0	0.0	-.70	-1.10
3752.0	3754.0	C	6.9	10.	2.0	76.	41.	9.1	0.0	1.00	.40
3754.0	3756.0	C	6.3	102.	2.0	76.	35.	9.1	0.0	.30	1.10
3756.0	3758.0	B	7.0	283.	2.0	76.	24.	9.0	0.0	.00	-.60
3758.0	3760.0	A	7.9	274.	1.9	76.	12.	9.0	0.0	.00	-.70
3760.0	3762.0	A	11.2	266.	1.9	76.	3.	9.0	0.0	.00	-1.10
3762.0	3764.0	A	11.2	264.	2.0	76.	0.	9.0	0.0	.00	-1.10
3764.0	3766.0	A	10.1	282.	2.0	76.	1.	9.0	0.0	.40	-.70
3766.0	3768.0	A	11.0	260.	2.0	76.	341.	9.0	0.0	.30	-.90
3768.0	3770.0	A	10.4	278.	2.0	76.	332.	8.9	0.0	.80	-.30
3770.0	3772.0	A	11.5	279.	2.0	76.	327.	8.8	0.0	1.00	-.20
3772.0	3774.0	A	9.1	277.	2.0	77.	328.	8.8	0.0	.70	-.20
3774.0	3776.0	B	10.7	280.	2.0	77.	329.	8.8	0.0	.90	-.20
3776.0	3778.0	A	9.4	268.	2.0	77.	328.	8.9	0.0	.60	-.40
3778.0	3780.0	A	9.8	278.	2.1	78.	328.	9.0	0.0	.80	-.20
3780.0	3782.0	A	10.1	266.	2.1	78.	329.	9.0	0.0	.60	-.50
3782.0	3782.0	A	11.2	277.	2.1	78.	329.	9.0	0.0	.90	-.30
3782.0	3784.0	A	9.7	288.	2.1	78.	329.	9.0	0.0	.90	.00
3784.0	3786.0	B	9.7	288.	2.1	78.	330.	9.0	0.0	.90	.00
3786.0	3788.0	A	10.5	289.	2.1	78.	331.	9.0	0.0	1.00	.00
3788.0	3790.0	A	11.8	292.	2.1	78.	329.	9.0	0.0	1.20	.10
3790.0	3792.0	A	11.8	284.	2.1	78.	328.	9.0	0.0	1.10	-.10
3792.0	3794.0	A	10.5	285.	2.1	78.	326.	9.0	0.0	1.00	.00
3794.0	3796.0	A	10.5	288.	2.1	78.	329.	9.0	0.0	1.00	.00
3796.0	3798.0	A	11.8	279.	2.1	78.	336.	9.0	0.0	.90	-.40
3798.0	3800.0	A	11.7	298.	2.1	78.	337.	9.0	0.0	1.20	.10
3800.0	3802.0	A	10.2	277.	2.1	78.	336.	9.0	0.0	.70	-.40
3802.0	3804.0	A	7.2	271.	2.1	78.	332.	9.0	0.0	.40	-.30
3804.0	3806.0	A	10.3	271.	2.1	78.	329.	9.0	0.0	.70	-.40
3806.0	3808.0	B	10.7	307.	2.1	78.	328.	9.0	0.0	1.20	.50
3808.0	3810.0	A	11.8	289.	2.1	78.	326.	9.0	0.0	1.20	.10
3810.0	3812.0	B	13.9	339.	2.1	78.	323.	9.0	0.0	1.50	1.60
3812.0	3814.0	A	13.6	338.	2.1	78.	319.	9.0	0.0	1.40	1.60
3814.0	3816.0	A	18.0	318.	2.1	78.	317.	9.0	0.0	2.20	1.60
3816.0	3818.0	A	10.7	325.	2.1	78.	313.	9.0	0.0	1.10	1.10
3818.0	3820.0	A	13.8	307.	2.1	78.	308.	9.0	0.0	1.60	1.10
3820.0	3822.0	A	14.4	293.	2.2	78.	302.	9.0	0.0	1.70	.90
3822.0	3824.0	A	12.6	298.	2.2	78.	297.	8.9	0.0	1.40	1.00
3824.0	3826.0	A	13.6	299.	2.2	78.	293.	8.9	0.0	1.50	1.20
3826.0	3828.0	A	15.9	295.	2.2	78.	289.	8.9	0.0	1.80	1.40
3828.0	3830.0	A	16.0	289.	2.2	78.	282.	8.9	0.0	1.80	1.40
3830.0	3832.0	A	19.0	294.	2.2	78.	280.	8.8	0.0	2.10	1.90
3832.0	3834.0	A	32.0	303.	2.3	78.	284.	8.8	0.0	3.80	3.80
3834.0	3836.0	A	29.1	307.	2.3	78.	285.	8.9	0.0	3.30	3.50
3836.0	3838.0	B	25.0	308.	2.3	78.	288.	8.9	0.0	2.80	2.90
3838.0	3840.0	A	25.2	314.	2.3	78.	293.	9.0	0.0	2.80	3.00
3840.0	3842.0	A	13.8	297.	2.3	78.	290.	9.0	0.0	1.50	1.20
3842.0	3844.0	B	13.6	286.	2.3	77.	281.	9.0	0.0	1.50	1.10
3844.0	3846.0	A	14.1	291.	2.3	77.	279.	9.0	0.0	1.50	1.30
3846.0	3848.0	A	22.9	278.	2.3	77.	281.	9.0	0.0	2.90	1.70



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3848.0	3850.0	A	14.1	289.	2.3	76.	277.	9.0	0.0	1.50	1.30
3850.0	3852.0	A	14.6	265.	2.3	76.	274.	9.0	0.0	1.70	.80
3852.0	3854.0	B	14.0	271.	2.3	76.	275.	9.0	0.0	1.60	.90
3854.0	3856.0	A	14.0	265.	2.4	76.	276.	9.0	0.0	1.60	.70
3856.0	3858.0	A	13.4	274.	2.4	76.	276.	9.0	0.0	1.50	.90
3858.0	3860.0	B	13.3	271.	2.4	76.	276.	9.0	0.0	1.50	.80
3860.0	3862.0	A	12.8	273.	2.4	76.	272.	9.0	0.0	1.40	.90
3862.0	3864.0	B	15.1	272.	2.5	76.	267.	9.0	0.0	1.70	1.20
3864.0	3866.0	A	14.1	273.	2.5	76.	262.	9.0	0.0	1.50	1.20
3866.0	3868.0	A	16.0	279.	2.6	76.	258.	9.0	0.0	1.60	1.60
3868.0	3870.0	A	11.9	276.	2.6	76.	255.	9.0	0.0	1.10	1.10
3870.0	3872.0	A	14.8	278.	2.6	76.	254.	9.0	0.0	1.40	1.50
3872.0	3874.0	A	15.8	284.	2.7	75.	255.	9.0	0.0	1.40	1.70
3874.0	3876.0	A	13.7	286.	2.7	75.	260.	9.0	0.0	1.20	1.40
3876.0	3878.0	B	14.4	283.	2.7	74.	264.	9.0	0.0	1.40	1.40
3878.0	3880.0	A	14.1	278.	2.7	73.	262.	8.9	0.0	1.40	1.30
3880.0	3882.0	A	13.0	298.	2.7	73.	267.	8.9	0.0	1.00	1.40
3882.0	3884.0	A	15.6	289.	2.7	73.	274.	9.0	0.0	1.60	1.50
3884.0	3886.0	A	11.0	282.	2.7	73.	279.	9.0	0.0	1.10	.80
3886.0	3888.0	A	10.4	284.	2.7	73.	277.	9.0	0.0	1.00	.80
3888.0	3890.0	C	10.7	299.	2.7	73.	271.	9.0	0.0	.80	1.10
3899.0	3901.0	C	28.4	264.	2.8	73.	262.	9.0	0.0	3.70	2.40
3904.0	3905.5	C	18.7	217.	2.8	73.	261.	9.0	0.0	1.80	-.50
3916.0	3918.0	B	28.0	249.	2.8	72.	275.	9.0	0.0	3.50	.70
3918.0	3920.0	C	26.3	239.	2.8	72.	271.	9.0	0.0	3.10	.20
3924.0	3926.0	C	14.2	251.	2.7	71.	259.	8.9	0.0	1.60	.70
3926.0	3928.0	B	19.1	266.	2.7	71.	252.	8.9	0.0	2.10	1.80
3928.0	3930.0	B	26.6	265.	2.7	71.	252.	9.0	0.0	3.20	2.70
3930.0	3932.0	B	19.0	271.	2.7	71.	258.	9.0	0.0	2.10	1.80
3932.0	3934.0	C	15.4	272.	2.7	70.	258.	9.0	0.0	1.60	1.40
3934.0	3936.0	C	18.6	271.	2.7	70.	255.	8.9	0.0	2.00	1.80
3936.0	3938.0	B	14.9	279.	2.7	69.	256.	8.9	0.0	1.40	1.50
3940.0	3942.0	A	16.9	270.	2.7	68.	264.	9.0	0.0	1.90	1.40
3942.0	3944.0	A	17.2	260.	2.8	69.	261.	9.0	0.0	2.00	1.20
3944.0	3946.0	A	15.9	269.	2.8	70.	257.	9.0	0.0	1.70	1.40
3946.0	3948.0	A	15.8	272.	2.8	70.	255.	9.0	0.0	1.60	1.50
3948.0	3950.0	A	15.0	272.	2.9	71.	255.	9.0	0.0	1.50	1.40
3950.0	3952.0	A	15.5	275.	2.9	71.	255.	9.0	0.0	1.50	1.50
3952.0	3954.0	B	10.4	263.	2.9	71.	256.	8.9	0.0	1.00	.70
3954.0	3956.0	B	14.2	266.	2.9	71.	258.	8.9	0.0	1.50	1.10
3956.0	3958.0	A	12.2	285.	2.9	70.	259.	8.9	0.0	1.00	1.20
3958.0	3960.0	A	14.3	265.	2.9	70.	258.	8.9	0.0	1.50	1.10
3960.0	3962.0	A	13.1	292.	2.9	70.	256.	8.9	0.0	.90	1.40
3962.0	3964.0	B	8.6	272.	2.9	69.	259.	8.8	0.0	.70	.60
3964.0	3966.0	A	15.2	282.	2.9	69.	260.	8.8	0.0	1.40	1.50
3966.0	3968.0	C	14.8	297.	2.9	69.	268.	8.8	0.0	1.20	1.60
3968.0	3970.0	B	15.0	297.	2.8	68.	268.	8.6	0.0	1.20	1.60
3970.0	3972.0	B	16.5	283.	2.8	68.	259.	8.7	0.0	1.50	1.70
3972.0	3974.0	B	16.3	278.	2.8	68.	259.	8.9	0.0	1.60	1.60
3974.0	3976.0	B	13.7	284.	2.7	68.	266.	8.8	0.0	1.30	1.30
3976.0	3978.0	B	12.9	298.	2.7	68.	268.	8.9	0.0	1.00	1.40
3978.0	3980.0	B	13.1	280.	2.7	68.	266.	9.0	0.0	1.30	1.20
3980.0	3982.0	B	12.8	285.	2.7	68.	268.	8.8	0.0	1.20	1.20
3985.0	3986.3	A	10.9	277.	2.8	68.	264.	8.8	0.0	1.00	.90
3988.0	3989.0	C	18.3	298.	2.8	68.	277.	8.9	0.0	1.80	2.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3991.0	3992.0	B	19.2	293.	2.8	68.	265.	8.6	0.0	1.70	2.10
3992.0	3994.0	B	18.2	291.	2.8	68.	263.	8.7	0.0	1.60	2.00
3994.0	3996.0	C	17.8	292.	2.8	68.	264.	8.9	0.0	1.60	2.00
3996.0	3998.0	B	21.6	276.	2.7	68.	264.	9.1	0.0	2.50	2.10
4006.0	4008.0	A	12.2	283.	2.6	68.	257.	8.8	0.0	1.00	1.20
4008.0	4010.0	B	19.2	276.	2.6	68.	259.	8.8	0.0	2.00	1.90
4010.0	4012.0	B	14.1	291.	2.6	68.	264.	8.8	0.0	1.20	1.50
4012.0	4014.0	A	15.7	272.	2.6	68.	264.	8.8	0.0	1.70	1.30
4014.0	4016.0	A	12.4	290.	2.6	68.	262.	8.9	0.0	1.00	1.30
4016.0	4018.0	A	12.0	296.	2.6	68.	265.	9.0	0.0	.90	1.30
4018.0	4020.0	B	12.9	283.	2.6	68.	265.	8.8	0.0	1.20	1.20
4020.0	4022.0	B	14.2	288.	2.6	68.	268.	8.7	0.0	1.30	1.40
4022.0	4024.0	C	16.2	294.	2.6	68.	271.	8.7	0.0	1.50	1.70
4024.0	4026.0	C	19.6	324.	2.6	67.	264.	8.8	0.0	.60	2.40
4032.0	4034.0	C	20.9	294.	2.6	66.	272.	8.7	0.0	2.10	2.30
4034.0	4036.0	A	19.9	276.	2.5	66.	259.	8.7	0.0	2.10	2.00
4036.0	4038.0	A	18.8	294.	2.5	66.	259.	8.7	0.0	1.50	2.20
4038.0	4040.0	B	17.9	281.	2.4	66.	259.	8.8	0.0	1.80	1.90
4040.0	4042.0	A	22.7	282.	2.4	67.	257.	8.8	0.0	2.30	2.60
4042.0	4044.0	B	29.5	285.	2.5	67.	267.	8.7	0.0	3.40	3.30
4044.0	4046.0	B	30.5	288.	2.5	68.	270.	8.8	0.0	3.60	3.50
4046.0	4048.0	A	28.1	284.	2.6	69.	261.	8.9	0.0	3.10	3.30
4048.0	4050.0	B	24.5	267.	2.6	69.	249.	9.0	0.0	2.80	2.60
4050.0	4052.0	B	19.2	285.	2.6	70.	238.	8.9	0.0	1.20	2.30
4052.0	4054.0	C	21.5	250.	2.6	70.	229.	8.7	0.0	2.30	2.20
4056.0	4058.0	C	7.0	235.	2.5	70.	197.	8.9	0.0	.60	.60
4058.0	4060.0	C	10.3	275.	2.5	70.	184.	8.9	0.0	-.20	.80
4060.0	4062.0	B	16.9	286.	2.4	70.	181.	8.9	0.0	-.90	1.10
4062.0	4064.0	B	12.1	267.	2.4	69.	181.	9.0	0.0	-.10	1.10
4064.5	4065.3	C	17.9	275.	2.4	69.	179.	9.0	0.0	-.60	1.50
4069.0	4072.0	C	4.2	55.	2.4	68.	173.	9.0	0.0	-.10	-.80
4072.0	4074.0	B	1.9	357.	2.5	68.	164.	9.0	0.0	-.10	-.40
4074.0	4076.0	A	7.0	77.	2.5	68.	152.	9.0	0.0	.60	-.70
4076.0	4078.0	A	2.6	250.	2.6	68.	147.	9.0	0.0	.10	.10
4078.0	4080.0	C	14.2	258.	2.6	68.	140.	9.0	0.0	-.90	.70
4080.0	4082.0	C	8.0	126.	2.6	68.	131.	9.0	0.0	1.40	.60
4082.0	4084.0	B	10.9	58.	2.6	68.	122.	9.0	0.0	1.20	-.60
4084.0	4086.0	B	20.5	130.	2.6	67.	114.	8.9	0.0	3.00	2.50
4086.0	4088.0	C	12.9	109.	2.6	67.	107.	8.9	0.0	2.10	1.30
4088.0	4090.0	C	25.3	117.	2.6	67.	96.	8.9	0.0	3.60	3.40
4090.0	4091.0	C	35.7	111.	2.6	66.	86.	8.9	0.0	5.10	5.40
4091.0	4091.5	B	32.2	115.	2.6	66.	82.	8.9	0.0	4.10	5.00
4091.5	4094.5	B	22.1	270.	2.6	66.	76.	8.9	0.0	-2.50	-2.20
4094.5	4096.0	A	15.5	306.	2.7	66.	67.	8.9	0.0	-.50	-1.80
4096.0	4098.0	B	14.0	266.	2.7	65.	61.	9.0	0.0	-1.30	-1.40
4098.0	4100.0	B	2.3	248.	2.7	65.	58.	9.0	0.0	.00	.10
4100.0	4102.0	A	9.2	280.	2.7	65.	58.	9.0	0.0	-.50	-.90
4102.0	4104.0	A	13.2	257.	2.7	64.	58.	9.0	0.0	-1.30	-1.20
4104.0	4106.0	C	11.1	259.	2.7	64.	56.	9.0	0.0	-1.00	-1.00
4106.0	4108.0	B	12.1	263.	2.8	64.	52.	9.0	0.0	-1.00	-1.20
4108.0	4110.0	A	14.4	253.	2.8	63.	49.	9.0	0.0	-1.40	-1.40
4110.0	4112.0	B	11.1	244.	2.8	63.	46.	9.0	0.0	-1.10	-.90
4112.0	4114.0	B	8.6	278.	2.8	63.	45.	9.0	0.0	-.30	-.80
4114.0	4116.0	C	15.8	148.	2.8	63.	44.	8.9	0.0	-.60	1.70
4116.0	4118.0	B	15.2	241.	2.8	63.	42.	8.9	0.0	-1.60	-1.40



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4118.0	4120.0	A	14.1	257.	2.8	63.	39.	8.9	0.0	-1.10	-1.50
4120.0	4122.0	A	13.2	277.	2.8	63.	36.	8.9	0.0	-.40	-1.40
4122.0	4124.0	A	8.7	269.	2.8	64.	32.	8.9	0.0	-.30	-.80
4124.0	4126.0	A	7.0	235.	2.8	64.	26.	8.8	0.0	-.60	-.50
4126.0	4128.0	A	8.8	252.	2.8	64.	23.	8.6	0.0	-.50	-.80
4128.0	4130.0	A	10.5	288.	2.8	65.	24.	8.6	0.0	.20	-.80
4130.0	4132.0	B	9.6	262.	2.7	65.	26.	8.7	0.0	-.40	-.90
4132.0	4134.0	B	7.7	240.	2.7	64.	26.	8.6	0.0	-.60	-.60
4134.0	4136.0	B	7.1	234.	2.7	64.	26.	8.5	0.0	-.60	-.50
4136.0	4138.0	C	15.8	225.	2.7	64.	27.	8.5	0.0	-1.70	-1.40
4138.0	4140.0	B	11.1	256.	2.7	63.	25.	8.5	0.0	-.60	-1.10
4142.5	4144.0	C	5.8	266.	2.7	63.	21.	8.9	0.0	-.10	-.40
4156.0	4158.0	B	8.8	220.	2.7	63.	16.	8.8	0.0	-.90	-.70
4158.0	4160.0	C	6.1	272.	2.7	63.	17.	8.9	0.0	.00	-.40
4163.0	4164.1	C	3.5	266.	2.7	64.	10.	8.9	0.0	.00	-.10
4168.7	4170.0	C	6.1	238.	2.7	65.	7.	8.9	0.0	-.40	-.50
4178.0	4180.0	B	19.7	290.	2.7	65.	308.	8.9	0.0	2.40	1.00
4180.0	4182.0	B	11.2	309.	2.7	65.	308.	9.0	0.0	1.20	1.00
4182.0	4184.0	B	9.2	313.	2.7	65.	307.	9.0	0.0	.90	.90
4184.0	4186.0	B	10.5	301.	2.8	65.	306.	8.9	0.0	1.10	.80
4186.0	4188.0	C	7.8	283.	2.8	65.	306.	8.9	0.0	.70	.30
4188.0	4190.0	C	8.9	276.	2.8	65.	306.	8.9	0.0	.80	.20
4190.0	4192.0	C	11.9	296.	2.8	65.	306.	8.9	0.0	1.30	.80
4192.0	4194.0	B	5.3	341.	2.8	65.	306.	8.9	0.0	.20	.70
4194.0	4196.0	B	10.8	309.	2.7	66.	305.	8.9	0.0	1.10	1.00
4196.0	4198.0	B	11.4	287.	2.7	66.	302.	8.9	0.0	1.20	.60
4198.0	4200.0	C	14.5	322.	2.7	66.	297.	8.8	0.0	1.30	1.70
4200.0	4202.0	B	14.2	316.	2.7	66.	294.	8.8	0.0	1.30	1.60
4202.0	4204.0	A	12.3	302.	2.7	66.	290.	8.9	0.0	1.20	1.20
4204.0	4206.0	A	13.7	278.	2.7	66.	287.	8.9	0.0	1.50	.80
4206.0	4208.0	B	6.9	298.	2.7	66.	285.	8.9	0.0	.50	.60
4208.0	4210.0	C	18.0	309.	2.7	66.	281.	8.8	0.0	1.60	2.10
4210.0	4212.0	A	14.0	299.	2.8	66.	274.	8.8	0.0	1.20	1.50
4212.0	4214.0	B	15.9	260.	2.8	66.	267.	8.9	0.0	1.80	.90
4214.0	4216.0	B	9.6	239.	2.8	66.	262.	8.9	0.0	.90	.10
4216.0	4218.0	C	15.1	292.	2.8	66.	256.	8.9	0.0	1.10	1.70
4218.0	4220.0	C	9.9	188.	2.8	66.	253.	8.9	0.0	.40	-.90
4220.0	4222.0	C	16.8	213.	2.8	67.	255.	8.9	0.0	1.60	-.40
4222.0	4224.0	C	11.6	191.	2.8	67.	257.	8.8	0.0	.50	-1.00
4224.0	4226.0	B	18.3	184.	2.8	67.	254.	8.9	0.0	.90	-1.60
4226.0	4228.0	B	13.3	176.	2.8	68.	251.	8.9	0.0	.40	-1.40
4228.0	4230.0	C	6.7	99.	2.7	68.	246.	8.9	0.0	-1.00	-1.20
4230.0	4232.0	C	3.5	192.	2.7	68.	238.	9.0	0.0	.10	-.40
4234.0	4236.0	D	11.7	299.	2.7	69.	235.	8.9	0.0	.20	1.20
4236.0	4238.0	C	16.6	307.	2.7	69.	230.	9.0	0.0	-.10	1.70
4238.0	4240.0	A	15.6	301.	2.7	70.	226.	9.0	0.0	.00	1.60
4240.0	4242.0	B	14.5	294.	2.7	70.	225.	8.8	0.0	.20	1.50
4248.3	4249.5	C	17.4	314.	2.8	71.	226.	8.7	0.0	-.50	1.50
4252.0	4254.5	C	14.1	294.	2.8	71.	214.	8.9	0.0	-.10	1.30
4254.5	4256.5	B	11.3	286.	2.8	71.	210.	8.8	0.0	.00	1.00
4260.0	4263.0	C	7.2	290.	2.8	72.	239.	8.8	0.0	.20	.60
4263.0	4266.0	C	6.8	237.	2.7	72.	248.	8.7	0.0	.60	.10
4274.0	4276.0	B	19.2	289.	2.7	74.	239.	8.9	0.0	1.10	2.30
4276.0	4278.0	A	19.2	283.	2.7	74.	229.	9.0	0.0	1.00	2.30
4278.0	4280.0	A	16.3	297.	2.7	74.	223.	9.0	0.0	.10	1.70



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFIT ANGLE	DRFIT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4280.0	4282.0	B	14.2	302.	2.7	75.	220.	9.0	0.0	-.20	1.30
4282.0	4284.0	A	16.9	245.	2.7	75.	216.	9.0	0.0	1.70	1.80
4284.0	4286.0	B	9.3	258.	2.8	75.	210.	9.0	0.0	.60	.90
4286.0	4288.0	C	7.9	267.	2.8	75.	206.	9.0	0.0	.30	.70
4288.0	4290.6	B	16.9	268.	2.8	75.	203.	8.9	0.0	.60	1.90
4290.6	4293.5	B	16.5	257.	2.8	75.	201.	8.9	0.0	.90	1.90
4294.0	4296.3	C	17.5	298.	2.8	75.	204.	8.9	0.0	-.60	1.40
4296.3	4298.5	D	15.0	265.	2.8	75.	195.	8.8	0.0	.40	1.60
4301.0	4302.0	B	14.9	265.	2.8	75.	175.	8.8	0.0	-.20	1.30
4302.0	4304.0	B	14.7	279.	2.8	75.	164.	8.8	0.0	-.90	.70
4304.0	4306.0	A	11.8	270.	2.9	75.	151.	8.8	0.0	-.70	.50
4306.0	4308.0	B	17.9	269.	2.9	76.	144.	8.8	0.0	-1.40	.60
4308.0	4310.0	B	14.3	290.	2.9	76.	137.	8.8	0.0	-1.50	-.40
4310.0	4312.0	A	18.1	274.	2.9	76.	127.	8.8	0.0	-1.90	-.20
4312.0	4314.0	A	16.2	280.	2.9	76.	117.	8.8	0.0	-1.80	-.70
4314.0	4316.0	A	11.8	276.	2.9	75.	105.	8.8	0.0	-1.20	-.60
4316.0	4318.0	A	11.5	287.	2.9	75.	99.	8.9	0.0	-1.10	-.90
4318.0	4320.0	A	17.8	278.	2.9	75.	94.	8.9	0.0	-2.00	-1.40
4320.0	4322.0	A	14.2	287.	2.9	74.	85.	8.9	0.0	-1.30	-1.40
4322.0	4324.0	B	16.8	288.	2.9	74.	81.	8.9	0.0	-1.50	-1.80
4324.0	4326.0	A	16.5	289.	2.9	73.	79.	8.9	0.0	-1.40	-1.80
4326.0	4328.0	B	14.4	285.	2.9	72.	76.	8.9	0.0	-1.20	-1.50
4328.0	4330.0	A	14.7	282.	2.9	72.	76.	8.9	0.0	-1.30	-1.50
4330.0	4332.0	A	15.5	272.	2.9	71.	71.	8.9	0.0	-1.50	-1.50
4332.0	4334.0	B	8.6	251.	2.9	71.	62.	8.9	0.0	-.80	-.50
4334.0	4336.0	B	8.0	290.	2.9	71.	54.	8.9	0.0	-.20	-.70
4352.0	4354.0	C	24.6	273.	2.9	71.	357.	8.7	0.0	.80	-2.10
4360.0	4362.0	C	19.5	318.	2.9	71.	311.	8.7	0.0	2.20	1.90
4362.0	4364.0	B	16.2	327.	2.9	71.	292.	8.8	0.0	1.20	2.00
4364.0	4366.0	B	13.7	293.	2.8	71.	285.	8.9	0.0	1.40	1.20
4366.0	4368.0	A	16.1	295.	2.8	71.	298.	8.8	0.0	1.80	1.20
4368.0	4370.0	A	14.5	304.	2.7	71.	311.	8.6	0.0	1.60	1.00
4370.0	4372.0	C	9.6	323.	2.7	72.	306.	8.6	0.0	.80	1.00
4372.0	4374.0	C	10.0	302.	2.7	72.	291.	8.8	0.0	.90	.90
4374.0	4376.0	B	13.6	288.	2.7	72.	278.	9.0	0.0	1.40	1.20
4376.0	4378.0	B	21.6	275.	2.7	72.	272.	9.0	0.0	2.60	1.80
4378.0	4380.0	A	23.0	288.	2.7	73.	273.	9.0	0.0	2.60	2.40
4380.0	4382.0	A	26.6	296.	2.7	73.	274.	9.0	0.0	2.90	3.10
4382.0	4384.0	A	18.4	290.	2.7	73.	272.	9.0	0.0	1.90	1.90
4384.0	4386.0	B	14.9	296.	2.8	73.	269.	8.9	0.0	1.30	1.60
4386.0	4388.0	A	15.7	276.	2.8	73.	268.	8.9	0.0	1.70	1.30
4388.0	4390.0	C	9.5	312.	2.8	73.	267.	8.9	0.0	.40	1.00
4390.0	4392.0	B	13.7	271.	2.8	73.	261.	8.9	0.0	1.40	1.10
4392.0	4394.0	B	15.1	290.	2.8	73.	262.	8.9	0.0	1.30	1.60
4394.0	4396.0	B	15.7	289.	2.8	73.	268.	8.9	0.0	1.50	1.60
4396.0	4398.0	A	18.5	291.	2.8	73.	268.	8.9	0.0	1.80	2.00
4398.0	4400.0	B	15.9	264.	2.8	73.	267.	8.9	0.0	1.80	1.00
4400.0	4402.0	B	18.2	292.	2.8	73.	266.	8.9	0.0	1.70	2.00
4402.0	4404.0	A	15.0	279.	2.8	73.	262.	8.9	0.0	1.50	1.40
4404.0	4406.0	A	13.5	269.	2.8	73.	259.	9.0	0.0	1.40	1.10
4406.0	4408.0	B	18.1	290.	2.8	73.	264.	9.0	0.0	1.70	2.00
4408.0	4410.0	A	17.5	296.	2.8	73.	265.	9.0	0.0	1.50	2.00
4410.0	4412.0	A	15.7	298.	2.8	73.	259.	9.0	0.0	1.10	1.80
4412.0	4414.0	B	18.8	286.	2.8	73.	257.	9.0	0.0	1.70	2.10
4414.0	4416.0	B	17.4	281.	2.8	73.	258.	9.0	0.0	1.70	1.80



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4416.0	4418.0	A	16.7	267.	2.8	73.	254.	9.0	0.0	1.80	1.50
4418.0	4420.0	A	16.2	285.	2.8	73.	251.	9.0	0.0	1.30	1.80
4420.0	4422.0	A	17.1	278.	2.8	73.	252.	9.0	0.0	1.60	1.80
4422.0	4424.0	A	17.0	276.	2.8	73.	255.	9.0	0.0	1.70	1.70
4424.0	4426.0	B	16.6	291.	2.8	73.	255.	9.0	0.0	1.30	1.90
4426.0	4428.0	B	18.2	289.	2.8	73.	255.	9.0	0.0	1.50	2.10
4428.0	4430.0	B	17.1	295.	2.8	73.	258.	9.0	0.0	1.30	2.00
4430.0	4432.0	B	19.8	275.	2.8	73.	261.	9.0	0.0	2.20	1.90
4432.0	4434.0	B	20.5	271.	2.7	73.	257.	9.0	0.0	2.30	2.00
4434.0	4436.0	A	21.8	268.	2.7	73.	255.	9.0	0.0	2.50	2.10
4436.0	4438.0	A	21.8	272.	2.7	73.	259.	9.0	0.0	2.50	2.10
4438.0	4440.0	B	19.0	273.	2.7	73.	259.	9.0	0.0	2.10	1.80
4440.0	4442.0	B	16.7	283.	2.7	73.	261.	8.8	0.0	1.60	1.70
4442.0	4444.0	B	19.5	277.	2.7	73.	256.	8.8	0.0	2.00	2.00
4444.0	4446.0	B	19.8	281.	2.7	73.	254.	8.9	0.0	1.90	2.20
4450.0	4452.0	A	18.9	290.	2.7	73.	264.	8.9	0.0	1.80	2.10
4452.0	4454.0	A	16.0	307.	2.7	73.	264.	8.9	0.0	1.00	1.90
4454.0	4456.0	B	13.3	292.	2.7	73.	263.	8.9	0.0	1.10	1.40
4456.0	4458.0	C	16.3	257.	2.6	73.	261.	8.9	0.0	1.90	1.00
4458.0	4460.0	A	14.9	253.	2.6	73.	264.	8.9	0.0	1.70	.70
4460.0	4462.0	A	12.0	252.	2.6	73.	263.	8.9	0.0	1.30	.50
4462.0	4464.0	A	14.1	254.	2.6	73.	259.	9.0	0.0	1.60	.80
4464.0	4466.0	A	16.1	276.	2.6	74.	255.	8.9	0.0	1.60	1.60
4466.0	4468.0	B	18.9	305.	2.6	74.	251.	8.9	0.0	.90	2.30
4468.0	4470.0	A	25.5	300.	2.6	74.	251.	8.9	0.0	1.60	3.30
4470.0	4472.0	A	22.0	284.	2.6	75.	249.	8.8	0.0	1.90	2.60
4472.0	4474.0	A	26.0	289.	2.6	75.	244.	8.8	0.0	1.90	3.30
4474.0	4476.0	A	20.8	282.	2.6	75.	241.	8.9	0.0	1.60	2.50
4476.0	4478.0	A	25.3	282.	2.6	75.	240.	8.9	0.0	2.00	3.20
4478.0	4480.0	B	20.2	276.	2.6	75.	236.	8.9	0.0	1.60	2.40
4480.0	4482.0	A	19.7	268.	2.6	75.	229.	8.9	0.0	1.60	2.30
4482.0	4484.0	A	19.5	270.	2.6	75.	225.	8.8	0.0	1.40	2.30
4484.0	4486.0	B	16.0	267.	2.6	75.	221.	8.8	0.0	1.10	1.80
4486.0	4488.0	B	21.5	283.	2.6	76.	216.	8.8	0.0	.60	2.50
4488.0	4490.0	B	16.6	269.	2.6	76.	211.	8.8	0.0	.80	1.90
4490.0	4492.0	A	14.4	262.	2.6	76.	208.	8.8	0.0	.80	1.60
4492.0	4494.0	A	14.2	275.	2.6	77.	208.	8.8	0.0	.40	1.50
4494.0	4496.0	A	13.7	262.	2.6	77.	205.	8.8	0.0	.70	1.50
4496.0	4498.0	B	20.5	275.	2.6	77.	203.	8.8	0.0	.40	2.30
4498.0	4500.0	A	21.0	266.	2.6	78.	202.	8.8	0.0	.80	2.50
4500.0	4502.0	A	16.2	281.	2.6	78.	200.	8.9	0.0	.00	1.60
4502.0	4504.0	B	14.9	277.	2.6	77.	199.	8.9	0.0	.10	1.50
4504.0	4506.0	A	16.1	267.	2.6	77.	199.	8.9	0.0	.50	1.80
4506.0	4508.0	B	15.0	270.	2.6	77.	197.	8.9	0.0	.30	1.60
4508.0	4510.0	A	12.5	274.	2.6	76.	197.	8.9	0.0	.10	1.20
4510.0	4512.0	A	17.5	281.	2.6	76.	204.	8.8	0.0	.10	1.80
4512.0	4514.0	A	15.9	261.	2.6	77.	211.	8.8	0.0	1.00	1.80
4514.0	4516.0	A	19.3	268.	2.7	77.	217.	8.8	0.0	1.20	2.30
4516.0	4518.0	A	19.3	272.	2.7	77.	221.	8.9	0.0	1.20	2.30
4518.0	4520.0	A	17.4	278.	2.7	78.	220.	8.9	0.0	.80	2.00
4520.0	4522.0	B	16.0	274.	2.7	78.	215.	8.8	0.0	.70	1.80
4522.0	4524.0	B	16.9	248.	2.7	78.	210.	8.8	0.0	1.50	1.90
4524.0	4526.0	A	15.2	267.	2.7	78.	208.	8.8	0.0	.70	1.70
4526.0	4528.0	A	18.5	258.	2.7	78.	204.	8.8	0.0	1.10	2.20
4528.0	4530.0	A	17.4	260.	2.7	78.	196.	8.8	0.0	.70	2.00



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFIT ANGLE	DRFIT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4530.0	4532.0	B	19.2	270.	2.7	78.	195.	8.8	0.0	.30	2.10
4532.0	4534.0	A	17.4	263.	2.7	78.	199.	8.8	0.0	.70	2.00
4534.0	4536.0	A	17.1	267.	2.7	78.	199.	8.8	0.0	.50	1.90
4536.0	4538.0	A	17.4	270.	2.7	78.	199.	8.8	0.0	.40	1.90
4538.0	4540.0	C	7.8	296.	2.7	78.	198.	8.8	0.0	-.30	.40
4540.0	4542.0	C	13.4	238.	2.7	78.	193.	8.8	0.0	1.10	1.50
4542.0	4544.0	C	15.8	265.	2.7	78.	185.	8.8	0.0	.10	1.60
4544.0	4546.0	B	16.7	272.	2.7	79.	186.	8.8	0.0	-.10	1.60
4546.0	4548.0	B	15.6	253.	2.7	79.	200.	8.8	0.0	1.00	1.80
4548.0	4550.0	B	15.3	238.	2.7	79.	209.	8.9	0.0	1.60	1.60
4550.0	4552.0	A	20.4	301.	2.7	79.	209.	8.9	0.0	-.60	1.80
4552.0	4554.0	A	13.6	302.	2.7	79.	207.	8.9	0.0	-.50	1.00
4554.0	4556.0	A	9.1	259.	2.7	79.	204.	8.9	0.0	.50	.90
4556.0	4558.0	B	10.3	284.	2.7	79.	204.	9.0	0.0	.00	.90
4558.0	4560.0	B	11.2	276.	2.7	79.	203.	9.0	0.0	.20	1.10
4560.0	4562.0	A	10.8	266.	2.7	79.	201.	8.9	0.0	.40	1.10
4562.0	4564.0	A	12.5	278.	2.7	79.	201.	8.8	0.0	.10	1.20
4564.0	4566.0	A	13.7	266.	2.7	79.	205.	8.8	0.0	.60	1.50
4566.0	4568.0	B	16.1	271.	2.7	79.	207.	8.8	0.0	.60	1.80
4568.0	4570.0	B	10.9	240.	2.7	79.	203.	8.8	0.0	1.00	1.10
4570.0	4572.0	C	10.0	276.	2.7	79.	200.	8.8	0.0	.10	.90
4572.0	4574.0	C	10.6	248.	2.7	79.	202.	8.8	0.0	.80	1.10
4574.0	4576.0	C	9.0	307.	2.7	79.	203.	8.8	0.0	-.50	.40
4576.0	4578.0	B	10.0	284.	2.7	79.	198.	8.8	0.0	-.10	.80
4578.0	4580.0	B	10.0	277.	2.7	79.	189.	8.8	0.0	-.10	.80
4580.0	4582.0	C	15.6	302.	2.7	79.	178.	8.8	0.0	-1.30	.40
4582.0	4584.0	B	11.0	303.	2.7	79.	169.	8.8	0.0	-1.00	.00
4584.0	4586.0	C	7.6	308.	2.7	79.	164.	8.8	0.0	-.70	-.20
4586.0	4588.0	C	11.6	274.	2.7	79.	161.	8.8	0.0	-.60	.60
4588.0	4590.0	B	9.4	270.	2.7	79.	152.	8.8	0.0	-.50	.40
4590.0	4592.0	B	11.4	288.	2.7	79.	139.	8.8	0.0	-1.10	-.20
4592.0	4594.0	C	7.4	249.	2.7	79.	127.	8.8	0.0	-.30	.40
4594.0	4596.0	B	8.6	255.	2.7	79.	118.	8.8	0.0	-.60	.20
4596.0	4598.0	B	11.0	274.	2.7	79.	110.	8.8	0.0	-1.10	-.40
4598.0	4600.0	B	7.3	300.	2.7	79.	101.	8.7	0.0	-.50	-.60
4600.0	4602.0	B	11.0	272.	2.7	79.	90.	8.8	0.0	-1.10	-.70
4602.0	4604.0	B	5.6	265.	2.7	78.	82.	8.8	0.0	-.40	-.20
4604.0	4606.0	B	12.0	287.	2.7	77.	75.	8.8	0.0	-.90	-1.20
4606.0	4608.0	A	11.7	256.	2.8	76.	68.	8.8	0.0	-1.20	-.80
4608.0	4610.0	B	9.8	247.	2.8	75.	59.	8.8	0.0	-1.00	-.60
4610.0	4612.0	C	6.5	282.	2.8	75.	49.	8.8	0.0	-.20	-.50
4616.0	4618.0	A	9.9	287.	2.8	76.	17.	8.7	0.0	.20	-.70
4618.0	4620.0	A	5.7	261.	2.8	76.	0.	8.7	0.0	-.10	-.40
4620.0	4622.0	A	9.9	300.	2.8	76.	353.	8.8	0.0	.80	-.10
4622.0	4624.0	A	7.8	73.	2.8	76.	358.	8.8	0.0	.00	1.20
4624.0	4626.0	A	11.8	277.	2.8	76.	352.	8.8	0.0	.50	-.70
4626.0	4628.0	A	9.2	260.	2.7	76.	345.	8.7	0.0	.10	-.70
4628.0	4630.0	A	9.1	296.	2.7	76.	336.	8.7	0.0	.80	.10
4630.0	4632.0	A	12.6	273.	2.7	76.	328.	8.8	0.0	.90	-.40
4632.0	4634.0	A	10.6	275.	2.7	76.	324.	8.8	0.0	.80	-.20
4634.0	4636.0	A	8.8	279.	2.8	76.	319.	8.8	0.0	.70	.00
4636.0	4638.0	A	11.5	300.	2.8	76.	316.	8.8	0.0	1.20	.60
4638.0	4640.0	B	15.9	284.	2.8	76.	312.	8.8	0.0	1.70	.40
4640.0	4642.0	A	16.0	297.	2.8	76.	306.	8.8	0.0	1.80	1.00
4642.0	4644.0	A	10.2	271.	2.8	76.	302.	8.8	0.0	.90	.10



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4644.0	4646.0	A	14.0	269.	2.8	76.	298.	8.8	0.0	1.40	.20
4646.0	4648.0	B	10.4	278.	2.8	76.	294.	8.7	0.0	1.00	.40
4648.0	4650.0	A	11.8	277.	2.8	76.	292.	8.8	0.0	1.20	.50
4650.0	4652.0	A	17.4	293.	2.8	76.	287.	8.8	0.0	1.90	1.50
4652.0	4654.0	A	11.8	277.	2.8	76.	281.	8.7	0.0	1.20	.70
4654.0	4656.0	A	11.8	266.	2.8	76.	277.	8.7	0.0	1.20	.50
4656.0	4658.0	A	11.9	275.	2.7	76.	272.	8.7	0.0	1.20	.80
4658.0	4660.0	B	13.7	256.	2.7	76.	262.	8.8	0.0	1.50	.70
4660.0	4662.0	C	10.5	278.	2.7	76.	258.	8.8	0.0	.90	.90
4662.0	4664.0	B	15.6	304.	2.7	76.	258.	8.8	0.0	.90	1.80
4664.0	4666.0	A	18.7	287.	2.7	76.	255.	8.8	0.0	1.60	2.10
4666.0	4668.0	A	20.3	281.	2.7	76.	249.	8.8	0.0	1.80	2.30
4668.0	4670.0	A	16.1	277.	2.8	76.	246.	8.8	0.0	1.40	1.70
4670.0	4672.0	A	14.5	294.	2.8	76.	243.	8.8	0.0	.70	1.60
4672.0	4674.0	A	12.1	273.	2.8	77.	237.	8.8	0.0	.90	1.20
4674.0	4676.0	B	21.3	289.	2.8	77.	233.	8.7	0.0	1.00	2.50
4676.0	4678.0	A	15.6	291.	2.8	77.	245.	8.6	0.0	.90	1.70
4678.0	4680.0	B	18.0	310.	2.9	78.	257.	8.8	0.0	.80	2.10
4680.0	4682.0	A	18.7	301.	2.9	78.	251.	8.8	0.0	1.00	2.20
4682.0	4684.0	A	15.4	286.	2.8	78.	242.	8.8	0.0	1.00	1.70
4684.0	4686.0	A	13.2	290.	2.8	78.	237.	8.8	0.0	.60	1.40
4686.0	4688.0	B	17.1	261.	2.8	78.	231.	8.8	0.0	1.60	1.80
4688.0	4690.0	A	9.6	284.	2.7	78.	224.	8.8	0.0	.30	.90
4690.0	4692.0	B	7.3	279.	2.7	78.	217.	8.8	0.0	.20	.60
4692.0	4694.0	A	18.4	292.	2.7	78.	210.	8.8	0.0	-.10	1.80
4694.0	4696.0	A	19.5	294.	2.7	78.	203.	8.8	0.0	-.50	1.70
4696.0	4698.0	B	17.8	270.	2.7	78.	196.	8.8	0.0	.30	1.90
4698.0	4700.0	A	16.0	271.	2.8	78.	191.	8.8	0.0	.10	1.60
4700.0	4702.0	A	14.0	274.	2.7	78.	184.	8.8	0.0	-.20	1.20
4702.0	4704.0	B	8.0	282.	2.7	77.	178.	8.7	0.0	-.30	.40
4704.0	4706.0	A	13.1	264.	2.7	77.	171.	8.7	0.0	-.20	1.10
4706.0	4708.0	A	11.0	271.	2.7	77.	167.	8.8	0.0	-.40	.70
4708.0	4710.0	A	10.2	272.	2.7	76.	166.	8.8	0.0	-.40	.60
4710.0	4712.0	A	6.6	284.	2.7	76.	158.	8.8	0.0	-.40	.10
4712.0	4714.0	B	13.2	267.	2.7	76.	144.	8.8	0.0	-.90	.50
4714.0	4716.0	B	16.3	258.	2.8	76.	129.	8.8	0.0	-1.30	.50
4716.0	4718.0	B	8.3	260.	2.8	76.	118.	8.8	0.0	-.60	.10
4718.0	4720.0	A	13.3	279.	2.9	76.	109.	8.8	0.0	-1.40	-.70
4720.0	4722.0	B	18.9	296.	2.9	76.	104.	8.8	0.0	-2.00	-1.80
4722.0	4724.0	A	13.2	288.	2.9	76.	98.	8.8	0.0	-1.30	-1.10
4724.0	4726.0	A	14.5	284.	2.9	76.	88.	8.8	0.0	-1.40	-1.30
4726.0	4728.0	B	8.1	278.	2.9	76.	77.	8.8	0.0	-.60	-.60
4728.0	4730.0	A	10.3	301.	3.0	76.	66.	8.8	0.0	-.30	-1.00
4730.0	4732.0	A	9.1	246.	2.9	76.	58.	8.8	0.0	-.90	-.50
4732.0	4734.0	A	9.3	260.	2.9	76.	45.	8.8	0.0	-.70	-.80
4734.0	4736.0	B	12.7	263.	2.8	76.	41.	8.8	0.0	-.90	-1.30
4736.0	4738.0	A	9.5	272.	2.8	76.	42.	8.8	0.0	-.50	-.90
4738.0	4740.0	A	12.0	282.	2.7	76.	36.	8.8	0.0	-.30	-1.20
4740.0	4742.0	A	12.9	276.	2.7	76.	28.	8.8	0.0	-.30	-1.30
4742.0	4744.0	A	15.8	256.	2.7	77.	21.	8.8	0.0	-.90	-1.80
4744.0	4746.0	A	13.3	261.	2.7	77.	12.	8.8	0.0	-.40	-1.40
4746.0	4748.0	A	11.3	267.	2.7	77.	3.	8.8	0.0	.00	-1.00
4748.0	4750.0	A	11.0	276.	2.7	78.	353.	8.7	0.0	.40	-.70
4750.0	4752.0	A	11.8	293.	2.7	78.	355.	8.7	0.0	.80	-.40
4752.0	4754.0	B	11.5	303.	2.7	78.	344.	8.7	0.0	1.10	.10



CORRELATION CORR. DIP DIP DRFT DRFT AZ. DIA DISPLACEMENTS  
 INTERVAL GRADE ANGLE AZ. ANGLE AZ. NO.1 13 NO.1 NO.2 NO.3

4754.0	4756.0	A	11.7	304.	2.7	78.	336.	8.8	0.0	1.20	.30
4756.0	4758.0	A	18.7	309.	2.7	78.	331.	8.7	0.0	2.20	.80
4758.0	4760.0	A	13.3	297.	2.7	78.	324.	8.7	0.0	1.40	.40
4760.0	4762.0	A	14.5	286.	2.7	78.	316.	8.7	0.0	1.50	.30
4762.0	4764.0	A	21.1	291.	2.7	78.	311.	8.7	0.0	2.50	.90
4764.0	4766.0	B	12.3	277.	2.6	78.	307.	8.7	0.0	1.20	.20
4766.0	4768.0	A	12.1	267.	2.6	78.	303.	8.7	0.0	1.10	.00
4768.0	4770.0	B	16.7	283.	2.6	78.	298.	8.7	0.0	1.90	.80
4770.0	4772.0	B	15.6	249.	2.6	78.	292.	8.8	0.0	1.40	-.30
4772.0	4774.0	A	12.4	267.	2.5	78.	286.	8.8	0.0	1.30	.40
4774.0	4776.0	B	14.4	268.	2.5	79.	279.	8.8	0.0	1.60	.70
4776.0	4778.0	A	15.4	275.	2.5	79.	270.	8.7	0.0	1.70	1.20
4778.0	4780.0	B	11.6	279.	2.4	79.	262.	8.7	0.0	1.10	1.00
4780.0	4782.0	B	14.6	281.	2.4	80.	253.	8.7	0.0	1.30	1.50
4782.0	4784.0	A	13.9	281.	2.5	80.	241.	8.7	0.0	1.00	1.50
4784.0	4786.0	A	15.5	274.	2.5	81.	235.	8.7	0.0	1.20	1.70
4786.0	4788.0	A	32.3	301.	2.6	82.	237.	8.7	0.0	1.20	4.20
4788.0	4790.0	A	27.5	288.	2.6	82.	236.	8.7	0.0	1.70	3.50
4790.0	4792.0	B	19.6	285.	2.7	83.	230.	8.8	0.0	1.00	2.30
4792.0	4794.0	A	16.4	289.	2.6	83.	224.	8.8	0.0	.50	1.80
4794.0	4796.0	A	16.8	294.	2.6	84.	223.	8.8	0.0	.30	1.80
4796.0	4798.0	A	16.6	278.	2.6	84.	224.	8.8	0.0	.90	1.90
4798.0	4800.0	B	20.4	287.	2.5	84.	223.	8.9	0.0	.70	2.40
4800.0	4802.0	B	12.8	272.	2.5	84.	218.	8.8	0.0	.70	1.40
4802.0	4804.0	B	9.6	279.	2.5	84.	208.	8.7	0.0	.20	.90
4804.0	4806.0	B	8.3	285.	2.6	84.	196.	8.7	0.0	-.10	.60
4808.0	4810.0	A	11.4	258.	2.6	84.	174.	8.7	0.0	.10	1.10
4810.0	4812.0	A	13.4	270.	2.6	84.	169.	8.6	0.0	-.40	1.00
4812.0	4814.0	A	12.6	291.	2.6	84.	174.	8.6	0.0	-.80	.50
4814.0	4816.0	A	16.4	278.	2.6	84.	177.	8.6	0.0	-.60	1.20
4816.0	4818.0	B	8.7	290.	2.6	83.	174.	8.7	0.0	-.50	.30
4818.0	4820.0	A	18.9	283.	2.6	83.	169.	8.7	0.0	-1.20	1.00
4820.0	4822.0	A	14.2	283.	2.6	83.	161.	8.6	0.0	-1.00	.50
4822.0	4824.0	A	12.6	274.	2.6	83.	153.	8.6	0.0	-.80	.50
4824.0	4826.0	B	19.7	281.	2.7	83.	144.	8.7	0.0	-1.90	.20
4826.0	4828.0	B	15.6	281.	2.7	83.	133.	8.8	0.0	-1.60	-.20
4828.0	4830.0	B	22.0	282.	2.7	83.	123.	8.8	0.0	-2.60	-.80
4830.0	4832.0	A	19.0	288.	2.7	82.	112.	8.7	0.0	-2.20	-1.30
4832.0	4834.0	A	15.5	291.	2.8	81.	102.	8.7	0.0	-1.60	-1.30
4834.0	4836.0	A	12.1	300.	2.8	80.	91.	8.6	0.0	-.90	-1.20
4836.0	4838.0	A	15.3	301.	2.9	79.	77.	8.7	0.0	-.90	-1.70
4838.0	4840.0	B	17.3	275.	2.9	78.	67.	8.8	0.0	-1.60	-1.80
4845.0	4847.0	A	30.4	266.	2.8	78.	62.	8.8	0.0	-3.40	-3.50
4848.0	4850.0	A	16.1	286.	2.8	78.	57.	8.7	0.0	-.90	-1.80
4850.0	4852.0	A	9.3	307.	2.8	78.	57.	8.7	0.0	.00	-.80
4852.0	4854.0	A	11.5	305.	2.7	78.	47.	8.8	0.0	.10	-1.00
4854.0	4856.0	A	9.5	275.	2.7	78.	46.	8.8	0.0	-.50	-.90
4856.0	4858.0	C	5.1	263.	2.7	78.	46.	8.7	0.0	-.30	-.30
4858.0	4860.0	B	5.8	179.	2.7	78.	41.	8.7	0.0	-.50	.40
4862.0	4864.0	C	28.3	347.	2.7	78.	32.	8.6	0.0	3.30	-.10
4864.0	4866.0	C	25.4	348.	2.8	78.	34.	8.6	0.0	2.90	-.10
4870.0	4872.0	C	3.5	337.	2.8	78.	36.	8.6	0.0	.40	.20
4872.0	4874.0	B	3.6	308.	2.8	78.	36.	8.6	0.0	.20	.00
4874.0	4876.0	B	3.8	172.	2.8	78.	36.	8.6	0.0	-.30	.40
4876.0	4878.0	C	2.3	296.	2.8	78.	27.	8.7	0.0	.10	.10



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4878.0	4880.0	A	11.1	283.	2.8	78.	18.	8.7	0.0	.10	-.90
4880.0	4882.0	B	14.9	272.	2.8	78.	17.	8.7	0.0	-.20	-1.50
4882.0	4884.0	A	11.3	248.	2.7	78.	14.	8.7	0.0	-.70	-1.20
4884.0	4886.0	B	8.8	269.	2.7	78.	3.	8.7	0.0	.00	-.70
4886.0	4888.0	A	11.3	275.	2.7	78.	358.	8.6	0.0	.30	-.80
4888.0	4890.0	B	15.4	266.	2.6	78.	338.	8.6	0.0	.70	-1.00
4890.0	4892.0	B	7.5	158.	2.6	78.	333.	8.6	0.0	-1.20	-.60
4892.0	4894.0	B	5.8	193.	2.6	78.	328.	8.6	0.0	-.70	-.70
4894.0	4896.0	C	13.2	272.	2.5	78.	318.	8.6	0.0	1.10	-.20
4896.0	4898.0	B	5.9	159.	2.5	78.	307.	8.7	0.0	-.90	-.80
4898.0	4900.0	B	2.7	204.	2.5	78.	299.	8.7	0.0	-.30	-.40
4900.0	4902.0	B	5.1	228.	2.5	78.	288.	8.7	0.0	.10	-.40
4902.0	4904.0	B	8.9	230.	2.5	78.	278.	8.8	0.0	.60	-.40
4904.0	4906.0	C	5.5	271.	2.5	78.	274.	8.7	0.0	.40	.20
4906.0	4908.0	B	8.4	254.	2.5	78.	270.	8.7	0.0	.80	.20
4908.0	4910.0	B	8.5	266.	2.5	78.	262.	8.8	0.0	.80	.50
4910.0	4912.0	B	11.5	281.	2.5	78.	256.	8.8	0.0	1.00	1.10
4912.0	4914.0	A	13.8	275.	2.5	78.	246.	8.8	0.0	1.20	1.40
4914.0	4916.0	B	10.1	261.	2.5	78.	234.	8.8	0.0	.90	.90
4916.0	4918.0	A	10.5	256.	2.5	78.	234.	8.8	0.0	1.00	.90
4918.0	4920.0	A	11.5	264.	2.5	78.	234.	8.8	0.0	1.00	1.10
4920.0	4922.0	B	10.1	272.	2.6	78.	225.	8.8	0.0	.60	1.00
4922.0	4924.0	A	10.8	263.	2.6	78.	216.	8.8	0.0	.70	1.10
4924.0	4926.0	A	8.5	254.	2.6	78.	209.	8.8	0.0	.60	.80
4926.0	4928.0	B	16.6	261.	2.6	78.	201.	8.7	0.0	.80	1.90
4928.0	4930.0	B	12.0	251.	2.7	78.	195.	8.7	0.0	.70	1.30
4930.0	4932.0	B	12.1	252.	2.7	78.	191.	8.7	0.0	.60	1.30
4932.0	4934.0	A	7.5	231.	2.7	79.	191.	8.7	0.0	.70	.70
4934.0	4936.0	B	7.4	244.	2.7	80.	190.	8.7	0.0	.50	.70
4936.0	4938.0	A	9.6	248.	2.7	81.	186.	8.7	0.0	.50	1.00
4938.0	4940.0	A	9.8	251.	2.7	82.	183.	8.7	0.0	.40	1.00
4940.0	4942.0	A	11.2	246.	2.7	83.	174.	8.8	0.0	.40	1.20
4942.0	4944.0	A	8.6	250.	2.7	82.	162.	8.8	0.0	.10	.80
4944.0	4946.0	B	13.7	258.	2.7	82.	148.	8.8	0.0	-.60	.90
4946.0	4948.0	B	11.2	246.	2.7	82.	135.	8.8	0.0	-.40	.80
4948.0	4950.0	B	7.3	244.	2.8	81.	129.	8.8	0.0	-.20	.50
4950.0	4952.0	B	5.7	265.	2.8	80.	124.	8.8	0.0	-.30	.10
4952.0	4954.0	B	8.4	272.	2.8	79.	119.	8.8	0.0	-.70	-.10
4954.0	4956.0	A	9.9	271.	2.8	78.	114.	8.8	0.0	-.90	-.20
4956.0	4958.0	A	8.4	292.	2.8	77.	105.	8.8	0.0	-.70	-.60
4958.0	4960.0	A	7.1	289.	2.9	75.	96.	8.8	0.0	-.50	-.50
4960.0	4962.0	A	8.8	264.	2.9	75.	88.	8.8	0.0	-.80	-.40
4962.0	4964.0	A	8.6	274.	2.9	75.	79.	8.8	0.0	-.70	-.60
4964.0	4966.0	B	9.9	272.	2.9	75.	70.	8.8	0.0	-.80	-.80
4966.0	4968.0	A	8.1	267.	3.0	75.	61.	8.8	0.0	-.60	-.60
4968.0	4970.0	A	8.7	228.	3.0	75.	57.	8.8	0.0	-.90	-.20
4970.0	4972.0	B	5.2	283.	3.0	75.	51.	8.8	0.0	-.10	-.30
4972.0	4974.0	B	7.5	274.	3.0	75.	41.	8.8	0.0	-.30	-.60
4974.0	4976.0	B	9.1	271.	3.0	75.	30.	8.7	0.0	-.30	-.80
4976.0	4978.0	B	7.0	270.	3.1	75.	15.	8.7	0.0	-.10	-.50
4978.0	4980.0	B	7.4	295.	3.1	75.	6.	8.8	0.0	.40	-.20
4980.0	4982.0	C	11.9	296.	3.1	75.	6.	8.7	0.0	.70	-.50
5003.0	5004.0	C	6.8	87.	3.0	75.	341.	8.7	0.0	-.60	.70
5000.5	5006.0	C	1.8	7.	3.0	75.	345.	8.7	0.0	.00	.40
5006.0	5008.0	B	6.2	303.	2.9	75.	325.	8.7	0.0	.50	.30



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
5008.0	5010.0	B	3.2	39.	2.8	75.	319.	8.7	0.0	-.30	.40
5010.0	5012.0	A	7.8	299.	2.8	75.	315.	8.7	0.0	.70	.40
5012.0	5014.0	A	10.2	298.	2.9	75.	308.	8.7	0.0	1.00	.60
5014.0	5016.0	A	10.5	303.	2.9	75.	302.	8.7	0.0	1.00	.80
5016.0	5018.0	A	10.7	299.	3.0	75.	297.	8.7	0.0	1.00	.80
5018.0	5020.0	A	11.5	289.	3.0	75.	288.	8.7	0.0	1.10	.80
5020.0	5022.0	A	13.5	291.	3.1	75.	283.	8.7	0.0	1.30	1.10
5022.0	5024.0	A	16.9	292.	3.1	75.	281.	8.7	0.0	1.70	1.50
5024.0	5026.0	A	12.6	293.	3.1	75.	277.	8.6	0.0	1.10	1.10
5026.0	5028.0	B	12.6	298.	3.2	75.	275.	8.7	0.0	1.00	1.20
5028.0	5030.0	B	14.1	304.	3.2	75.	271.	8.7	0.0	1.00	1.50
5030.0	5032.0	B	13.7	296.	3.2	75.	265.	8.8	0.0	1.00	1.40
5032.0	5034.0	A	15.4	296.	3.2	75.	266.	8.7	0.0	1.20	1.60
5034.0	5036.0	C	9.5	270.	3.2	75.	260.	8.7	0.0	.80	.60
5036.0	5038.0	B	10.1	271.	3.2	76.	247.	8.8	0.0	.80	.80
5038.0	5040.0	A	9.2	290.	3.2	76.	238.	8.8	0.0	.30	.80
5040.0	5042.0	A	11.5	278.	3.2	76.	230.	8.8	0.0	.60	1.10
5042.0	5044.0	A	8.6	323.	3.2	76.	228.	8.8	0.0	-.50	.40
5044.0	5046.0	A	9.6	291.	3.2	76.	223.	8.8	0.0	.10	.80
5046.0	5048.0	A	13.0	291.	3.2	76.	218.	8.8	0.0	.10	1.20
5048.0	5050.0	A	15.0	304.	3.1	76.	216.	8.8	0.0	-.40	1.20
5050.0	5052.0	A	14.7	298.	3.1	76.	211.	8.8	0.0	-.30	1.20
5052.0	5054.0	B	13.7	295.	3.2	76.	203.	8.8	0.0	-.40	1.00
5054.0	5056.0	B	14.0	274.	3.2	76.	196.	8.8	0.0	.10	1.30
5056.0	5058.0	A	17.0	300.	3.2	76.	192.	8.8	0.0	-1.00	.90
5058.0	5060.0	C	17.3	310.	3.2	76.	182.	8.7	0.0	-1.60	.20
5064.0	5066.0	C	27.0	298.	3.2	75.	151.	8.6	0.0	-3.10	-.50
5068.0	5070.0	C	18.3	283.	3.2	73.	135.	8.7	0.0	-1.90	-.30
5070.0	5072.0	B	15.1	287.	3.3	73.	124.	8.8	0.0	-1.60	-.70
5072.0	5074.0	A	15.1	282.	3.3	72.	114.	8.8	0.0	-1.60	-.80
5074.0	5076.0	A	16.6	293.	3.3	72.	106.	8.7	0.0	-1.70	-1.40
5076.0	5078.0	A	18.3	282.	3.3	72.	95.	8.6	0.0	-1.90	-1.50
5078.0	5080.0	C	11.6	258.	3.4	72.	84.	8.6	0.0	-1.10	-.50
5080.0	5082.0	B	19.1	259.	3.4	71.	75.	8.7	0.0	-2.10	-1.40
5082.0	5084.0	A	17.8	295.	3.4	71.	66.	8.7	0.0	-.90	-2.00
5084.0	5086.0	A	16.5	293.	3.3	71.	60.	8.8	0.0	-.70	-1.80
5086.0	5088.0	B	15.8	312.	3.3	70.	51.	8.8	0.0	.30	-1.40
5088.0	5090.0	B	16.4	307.	3.3	70.	38.	8.7	0.0	.50	-1.30
5090.0	5092.0	B	17.8	301.	3.3	70.	26.	8.8	0.0	.70	-1.30
5092.0	5094.0	C	16.1	300.	3.3	70.	16.	8.8	0.0	.90	-.90
5094.0	5096.0	B	13.4	294.	3.3	70.	10.	8.8	0.0	.70	-.70
5096.0	5098.0	B	14.3	294.	3.3	70.	3.	8.7	0.0	.90	-.60
5098.0	5100.0	C	17.4	301.	3.3	70.	1.	8.7	0.0	1.40	-.50
5100.0	5102.0	B	18.0	295.	3.3	70.	342.	8.7	0.0	1.70	-.10
5102.6	5104.0	C	5.1	74.	3.3	71.	333.	8.7	0.0	-.50	.60
5113.0	5115.0	C	18.3	289.	3.2	73.	291.	8.6	0.0	2.00	1.30
5116.5	5118.0	C	13.9	274.	3.1	73.	269.	8.7	0.0	1.40	1.00
5118.5	5120.0	C	11.1	295.	3.1	73.	254.	8.7	0.0	.60	1.10
5120.0	5122.0	C	11.3	270.	3.1	73.	242.	8.9	0.0	.90	1.00
5124.0	5126.0	C	4.7	287.	3.2	73.	231.	8.8	0.0	.00	.20
5128.0	5130.0	C	1.8	250.	3.2	73.	218.	8.8	0.0	.00	-.20
5132.0	5134.0	C	14.8	286.	3.3	73.	204.	8.8	0.0	-.10	1.30
5134.0	5136.0	C	21.3	291.	3.3	73.	199.	8.8	0.0	-.60	1.80
5136.0	5138.0	C	15.7	292.	3.3	73.	191.	8.8	0.0	-.70	1.00
5138.0	5140.0	C	18.7	254.	3.3	73.	188.	8.8	0.0	.70	2.10



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3
5140.0	5142.0	C	16.5	273.	3.3	73. 189.	8.8	0.0	-.10	1.50
5142.0	5144.0	C	17.2	278.	3.3	73. 186.	8.8	0.0	-.40	1.40
5144.0	5146.0	C	9.2	226.	3.3	73. 180.	8.8	0.0	.80	.90
5146.0	5148.0	C	12.9	266.	3.3	73. 174.	8.8	0.0	-.20	1.00
5148.0	5150.0	C	10.1	286.	3.3	73. 170.	8.8	0.0	-.60	.30
5151.8	5154.0	B	8.0	262.	3.3	73. 164.	8.7	0.0	-.10	.50
5154.0	5156.0	C	25.9	293.	3.3	73. 160.	8.8	0.0	-2.60	.30
5156.0	5158.0	B	20.2	311.	3.3	73. 154.	8.8	0.0	-2.40	-.90
5164.5	5165.5	C	32.3	304.	3.4	72. 135.	9.0	0.0	-4.40	-2.30
5166.0	5168.0	B	22.1	290.	3.5	72. 135.	9.0	0.0	-2.60	-.80
5168.0	5170.0	A	18.4	297.	3.5	72. 139.	9.0	0.0	-2.10	-.80
5170.0	5172.0	B	18.1	286.	3.5	71. 140.	9.0	0.0	-1.90	-.30
5172.0	5174.0	A	21.0	293.	3.6	71. 139.	8.9	0.0	-2.40	-.70
5174.0	5176.0	A	16.6	293.	3.6	71. 135.	8.8	0.0	-1.80	-.70
5176.0	5178.0	B	18.5	282.	3.6	70. 126.	8.8	0.0	-2.00	-.60
5180.0	5182.0	A	16.4	311.	3.6	70. 104.	8.7	0.0	-1.30	-1.80
5182.0	5184.0	B	11.1	294.	3.6	69. 92.	8.8	0.0	-.80	-1.00
5188.5	5190.0	B	18.0	242.	3.6	68. 72.	8.8	0.0	-2.00	-.80
5192.6	5193.3	B	8.7	262.	3.6	68. 56.	8.8	0.0	-.60	-.60
5193.3	5194.5	A	13.3	294.	3.6	68. 54.	8.8	0.0	-.30	-1.30
5196.0	5198.0	B	17.5	292.	3.6	68. 46.	8.7	0.0	-.30	-1.80
5198.0	5200.0	A	17.2	295.	3.6	68. 43.	8.8	0.0	-.10	-1.70
5200.0	5202.0	B	12.5	296.	3.6	68. 45.	8.8	0.0	.00	-1.10
5202.0	5204.0	C	3.6	284.	3.6	69. 41.	8.8	0.0	.10	.00
5205.0	5205.3	C	1.7	303.	3.6	69. 26.	8.7	0.0	.20	.30
5208.3	5210.0	C	11.6	292.	3.6	70. 1.	8.8	0.0	.70	-.40
5210.0	5212.0	B	10.5	297.	3.6	70. 342.	8.7	0.0	.90	.10
5212.0	5214.0	B	12.0	315.	3.6	70. 331.	8.8	0.0	1.30	.80
5214.0	5216.0	C	16.1	309.	3.5	70. 320.	8.7	0.0	1.80	1.10
5216.0	5218.0	C	5.2	358.	3.5	70. 312.	8.7	0.0	.00	.70
5218.0	5220.0	C	15.0	281.	3.5	70. 304.	8.7	0.0	1.50	.50
5224.0	5226.0	B	16.8	287.	3.5	70. 293.	8.7	0.0	1.80	1.10
5234.0	5236.0	C	11.4	230.	3.5	70. 274.	8.9	0.0	.80	-.40
5241.0	5242.0	C	14.7	270.	3.6	70. 277.	8.8	0.0	1.50	.80
5242.0	5244.0	D	5.1	197.	3.6	70. 272.	8.8	0.0	-.20	-.70
5250.6	5252.0	C	16.4	251.	3.9	71. 267.	8.8	0.0	1.70	.50
5252.0	5254.0	B	17.9	252.	3.9	71. 268.	8.8	0.0	1.90	.60
5256.0	5258.0	C	8.7	267.	3.9	71. 251.	8.8	0.0	.60	.50
5258.0	5259.3	C	12.9	275.	3.9	71. 250.	8.8	0.0	1.00	1.10
5259.3	5260.8	B	14.7	262.	3.9	71. 249.	8.8	0.0	1.40	1.10
5260.8	5262.3	C	14.6	278.	3.9	71. 255.	8.8	0.0	1.20	1.30
5262.3	5264.5	C	15.9	277.	3.9	71. 251.	8.8	0.0	1.30	1.50
5264.5	5266.3	C	17.0	254.	3.9	71. 251.	8.9	0.0	1.80	1.10
5266.3	5268.0	A	17.5	258.	3.9	71. 249.	8.8	0.0	1.80	1.30
5268.0	5270.0	C	20.5	266.	3.9	71. 241.	8.7	0.0	1.90	2.00
5270.0	5272.0	C	20.2	270.	3.9	71. 235.	8.7	0.0	1.60	2.10
5272.0	5274.0	C	20.2	275.	3.9	71. 242.	8.7	0.0	1.60	2.10
5274.0	5276.0	B	18.2	264.	3.9	71. 250.	8.7	0.0	1.80	1.50
5278.3	5280.0	C	18.0	285.	4.0	71. 259.	8.8	0.0	1.50	1.80
5286.0	5288.0	B	18.0	266.	4.0	71. 252.	8.9	0.0	1.80	1.50
5288.0	5290.0	B	15.0	288.	4.0	71. 253.	9.0	0.0	1.00	1.50
5290.0	5292.3	C	16.8	272.	4.1	71. 258.	8.9	0.0	1.60	1.40
5292.3	5294.0	B	16.9	275.	4.1	71. 261.	8.9	0.0	1.60	1.40
5294.0	5296.0	B	16.9	277.	4.2	71. 264.	8.9	0.0	1.60	1.40
5296.0	5298.0	B	16.8	288.	4.3	71. 256.	8.9	0.0	1.20	1.70



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
5298.0	5299.9	A	15.9	268.	4.3	71.	256.	8.9	0.0	1.50	1.20
5300.0	5302.0	B	18.3	271.	4.4	72.	253.	8.9	0.0	1.70	1.60
5302.0	5303.5	C	21.2	256.	4.4	72.	241.	8.8	0.0	2.20	1.80
5310.0	5312.0	B	16.8	269.	4.6	75.	199.	8.9	0.0	.40	1.60
5312.0	5314.0	B	21.4	267.	4.7	75.	203.	8.9	0.0	.80	2.30
5314.0	5316.0	C	19.7	284.	4.8	75.	206.	9.0	0.0	.00	1.80
5318.0	5320.0	B	18.3	257.	4.9	75.	201.	8.9	0.0	1.00	1.90
5320.0	5322.0	A	17.7	255.	4.9	75.	189.	8.9	0.0	.70	1.80
5322.0	5324.0	B	16.9	249.	4.9	75.	178.	8.8	0.0	.60	1.70
5324.0	5325.0	C	11.7	275.	4.9	75.	174.	8.8	0.0	-.30	.60
5332.0	5334.0	A	17.0	270.	5.0	75.	165.	8.8	0.0	-.60	1.00
5334.0	5336.0	B	10.5	234.	5.0	75.	157.	8.8	0.0	.50	1.00
5338.0	5340.0	B	20.0	275.	5.2	75.	145.	8.7	0.0	-1.50	.40
5340.0	5342.0	B	18.6	274.	5.2	75.	142.	8.8	0.0	-1.40	.30
5342.0	5344.0	B	19.8	264.	5.2	75.	139.	8.9	0.0	-1.30	.70
5344.0	5346.0	B	18.8	281.	5.2	75.	148.	8.9	0.0	-1.50	.20
5346.0	5348.0	B	15.5	270.	5.3	75.	152.	8.9	0.0	-.80	.60
5348.5	5350.3	C	16.2	249.	5.3	75.	145.	8.8	0.0	-.30	1.20
5350.3	5352.0	C	9.5	260.	5.3	75.	141.	8.7	0.0	-.20	.40
5352.0	5356.0	B	19.7	282.	5.3	77.	148.	8.9	0.0	-1.60	.20
5356.0	5358.0	B	19.3	288.	5.3	78.	159.	8.9	0.0	-1.50	.30
5358.0	5360.0	B	22.7	287.	5.3	79.	148.	8.9	0.0	-2.10	.00
5362.0	5364.0	B	29.1	292.	5.5	79.	174.	8.8	0.0	-2.10	1.20
5364.0	5366.0	B	18.9	284.	5.6	79.	174.	8.7	0.0	-.90	.90
5366.0	5368.0	B	24.1	289.	5.6	79.	172.	8.7	0.0	-1.60	.90
5374.0	5376.0	C	29.9	321.	5.8	80.	155.	8.9	0.0	-3.70	-2.00
5378.0	5380.3	C	20.1	11.	5.8	81.	169.	8.8	0.0	-2.00	-2.80
5380.3	5382.5	C	45.2	323.	5.8	81.	164.	8.7	0.0	-6.50	-2.50
5390.0	5392.0	C	9.1	156.	5.9	81.	165.	8.8	0.0	1.70	.30
5392.0	5394.0	C	12.1	139.	6.0	81.	159.	8.9	0.0	2.20	.30
5394.0	5395.0	C	4.8	198.	6.0	81.	152.	9.0	0.0	1.00	.50
5398.0	5400.0	C	21.6	158.	6.1	81.	165.	8.8	0.0	3.60	1.30
5409.0	5411.0	C	11.6	212.	6.3	78.	163.	8.8	0.0	1.30	1.20
5412.0	5414.0	C	10.6	213.	6.4	78.	139.	8.9	0.0	.90	1.30
5420.6	5422.4	C	13.3	202.	6.6	78.	96.	8.7	0.0	.10	1.60
5428.0	5430.0	C	14.7	82.	6.7	78.	60.	8.8	0.0	2.40	2.70
5430.0	5432.0	C	25.9	41.	6.7	78.	50.	8.8	0.0	4.30	2.80
5436.0	5437.0	D	13.1	207.	6.7	78.	47.	8.8	0.0	-1.30	.30
5449.6	5450.3	C	13.3	202.	6.6	76.	35.	8.8	0.0	-1.50	.10
5457.7	5458.4	B	27.3	244.	6.8	76.	36.	8.8	0.0	-2.70	-2.60
5463.6	5463.7	C	45.8	286.	6.8	76.	34.	8.6	0.0	-.80	-5.60
5464.0	5464.7	C	43.1	272.	6.8	76.	34.	8.7	0.0	-2.20	-5.50
5470.0	5470.7	C	23.5	274.	6.7	76.	22.	8.9	0.0	-.40	-2.20
5479.0	5479.7	C	36.2	275.	6.7	75.	17.	9.0	0.0	-.20	-3.90
5504.5	5504.9	B	47.0	266.	6.9	75.	4.	8.9	0.0	-.10	-5.70
5505.7	5507.5	C	28.1	272.	6.9	75.	15.	8.8	0.0	-.30	-2.70
5510.3	5511.7	C	7.6	246.	6.8	75.	5.	8.8	0.0	-.50	-.30
5514.3	5515.0	A	37.6	250.	6.9	75.	6.	8.9	0.0	-1.80	-4.70