



RECEIVED-PTLD

NOV 18 1980

DEPT OF GEOLOGY  
& MINERAL INDUS

## DIP LOG CALCULATIONS

COMPANY REICHHOLD ENERGY CORPORATION  
WELL CROWN ZELLERBACH 22-6  
FIELD MIST NEHALEM BASIN  
COUNTY COLUMBIA STATE OREGON

**WELEX**

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DREF ANGLE	DREF AZ.	AZ. 00.1	OIA 15	DIA 24	HIC	HIS	H2A
470.0	A	10.4	247.	3.0	160.	47.	6.2	0.0	-2.20	.01	1.40
480.0	A	11.8	246.	3.1	169.	46.	6.2	0.0	-2.20	.02	1.54
490.0	B	25.0	123.	3.2	189.	46.	6.2	0.4	-2.76	-0.60	-1.54
477.2	C	42.4	290.	4.0	170.	31.	6.2	0.0	3.48	1.93	4.80
479.9	B	26.0	270.	4.1	170.	31.	6.2	0.0	-2.30	1.50	3.12
500.0	C	17.0	124.	5.2	170.	28.	6.1	0.0	-2.29	1.20	-0.01
534.0	C	30.0	1.	6.9	179.	37.	6.1	0.2	3.29	-0.00	-2.63
535.9	C	30.7	539.	7.0	179.	42.	6.2	0.2	3.80	-0.00	-0.01
550.1	C	17.0	155.	8.4	170.	30.	6.0	0.2	-2.74	-0.00	-0.01
600.0	C	18.0	287.	10.9	169.	72.	6.2	0.0	-0.60	.00	2.16
610.1	C	12.2	9.	11.0	169.	70.	6.2	0.1	.12	-2.13	-0.01
620.0	C	23.8	73.	11.2	179.	61.	6.1	0.0	-0.71	.07	-2.10
625.9	B	37.0	34.	11.0	170.	60.	6.2	0.1	4.37	2.49	-4.60
630.1	A	34.1	110.	11.3	173.	59.	6.2	0.0	-3.85	.01	-3.00
634.0	C	4.4	504.	12.0	170.	57.	6.2	0.0	-0.30	.00	.89
644.2	C	21.0	60.	12.6	170.	48.	6.2	0.1	-0.90	-2.30	-1.60
664.0	A	16.0	122.	13.6	173.	24.	6.2	0.1	-2.60	1.50	.07
660.0	A	16.4	116.	13.8	173.	21.	6.2	0.1	-2.70	1.44	.85
660.0	B	12.1	119.	13.8	174.	18.	6.2	0.0	-2.30	1.50	1.00
670.0	C	16.1	120.	13.8	176.	16.	6.2	0.0	-2.60	1.50	1.50
671.9	C	4.2	154.	13.9	177.	16.	6.2	0.0	-0.90	1.70	1.00
675.9	B	6.6	103.	13.9	170.	16.	6.1	0.0	-1.41	1.57	1.70
675.9	C	11.0	119.	14.1	177.	17.	6.1	0.0	-1.71	1.69	1.07
677.9	C	11.4	120.	14.2	170.	17.	6.0	0.0	-1.77	1.51	1.49
679.9	C	11.2	127.	14.2	170.	17.	6.1	0.0	-1.70	2.00	1.47
687.9	B	6.1	130.	14.2	170.	17.	6.2	0.0	-1.01	1.09	2.11
689.9	C	13.7	162.	14.0	170.	17.	6.2	0.0	-2.00	1.91	2.47
697.9	C	14.0	147.	14.0	170.	17.	6.2	0.0	-2.00	1.91	2.47
699.9	C	13.9	133.	15.0	170.	14.	6.1	0.0	-2.67	1.90	2.00
701	C	13.9	106.	15.2	170.	19.	6.0	0.0	-2.00	1.40	.97
703	C	15.1	120.	15.9	177.	19.	6.0	0.0	-2.37	1.32	1.57
705	B	3.7	137.	15.9	177.	20.	6.0	0.0	-1.10	2.20	1.60
707	C	17.3	133.	16.0	170.	21.	6.0	0.0	-2.79	1.50	1.67
709	C	14.9	80.	16.1	170.	21.	6.0	0.0	-1.10	.00	-0.00
710.0	C	15.0	50.	16.2	170.	21.	6.1	0.0	-1.10	.59	-0.00
710.0	C	12.4	89.	16.2	174.	21.	6.1	0.0	-1.71	.61	.30
714.9	C	7.0	104.	16.4	170.	22.	6.1	0.0	-1.50	.70	1.21
716.0	B	23.6	113.	16.5	170.	22.	6.1	0.0	-3.40	.71	.73
719.9	C	11.1	116.	16.9	170.	22.	6.1	0.0	-2.00	1.59	1.20
720.0	C	26.0	124.	16.9	170.	22.	6.1	0.0	-4.00	2.80	1.20
722.0	C	19.7	109.	17.0	170.	22.	6.1	0.1	-2.97	1.77	.70
724.0	B	21.1	50.	17.1	172.	22.	6.1	0.0	1.21	.64	.00
726.0	C	14.3	140.	17.2	170.	21.	6.0	0.4	-2.61	2.30	2.10
729.9	C	16.3	131.	17.3	170.	21.	6.1	0.4	-2.80	2.21	2.44
730.0	B	16.2	117.	17.3	170.	21.	6.0	0.0	-3.01	1.80	1.20
730.9	B	33.9	133.	17.4	177.	22.	6.0	0.0	-5.80	4.90	1.80
730.0	B	4.1	60.	17.4	177.	27.	6.0	0.4	-1.30	.00	1.20
731.0	C	23.4	212.	17.5	177.	42.	6.1	0.4	-3.10	4.20	4.20
734.0	C	16.0	160.	17.6	177.	40.	6.2	0.4	-4.00	1.90	1.74
738.0	B	16.7	149.	17.8	177.	33.	6.1	0.0	-4.07	1.80	.50
740.0	B	17.1	165.	17.8	170.	61.	6.1	0.0	-4.07	1.70	.00

Welox does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welox personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welox is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DREIF ANGLE	DREIF AZ.	AZ. NO.1	DIA 15	DIA 29	DIA 412	DIA 415	DIA 424
780.0	0	15.9	164.	17.0	170.	71.	0.1	0.5	-3.99	1.10	.01
784.0	0	10.0	170.	17.0	177.	77.	0.2	0.5	-3.24	1.32	-.01
786.0	0	7.8	175.	17.9	170.	80.	0.2	0.5	-2.97	1.02	-.00
788.0	0	2.0	90.	17.9	177.	80.	0.2	0.5	-2.01	1.00	.00
790.0	0	29.1	190.	18.0	177.	81.	0.2	0.5	-1.10	-1.20	3.85
797.9	0	51.4	10.	18.3	170.	89.	0.2	0.5	2.69	-.01	-.01
800.1	0	35.0	125.	18.5	170.	90.	0.2	0.5	-3.55	1.04	-5.00
802.2	0	35.5	152.	18.4	170.	90.	0.2	0.5	-0.14	1.04	-4.52
805.9	0	16.4	11.	18.6	175.	90.	0.2	0.2	-.90	1.95	-.00
810.5	0	31.8	115.	18.7	174.	91.	0.2	0.2	-7.30	-4.61	.04
811.6	0	29.1	104.	18.7	174.	91.	0.2	0.2	-0.85	7.90	-.00
814.0	0	10.5	12.	18.7	170.	90.	0.2	0.2	-.90	1.61	-.00
816.0	0	10.9	130.	18.8	170.	91.	0.2	0.2	-3.25	1.02	.50
818.0	0	10.7	11.	18.9	176.	92.	0.2	0.2	-.90	1.49	.00
820.2	0	30.0	105.	18.9	170.	94.	0.2	0.2	-.79	.00	-5.21
823.9	0	21.0	320.	19.0	175.	97.	0.2	0.2	-.81	.90	1.60
826.1	0	19.9	109.	19.1	170.	104.	0.2	0.1	-1.09	-.00	-1.90
830.1	0	8.6	106.	19.2	175.	105.	0.2	0.1	-3.07	.64	-.92
832.1	0	5.5	105.	19.3	172.	106.	0.2	0.1	-2.00	.01	-1.29
834.1	0	5.9	158.	19.3	170.	105.	0.2	0.1	-2.42	.01	-1.00
836.1	0	7.4	164.	19.4	175.	106.	0.2	0.1	-2.59	-.00	-1.61
840.4	0	59.0	98.	19.5	175.	106.	0.2	0.1	.00	-0.94	-3.30
844.0	0	14.5	7.	19.6	170.	107.	0.2	0.1	-.60	.85	.01
846.1	0	14.0	3.	19.7	170.	108.	0.2	0.1	-.61	-3.27	.00
848.1	0	21.3	91.	19.8	170.	109.	0.2	0.1	-.50	-.01	-2.01
850.2	0	22.0	155.	19.8	175.	110.	0.2	0.1	-4.80	-.00	-2.70
854.0	0	15.0	507.	20.1	174.	112.	0.2	0.1	-2.07	.00	.70
856.0	0	11.0	116.	20.1	175.	112.	0.2	0.1	-1.28	.01	-.01
867.0	0	24.3	62.	20.6	171.	115.	0.2	0.0	7.05	-2.24	-3.79
870.1	0	31.0	64.	20.7	170.	114.	0.2	0.0	0.30	-2.25	-4.07
880.1	0	11.1	182.	20.7	171.	114.	0.2	0.0	-2.01	-.00	-2.54
882.1	0	12.7	195.	20.7	175.	114.	0.2	0.0	-3.43	.00	-2.07
884.1	0	3.2	107.	20.7	175.	114.	0.2	0.0	-2.83	-.00	-1.60
886.1	0	0.1	171.	20.8	174.	116.	0.2	0.0	-2.39	-.01	-1.00
888.1	0	4.5	121.	20.9	175.	116.	0.2	0.0	-1.79	-.00	-1.64
890.1	0	6.3	154.	21.0	174.	117.	0.2	0.0	-2.57	.00	-1.80
892.1	0	7.5	199.	21.1	174.	118.	0.2	0.0	-2.77	-.00	-1.62
894.1	0	4.2	103.	21.3	174.	119.	0.2	0.0	-1.64	-.00	-1.70
896.1	0	0.9	104.	21.4	174.	120.	0.2	0.0	-2.70	-.01	-1.85
898.1	0	1.1	105.	21.4	174.	123.	0.2	0.0	-1.90	-.00	-1.40
900.1	0	4.3	198.	21.5	175.	125.	0.2	0.0	-2.17	.00	-1.90
902.1	0	20.5	152.	21.6	172.	127.	0.2	0.0	-1.09	-.00	-0.45
905.9	0	27.1	64.	21.7	171.	127.	0.2	0.0	5.61	.70	-2.47
906.2	0	16.1	145.	21.8	172.	127.	0.2	0.1	-1.70	-1.21	-3.92
908.2	0	15.6	142.	21.8	172.	127.	0.2	0.1	-1.02	-1.10	-3.51
930.1	0	8.6	194.	22.5	175.	133.	0.1	0.1	-2.32	-.01	-2.85
934.1	0	16.5	125.	22.5	175.	135.	0.1	0.1	-.59	-1.37	-3.70
936.2	0	11.0	180.	22.5	175.	137.	0.1	0.1	-1.02	-1.31	-3.40
940.1	0	14.5	67.	22.5	171.	141.	0.0	0.1	.40	-1.21	-1.90
940.5	0	33.2	131.	22.6	171.	141.	0.0	0.1	1.25	-3.67	-6.77
946.5	0	21.5	159.	22.7	171.	142.	0.0	0.1	-3.29	-7.26	-4.67

Weflex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Weflex personnel or which may appear on the log drill any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Weflex is not responsible, except waste due to gross negligence or willful misconduct, for any loss, damage, or expense resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 15	DIA 24	H12	H15	H24
950.1	L	17.8	112.	22.8	169.	142.	6.1	6.2	.51	-2.00	-3.00
952.1	A	16.1	102.	22.0	168.	142.	6.0	6.1	.51	-1.65	-3.24
954.2	A	11.0	158.	22.8	169.	141.	6.1	6.1	-1.22	-1.94	-3.69
956.1	L	5.4	140.	22.9	169.	140.	6.1	6.1	-1.10	-.06	-2.91
957.9	L	20.6	56.	22.9	168.	139.	6.1	6.1	3.70	1.05	1.05
960.2	S	25.2	120.	22.9	169.	137.	6.2	6.1	.40	-2.27	-4.22
963.1	S	26.4	114.	25.0	167.	137.	6.2	6.1	.40	-1.47	-4.27
974.9	L	35.2	70.	25.1	167.	125.	6.3	6.1	2.57	-.00	-2.92
976.1	L	14.6	94.	25.1	168.	122.	6.2	6.1	-.56	.00	-3.02
984.1	L	19.0	85.	25.2	170.	125.	6.8	6.5	-.11	.00	-2.86
992.1	L	15.9	80.	25.5	175.	132.	6.7	6.5	-.30	-1.47	-2.81
994.1	S	5.0	166.	25.5	175.	132.	6.7	6.5	-1.96	-.00	-2.50
996.1	S	18.9	79.	25.2	176.	135.	6.7	6.5	-.51	.00	-2.46
998.1	S	18.5	82.	25.1	175.	138.	6.7	6.5	.50	-.00	-2.75
1000.2	S	21.7	159.	25.1	175.	139.	6.7	6.5	-1.62	.00	-5.95
1002.1	S	27.4	130.	25.1	171.	140.	6.8	6.5	.50	-.00	-6.21
1006.1	S	10.0	144.	25.1	173.	139.	6.4	6.5	-1.19	-1.20	-3.56
1008.1	S	8.8	143.	25.1	175.	142.	6.5	6.5	-1.20	-.62	-3.25
1010.1	S	8.5	161.	25.1	176.	145.	6.5	6.5	-1.54	-.01	-3.02
1014.1	S	15.4	102.	25.0	172.	150.	6.7	6.5	.79	-1.51	-3.42
1016.1	S	15.5	103.	25.0	172.	150.	6.7	6.5	.79	-1.51	-3.46
1018.2	L	19.7	125.	25.0	175.	151.	6.7	6.5	.79	-2.34	-4.60
1020.1	L	17.0	118.	25.0	175.	152.	6.7	6.5	.69	-1.52	-3.99
1022.1	L	15.0	90.	22.9	175.	153.	6.8	6.5	.60	-1.00	-2.61
1023.6	L	36.1	45.	22.6	175.	155.	6.8	6.5	4.36	5.06	2.54
1025.9	A	58.6	52.	22.8	171.	140.	6.8	6.5	1.82	-.00	1.20
1026.1	S	25.0	20.	22.8	170.	155.	6.5	6.5	.96	-1.69	-.00
1030.1	S	15.7	115.	22.7	171.	154.	6.5	6.5	.88	-1.44	-3.75
1032.1	S	21.2	117.	22.7	173.	153.	6.5	6.5	.88	-1.44	-3.80
1034.1	S	20.7	118.	22.7	173.	153.	6.5	6.5	.88	-1.44	-3.85
1036.1	S	20.2	119.	22.7	173.	153.	6.5	6.5	.88	-1.44	-3.90
1038.1	S	19.7	120.	22.7	173.	153.	6.5	6.5	.88	-1.44	-3.95
1040.9	L	25.9	140.	22.8	174.	152.	6.5	6.5	.70	-1.99	-3.99
1042.1	L	19.9	126.	22.8	175.	152.	6.5	6.5	.65	-1.60	-4.29
1044.2	S	18.7	129.	22.8	176.	153.	6.5	6.5	.69	-1.95	-4.24
1046.2	S	14.7	158.	22.8	176.	154.	6.2	6.5	-.47	-2.14	-4.61
1048.1	L	10.7	141.	22.9	176.	155.	6.2	6.5	-.25	-1.61	-3.50
1050.1	L	14.1	100.	22.9	176.	156.	6.2	6.2	.70	-1.37	-2.65
1052.1	S	14.5	106.	22.9	176.	157.	6.5	6.2	.60	-1.47	-3.06
1062.1	L	15.0	122.	22.8	176.	159.	6.1	6.5	.50	-1.72	-3.51
1064.1	L	14.5	141.	22.9	177.	159.	6.2	6.5	.60	-1.19	-4.60
1066.1	L	13.6	110.	22.9	176.	162.	6.2	6.2	.90	-1.15	-3.06
1070.1	L	14.6	125.	22.9	176.	162.	6.2	6.5	.90	-1.15	-3.50
1072.1	L	14.2	125.	22.9	177.	163.	6.1	6.2	.90	-1.57	-3.45
1076.2	L	14.4	162.	22.9	175.	173.	6.3	6.5	1.20	-3.29	-5.04
1082.1	L	15.2	140.	22.9	175.	174.	6.5	6.5	1.51	-1.75	-3.76
1084.1	L	12.3	154.	25.0	174.	174.	6.4	6.5	1.51	-1.77	-3.57
1086.2	L	9.4	194.	25.0	175.	174.	6.4	6.5	-.06	-2.56	-4.07
1088.1	L	20.5	122.	25.1	175.	175.	6.4	6.5	2.55	-2.56	-3.66
1090.1	S	16.2	117.	25.1	175.	175.	6.4	6.5	1.91	-2.26	-3.25
1092.2	S	19.0	133.	25.1	177.	173.	6.2	6.5	2.10	-4.05	-4.05
1094.5	L	17.1	196.	25.1	177.	173.	6.2	6.5	-.51	-4.60	-5.24
1100.0	L	34.6	247.	25.5	177.	177.	6.2	6.5	-4.42	6.00	-6.72
1104.2	L	9.9	180.	25.5	176.	160.	6.5	6.5	.65	-3.15	-4.00
1106.2	L	12.5	210.	25.5	176.	181.	6.5	6.5	.00	-3.54	-4.44




Walex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Walex personnel of which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Walex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	LOGR. GRADE	DIP ANGLE	DIP AZ.	DREF ANGLE	DREF AZ.	AZ. 00.1	DIA 13	DIA 20	DIA H12	DIA H15	DIA H24
1111.9	0	50.0	103.	25.1	173.	102.	6.3	6.3	5.53	-.01	-2.35
1114.3	0	18.9	211.	23.6	173.	102.	6.3	6.3	.00	-4.44	-5.57
1124.0	0	50.0	73.	23.6	175.	104.	6.3	6.3	2.00	-.00	-1.24
1126.0	0	19.1	127.	23.7	175.	101.	6.3	6.3	2.60	-.00	-3.49
1128.1	0	27.0	124.	23.7	176.	101.	6.3	6.3	0.00	-2.60	-3.70
1130.0	0	42.4	60.	23.7	176.	100.	6.2	6.3	3.20	-3.29	1.32
1135.9	0	36.2	112.	23.7	176.	104.	6.3	6.3	5.00	-.00	-2.02
1136.1	0	16.7	247.	23.7	175.	105.	6.3	6.3	-1.01	-.00	-4.54
1140.2	0	10.5	180.	23.7	175.	106.	6.3	6.3	1.10	-2.65	-4.10
1142.2	0	9.0	200.	23.7	173.	107.	6.3	6.3	.00	-2.61	-4.10
1150.2	0	16.1	162.	23.7	173.	105.	6.2	6.3	2.17	-2.55	-4.45
1154.1	0	11.7	142.	23.8	173.	105.	6.2	6.3	1.75	-2.02	-3.44
1156.5	0	12.4	227.	23.8	173.	105.	6.2	6.3	-.00	-3.94	-4.55
1160.2	0	16.9	214.	23.9	176.	105.	6.1	6.3	.00	-2.94	-5.54
1168.5	0	33.7	261.	23.9	174.	106.	6.2	6.3	-3.00	-3.19	-5.51
1170.0	0	27.0	62.	23.9	174.	106.	6.2	6.3	2.30	-.01	.00
1170.2	0	21.5	194.	23.9	175.	106.	6.2	6.3	1.31	-2.04	-6.17
1179.9	0	35.8	357.	23.9	176.	107.	6.2	6.3	1.32	-.00	2.24
1185.9	0	75.3	356.	24.0	175.	108.	6.2	6.3	1.02	-2.95	7.34
1186.2	0	11.8	151.	24.0	176.	108.	6.2	6.3	1.87	-2.97	-3.60
1188.1	0	6.7	143.	24.0	173.	108.	6.2	6.3	1.05	-2.61	-3.20
1190.2	0	10.5	213.	23.9	174.	108.	6.2	6.3	.00	-2.50	-4.10
1196.1	0	10.5	101.	24.0	174.	109.	6.2	6.3	1.00	-1.95	-2.30
1198.1	0	9.4	148.	24.0	173.	109.	6.2	6.3	1.91	-1.24	-3.22
1202.2	0	7.6	179.	24.1	172.	109.	6.2	6.3	1.37	-2.55	-3.00
1206.0	0	9.4	105.	24.1	172.	109.	6.2	6.3	1.90	-.00	-2.40
1210.2	0	9.8	161.	24.2	172.	108.	6.2	6.3	1.72	-2.77	-3.64
1212.0	0	11.4	174.	24.2	171.	109.	6.2	6.3	1.00	-1.95	-2.30
1214.0	0	11.7	157.	24.3	172.	109.	6.2	6.3	1.50	-.01	-2.00
1216.0	0	10.2	157.	24.3	172.	109.	6.2	6.3	2.19	-2.19	-3.04
1230.1	0	11.3	155.	24.3	172.	109.	6.2	6.3	2.40	-2.91	-3.97
1232.1	0	3.5	75.	24.4	172.	109.	6.2	6.3	1.35	-2.40	-2.30
1234.1	0	1.1	353.	24.5	171.	103.	6.2	6.3	.90	-1.81	-2.50
1236.1	0	1.5	190.	24.5	173.	102.	6.1	6.3	1.00	-1.04	-2.60
1238.1	0	9.4	162.	24.5	173.	103.	6.1	6.3	1.95	-2.70	-3.30
1240.2	0	13.9	169.	24.6	173.	103.	6.2	6.3	2.41	-3.40	-4.10
1242.1	0	10.7	115.	24.6	174.	106.	6.2	6.3	2.40	-3.30	-2.40
1244.2	0	9.5	200.	24.6	173.	106.	6.2	6.3	1.57	-3.09	-3.95
1246.2	0	9.9	203.	24.6	172.	106.	6.2	6.3	1.54	-3.21	-3.94
1248.2	0	11.2	200.	24.6	172.	106.	6.1	6.3	1.40	-2.59	-4.15
1250.2	0	16.5	204.	24.6	173.	106.	6.1	6.3	1.75	-3.27	-5.04
1252.2	0	16.7	204.	24.6	173.	107.	6.1	6.3	1.60	-3.20	-5.00
1255.9	0	42.3	59.	24.5	175.	107.	6.1	6.3	2.02	-.00	2.21
1256.1	0	12.3	166.	24.6	174.	106.	6.1	6.3	2.49	-2.69	-3.73
1258.1	0	11.1	166.	24.6	172.	200.	6.2	6.3	2.25	-2.72	-3.62
1259.0	0	60.0	74.	24.5	166.	109.	6.2	6.3	6.41	-1.17	5.10
1261.9	0	60.4	61.	24.6	166.	107.	6.1	6.3	4.45	-1.45	5.30
1266.5	0	35.9	280.	24.6	169.	104.	6.1	6.3	-3.34	-3.75	-4.55
1272.1	0	25.3	231.	24.6	176.	103.	6.1	6.3	-.00	-.00	-6.44
1282.0	0	46.7	126.	24.8	174.	102.	6.0	6.3	10.15	-2.39	-3.84
1284.2	0	15.0	211.	24.8	175.	103.	6.0	6.3	1.05	-2.92	-4.97

Waflex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Waflex personnel of which may appear on the log drill or any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Waflex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damage, or expense resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRT ANGLE	DRT AZ.	AZ. NO. 1	DIA 15	DIA 24	H12	H15	H24
1280.2	C	24.9	265.	24.8	173.	193.	0.1	0.3	1.91	-3.24	-6.06
1280.1	S	19.5	161.	24.8	171.	194.	0.1	0.3	2.31	-2.96	-3.53
1290.1	S	19.3	162.	24.8	169.	194.	0.1	0.3	2.41	-2.95	-3.54
1292.1	S	19.6	163.	24.8	169.	194.	0.2	0.3	2.37	-2.84	-3.35
1294.2	S	9.2	181.	24.8	169.	194.	0.2	0.3	1.93	-2.98	-3.86
1296.1	S	9.7	174.	24.9	169.	194.	0.2	0.3	2.13	-2.76	-3.63
1298.1	S	7.0	175.	24.9	169.	194.	0.2	0.3	1.93	-2.65	-3.45
1300.2	S	6.6	202.	25.0	169.	193.	0.1	0.3	1.40	-2.94	-3.50
1304.3	C	18.3	189.	25.1	171.	192.	0.1	0.3	2.22	-6.73	-5.37
1306.2	S	17.6	160.	25.1	171.	192.	0.1	0.3	2.92	-3.63	-4.75
1308.2	S	8.5	210.	25.1	171.	192.	0.1	0.3	1.00	-3.42	-3.55
1310.4	C	12.0	257.	25.1	171.	192.	0.1	0.3	-.00	-7.10	-3.60
1314.1	S	12.0	144.	25.1	170.	192.	0.1	0.3	2.70	-2.85	-3.42
1316.1	S	4.0	194.	25.1	169.	192.	0.1	0.3	1.26	-2.53	-3.16
1318.1	S	3.8	267.	25.2	169.	192.	0.1	0.3	.74	-2.15	-2.92
1320.1	A	3.0	35.	25.2	169.	192.	0.1	0.3	1.17	-1.62	-2.20
1322.1	S	4.5	5.	25.3	168.	192.	0.1	0.3	.96	-1.52	-2.13
1324.1	C	4.5	50.	25.4	169.	192.	0.1	0.3	1.55	-2.00	-2.31
1326.1	A	4.5	152.	25.4	170.	192.	0.1	0.3	1.76	-1.80	-2.35
1328.1	S	4.9	136.	25.3	169.	191.	0.1	0.3	1.75	-1.85	-2.35
1332.1	C	1.7	109.	25.4	170.	191.	0.1	0.3	1.27	-2.67	-2.67
1334.1	C	5.2	310.	25.4	170.	190.	0.1	0.3	.46	-1.55	-2.31
1336.1	C	8.3	312.	25.3	171.	190.	0.1	0.3	.01	-1.55	-2.30
1340.1	S	23.3	103.	25.6	172.	189.	0.1	0.3	4.10	-4.45	-2.04
1350.3	C	20.2	100.	25.6	172.	188.	0.1	0.3	3.23	-6.53	-2.05
1354.2	S	3.1	155.	25.6	171.	189.	0.1	0.3	1.09	-3.04	-3.09
1356.1	C	27.9	109.	25.6	172.	189.	0.1	0.3	4.61	-3.76	-2.21
1358.1	S	23.0	171.	25.7	171.	189.	0.1	0.3	1.23	-1.81	-1.71
1360.1	S	9.5	239.	25.9	169.	189.	0.1	0.3	1.21	-1.81	-1.81
1370.1	S	17.9	143.	25.9	169.	189.	0.1	0.3	2.53	-2.53	-2.53
1374.1	S	14.3	143.	25.9	169.	189.	0.1	0.3	2.53	-2.53	-2.53
1378.1	S	14.3	143.	25.9	169.	189.	0.1	0.3	2.53	-2.53	-2.53
1390.1	S	14.3	143.	25.9	169.	189.	0.1	0.3	2.53	-2.53	-2.53
1401.5	S	79.7	47.	25.9	173.	198.	0.1	0.2	2.41	7.66	6.99
1404.3	C	8.0	137.	26.1	173.	198.	0.1	0.2	2.39	-6.96	-2.94
1405.9	C	07.2	47.	26.2	172.	198.	0.1	0.2	2.27	-1.95	3.74
1408.1	C	5.1	64.	26.2	171.	198.	0.1	0.2	1.02	-1.90	-2.12
1412.3	C	38.3	219.	26.2	172.	198.	0.1	0.2	1.61	-2.39	-11.60
1414.2	C	6.3	64.	26.2	172.	198.	0.1	0.2	1.61	-3.93	-2.02
1422.0	C	13.4	335.	26.3	170.	197.	0.1	0.2	-.00	.00	-1.80
1425.7	C	36.1	124.	26.4	171.	197.	0.1	0.2	16.27	.01	-2.70
1426.0	S	24.0	41.	26.4	172.	197.	0.1	0.2	1.37	-.00	.02
1426.0	A	26.4	52.	26.3	172.	197.	0.1	0.2	1.93	-.02	-.01
1430.1	C	10.3	111.	26.5	172.	197.	0.1	0.2	2.57	-2.60	-2.42
1432.1	C	17.1	117.	26.4	172.	197.	0.1	0.3	3.52	-3.17	-2.44
1434.1	C	24.1	114.	26.4	173.	197.	0.1	0.3	4.51	-3.22	-2.17
1436.1	C	13.1	91.	26.5	172.	197.	0.1	0.3	2.59	-2.80	-1.65
1442.1	A	4.7	123.	26.7	175.	193.	0.1	0.3	1.59	-2.07	-3.00
1444.1	A	7.2	191.	26.7	173.	197.	0.1	0.2	1.71	-2.31	-3.76
1446.2	A	14.2	220.	26.7	171.	199.	0.1	0.2	1.25	-3.37	-4.74
1448.1	C	3.3	106.	26.7	171.	198.	0.1	0.2	1.82	-2.65	-2.56
1450.1	S	7.4	117.	26.5	171.	196.	0.0	0.2	2.26	-2.50	-2.62
1452.1	C	8.3	120.	26.8	172.	194.	0.0	0.3	2.32	-2.76	-2.70
1454.1	C	9.0	116.	26.7	174.	192.	0.0	0.3	2.13	-2.45	-2.79
1456.2	C	16.6	185.	26.8	176.	192.	0.0	0.3	2.12	-4.14	-5.25
1457.5	C	16.3	204.	26.6	177.	191.	0.0	0.3	1.20	13.62	-5.36




Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel of which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	LOGG. GRAIN	DIP ANGLE	DIP AZ.	DREF ANGLE	DREF AZ.	AZ. NU. 1	DIA 15	DIA 24	H12	H13	H24
1460.2	B	15.4	195.	26.8	177.	191.	6.0	6.3	.96	-2.44	-3.73
1462.2	B	3.3	189.	26.9	177.	191.	6.0	6.3	.96	-2.45	-3.43
1464.0	C	4.3	47.	26.9	177.	193.	6.0	6.3	.99	-.01	-2.91
1466.0	B	19.6	70.	27.0	176.	194.	6.1	6.3	2.29	-.01	-1.00
1468.1	A	6.3	162.	27.0	174.	196.	6.1	6.3	1.86	-2.36	-3.44
1470.1	A	6.3	173.	27.0	173.	196.	6.0	6.2	1.89	-2.37	-3.47
1471.9	C	52.3	125.	27.0	172.	197.	6.0	6.2	6.53	-.00	-2.96
1476.2	C	53.3	240.	27.1	173.	194.	6.6	6.2	-1.27	.69	-8.46
1490.0	C	27.4	89.	27.3	174.	194.	6.0	6.2	2.36	-.06	-.00
1496.2	C	11.0	250.	27.3	176.	192.	6.0	6.2	.01	-2.42	-4.20
1498.2	C	11.0	250.	27.3	176.	192.	6.0	6.2	.00	-2.33	-4.17
1506.1	C	40.1	134.	27.2	175.	192.	6.0	6.2	6.36	-3.85	-4.96
1508.0	A	27.1	14.	27.2	175.	192.	6.0	6.2	-.03	-.03	-.03
1510.0	A	27.1	16.	27.3	177.	193.	6.0	6.2	-.03	-.03	-.03
1512.1	C	11.1	282.	27.3	177.	193.	6.0	6.2	.00	-.01	-4.16
1515.6	B	78.2	76.	27.4	177.	194.	6.0	6.2	11.03	-.00	6.93
1517.6	B	53.2	46.	27.4	177.	194.	6.0	6.3	1.62	3.33	9.31
1521.6	C	29.1	39.	27.5	177.	194.	6.0	6.3	1.69	3.75	11.55
1523.6	C	24.3	36.	27.5	177.	194.	6.0	6.3	1.00	4.23	9.39
1530.4	C	63.0	29.	27.7	178.	194.	6.0	6.3	-.00	-12.37	6.37
1535.9	B	22.2	235.	27.8	177.	195.	6.0	6.3	-.01	4.77	-6.30
1554.2	B	14.0	172.	26.1	176.	197.	6.1	6.3	2.66	-3.36	-4.60
1556.2	B	14.0	172.	26.1	176.	197.	6.1	6.3	2.66	-3.36	-4.65
1561.7	C	32.9	127.	26.2	177.	197.	6.1	6.3	13.87	1.82	-3.79
1570.4	C	37.1	297.	26.2	175.	197.	6.1	6.2	-3.71	-5.30	-3.74
1584.1	C	6.7	147.	24.3	174.	197.	6.1	6.2	2.31	-2.34	-3.27
1587.6	C	43.0	53.	24.4	176.	199.	6.1	6.2	2.23	2.74	2.03
1590.4	B	16.2	76.	26.7	173.	210.	6.1	6.2	2.60	-1.40	-1.40
1600.0	B	5.6	102.	26.7	173.	210.	6.1	6.2	2.36	-2.32	-2.29
1643.6	C	43.6	71.	29.2	174.	211.	6.1	6.2	3.03	2.40	2.62
1646.2	C	17.0	306.	29.2	174.	211.	6.0	6.2	-.00	-3.65	-3.14
1655.9	C	36.0	122.	29.2	174.	211.	6.1	6.2	7.82	-.00	-1.02
1656.2	A	4.0	206.	29.2	174.	211.	6.1	6.2	2.65	-3.44	-4.00
1660.1	A	11.8	18.	29.3	175.	211.	6.1	6.2	1.20	-2.70	-1.50
1662.2	B	12.1	296.	29.3	174.	211.	6.1	6.2	.72	-3.13	-3.36
1670.2	B	11.6	206.	29.3	176.	210.	6.1	6.2	2.76	-3.44	-4.53
1672.1	A	7.2	189.	29.3	175.	211.	6.1	6.2	2.70	-2.80	-3.59
1674.1	B	7.1	176.	29.3	175.	211.	6.1	6.2	2.86	-2.94	-3.45
1676.2	B	7.9	180.	29.4	176.	211.	6.1	6.2	2.91	-3.90	-3.68
1676.2	B	14.0	175.	29.4	176.	212.	6.1	6.2	3.92	-3.64	-4.15
1680.1	B	3.2	189.	29.3	176.	213.	6.1	6.2	2.63	-3.10	-3.34
1682.1	B	3.6	209.	29.3	176.	213.	6.1	6.2	2.37	-2.84	-3.26
1684.2	B	4.3	211.	29.3	175.	213.	6.1	6.2	2.44	-3.32	-3.32
1686.1	C	7.6	157.	29.6	175.	213.	6.1	6.2	3.26	-2.42	-3.03
1688.1	B	16.9	61.	29.6	174.	213.	6.1	6.2	2.36	-2.61	-1.37
1690.1	C	14.5	61.	29.7	174.	212.	6.2	6.2	2.33	-2.32	-.97
1692.1	B	12.8	159.	29.7	175.	212.	6.2	6.2	3.96	-3.61	-3.52
1694.1	A	6.1	157.	29.7	176.	213.	6.1	6.2	3.23	-3.21	-3.16
1696.2	C	9.3	174.	29.8	176.	213.	6.2	6.2	3.36	-3.62	-3.59
1700.1	C	7.1	159.	29.6	175.	213.	6.2	6.2	3.17	-3.21	-3.14

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel of which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	LOGR. GRADE	DIP ANGLE	DIP AZ.	DIRE ANGL	DIRE AZ.	AZ. NO. 1	DIA 13	DIA 24	DIA 412	DIA 413	DIA 424
1700.2	C	14.7	214.	29.6	173.	214.	6.2	6.2	3.10	-5.19	-5.07
1705.6	B	54.3	44.	29.6	173.	214.	6.2	6.2	.50	1.69	5.30
1705.9	B	50.5	50.	29.6	173.	213.	6.2	6.2	1.61	.01	3.41
1706.2	A	13.5	173.	29.6	173.	213.	6.2	6.2	4.20	-4.22	-3.85
1710.2	B	11.6	173.	29.9	173.	213.	6.2	6.2	3.79	-4.15	-3.65
1714.2	B	10.6	190.	29.9	172.	213.	6.2	6.2	3.53	-3.51	-3.99
1716.2	A	10.7	139.	30.0	172.	213.	6.2	6.2	3.51	-3.55	-4.00
1716.1	B	4.2	160.	30.0	174.	212.	6.2	6.2	2.76	-3.04	-3.06
1720.1	B	4.4	150.	30.0	175.	212.	6.2	6.2	2.70	-2.79	-3.11
1722.1	C	5.1	191.	30.0	176.	213.	6.2	6.2	2.65	-3.14	-3.46
1724.0	C	15.9	65.	30.0	176.	214.	6.2	6.2	3.13	-1.74	-1.12
1726.0	B	12.5	91.	30.1	176.	215.	6.2	6.2	3.16	-1.91	-1.51
1726.1	C	3.9	173.	30.1	175.	215.	6.2	6.2	2.83	-2.48	-3.03
1730.5	C	65.5	310.	30.1	175.	216.	6.2	6.2	-6.46	-6.90	-3.01
1732.1	B	4.2	4.	30.1	174.	216.	6.2	6.2	1.96	-1.96	-2.50
1734.1	C	3.9	30.	30.2	173.	216.	6.2	6.2	2.19	-1.45	-2.16
1736.1	C	3.0	127.	30.3	174.	216.	6.2	6.2	2.82	-2.64	-2.59
1740.1	C	7.8	127.	30.3	174.	216.	6.2	6.2	3.35	-2.82	-2.43
1742.2	B	11.5	169.	30.3	175.	216.	6.2	6.2	4.02	-3.93	-3.60
1744.2	A	14.1	165.	30.3	175.	216.	6.2	6.2	4.52	-4.04	-3.60
1746.1	C	26.2	160.	30.3	174.	217.	6.2	6.2	7.97	-4.69	-4.40
1748.4	C	19.2	322.	30.3	174.	217.	6.2	6.2	-11.50	-2.36	-2.64
1750.0	C	22.4	61.	30.4	175.	217.	6.2	6.2	2.39	-1.52	.00
1752.1	C	6.1	144.	30.4	176.	217.	6.2	6.2	2.99	-3.16	-2.75
1754.4	C	24.1	229.	30.4	175.	218.	6.2	6.2	3.54	-7.47	-7.11
1756.1	B	8.7	191.	30.4	175.	218.	6.2	6.2	3.59	-3.60	-3.50
1756.1	B	10.2	163.	30.4	174.	218.	6.2	6.2	4.02	-5.34	-3.10
1760.1	B	11.6	116.	30.4	174.	218.	6.2	6.2	3.47	-5.11	-4.09
1760.1	B	14.5	125.	30.4	174.	218.	6.2	6.2	3.85	-5.11	-4.06
1766	B	20.0	117.	30.4	174.	218.	6.2	6.2	3.85	-5.11	-4.06
1770	B	30.0	117.	30.4	174.	218.	6.2	6.2	3.85	-5.11	-4.06
1770	B	30.0	117.	30.4	174.	218.	6.2	6.2	3.85	-5.11	-4.06
1774.0	B	77.0	321.	30.5	175.	218.	6.2	6.2	-10.70	-3.37	-3.59
1780.1	B	6.4	171.	30.7	173.	220.	6.2	6.2	3.61	-2.93	-2.95
1782.1	B	8.1	163.	30.8	173.	220.	6.2	6.2	3.53	-3.20	-2.96
1784.1	B	6.0	37.	30.9	173.	220.	6.2	6.2	2.93	-1.93	-1.94
1786.5	C	65.4	325.	30.9	173.	220.	6.2	6.2	-12.46	-3.73	-2.69
1790.1	C	7.7	165.	30.9	173.	219.	6.2	6.2	3.82	-3.42	-3.00
1792.1	B	3.6	162.	30.9	174.	217.	6.2	6.2	3.87	-2.86	-3.15



Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel of which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.



CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
1801.5	1802.5	A	8.5	204	31.0	173	258	5.8	6.0	-2.44	-.61	4.82
1803.5	1804.5	A	13.7	179	31.0	173	258	5.8	6.0	-3.03	-.02	5.87
1805.5	1806.5	A	13.4	191	31.0	173	259	5.8	6.1	-2.55	-.35	5.92
1807.5	1808.5	A	19.6	185	31.0	173	259	5.8	6.2	-3.40	-.03	7.50
1809.5	1810.5	D	10.7	211	31.1	173	259	5.8	6.3	-3.45	-.75	5.50
1811.5	1812.5	C	9.3	200	31.1	173	259	5.8	6.3	-2.45	-.45	5.35
1815.5	1816.5	B	2.0	163	31.2	172	259	5.8	6.3	-1.40	-.03	4.10
1817.5	1818.5	C	5.3	178	31.2	171	259	5.8	6.3	-1.67	.03	4.65
1819.5	1820.5	D	5.5	182	31.2	171	259	5.8	6.3	-2.40	-.01	4.70
1821.5	1822.5	D	31.1	11	31.2	171	259	5.8	6.3	.00	-.01	.01
1825.5	1826.5	C	9.0	182	31.4	170	258	5.8	6.3	-2.55	-.01	5.32
1827.5	1828.5	C	10.7	200	31.4	171	258	5.8	6.3	-3.20	-.50	5.67
1829.5	1830.5	D	1.5	125	31.5	171	258	5.8	6.4	-2.50	-.03	4.00
1833.5	1834.5	B	4.5	211	31.5	170	257	5.8	6.4	-2.15	-.45	4.57
1835.5	1836.5	C	6.8	226	31.5	169	257	5.8	6.4	-2.20	-.72	4.77
1837.5	1838.5	D	12.5	184	31.5	170	256	5.8	6.3	-2.75	-.21	6.10
1839.5	1840.5	A	12.4	170	31.5	170	254	5.8	6.3	-2.77	.00	5.92
1841.5	1842.5	C	8.8	157	31.5	171	253	5.8	6.3	-3.05	-.03	5.10
1843.5	1844.5	D	7.2	138	31.5	172	252	5.8	6.3	-2.12	.00	4.60
1845.5	1846.5	A	7.7	140	31.5	172	252	5.8	6.3	-2.23	-.01	4.67
1847.5	1848.5	C	5.4	206	31.6	172	251	5.8	6.1	-2.79	-1.00	4.45
1851.5	1852.5	C	7.2	187	31.7	172	251	5.8	6.4	-2.85	-.80	5.05
1855.5	1856.5	D	8.1	138	31.7	172	251	5.8	6.3	-2.61	-.02	4.75
1857.5	1858.5	C	4.9	170	31.7	172	251	5.8	6.2	-2.86	-.60	4.54
1861.5	1862.5	B	6.4	208	31.8	172	251	5.8	6.3	-2.71	-1.10	4.78
1863.5	1864.5	C	3.9	174	31.8	172	250	5.8	6.3	-2.60	-.70	4.40
1867.5	1868.5	A	8.4	173	31.8	175	248	5.8	6.2	-2.75	-.95	5.05
1869.5	1870.5	C	2.8	116	31.8	175	249	5.8	6.2	-2.05	-.70	3.85
1871.5	1872.5	D	3.2	126	31.9	174	250	5.8	6.2	-2.15	-.55	4.00
1875.5	1876.5	B	5.0	202	32.0	174	252	5.8	6.3	-2.50	-1.00	4.63
1883.5	1884.5	A	6.8	193	32.1	172	253	5.8	6.4	-2.80	-.75	5.09
1885.5	1886.5	B	6.6	196	32.1	171	253	5.8	6.4	-2.53	-.75	5.05
1887.5	1888.5	C	3.3	199	32.1	171	253	5.8	6.4	-1.70	-.65	4.49
1889.5	1890.5	D	3.0	351	32.1	172	253	5.8	6.4	-1.75	-.60	3.52
1891.5	1892.5	D	5.0	117	32.1	171	253	5.8	6.3	-2.31	.02	4.21
1895.5	1896.5	C	7.1	150	32.1	170	253	5.8	6.3	-2.11	-.01	4.87
1897.5	1898.5	D	9.6	226	32.1	170	252	5.8	6.3	-3.43	-1.41	5.09
1903.5	1904.5	C	6.5	203	32.1	170	252	5.8	6.2	-2.95	-.80	4.87
1911.5	1912.5	D	4.6	201	32.3	170	251	5.8	6.3	-2.79	-.77	4.62
1913.5	1914.5	C	7.5	203	32.3	170	251	5.8	6.2	-2.80	-1.00	5.07
1915.5	1916.5	B	7.5	182	32.3	170	249	5.8	6.2	-2.52	-.78	5.08
1917.5	1918.5	D	3.3	171	32.4	171	247	5.8	6.1	-2.48	-.85	4.25
1927.5	1928.5	C	3.9	171	32.6	173	251	5.8	6.2	-2.27	-.72	4.48
1929.5	1930.5	D	7.3	174	32.6	174	252	5.8	6.2	-2.75	-.72	5.04
1933.5	1934.5	C	8.3	44	32.6	173	253	5.8	6.2	-1.63	.00	3.00
1935.5	1936.5	D	2.5	304	32.6	174	254	5.8	6.2	-2.47	-.91	3.70
1957.5	1958.5	D	3.3	20	32.6	175	264	5.8	6.1	-1.60	.01	3.44
1959.5	1960.5	C	2.7	21	32.6	176	266	5.8	6.1	-1.78	.01	3.52
1961.5	1962.5	D	2.3	265	32.7	175	269	5.8	6.1	-1.74	.00	4.02
1969.5	1970.5	D	23.6	107	32.7	174	273	5.8	6.0	.98	3.65	3.50
1971.5	1972.5	C	1.3	155	32.8	173	277	5.8	6.0	-1.67	.98	3.89
1973.5	1974.5	D	16.3	287	32.9	174	278	5.8	5.9	-2.89	-1.00	4.10
1977.5	1978.5	A	9.7	267	32.9	171	277	5.8	5.8	-2.00	.02	4.29
1979.5	1980.5	B	4.0	226	32.9	170	271	5.8	5.6	-1.90	.53	4.24
1993.5	1994.5	A	14.7	181	33.0	174	280	5.8	5.8	-1.65	2.15	5.90

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
1995.5	1996.5	A	16.9	188	33.0	174	280	5.8	5.8	-1.60	2.10	6.50
2009.5	2010.5	D	18.0	294	33.2	170	278	5.8	5.7	-1.38	-.97	3.61
2011.5	2012.5	A	12.7	4	33.2	170	272	5.8	5.7	-.99	.30	2.13
2017.5	2018.5	D	2.5	18	33.3	175	265	5.8	5.7	-2.25	.00	3.41
2021.5	2022.5	D	4.6	213	33.3	175	267	5.8	5.8	-1.91	.00	4.52
2023.5	2024.5	C	4.9	224	33.3	174	268	5.8	5.8	-1.55	.00	4.46
2025.5	2026.5	D	6.0	215	33.3	175	268	5.8	5.8	-1.52	.00	4.67
2049.5	2050.5	D	41.7	180	33.6	174	295	5.8	5.9	-.75	13.80	16.50
2139.5	2140.5	D	21.3	9	34.6	178	11	5.8	5.7	1.39	1.43	.00
2155.5	2156.5	D	7.4	162	34.6	176	33	5.8	6.0	4.09	3.65	-3.55
2159.5	2160.5	D	47.1	300	34.6	175	33	5.8	5.9	.00	5.40	3.68
2161.5	2162.5	C	49.1	316	34.6	177	35	5.8	5.9	-.02	3.52	3.75
2173.5	2174.5	A	13.9	8	34.9	176	46	5.8	6.0	1.42	1.57	-1.65
2175.5	2176.5	C	14.9	10	34.9	174	47	5.8	6.1	1.26	1.35	-1.70
2179.5	2180.5	D	78.2	84	34.9	171	47	5.8	6.0	-3.10	-14.48	-7.81
2211.5	2212.5	C	4.3	233	35.2	175	45	5.8	6.2	3.50	3.27	-3.50
2235.5	2236.5	C	12.6	222	35.5	174	58	5.8	6.2	5.23	3.47	-5.49
2239.5	2240.5	D	34.5	318	35.6	172	57	5.8	6.1	2.22	3.30	.00
2245.5	2246.5	C	22.4	108	35.6	179	61	5.8	5.7	2.95	-.65	-4.92
2281.5	2282.5	D	27.7	58	35.3	179	102	5.8	6.2	-.69	-2.08	-.99
2293.5	2294.5	B	4.3	58	35.4	179	121	5.8	5.8	.00	-2.18	-2.94
2295.5	2296.5	D	2.9	26	35.4	178	125	5.9	5.7	.00	-2.28	-2.90
2299.5	2300.5	A	27.1	46	35.4	178	130	6.0	5.7	-.92	-1.75	-.01
2305.5	2306.5	D	83.1	18	35.5	179	134	6.0	5.7	.00	4.78	4.31
2323.5	2324.5	A	22.4	30	35.6	178	144	6.1	5.7	-.43	-1.51	-.39
2325.5	2326.5	B	22.2	28	35.6	177	146	6.1	5.7	-.45	-1.51	-.38
2333.5	2334.5	D	7.3	50	35.8	178	155	6.1	5.7	-1.24	-3.37	-.89
2341.5	2342.5	B	28.1	19	35.7	176	160	6.1	5.7	-.01	-.74	-.03
2343.5	2344.5	D	29.1	18	35.8	175	161	6.1	5.7	-.00	-.73	-.03
2349.5	2350.5	B	14.2	298	35.8	174	162	6.1	5.7	-.00	-.73	-.03
2351.5	2352.5	B	18.0	35	35.8	174	161	6.1	5.7	-2.39	-5.65	-.95
2353.5	2354.5	C	8.2	164	35.8	174	160	6.1	5.7	-2.50	-5.65	-.75
2357.5	2358.5	D	7.1	90	35.9	178	166	6.1	5.7	-1.86	-4.17	.00
2359.5	2360.5	C	6.0	52	35.9	178	171	6.1	5.7	-1.90	-3.69	.00
2361.5	2362.5	C	3.7	68	36.0	177	172	6.1	5.7	-2.08	-4.07	.00
2363.5	2364.5	B	3.2	130	36.0	178	173	6.1	5.7	-2.42	-4.65	.01
2365.5	2366.5	D	2.7	112	36.0	178	173	6.1	5.7	-2.52	-4.47	.01
2369.5	2370.5	D	4.7	93	36.0	178	176	6.1	5.7	-2.50	-4.25	.44
2371.5	2372.5	D	4.5	119	36.0	177	178	6.1	5.7	-2.32	-4.55	.65
2381.5	2382.5	D	7.7	95	36.2	177	178	6.1	5.7	-2.55	-4.15	1.00
2383.5	2384.5	C	7.9	98	36.2	176	180	6.0	5.7	-2.75	-4.18	1.24
2387.5	2388.5	A	10.7	87	36.2	174	181	5.8	5.7	-2.65	-3.61	1.66
2389.5	2390.5	A	11.8	88	36.2	174	180	5.8	5.7	-2.61	-3.60	1.74
2391.5	2392.5	B	16.9	83	36.2	175	179	5.8	5.7	-2.50	-3.17	2.08
2393.5	2394.5	D	15.9	74	36.2	176	179	6.0	5.7	-2.40	-3.05	1.70
2395.5	2396.5	D	10.8	76	36.1	176	180	6.1	5.7	-2.50	-3.55	1.29
2397.5	2398.5	D	47.6	38	36.1	176	180	6.1	5.7	-.65	1.13	1.64
2399.5	2400.5	A	25.2	39	36.1	175	180	6.0	5.7	-1.14	-1.27	1.13
2401.5	2402.5	B	28.6	33	36.2	176	181	6.1	5.7	-.90	-.85	.88
2405.5	2406.5	D	17.9	133	36.2	176	182	6.1	5.7	-4.87	-5.71	2.81
2415.5	2416.5	D	17.5	217	36.5	173	183	6.1	5.7	-4.21	-8.09	.00
2417.5	2418.5	D	17.9	236	36.5	174	183	6.1	5.7	-3.51	-7.46	-.88
2419.5	2420.5	C	22.7	105	36.5	174	182	6.1	5.7	-3.51	-4.09	3.54
2431.5	2432.5	D	5.3	351	36.6	176	180	6.1	5.7	-2.52	-3.80	.00
2439.5	2440.5	D	20.4	47	36.5	175	180	6.1	5.7	-1.73	-2.00	1.28

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
2445.5	2446.5	A	37.8	37	36.7	177	180	6.0	5.7	.00	.00	1.20
2447.5	2448.5	A	4.6	42	36.7	177	181	6.0	5.7	-2.65	-3.80	.52
2449.5	2450.5	A	4.6	22	36.7	176	182	6.0	5.7	-2.60	-3.75	.40
2451.5	2452.5	D	8.3	181	36.7	177	183	6.0	5.7	-3.50	-5.85	.85
2453.5	2454.5	A	8.3	187	36.7	178	184	5.9	5.7	-3.55	-5.85	.82
2463.5	2464.5	D	.6	262	36.8	178	201	5.8	5.7	-3.85	-4.10	1.62
2473.5	2474.5	C	40.4	333	36.8	176	211	5.8	5.7	.00	-2.03	-2.02
2477.5	2478.5	D	51.1	251	36.8	174	212	5.9	5.7	-9.63	-22.38	-1.62
2483.5	2484.5	B	5.8	81	36.8	178	214	5.8	5.7	-3.21	-2.83	2.78
2485.5	2486.5	D	4.9	80	36.8	177	217	5.8	5.7	-3.15	-2.75	2.92
2487.5	2488.5	D	12.5	187	36.9	177	219	5.8	5.8	-5.25	-4.78	4.70
2497.5	2498.5	C	26.9	327	36.9	173	222	5.8	5.8	-.88	-2.78	.00
2503.5	2504.5	D	7.5	263	36.9	172	222	5.8	5.8	-3.82	-3.80	3.02
2511.5	2512.5	C	6.7	43	37.1	174	217	5.8	5.7	-2.07	-2.27	2.67
2525.5	2526.5	D	9.7	22	36.8	173	218	5.8	5.7	-1.95	-2.00	2.20
2535.5	2536.5	C	37.3	275	37.0	178	209	5.8	5.7	-3.65	-8.35	-2.62
2569.5	2570.5	D	61.9	94	37.1	171	210	5.8	5.7	-2.80	18.92	22.63
2601.5	2602.5	B	15.0	137	37.1	177	188	6.1	5.8	-4.18	-5.50	2.95
2623.5	2624.5	B	12.5	214	37.2	173	192	6.0	5.7	-4.42	-6.75	1.53
2625.5	2626.5	A	15.7	227	37.3	173	192	6.0	5.7	-4.38	-7.35	.95
2627.5	2628.5	B	17.8	233	37.3	173	191	6.1	5.7	-4.05	-7.75	.50
2643.5	2644.5	D	10.9	242	37.3	173	185	6.0	5.7	-2.72	-6.02	.01
2647.5	2648.5	A	24.0	180	37.4	174	184	6.0	5.7	-6.72	-10.35	2.95
2649.5	2650.5	A	24.1	179	37.4	174	184	6.0	5.7	-6.62	-10.35	2.97

A Schlumberger Company

Wolax does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by field personnel or which may appear on the log or in any other form. Any user of such data, logs, sections, correlations, or recommendations agrees that Wolax is not responsible, except where there is gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H15	H24	
2649.5	2650.5	A	24.1	179	37.4	174	184	6.0	5.7	-6.62	-10.35	2.97
2653.5	2654.5	B	9.2	107	37.5	173	181	5.9	5.7	-4.00	-4.42	1.80
2657.5	2658.5	C	16.2	209	37.6	173	178	5.8	5.7	-3.47	-7.60	-.01
2661.5	2662.5	A	1.6	306	37.9	173	175	5.9	5.7	-2.80	-4.50	.00
2663.5	2664.5	D	4.2	38	37.9	176	173	5.9	5.7	-2.10	-4.02	-.01
2665.5	2666.5	D	3.7	92	37.9	178	172	5.9	5.7	-1.90	-4.48	-.01

As a Service of Company

W. I. does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical measurements, or transmission of data, or any other data, or which may appear on this log or in any other form, or any other data, or conversions, or recommendations thereon, and W. I. is not responsible for any errors due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	DIA NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
2653.5	2654.5	A	6.6	100	****	120	145	****	****	-3.30	-5.08	.00
2655.5	2656.5	C	12.2	125	****	125	139	****	****	-3.90	-6.80	-.01
2657.5	2658.5	C	2.1	103	****	125	137	****	****	-.95	-2.65	.01
2659.5	2660.5	B	4.3	131	****	127	136	****	****	-1.00	-2.90	.02
2663.5	2664.5	A	22.1	143	****	130	136	****	****	-4.45	-9.10	-.01
2665.5	2666.5	B	30.2	139	****	130	140	****	****	-5.00	-9.70	.00
2671.5	2672.5	A	17.5	141	****	124	125	-9.0	****	-1.40	-3.40	-.35
2673.5	2674.5	A	37.9	150	****	126	121	-6.8	****	-1.90	-6.00	-.35
2675.5	2676.5	B	70.6	151	****	125	119	-1.7	****	-2.60	-5.80	-.55
2677.5	2678.5	A	74.4	160	****	128	115	-1.1	****	-2.50	-4.90	-.75
2681.5	2682.5	A	38.2	167	****	131	114	-7.5	****	-3.15	-6.65	-.90
2683.5	2684.5	A	40.8	171	****	133	114	-6.6	****	-2.90	-6.30	-.68
2685.5	2686.5	C	78.4	171	****	133	115	-.9	****	-2.78	-5.75	-.85
2687.5	2688.5	C	79.3	350	****	133	117	1.4	****	-2.75	-5.80	-.85
2689.5	2690.5	B	83.4	348	****	135	122	.9	****	-2.45	-5.80	-.77
2691.5	2692.5	A	85.9	335	****	132	129	.7	****	-2.80	-5.78	-.42
2693.5	2694.5	B	82.5	323	****	128	134	1.2	****	-2.90	-6.70	-.38
2695.5	2696.5	C	83.0	321	****	128	136	1.1	****	-3.05	-7.05	-.55
2697.5	2698.5	B	81.8	318	****	128	138	1.1	****	-3.05	-6.18	-.50
2699.5	2700.5	D	78.4	318	****	128	139	1.4	****	-2.95	-5.70	-.01
2701.5	2702.5	D	76.5	314	****	127	140	1.3	****	-2.68	-4.85	.02
2703.5	2704.5	C	28.6	181	****	139	151	2.4	****	-2.56	-4.54	.02
2705.5	2706.5	D	77.8	2	****	165	170	4.7	-2.2	-2.58	-4.40	.00
2709.5	2710.5	D	3.4	305	37.7	175	180	6.0	5.7	-1.27	-4.48	.00
2721.5	2722.5	A	8.8	222	37.9	176	181	5.9	5.7	-3.00	-6.10	.01
2723.5	2724.5	A	6.0	346	37.9	176	182	5.9	5.7	-2.10	-3.80	.02
2733.5	2734.5	D	3.6	261	37.9	174	202	5.9	5.7	-3.18	-4.45	1.81
2735.5	2736.5	A	2.5	281	37.9	175	202	5.8	5.7	-3.05	-4.18	1.82
2737.5	2738.5	A	3.9	17	37.9	174	204	5.9	5.7	-2.55	-3.45	1.93
2739.5	2740.5	D	8.8	308	37.8	173	204	6.0	5.8	-2.10	-2.80	1.50
2771.5	2772.5	C	24.4	349	38.2	174	190	6.0	5.7	-.00	-1.95	-.56
2775.5	2776.5	D	45.1	290	38.2	174	189	6.0	5.7	.00	-5.50	-5.60
2777.5	2778.5	D	32.9	118	38.2	175	188	6.0	5.7	-5.35	-4.92	6.45
2781.5	2782.5	D	11.2	246	38.4	177	189	5.9	5.7	-4.00	-6.20	.01
2783.5	2784.5	A	12.4	224	38.4	178	191	5.9	5.7	-4.45	-6.95	.70
2785.5	2786.5	D	12.5	225	38.4	179	193	5.9	5.7	-3.80	-6.90	.88
2801.5	2802.5	A	9.5	257	38.8	176	200	5.8	5.7	-3.00	-5.52	1.07
2803.5	2804.5	D	5.9	318	38.8	176	200	5.8	5.7	-3.20	-4.05	1.12
2837.5	2838.5	A	5.7	62	38.8	174	220	5.8	5.9	-3.43	-2.45	3.35
2839.5	2840.5	C	4.2	216	38.8	174	219	5.8	5.9	-4.55	-3.95	3.70
2841.5	2842.5	B	16.4	190	38.8	175	217	5.8	5.9	-5.70	-6.00	5.85
2843.5	2844.5	B	16.7	193	38.8	177	217	5.8	5.9	-6.10	-6.35	5.55
2853.5	2854.5	D	10.3	289	38.8	175	221	5.8	5.8	-3.12	-4.10	2.36
2857.5	2858.5	B	6.9	239	38.9	174	221	5.8	5.7	-4.28	-4.29	3.54
2859.5	2860.5	C	6.7	250	38.9	174	220	5.8	5.7	-4.05	-4.30	3.24
2867.5	2868.5	B	8.0	261	38.9	177	221	5.8	6.0	-4.02	-4.50	3.08
2877.5	2878.5	C	8.6	282	38.9	175	230	5.8	6.1	-3.10	-3.67	3.39
2885.5	2886.5	D	8.4	68	38.9	177	227	5.8	6.0	-2.09	-1.85	3.60
2893.5	2894.5	C	10.0	274	39.1	179	229	5.8	6.2	-3.54	-4.29	3.31
2905.5	2906.5	A	16.7	219	39.3	176	247	5.8	5.9	-5.30	-3.80	7.55
2907.5	2908.5	D	17.7	222	39.3	175	247	5.8	5.8	-5.70	-4.00	7.45
2909.5	2910.5	D	11.3	250	39.4	176	247	5.8	5.8	-3.25	-3.25	5.20
2911.5	2912.5	C	9.3	259	39.4	178	247	5.8	5.9	-3.21	-3.02	4.87
2913.5	2914.5	B	18.1	242	39.5	178	248	5.8	5.9	-5.03	-4.60	6.51
2915.5	2916.5	B	20.1	242	39.5	177	249	5.8	5.9	-5.15	-4.85	6.90

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
2917.5	2918.5	D	17.1	215	39.5	177	250	5.8	5.9	-5.58	-3.43	8.05
2931.5	2932.5	B	8.4	260	39.6	177	250	5.8	5.9	-3.15	-2.55	5.05
2943.5	2944.5	D	5.2	271	39.9	178	252	5.8	6.0	-3.85	-2.10	4.90
2947.5	2948.5	C	10.1	332	39.9	178	256	5.8	6.1	-2.15	-1.65	3.65
2949.5	2950.5	D	14.1	316	39.9	177	260	5.8	6.2	-2.60	-1.95	3.78
2951.5	2952.5	A	6.7	329	39.9	175	262	5.8	6.1	-2.70	-.80	4.25
2953.5	2954.5	D	12.5	57	39.9	174	261	5.8	5.8	-2.00	.80	3.50
2955.5	2956.5	A	12.9	9	39.9	175	260	5.8	5.7	-2.40	-.40	2.90
2957.5	2958.5	C	11.5	360	39.9	175	260	5.8	5.7	-2.40	-.60	3.10
2961.5	2962.5	D	18.7	257	40.1	174	260	5.8	5.7	-5.30	-3.05	6.35
2963.5	2964.5	C	15.9	253	40.2	175	260	5.8	5.7	-4.81	-2.63	6.32
2967.5	2968.5	A	8.7	174	40.2	175	261	5.8	5.7	-2.38	-.01	6.43
2973.5	2974.5	D	57.0	285	40.4	174	260	5.8	5.7	-7.26	-11.65	3.67
2975.5	2976.5	C	8.2	278	40.4	175	259	5.8	5.7	-3.55	-1.62	4.90
2987.5	2988.5	D	12.1	273	40.7	175	259	5.8	5.7	-3.63	-2.22	5.20
2989.5	2990.5	A	9.7	294	40.8	176	259	5.8	5.7	-2.67	-1.78	4.51
2991.5	2992.5	C	9.3	297	40.8	175	259	5.8	5.7	-2.70	-1.70	4.44
2997.5	2998.5	D	37.9	291	40.8	176	260	5.8	5.7	-5.15	-6.00	3.65
3015.5	3016.5	A	18.7	311	41.2	173	263	5.8	5.8	-2.43	-2.02	3.63
3017.5	3018.5	A	16.0	311	41.3	174	263	5.8	5.7	-2.35	-1.85	3.80
3019.5	3020.5	C	11.2	294	41.3	175	263	5.8	5.7	-2.50	-1.60	4.65
3021.5	3022.5	C	17.8	289	41.4	174	263	5.8	5.7	-3.10	-2.50	4.70
3027.5	3028.5	C	15.0	323	41.6	175	262	5.8	5.7	-1.80	-1.58	3.55
3029.5	3030.5	C	14.5	319	41.6	175	262	5.8	5.7	-2.25	-1.67	3.70
3031.5	3032.5	C	10.2	312	41.6	175	262	5.8	5.7	-2.39	-1.32	4.23
3033.5	3034.5	A	9.5	325	41.7	173	262	5.8	5.7	-2.18	-.95	4.03
3035.5	3036.5	A	12.9	342	41.8	173	262	5.8	5.7	-2.02	-1.83	3.38
3037.5	3038.5	B	17.0	327	41.8	174	262	5.8	5.7	-2.50	-1.60	3.25
3039.5	3040.5	D	17.1	312	41.9	175	262	5.8	5.7	-2.75	-2.15	3.75
3041.5	3042.5	B	16.0	326	41.9	176	262	5.8	5.7	-2.42	-1.70	3.37
3043.5	3044.5	B	18.3	327	42.0	176	261	5.8	5.7	-1.65	-.50	2.50
3045.5	3046.5	B	20.2	355	42.1	175	262	5.8	5.7	-1.60	-.90	2.39
3047.5	3048.5	B	20.7	352	42.1	174	263	5.8	5.7	-1.65	-.90	2.40
3049.5	3050.5	D	87.5	37	42.1	175	263	5.8	5.7	5.35	3.90	-6.85
3059.5	3060.5	B	18.7	0	42.4	176	263	5.8	5.7	-1.10	-.70	2.55
3061.5	3062.5	C	16.5	347	42.4	176	265	5.8	5.7	-1.75	-.95	3.00
3063.5	3064.5	A	9.9	331	42.4	174	266	5.8	5.7	-1.75	-.75	4.05
3065.5	3066.5	D	11.9	357	42.5	174	266	5.8	5.7	-1.65	-.30	3.45
3071.5	3072.5	C	8.0	331	42.7	175	265	5.8	5.7	-2.72	-.70	4.29
3073.5	3074.5	D	1.8	18	42.7	176	266	5.8	5.7	-2.95	-.01	4.95
3075.5	3076.5	A	4.7	309	42.7	176	266	5.8	5.7	-2.20	-.50	4.95
3077.5	3078.5	C	6.5	330	42.8	174	267	5.8	5.7	-1.85	-.35	4.50
3083.5	3084.5	C	10.4	357	42.9	175	263	5.8	5.7	-1.58	-.45	3.70
3085.5	3086.5	A	11.8	0	43.0	176	263	5.8	5.7	-1.70	-.55	3.50
3087.5	3088.5	A	10.8	355	43.0	176	264	5.8	5.7	-2.00	-.60	3.68
3089.5	3090.5	C	11.1	346	43.1	176	266	5.8	5.7	-2.05	-.70	3.77
3091.5	3092.5	B	11.3	337	43.2	176	266	5.8	5.7	-2.17	-.85	3.90
3093.5	3094.5	B	9.6	316	43.2	176	266	5.8	5.7	-2.65	-1.07	4.55
3095.5	3096.5	C	6.8	343	43.2	176	266	5.8	5.8	-2.18	-.42	4.42
3097.5	3098.5	B	12.1	19	43.2	175	267	5.8	5.8	-1.05	.20	3.47
3099.5	3100.5	C	15.2	10	43.3	174	267	5.8	5.8	-1.22	.04	3.08
3101.5	3102.5	C	10.4	7	43.3	174	266	5.8	5.8	-1.95	-.01	3.75
3103.5	3104.5	A	9.3	13	43.3	175	265	5.8	5.8	-1.67	.02	3.90
3105.5	3106.5	B	11.3	349	43.3	174	265	5.8	5.8	-2.05	-.55	3.75
3107.5	3108.5	C	12.1	340	43.4	174	264	5.8	5.8	-2.40	-.80	3.80

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
3109.5	3110.5	B	14.8	358	43.5	174	265	5.8	5.8	-1.85	-.45	3.25
3111.5	3112.5	B	14.3	357	43.5	175	265	5.8	5.8	-1.85	-.50	3.33
3113.5	3114.5	A	13.1	11	43.5	174	265	5.8	5.8	-1.55	-.04	3.40
3115.5	3116.5	A	13.1	354	43.5	174	264	5.8	5.8	-2.00	-.50	3.50
3117.5	3118.5	C	16.4	345	43.6	174	262	5.8	5.8	-2.50	-1.00	3.20
3119.5	3120.5	C	17.0	346	43.7	175	260	5.8	5.8	-1.45	-1.15	3.10
3125.5	3126.5	B	7.8	289	43.8	177	267	5.8	5.9	-2.45	-1.10	5.60
3127.5	3128.5	C	20.0	7	43.8	177	270	5.8	5.9	-.90	-.25	2.67
3129.5	3130.5	B	25.9	12	43.8	177	275	5.8	6.1	-1.30	.05	2.00
3131.5	3132.5	D	24.8	89	43.8	176	279	5.8	6.3	-.60	4.00	3.70
3143.5	3144.5	D	7.6	309	44.1	173	274	5.8	5.7	-2.20	.02	5.00
3195.5	3196.5	D	2.7	168	45.0	176	275	5.8	5.7	-1.93	1.15	6.13
3197.5	3198.5	D	7.8	274	45.1	176	276	5.8	5.7	-2.98	-.01	6.17
3205.5	3206.5	B	12.0	319	45.2	176	275	5.8	5.8	-2.48	-.56	4.77
3207.5	3208.5	B	12.1	323	45.2	176	276	5.8	5.8	-2.36	-.46	4.67
3213.5	3214.5	C	18.8	318	45.1	176	277	5.8	5.7	-2.98	-1.16	4.30
3215.5	3216.5	D	21.6	320	45.0	176	277	5.8	5.8	-3.00	-1.45	4.00
3217.5	3218.5	C	74.7	91	45.0	176	277	5.8	5.8	9.10	14.70	-2.75
3221.5	3222.5	C	7.5	1	44.9	175	279	5.8	5.9	-1.55	.90	4.48
3223.5	3224.5	C	7.2	34	44.9	175	278	5.8	5.9	-1.55	1.30	4.45
3225.5	3226.5	D	8.7	330	44.9	177	277	5.8	5.8	-2.50	.01	4.75
3239.5	3240.5	B	10.4	9	44.7	175	279	5.8	5.9	-1.63	.88	3.95
3241.5	3242.5	A	12.9	348	44.7	176	279	5.8	5.8	-1.93	.15	3.85
3243.5	3244.5	B	12.7	326	44.6	177	279	5.8	5.7	-2.05	-.30	4.40
3253.5	3254.5	C	11.6	299	44.3	176	284	5.8	5.7	-1.70	.15	5.35
3255.5	3256.5	B	12.3	297	44.2	176	284	5.8	5.8	-1.75	.05	5.40
3259.5	3260.5	D	77.0	87	44.1	177	285	5.8	5.8	8.05	12.35	-5.30
3271.5	3272.5	C	17.5	342	43.9	173	290	5.8	5.8	-1.30	.50	3.33
3273.5	3274.5	C	15.5	328	43.8	173	288	5.8	5.9	-1.15	.40	4.00
3277.5	3278.5	A	19.2	303	43.8	173	284	5.8	5.8	-3.05	-.60	4.92
3297.5	3298.5	A	26.4	28	43.6	174	239	5.8	5.6	-.42	.01	2.05
3299.5	3300.5	D	28.4	32	43.5	172	234	5.8	5.9	-.70	.03	2.00
3303.5	3304.5	C	8.5	8	43.4	176	230	5.8	5.6	-3.20	-2.50	3.20
3323.5	3324.5	B	17.2	1	43.3	171	233	5.8	5.7	-2.22	-1.60	2.35
3327.5	3328.5	A	62.1	5	43.3	172	218	5.8	5.7	2.00	.90	-1.62
3329.5	3330.5	C	13.5	6	43.2	172	215	5.8	5.7	-2.10	-2.55	2.10
3331.5	3332.5	D	4.9	352	43.2	172	212	5.8	5.7	-3.12	-3.70	2.73
3333.5	3334.5	D	15.7	100	43.2	173	211	5.8	5.7	-3.40	-2.65	4.68
3335.5	3336.5	B	14.7	350	43.2	174	208	5.8	5.7	-1.90	-3.15	1.25
3337.5	3338.5	B	9.9	347	43.2	174	205	5.8	5.7	-2.30	-3.70	1.52
3359.5	3360.5	A	10.1	354	42.8	177	170	5.8	5.8	-1.17	-3.75	-.95
3361.5	3362.5	B	9.8	356	42.8	178	172	5.8	5.7	-1.33	-3.80	-.85
3365.5	3366.5	D	66.9	83	42.6	176	176	5.8	5.8	-4.05	.00	9.10
3369.5	3370.5	C	9.8	18	42.5	176	176	5.8	5.7	-2.55	-3.72	.00
3383.5	3384.5	A	12.3	30	42.1	173	153	5.8	5.7	-.97	-3.33	-.76
3385.5	3386.5	A	13.0	7	42.1	173	144	5.8	5.7	-.51	-2.75	-1.70
3387.5	3388.5	C	15.5	18	42.0	174	135	5.8	5.8	-.35	-2.30	-1.75
3393.5	3394.5	A	31.6	35	41.9	175	132	5.8	5.8	.03	-1.66	.00
3395.5	3396.5	C	33.6	29	41.8	174	132	5.8	5.8	.02	-1.25	.01
3399.5	3400.5	D	9.8	328	41.6	175	130	5.8	5.9	1.12	-2.28	-3.49
3407.5	3408.5	C	8.7	268	41.4	173	120	5.8	5.8	1.40	-2.37	-5.10
3411.5	3412.5	C	4.9	255	41.3	173	113	5.8	5.8	1.35	-2.20	-5.07
3413.5	3414.5	D	8.9	278	41.3	173	110	5.8	5.8	1.62	-1.25	-5.20
3417.5	3418.5	A	6.2	276	41.2	173	99	5.8	5.8	2.60	-.65	-5.22
3419.5	3420.5	B	3.5	302	41.1	173	92	5.8	5.8	2.85	-.30	-4.88

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS			
									H12	H13	H24	
3421.5	3422.5	B	10.2	353	41.0	173	86	5.8	5.8	1.95	.25	-3.55
3423.5	3424.5	A	13.1	8	41.0	173	76	5.8	5.7	1.80	.48	-3.00
3443.5	3444.5	C	8.0	308	40.5	173	12	5.8	5.8	2.75	4.41	-.60
3445.5	3446.5	D	7.1	356	40.4	173	7	5.8	5.8	2.65	3.80	-.65
3447.5	3448.5	D	8.4	10	40.4	173	5	5.8	5.8	1.95	3.55	-.68
3449.5	3450.5	B	8.8	29	40.2	174	2	5.8	5.9	1.99	3.50	-.79
3451.5	3452.5	B	5.4	51	40.1	175	360	5.8	5.9	2.28	4.12	-.80
3469.5	3470.5	C	1.1	346	39.7	173	337	5.8	5.8	1.55	4.45	1.30
3479.5	3480.5	B	2.8	244	39.4	176	315	5.8	5.7	.15	3.65	3.51
3481.5	3482.5	A	5.2	139	39.3	176	316	5.8	5.9	.55	4.40	2.95
3509.5	3510.5	D	32.6	211	38.6	174	310	5.8	5.8	-.85	9.75	13.00
3515.5	3516.5	C	59.1	4	38.2	175	303	5.8	5.8	.02	-2.10	-1.10
3525.5	3526.5	C	40.4	360	38.0	174	273	5.8	5.9	-1.45	-.95	.00
3527.5	3528.5	D	15.4	319	37.9	173	263	5.8	5.8	-2.15	-1.45	3.20
3529.5	3530.5	A	9.8	323	37.9	173	255	5.8	5.7	-2.15	-1.40	3.35
3561.5	3562.5	D	80.4	322	37.1	173	178	5.8	5.7	16.18	12.75	-19.53
3563.5	3564.5	B	9.6	196	37.1	173	168	5.8	5.7	-2.43	-6.10	-.64
3569.5	3570.5	D	16.1	161	37.0	173	143	5.8	5.7	-1.25	-6.80	-2.35
3577.5	3578.5	A	24.7	183	36.8	173	87	5.8	5.7	3.50	-1.55	-10.32
3579.5	3580.5	D	29.1	155	36.8	173	71	5.8	5.7	3.95	-1.50	-10.55
3583.5	3584.5	D	63.9	110	36.7	174	37	5.8	5.7	5.40	-7.30	-16.82
3585.5	3586.5	D	11.9	193	36.6	174	21	5.8	5.7	3.64	5.78	-3.00
3587.5	3588.5	C	13.9	153	36.5	173	10	5.8	5.7	3.38	5.60	-3.10
3591.5	3592.5	B	10.7	338	36.5	174	359	5.8	5.7	1.15	3.10	.40
3593.5	3594.5	A	6.0	351	36.5	175	352	5.8	5.7	1.17	3.46	.45
3601.5	3602.5	C	7.1	96	36.3	174	339	5.8	5.7	1.22	4.18	.22
3607.5	3608.5	D	8.9	334	36.2	176	335	5.8	5.7	1.93	2.80	1.83
3613.5	3614.5	B	14.7	230	36.0	173	327	5.8	5.8	1.92	5.15	4.00
3615.5	3616.5	D	11.4	231	36.0	173	320	5.8	5.7	1.35	4.30	3.95
3617.5	3618.5	B	10.4	342	35.9	173	312	5.8	5.7	1.59	4.92	2.14
3619.5	3620.5	D	15.0	349	35.9	174	306	5.8	5.7	1.61	.96	2.15
3621.5	3622.5	D	6.5	357	35.8	175	303	5.8	5.7	-.54	1.85	2.70
3623.5	3624.5	C	10.2	62	35.7	174	299	5.8	5.7	-.59	2.52	2.10
3625.5	3626.5	D	67.2	351	35.7	174	296	5.8	5.8	-1.65	-3.95	-1.45
3633.5	3634.5	D	8.8	97	35.5	173	247	5.8	5.7	-2.45	-.05	4.10
3639.5	3640.5	D	22.7	143	35.5	171	224	5.8	5.7	-5.30	-2.05	7.25
3645.5	3646.5	D	10.9	80	35.4	173	181	5.8	5.7	-2.35	-3.30	1.65
3647.5	3648.5	B	5.4	161	35.4	175	170	5.8	5.7	-2.48	-4.65	-.01
3649.5	3650.5	C	8.7	110	35.4	174	166	5.8	5.7	-1.92	-4.35	.45
3653.5	3654.5	C	3.1	59	35.3	173	151	5.8	5.8	-1.41	-3.60	-1.15
3655.5	3656.5	A	7.1	91	35.3	174	146	5.8	5.8	-1.55	-3.80	-1.10
3657.5	3658.5	A	12.9	27	35.4	175	142	5.8	5.7	-.25	-2.20	-1.05