



DIP LOG CALCULATIONS

COMPANY REICHOLD ENERGY CORPORATION
WELL N.N.G.-FINN. NO.1
FIELD MCCOY AREA
COUNTY POLK **STATE** OREGON

WELEX

A ~~Hess~~ Company

CORRELATION INTERVAL:	CORR. GRADE:	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA. 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
663.0	664.0	C	9.1	295.	2.2	237.	198.	11.6	0.0	-.30	1.50
666.0	668.7	D	8.5	46.	2.3	237.	207.	9.3	0.0	-.90	-.70
696.0	697.0	C	13.3	156.	2.3	240.	208.	9.6	0.0	1.60	-.10
706.0	706.8	C	15.7	158.	2.2	236.	210.	9.7	0.0	1.90	-.20
768.0	770.0	D	5.7	148.	2.0	226.	201.	10.0	0.0	.80	.10
774.0	776.0	D	6.3	284.	2.0	231.	200.	10.0	0.0	.10	1.10
872.0	874.0	D	24.2	280.	1.9	247.	170.	10.6	0.0	-2.10	2.40
953.0	954.5	C	11.9	144.	2.8	250.	169.	10.1	0.0	1.60	.70
956.0	956.6	B	3.4	131.	2.8	250.	166.	10.4	0.0	.30	.30
958.0	958.9	C	6.1	239.	2.9	250.	164.	11.0	0.0	-.10	1.20
964.0	966.0	C	16.2	123.	3.0	250.	190.	10.5	0.0	1.40	-.80
1015.7	1016.3	C	9.5	72.	3.8	253.	198.	9.9	0.0	-.60	-.90
1017.0	1017.5	C	17.4	72.	3.8	253.	197.	9.8	0.0	-1.10	-2.10
1020.6	1020.8	B	8.1	163.	3.8	253.	197.	9.5	0.0	1.10	.60
1023.7	1024.2	C	14.3	129.	3.8	252.	200.	9.8	0.0	1.10	-.60
1035.7	1036.4	C	18.4	122.	3.8	251.	103.	9.4	0.0	1.80	2.00
1039.6	1040.4	C	10.7	143.	3.8	251.	104.	9.8	0.0	.50	1.30
1043.6	1044.2	C	13.2	2.	4.0	254.	79.	9.6	0.0	.20	-1.70
1049.7	1050.4	C	12.2	259.	4.2	258.	14.	10.6	0.0	-.50	-2.50
1052.9	1053.0	D	11.5	137.	4.2	257.	313.	9.6	0.0	-1.10	-1.10
1060.0	1061.0	C	11.2	261.	4.1	256.	191.	11.1	0.0	.30	2.40
1066.0	1067.0	C	17.9	226.	4.0	257.	50.	8.5	0.0	-2.70	-1.90
1078.0	1078.8	C	20.7	49.	3.9	258.	148.	9.3	0.0	-.40	-2.50
1105.7	1106.2	D	20.2	13.	3.8	253.	75.	8.6	0.0	1.20	-1.50
1115.0	1115.9	C	23.6	10.	4.0	253.	80.	10.2	0.0	1.30	-2.50
1146.0	1146.6	D	10.6	95.	4.0	251.	81.	9.8	0.0	.90	.80
1155.7	1156.0	C	24.9	62.	4.0	250.	77.	9.9	0.0	3.30	1.10
1171.7	1171.9	C	5.8	76.	4.0	250.	88.	10.5	0.0	.30	.00
1172.0	1173.0	B	4.6	85.	4.0	250.	88.	10.4	0.0	.10	.00
1177.3	1177.6	C	3.4	137.	4.0	252.	88.	9.7	0.0	-.30	.10
1182.3	1182.6	A	5.9	94.	3.9	254.	90.	10.1	0.0	.30	.20
1189.0	1190.5	B	5.0	75.	3.8	256.	89.	10.0	0.0	.20	-.10
1199.0	1200.0	D	12.5	137.	3.9	256.	78.	10.1	0.0	.20	1.40
1211.0	1212.0	D	19.6	64.	4.0	256.	91.	10.0	0.0	2.30	.20
1214.0	1214.3	D	13.6	54.	4.0	256.	89.	10.1	0.0	1.30	-.30
1232.0	1232.8	C	7.6	145.	3.9	256.	88.	10.0	0.0	-.10	.70
1234.9	1235.1	B	2.5	205.	4.0	256.	88.	10.1	0.0	-.80	-.30
1247.0	1248.0	C	9.8	110.	3.9	256.	78.	10.0	0.0	.60	.90
1260.0	1260.3	C	10.6	124.	3.6	256.	77.	9.7	0.0	.40	1.10
1262.0	1264.0	B	10.1	154.	3.7	256.	71.	9.9	0.0	-.50	.80
1266.0	1266.5	C	7.3	174.	3.8	256.	68.	9.7	0.0	-.90	.10
1272.0	1274.0	B	12.9	177.	3.8	256.	86.	10.2	0.0	-.90	1.10
1274.0	1276.0	B	18.1	178.	3.8	256.	86.	10.1	0.0	-1.10	1.70
1277.0	1278.0	C	16.3	141.	3.7	256.	86.	10.1	0.0	.60	2.10
1283.8	1284.0	B	4.0	108.	3.7	256.	91.	10.0	0.0	.00	.10
1287.0	1288.0	D	4.4	16.	3.7	256.	93.	10.1	0.0	-.30	-.80
1306.1	1306.3	C	13.2	112.	3.7	256.	93.	9.8	0.0	1.20	1.30
1308.3	1308.7	C	14.9	142.	3.7	256.	94.	10.0	0.0	.70	1.90
1310.0	1310.8	C	10.4	155.	3.7	256.	94.	10.1	0.0	.00	1.20
1314.5	1315.2	B	18.5	171.	3.7	256.	93.	10.5	0.0	-.40	2.30
1319.0	1320.0	C	13.7	142.	3.7	256.	96.	11.0	0.0	.70	1.90
1326.0	1326.3	C	14.6	90.	3.7	256.	99.	10.1	0.0	1.70	.80
1327.0	1328.0	B	11.5	151.	3.7	256.	99.	9.9	0.0	.30	1.40
1328.0	1328.9	B	10.3	159.	3.7	256.	99.	9.9	0.0	.00	1.20
1331.0	1332.0	C	16.8	131.	3.7	256.	99.	10.0	0.0	1.40	2.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
1341.6	1341.8	D	6.4	122.	3.6	259.	101.	10.0	0.0	.30	.50
1380.0	1380.3	C	5.0	130.	3.6	261.	77.	10.9	0.0	-.10	.30
1387.8	1388.6	C	5.7	101.	3.6	261.	79.	10.6	0.0	.30	.30
1391.6	1392.2	B	7.7	137.	3.6	261.	101.	10.2	0.0	.30	.80
1392.2	1392.8	C	11.4	104.	3.6	261.	103.	10.3	0.0	1.20	.80
1403.8	1404.0	D	8.5	199.	3.7	261.	112.	10.2	0.0	-.70	.80
1409.8	1410.0	B	14.1	114.	3.6	261.	104.	10.7	0.0	1.60	1.40
1418.9	1419.0	D	3.1	121.	3.8	261.	120.	10.0	0.0	-.10	.10
1472.0	1472.7	D	10.0	167.	3.4	262.	106.	10.1	0.0	.00	1.20
1480.0	1480.7	C	15.4	177.	3.4	262.	118.	10.8	0.0	.40	2.30
1492.0	1492.6	D	12.5	164.	3.4	264.	115.	10.2	0.0	.50	1.70
1518.7	1519.0	D	6.5	115.	3.3	261.	117.	10.3	0.0	.50	.40
1520.0	1522.0	B	3.3	115.	3.3	261.	117.	10.1	0.0	.00	.10
1523.0	1523.7	B	4.7	95.	3.2	261.	118.	10.1	0.0	.20	.00
1524.0	1526.0	C	5.8	105.	3.2	261.	118.	10.2	0.0	.40	.20
1546.0	1546.5	C	3.2	190.	3.3	261.	112.	10.6	0.0	-.50	.20
1550.0	1552.0	C	7.2	103.	3.2	261.	112.	10.1	0.0	.60	.30
1557.7	1558.6	B	4.1	129.	3.1	261.	114.	10.2	0.0	.10	.30
1575.8	1576.2	C	19.3	208.	3.1	259.	106.	10.2	0.0	-1.60	1.70
1580.0	1580.4	C	8.7	65.	3.0	258.	106.	10.5	0.0	.70	-.30
1591.0	1592.0	C	17.2	148.	2.7	258.	93.	10.2	0.0	.80	2.40
1606.2	1606.7	B	13.5	148.	3.0	258.	106.	10.6	0.0	.90	1.90
1613.2	1613.3	C	14.2	71.	3.0	258.	106.	10.7	0.0	1.60	-.10
1633.6	1634.0	C	7.0	208.	3.0	258.	104.	10.2	0.0	-.90	.40
1637.7	1637.8	D	16.1	34.	3.0	258.	103.	10.0	0.0	.80	-1.50
1646.0	1646.4	C	6.5	214.	3.0	258.	106.	10.0	0.0	-.90	.30
1653.8	1654.2	B	27.9	55.	2.9	258.	107.	10.2	0.0	2.90	-1.30
1669.6	1670.4	C	24.6	67.	2.9	258.	110.	10.0	0.0	2.80	-.50
1677.0	1677.6	C	5.9	64.	2.9	258.	107.	10.2	0.0	.30	-.30
1685.0	1686.0	B	.4	92.	3.0	258.	109.	10.2	0.0	-.40	-.20
1688.3	1688.5	C	.6	341.	3.0	258.	110.	10.2	0.0	-.50	-.30
1692.0	1692.4	C	4.4	187.	2.9	258.	110.	10.1	0.0	-.40	.40
1706.5	1707.2	B	5.5	70.	2.8	257.	109.	10.1	0.0	.30	-.20
1709.3	1709.8	B	4.4	266.	2.8	256.	108.	10.2	0.0	-1.10	-.40
1715.0	1716.0	C	6.2	208.	2.7	255.	100.	10.8	0.0	-.90	.30
1718.1	1718.3	B	11.2	221.	2.6	255.	98.	10.3	0.0	-1.60	.30
1723.8	1724.2	C	18.8	64.	2.7	254.	109.	10.2	0.0	2.00	-.50
1730.2	1730.4	C	1.6	39.	2.8	254.	109.	10.0	0.0	-.30	-.30
1731.8	1732.2	B	.9	324.	2.7	254.	109.	9.8	0.0	-.50	-.30
1733.0	1733.5	B	2.7	151.	2.7	254.	103.	10.5	0.0	-.20	.20
1737.0	1738.0	C	7.1	201.	2.7	254.	106.	10.4	0.0	-.70	.60
1742.0	1743.0	C	12.9	256.	2.6	256.	109.	10.3	0.0	-2.30	-.40
1745.7	1746.0	C	4.6	94.	2.6	257.	109.	10.2	0.0	.30	.10
1747.2	1747.4	B	1.2	219.	2.6	258.	109.	10.4	0.0	-.50	-.10
1749.6	1750.0	B	4.5	114.	2.6	259.	110.	10.7	0.0	.30	.30
1750.0	1750.4	B	8.2	148.	2.6	259.	110.	10.7	0.0	.50	1.10
1759.0	1760.0	B	3.9	198.	2.6	261.	110.	10.8	0.0	-.50	.30
1762.3	1762.6	B	3.4	142.	2.6	261.	110.	10.7	0.0	.00	.30
1765.3	1765.6	C	.8	244.	2.6	262.	110.	10.4	0.0	-.50	-.20
1767.7	1768.3	C	10.4	235.	2.6	262.	112.	10.2	0.0	-1.50	.30
1770.2	1771.1	B	3.2	111.	2.6	262.	117.	10.2	0.0	.10	.10
1772.3	1772.9	B	8.6	150.	2.5	262.	117.	10.3	0.0	.60	1.10
1774.3	1774.8	C	2.5	149.	2.5	262.	117.	10.3	0.0	-.10	.20
1776.1	1776.3	B	1.8	245.	2.5	262.	117.	10.4	0.0	-.60	-.10
1779.6	1780.0	B	5.8	287.	2.5	262.	117.	10.3	0.0	-1.30	-.60

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA. 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1780.8	1782.0	C	4.7	353.	2.5	262.	117.	10.3	0.0	-.70	-.90
1782.5	1783.1	B	6.2	331.	2.5	262.	117.	10.4	0.0	-1.10	-1.10
1784.0	1784.5	C	14.4	239.	2.5	262.	117.	10.4	0.0	-1.90	.60
1790.3	1790.8	C	7.3	235.	2.5	262.	122.	10.3	0.0	-1.00	.40
1793.8	1794.0	C	4.0	332.	2.5	263.	125.	10.4	0.0	-.90	-.70
1796.3	1796.6	C	2.1	302.	2.5	263.	126.	10.2	0.0	-.70	-.30
1799.0	1800.0	B	1.9	6.	2.5	264.	129.	10.4	0.0	-.50	-.40
1800.0	1800.6	A	3.1	66.	2.5	264.	130.	10.4	0.0	-.10	-.30
1803.0	1804.0	B	3.5	277.	2.4	264.	127.	10.5	0.0	-.90	-.20
1806.5	1806.6	B	3.5	202.	2.4	264.	128.	10.3	0.0	-.30	.40
1808.1	1808.2	B	7.0	225.	2.4	264.	131.	10.2	0.0	-.60	.70
1812.0	1812.7	C	9.6	270.	2.4	264.	138.	10.2	0.0	-1.50	.20
1812.7	1813.0	B	6.6	288.	2.4	264.	138.	10.2	0.0	-1.30	-.20
1814.0	1814.8	C	3.3	265.	2.4	264.	139.	10.2	0.0	-.70	.10
1819.3	1819.8	A	.7	48.	2.4	264.	142.	9.8	0.0	-.30	-.10
1821.9	1822.2	B	2.8	119.	2.4	264.	144.	9.8	0.0	.10	.10
1825.8	1826.0	C	3.4	203.	2.3	265.	145.	9.8	0.0	-.10	.50
1829.0	1829.4	B	5.9	41.	2.3	265.	147.	9.8	0.0	-.40	-.80
1832.3	1832.6	A	5.4	168.	2.3	266.	147.	9.8	0.0	.40	.70
1836.0	1837.0	B	2.2	236.	2.3	266.	151.	9.8	0.0	-.30	.30
1837.7	1838.2	A	5.3	235.	2.3	266.	152.	9.8	0.0	-.30	.70
1839.6	1840.0	A	2.4	33.	2.2	266.	155.	9.9	0.0	-.40	-.30
1840.8	1841.3	A	2.1	293.	2.2	266.	158.	9.9	0.0	-.50	.10
1844.3	1844.6	B	3.0	137.	2.2	266.	162.	9.8	0.0	.20	.20
1849.7	1850.3	C	12.0	185.	2.2	266.	171.	10.0	0.0	1.50	1.60
1851.6	1851.7	B	11.5	194.	2.2	266.	171.	10.0	0.0	1.30	1.70
1853.6	1853.9	B	6.5	162.	2.2	267.	174.	10.0	0.0	.80	.60
1855.3	1855.7	A	5.8	175.	2.2	267.	177.	10.0	0.0	.70	.70
1858.0	1858.3	A	4.7	150.	2.2	268.	178.	9.9	0.0	.50	.30
1859.0	1860.0	A	9.5	153.	2.2	269.	178.	9.9	0.0	1.20	.50
1861.0	1862.0	B	1.2	190.	2.2	269.	179.	10.0	0.0	.00	.30
1865.8	1866.0	C	13.6	165.	2.1	269.	176.	9.9	0.0	1.90	1.10
1867.0	1868.0	B	13.2	181.	2.0	269.	177.	9.9	0.0	1.80	1.50
1870.0	1870.4	B	1.7	151.	1.9	269.	178.	10.3	0.0	.10	.20
1871.8	1872.4	A	2.1	93.	2.0	269.	179.	12.4	0.0	-.10	-.10
1873.6	1873.8	B	4.2	103.	2.1	269.	181.	12.4	0.0	.10	-.30
1876.0	1877.0	C	3.1	143.	2.2	269.	184.	11.8	0.0	.30	.20
1882.2	1882.8	C	5.9	92.	2.3	269.	180.	10.2	0.0	.00	-.50
1886.0	1886.4	C	3.3	219.	2.3	269.	182.	10.3	0.0	.20	.70
1888.9	1889.2	A	7.9	293.	2.3	269.	177.	10.3	0.0	-.90	.70
1891.6	1891.9	B	4.3	307.	2.3	269.	177.	10.4	0.0	-.70	.30
1895.8	1896.6	C	4.3	310.	2.2	269.	179.	10.5	0.0	-.70	.30
1898.0	1898.8	C	4.5	241.	2.2	269.	181.	10.5	0.0	.10	.90
1900.1	1900.8	D	11.7	178.	2.2	269.	180.	10.5	0.0	1.70	1.30
1904.3	1904.5	B	11.6	60.	2.2	268.	184.	10.2	0.0	-.90	-1.60
1913.0	1914.0	C	.5	260.	2.2	267.	188.	10.2	0.0	-.10	.30
1923.6	1924.0	C	15.2	73.	2.2	267.	175.	9.9	0.0	-.30	-1.90
1926.6	1927.0	B	13.6	333.	2.2	267.	179.	10.1	0.0	-2.20	-.30
1928.3	1928.7	C	27.8	328.	2.2	267.	182.	10.1	0.0	-4.40	-.20
1933.6	1933.8	C	12.4	344.	2.3	268.	176.	10.0	0.0	-2.10	-.70
1935.8	1936.0	C	4.6	29.	2.3	268.	176.	10.0	0.0	-.70	-.50
1943.0	1943.3	C	11.4	328.	2.3	268.	172.	10.0	0.0	-1.90	-.30
1946.2	1946.7	C	6.7	324.	2.3	268.	170.	10.1	0.0	-1.20	-.10
1954.0	1954.5	B	8.2	333.	2.3	266.	163.	10.0	0.0	-1.50	-.50
1956.3	1957.2	B	8.9	313.	2.3	265.	163.	10.0	0.0	-1.50	-.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA. 13	DISPLACEMENTS:			
								NO.1	NO.2	NO.3	
1958.6	1958.7	B	3.2	345.	2.3	264.	163.	9.9	0.0	-.70	-.20
1961.0	1962.0	C	4.5	329.	2.3	264.	161.	9.8	0.0	-.90	-.20
1963.0	1964.0	B	4.8	64.	2.3	264.	160.	9.8	0.0	-.20	-.50
1965.0	1966.0	B	1.4	229.	2.3	264.	160.	10.0	0.0	-.20	.30
1968.0	1968.2	C	2.9	54.	2.3	264.	162.	10.0	0.0	-.30	-.30
1970.3	1970.6	B	1.0	267.	2.3	264.	162.	10.2	0.0	-.30	.20
1973.0	1973.5	C	9.3	40.	2.3	263.	162.	10.1	0.0	-.80	-1.30
1975.8	1976.0	B	4.5	319.	2.3	262.	160.	9.9	0.0	-.90	-.10
1979.6	1980.0	B	3.7	277.	2.4	261.	157.	10.0	0.0	-.60	.30
1981.0	1982.0	C	4.7	208.	2.4	261.	157.	9.9	0.0	.10	.80
1985.0	1985.3	A	5.9	61.	2.4	260.	148.	9.8	0.0	-.10	-.60
1987.7	1988.2	C	9.3	234.	2.4	260.	144.	9.7	0.0	-.50	1.10
1991.6	1991.8	B	6.5	23.	2.4	259.	148.	9.6	0.0	-.70	-.90
1992.0	1993.0	C	7.2	336.	2.4	259.	149.	9.7	0.0	-1.30	-.70
1998.0	1998.7	C	10.5	7.	2.4	258.	146.	9.8	0.0	-1.30	-1.50
2001.0	2002.0	B	5.2	351.	2.4	258.	141.	9.8	0.0	-.90	-.70
2006.5	2006.8	B	3.7	36.	2.4	258.	132.	9.7	0.0	-.30	-.50
2012.9	2013.5	D	11.9	358.	2.4	257.	140.	9.6	0.0	-1.50	-1.70
2033.6	2034.8	C	3.4	76.	2.4	253.	113.	9.7	0.0	.10	-.10
2039.6	2040.4	C	12.6	283.	2.4	251.	104.	9.5	0.0	-2.20	-1.30
2043.0	2044.0	C	10.7	267.	2.4	251.	109.	9.6	0.0	-1.90	-.60
2045.0	2046.0	C	14.6	120.	2.4	251.	110.	9.7	0.0	1.70	1.50
2057.0	2058.0	C	9.8	62.	2.4	250.	102.	9.8	0.0	.90	-.20
2074.0	2076.0	C	14.1	166.	2.4	248.	95.	9.8	0.0	.00	1.80
2086.2	2086.8	C	11.1	131.	2.4	247.	81.	9.8	0.0	.50	1.40
2091.0	2092.0	C	18.4	30.	2.4	246.	82.	9.8	0.0	1.70	-.90
2100.0	2100.9	D	10.1	189.	2.4	245.	78.	9.8	0.0	-1.10	.50
2118.0	2118.5	C	6.8	152.	2.1	247.	70.	9.8	0.0	-.30	.60
2121.8	2123.0	C	8.1	7.	2.1	247.	67.	9.8	0.0	.50	-.70
2126.0	2128.0	B	16.7	184.	2.1	245.	70.	9.9	0.0	-1.70	.90
2132.0	2133.0	B	3.0	302.	2.1	242.	69.	9.9	0.0	-.50	-.70
2138.0	2138.3	B	7.5	309.	2.0	241.	56.	9.8	0.0	-.40	-1.30
2141.0	2142.0	C	12.1	332.	2.0	240.	54.	9.8	0.0	.30	-1.50
2152.2	2153.0	A	6.4	9.	2.1	240.	56.	9.8	0.0	.50	-.40
2168.0	2168.4	C	9.4	266.	2.1	240.	51.	10.1	0.0	-1.30	-1.70
2173.0	2174.0	C	17.2	360.	2.1	241.	62.	9.8	0.0	1.30	-1.30
2177.7	2178.2	C	9.9	210.	2.1	241.	53.	9.8	0.0	-1.70	-.70
2193.0	2194.0	C	5.2	145.	2.0	240.	43.	10.3	0.0	-.50	.20
2207.0	2207.5	D	9.2	5.	2.0	238.	54.	9.7	0.0	.80	-.50
2212.0	2214.0	C	3.7	274.	2.0	238.	54.	9.8	0.0	-.60	-.80
2215.8	2216.2	B	11.4	241.	2.0	238.	54.	9.8	0.0	-1.90	-1.50
2228.0	2230.0	C	4.4	12.	2.0	238.	54.	9.9	0.0	.30	-.30
2255.0	2255.2	B	2.5	108.	2.0	234.	53.	9.8	0.0	-.10	.10
2268.1	2268.8	A	13.4	20.	2.0	234.	46.	9.8	0.0	1.70	.20
2274.5	2275.5	C	3.3	360.	1.9	235.	42.	9.9	0.0	.20	-.30
2285.7	2286.2	C	5.0	154.	1.8	238.	50.	9.8	0.0	-.50	.20
2289.0	2290.8	C	10.0	293.	1.8	238.	47.	9.8	0.0	-.60	-1.70
2300.0	2302.0	B	25.7	195.	1.8	238.	46.	9.8	0.0	-4.00	-.80
2305.0	2306.0	C	10.2	172.	1.8	238.	45.	9.8	0.0	-1.30	.10
2314.0	2315.0	C	19.3	22.	1.8	237.	41.	9.8	0.0	2.70	.70
2349.8	2350.2	D	23.0	344.	1.8	238.	40.	9.8	0.0	2.30	-1.30
2380.9	2381.3	C	4.5	155.	1.8	242.	46.	9.8	0.0	-.50	.10
2384.3	2386.0	C	13.6	162.	1.8	242.	49.	9.8	0.0	-1.30	.70
2387.7	2389.0	C	7.1	98.	1.8	242.	43.	9.8	0.0	.30	.80
2399.9	2400.2	B	2.5	198.	1.7	245.	35.	9.9	0.0	-.50	-.40

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA. 13.	DISPLACEMENTS NO.1 NO.2 NO.3			
2403.0	2404.0	C	8.5	336.	1.7	244.	30.	10.0	0.0	.80	-.60
2420.0	2422.0	C	2.6	41.	1.5	242.	27.	11.3	0.0	.30	.10
2436.1	2437.0	C	5.0	14.	1.5	242.	28.	10.6	0.0	.70	.10
2470.0	2472.0	D	13.1	243.	1.4	242.	15.	10.3	0.0	-1.20	-2.30
2492.0	2494.0	C	13.2	207.	1.4	246.	19.	10.0	0.0	-2.00	-1.70
2500.0	2500.3	B	9.5	265.	1.4	248.	22.	9.9	0.0	-.50	-1.60
2504.0	2506.0	C	5.7	238.	1.3	248.	16.	10.5	0.0	-.60	-1.10
2522.0	2524.0	A	11.7	51.	1.4	242.	19.	10.1	0.0	1.30	1.50
2546.3	2546.4	C	15.6	346.	1.5	250.	35.	10.8	0.0	1.90	-.70
2559.0	2560.0	C	9.7	249.	1.4	250.	45.	11.0	0.0	-1.50	-1.70
2588.0	2588.7	D	6.6	119.	1.6	248.	77.	10.0	0.0	.40	.80
2599.8	2600.4	D	6.3	156.	1.9	248.	86.	9.9	0.0	-.10	.70
2619.0	2620.0	C	11.2	113.	2.1	248.	105.	9.9	0.0	1.30	1.10
2634.0	2636.0	C	1.8	70.	2.0	252.	81.	10.2	0.0	.00	-.10
2664.3	2665.0	D	16.2	356.	1.8	267.	83.	10.3	0.0	.30	-2.20
2700.0	2702.0	C	2.7	53.	1.8	259.	91.	10.0	0.0	.10	-.20
2730.0	2730.7	C	4.1	187.	1.7	261.	94.	10.7	0.0	-.40	.30
2743.8	2744.2	C	13.0	223.	1.6	261.	90.	10.6	0.0	-1.90	.10
2746.0	2746.3	C	16.8	164.	1.6	261.	88.	10.6	0.0	.00	2.30
2756.0	2756.7	D	11.5	203.	1.6	261.	87.	10.7	0.0	-1.30	.60
2761.8	2762.2	D	10.2	97.	1.6	261.	79.	10.2	0.0	1.20	1.10
2775.7	2776.2	C	7.5	62.	1.5	261.	86.	10.1	0.0	.90	.10
2836.4	2836.8	B	4.7	32.	1.4	256.	80.	10.7	0.0	.40	-.30
2918.0	2918.3	D	16.9	307.	1.3	238.	71.	10.1	0.0	-1.30	-2.80
2939.3	2939.6	C	4.3	148.	1.1	270.	55.	9.6	0.0	-.20	.30
2964.0	2965.0	D	21.9	134.	.7	255.	86.	10.1	0.0	1.80	3.40
2983.0	2984.0	C	6.0	206.	.6	279.	90.	10.1	0.0	-.60	.30
2986.0	2986.8	B	1.2	150.	.6	282.	90.	11.0	0.0	.00	.10
2989.7	2990.0	B	2.3	127.	.5	286.	87.	11.1	0.0	.20	.30
2992.0	2992.7	B	2.6	113.	.5	289.	88.	11.1	0.0	.30	.30
2994.0	2995.0	D	11.0	288.	.6	291.	88.	11.1	0.0	-1.70	-1.70
3000.0	3002.0	C	18.1	187.	.6	298.	94.	11.0	0.0	-.70	2.20
3018.0	3020.0	D	3.0	10.	.6	321.	85.	11.2	0.0	.20	-.40
3028.0	3028.4	C	9.7	204.	.6	326.	99.	11.4	0.0	-.70	.90
3038.5	3038.7	C	11.2	129.	.6	322.	106.	10.6	0.0	1.50	1.50
3046.1	3046.3	D	24.7	164.	.7	322.	109.	10.1	0.0	1.70	3.90
3050.0	3052.0	C	12.4	222.	.8	323.	111.	10.9	0.0	-1.10	.90
3058.6	3058.9	B	10.9	311.	.8	334.	116.	10.9	0.0	-1.70	-1.60
3060.0	3061.0	B	12.1	333.	.8	336.	117.	11.0	0.0	-1.50	-2.10
3065.0	3066.0	C	9.2	258.	.8	336.	118.	10.5	0.0	-1.30	-.10
3069.6	3070.3	B	2.0	173.	.8	336.	120.	10.9	0.0	.10	.20
3070.5	3071.2	B	4.0	188.	.8	336.	121.	10.8	0.0	.10	.50
3075.6	3076.0	C	9.8	197.	.8	0.	120.	10.6	0.0	.10	1.30
3080.0	3082.0	D	14.0	190.	.9	0.	122.	10.3	0.0	.50	2.00
3083.7	3084.0	B	16.4	214.	.9	3.	122.	10.5	0.0	-.50	1.90
3092.0	3093.0	D	3.6	335.	.9	10.	119.	11.1	0.0	-.40	-.70
3106.3	3106.9	D	14.5	48.	1.0	10.	122.	11.4	0.0	1.10	-1.60
3226.4	3226.7	B	11.2	312.	1.2	38.	141.	10.2	0.0	-1.70	-1.00
3229.2	3229.5	B	11.1	303.	1.2	38.	144.	10.5	0.0	-1.70	-.70
3240.8	3241.2	B	11.9	293.	1.3	40.	142.	10.9	0.0	-1.80	-.50
3242.0	3242.3	D	10.2	292.	1.3	41.	142.	10.8	0.0	-1.50	-.40
3243.7	3243.9	C	7.1	328.	1.3	41.	137.	10.7	0.0	-1.00	-1.00
3247.8	3248.2	B	6.9	295.	1.2	43.	139.	10.6	0.0	-1.00	-.40
3261.7	3262.1	B	10.0	323.	1.2	47.	152.	10.2	0.0	-1.50	-.90
3268.0	3268.3	C	10.1	327.	1.3	50.	140.	10.8	0.0	-1.50	-1.30

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA. 13.	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3282.2	3282.7	B	17.6	68.	1.3	51.	136.	11.1	0.0	1.70	-1.60
3286.2	3286.8	D	20.0	43.	1.3	50.	130.	11.2	0.0	.90	-2.70
3310.5	3311.0	D	2.3	2.	1.2	48.	145.	11.2	0.0	-.20	-.50
3316.5	3317.2	D	3.6	328.	1.1	48.	145.	10.7	0.0	-.50	-.50
3328.3	3328.7	D	8.8	295.	1.1	48.	137.	10.8	0.0	-1.30	-.50
3339.0	3339.8	D	8.0	316.	1.2	48.	142.	10.5	0.0	-1.20	-.80
3339.8	3340.5	D	8.9	323.	1.2	48.	142.	10.4	0.0	-1.30	-1.00
3344.5	3344.7	D	9.9	296.	1.1	51.	144.	10.4	0.0	-1.40	-.40
3352.6	3352.9	D	12.6	271.	1.2	56.	131.	9.9	0.0	-1.50	.00
3362.7	3363.0	D	7.7	193.	1.4	61.	123.	9.9	0.0	.40	1.10
3386.2	3387.2	C	4.4	2.	1.5	63.	111.	10.2	0.0	.10	-.60
3414.6	3415.4	C	8.1	344.	1.6	73.	165.	9.0	0.0	-1.00	-.80
3417.5	3418.4	D	9.9	322.	1.7	75.	116.	10.1	0.0	-1.00	-1.30
3425.8	3426.8	D	12.1	272.	1.7	78.	146.	9.1	0.0	-1.00	.40
3436.0	3436.7	D	8.5	310.	1.8	80.	83.	8.5	0.0	-.40	-.90
3440.4	3440.9	C	14.6	314.	1.8	82.	74.	8.7	0.0	-.50	-1.70
3444.4	3446.0	C	20.1	348.	1.8	82.	58.	8.9	0.0	1.50	-1.20
3452.8	3453.2	C	9.8	334.	1.9	82.	342.	9.2	0.0	1.20	.80
3453.2	3453.6	A	9.2	340.	2.0	82.	340.	9.2	0.0	1.10	.90
3453.6	3454.2	B	9.5	312.	2.0	82.	337.	9.3	0.0	1.10	.40
3469.2	3470.6	D	13.9	333.	2.2	82.	320.	9.5	0.0	1.60	1.60
3470.6	3472.1	C	14.6	329.	2.3	82.	315.	9.7	0.0	1.70	1.70
3472.1	3473.0	D	11.2	328.	2.3	82.	312.	9.7	0.0	1.20	1.30
3473.0	3474.3	D	9.8	334.	2.3	82.	311.	9.6	0.0	.90	1.20
3487.5	3489.0	D	31.5	357.	2.3	85.	312.	9.7	0.0	2.70	5.00
3512.7	3513.9	D	31.0	315.	2.3	85.	314.	10.9	0.0	5.10	3.50
3518.7	3519.5	C	22.3	340.	2.3	85.	316.	10.3	0.0	2.70	3.20
3519.5	3520.2	C	18.0	350.	2.3	85.	317.	10.3	0.0	1.80	2.70
3522.5	3523.0	C	21.3	322.	2.3	85.	310.	10.1	0.0	2.80	2.50
3527.3	3528.0	D	19.0	328.	2.3	86.	312.	10.7	0.0	2.50	2.50
3573.2	3574.2	C	15.3	279.	2.3	80.	284.	10.0	0.0	2.00	1.10
3574.0	3575.0	C	11.8	290.	2.3	80.	283.	10.0	0.0	1.40	1.10
3575.7	3576.2	D	9.7	298.	2.2	80.	282.	10.1	0.0	1.00	1.00
3599.2	3599.8	D	19.1	337.	2.3	77.	290.	10.0	0.0	1.30	2.80
3604.3	3604.9	D	26.6	12.	2.3	77.	285.	9.9	0.0	-.80	3.30
3617.5	3618.6	D	28.1	188.	2.2	76.	277.	9.9	0.0	.50	-3.70
3623.0	3623.5	C	46.8	65.	2.2	75.	280.	9.9	0.0	-8.90	-.90
3645.5	3646.8	C	13.9	255.	2.2	75.	264.	9.9	0.0	1.80	.80
3653.0	3653.7	C	38.9	339.	2.1	74.	266.	9.9	0.0	.60	6.10
3656.0	3658.0	C	20.1	297.	2.1	73.	266.	10.0	0.0	2.10	2.70
3661.2	3661.8	C	23.9	308.	2.1	72.	263.	9.9	0.0	1.90	3.50
3675.0	3676.0	D	33.6	351.	2.1	72.	253.	9.8	0.0	-1.90	3.60
3888.0	3889.5	D	39.9	136.	2.0	62.	263.	9.4	0.0	-3.50	-7.10
4000.0	4001.3	C	9.1	159.	1.8	66.	136.	9.4	0.0	1.30	1.10
4097.0	4098.2	C	68.2	327.	1.9	70.	113.	9.6	0.0	-14.20	-18.90
4125.2	4128.3	C	15.7	55.	1.8	71.	111.	9.8	0.0	1.90	-.60
4135.0	4136.7	C	13.0	11.	1.9	73.	103.	9.6	0.0	.50	-1.40
4146.7	4150.0	D	30.3	310.	1.9	70.	110.	9.8	0.0	-4.00	-4.10
4210.3	4212.5	D	42.9	49.	1.8	61.	2.	9.9	0.0	4.60	8.40
4216.0	4219.0	C	61.6	73.	1.8	61.	7.	10.1	0.0	4.50	16.80
4241.0	4245.0	C	51.4	321.	1.7	67.	352.	9.9	0.0	9.70	1.60
4264.0	4269.0	D	69.8	5.	1.5	69.	353.	10.1	0.0	22.20	18.70
4310.0	4312.6	D	48.5	339.	1.5	69.	9.	10.1	0.0	9.10	1.70
4322.0	4326.0	C	44.3	16.	1.6	72.	14.	10.2	0.0	8.50	5.90
4349.0	4352.5	C	57.5	60.	1.6	75.	21.	10.3	0.0	9.70	14.40

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
4368.0	4370.6	C	53.4	90.	1.7	72.	44.	10.1	0.0	7.10	12.50
4386.0	4388.0	D	30.0	351.	1.6	78.	25.	10.1	0.0	4.60	.70
4400.0	4402.0	C	22.7	50.	1.5	81.	23.	10.2	0.0	3.00	3.60
4490.7	4491.0	D	78.8	340.	1.4	54.	349.	10.1	0.0	43.50	22.00
4504.0	4508.0	D	76.3	315.	1.2	53.	339.	9.8	0.0	32.10	8.70
4526.0	4530.0	C	78.9	290.	1.2	42.	320.	9.9	0.0	37.90	6.30
4552.5	4556.0	C	75.6	242.	1.1	34.	305.	10.3	0.0	18.70	-13.20
4560.0	4562.0	D	67.3	302.	1.1	26.	299.	10.3	0.0	20.50	14.10
4600.0	4604.0	C	20.7	302.	.7	7.	267.	10.0	0.0	2.30	3.20
4609.0	4611.0	C	50.5	180.	.6	8.	273.	10.2	0.0	1.00	-8.60
4652.0	4654.7	C	5.9	39.	.4	342.	250.	10.5	0.0	-.90	-.10
4658.0	4660.0	C	10.7	327.	.4	14.	258.	10.3	0.0	.30	1.60
4660.0	4662.0	C	20.8	326.	.4	15.	253.	10.2	0.0	.40	3.10
4662.0	4664.0	C	21.2	316.	.4	16.	251.	10.1	0.0	.90	3.30
4667.5	4668.7	B	27.1	310.	.4	18.	258.	10.2	0.0	2.10	4.50
4701.7	4703.6	C	24.5	101.	.1	41.	255.	9.5	0.0	-3.10	-3.40
4710.7	4712.0	B	26.1	352.	.1	96.	225.	9.6	0.0	-2.90	1.00
4712.0	4714.3	B	20.3	353.	.1	98.	223.	9.6	0.0	-2.30	.60
4716.0	4718.3	C	39.4	16.	.1	102.	235.	9.6	0.0	-5.90	.00
4726.0	4728.0	C	13.0	337.	.1	106.	224.	9.6	0.0	-1.00	.90
4729.0	4730.6	C	20.5	1.	.1	106.	228.	9.7	0.0	-2.50	.40
4736.0	4736.7	C	13.6	349.	.2	110.	226.	9.4	0.0	-1.30	.60
4738.0	4739.0	C	16.8	46.	.2	111.	222.	9.4	0.0	-2.40	-1.70
4739.0	4740.5	C	21.8	11.	.2	112.	215.	9.6	0.0	-3.20	-.90
4742.6	4743.5	B	17.1	343.	.2	115.	214.	9.6	0.0	-1.90	.50
4743.5	4745.0	B	13.3	344.	.3	117.	212.	9.6	0.0	-1.50	.30
4745.0	4746.7	B	14.6	337.	.3	119.	207.	9.6	0.0	-1.60	.40
4746.7	4748.3	B	15.0	328.	.3	120.	203.	9.6	0.0	-1.50	.60
4748.3	4749.9	B	16.9	326.	.3	122.	202.	9.6	0.0	-1.70	.70
4749.9	4752.3	A	15.5	323.	.4	123.	200.	9.6	0.0	-1.50	.70
4752.3	4754.5	B	15.8	307.	.4	122.	176.	9.4	0.0	-1.70	.40
4754.5	4756.3	C	19.9	277.	.4	121.	150.	9.1	0.0	-2.00	.70
4759.0	4760.0	C	12.4	309.	.5	119.	157.	9.3	0.0	-1.60	-.30
4760.0	4762.5	C	9.3	29.	.5	119.	158.	9.3	0.0	-.60	-1.30
4762.5	4764.0	B	13.6	51.	.4	120.	158.	9.4	0.0	-.20	-1.80
4764.5	4766.5	C	31.3	43.	.4	122.	152.	9.6	0.0	-.80	-4.70
4766.5	4768.1	B	13.2	33.	.3	123.	146.	9.4	0.0	-.40	-1.80
4768.1	4770.0	C	30.2	308.	.3	124.	152.	9.3	0.0	-4.50	-1.20
4770.0	4772.0	B	22.7	330.	.3	124.	163.	9.5	0.0	-3.40	-1.50
4772.0	4774.0	B	22.6	327.	.3	124.	162.	9.7	0.0	-3.40	-1.40
4774.0	4776.0	B	23.3	316.	.4	123.	158.	9.6	0.0	-3.40	-1.00
4776.0	4777.5	B	12.2	323.	.4	123.	158.	9.4	0.0	-1.70	-.70
4777.5	4780.0	C	18.9	308.	.5	122.	154.	9.4	0.0	-2.60	-.60
4780.0	4782.3	C	16.0	325.	.5	121.	145.	9.3	0.0	-2.20	-1.40
4788.0	4788.6	C	19.7	331.	.8	115.	127.	9.4	0.0	-2.30	-2.50
4801.7	4803.0	C	18.2	33.	1.0	103.	88.	9.6	0.0	2.00	-.60
4803.0	4805.0	C	16.4	34.	.9	103.	86.	9.6	0.0	1.90	-.40
4805.5	4806.6	C	31.1	68.	.9	102.	80.	9.6	0.0	5.10	2.40
4816.6	4817.5	C	14.5	47.	.9	101.	37.	9.5	0.0	2.00	1.70
4818.0	4820.0	C	13.1	46.	.9	101.	38.	9.3	0.0	1.80	1.50
4850.0	4852.0	C	17.5	341.	.8	91.	6.	9.3	0.0	2.40	.70
4884.3	4887.3	C	23.1	59.	1.0	99.	308.	9.5	0.0	-1.90	1.70
4888.0	4890.0	C	24.2	67.	1.0	100.	302.	9.8	0.0	-2.80	1.00
4890.0	4892.0	C	27.0	59.	.9	101.	286.	9.7	0.0	-3.50	.50
4898.5	4900.5	C	33.3	35.	.8	101.	262.	9.6	0.0	-4.40	.60

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA. 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4905.7	4906.6	C	21.3	29.	.9	102.	259.	9.6	0.0	-2.50	.50
4908.0	4910.0	C	35.0	22.	.9	102.	258.	9.6	0.0	-4.00	1.60
4910.0	4912.0	C	15.0	32.	.9	103.	254.	9.4	0.0	-1.90	.00
4928.5	4930.6	D	14.3	139.	1.3	109.	203.	9.6	0.0	1.30	-1.00
4935.3	4937.5	C	4.9	203.	1.4	114.	182.	9.8	0.0	.80	.60
4942.0	4943.5	C	46.6	186.	1.5	114.	131.	9.9	0.0	4.30	9.40
4943.5	4944.5	B	37.1	168.	1.6	112.	131.	10.6	0.0	5.10	7.00
4972.0	4974.5	D	48.7	102.	1.7	101.	49.	9.8	0.0	4.70	10.20
4986.0	4988.0	C	11.4	24.	1.7	101.	15.	9.7	0.0	1.50	1.40
4990.0	4992.0	C	16.7	81.	1.7	101.	27.	9.6	0.0	1.10	2.70
4992.0	4994.0	B	17.0	72.	1.7	101.	31.	9.6	0.0	1.60	2.70
4998.0	5000.0	B	8.2	8.	1.7	101.	32.	9.4	0.0	1.10	.50
5000.0	5002.0	B	10.8	2.	1.7	101.	33.	9.4	0.0	1.40	.40
5002.0	5004.0	C	14.5	10.	1.7	101.	38.	9.6	0.0	2.00	.60
5008.0	5010.0	C	8.0	58.	1.8	101.	38.	9.5	0.0	1.00	1.20
5011.0	5012.6	C	15.5	15.	1.8	101.	42.	9.6	0.0	2.20	.70
5012.6	5014.0	C	13.2	339.	1.8	101.	43.	9.5	0.0	1.10	-.60
5016.0	5018.0	C	10.5	8.	1.8	101.	22.	9.3	0.0	1.40	.80
5018.0	5020.0	C	12.1	354.	1.8	101.	14.	9.4	0.0	1.60	.70
5023.0	5024.7	B	8.4	3.	1.8	101.	15.	9.5	0.0	1.10	.70
5024.7	5026.3	C	17.3	354.	1.8	101.	16.	9.6	0.0	2.40	.90
5026.3	5028.0	B	16.0	345.	1.8	101.	16.	9.6	0.0	2.10	.50
5028.0	5030.0	B	15.1	359.	1.8	101.	16.	9.6	0.0	2.10	1.00
5030.0	5032.0	B	13.0	6.	1.8	101.	15.	9.6	0.0	1.80	1.10
5032.0	5033.3	B	18.7	4.	1.8	101.	14.	9.6	0.0	2.70	1.50
5034.5	5035.5	C	10.5	30.	1.8	101.	15.	9.7	0.0	1.30	1.40
5037.0	5038.0	C	18.4	333.	1.8	101.	15.	9.6	0.0	2.20	.00
5046.6	5048.1	C	2.1	83.	1.8	101.	9.	9.6	0.0	-.10	.40
5056.0	5058.0	C	18.2	50.	1.7	101.	18.	9.8	0.0	2.00	2.80
5058.0	5059.0	C	24.7	29.	1.7	101.	19.	9.8	0.0	3.60	3.10
5059.0	5060.3	B	32.9	33.	1.7	101.	19.	9.7	0.0	4.90	4.50
5060.3	5061.3	C	19.6	38.	1.7	101.	18.	9.6	0.0	2.50	2.70
5062.0	5063.3	C	11.3	20.	1.7	101.	15.	9.6	0.0	1.50	1.30
5065.0	5066.3	C	4.0	84.	1.7	101.	14.	9.8	0.0	.00	.70
5070.6	5072.0	D	7.8	44.	1.7	101.	15.	9.7	0.0	.80	1.20
5074.5	5076.6	C	12.6	351.	1.8	102.	13.	9.7	0.0	1.70	.70
5079.9	5081.3	C	37.8	32.	2.0	103.	19.	9.7	0.0	5.90	5.30
5084.0	5086.0	B	19.8	42.	2.0	105.	26.	9.5	0.0	2.60	2.60
5086.0	5088.0	B	19.9	33.	2.0	106.	29.	9.4	0.0	2.80	2.20
5144.0	5146.0	C	21.1	22.	1.8	109.	41.	9.9	0.0	3.20	1.30
5172.5	5173.5	C	12.7	102.	1.7	105.	24.	9.9	0.0	.00	1.90
5227.9	5228.3	C	14.1	88.	1.5	103.	30.	9.8	0.0	.80	2.30
5242.6	5244.0	C	14.5	172.	1.6	106.	29.	9.8	0.0	-2.00	.10
5246.0	5248.0	D	32.5	142.	1.5	107.	36.	9.6	0.0	-2.30	3.30
5253.5	5255.0	D	18.2	187.	1.5	109.	38.	9.7	0.0	-2.60	-.20
5264.5	5266.3	C	1.8	263.	1.5	109.	37.	9.7	0.0	-.20	-.10
5269.0	5270.0	C	2.7	136.	1.5	109.	34.	9.7	0.0	-.20	.40
5270.0	5272.0	C	2.6	150.	1.5	109.	32.	9.7	0.0	-.30	.30
5272.0	5274.0	C	4.1	128.	1.5	109.	34.	9.7	0.0	-.20	.60
5278.6	5279.5	C	9.5	283.	1.5	110.	42.	9.7	0.0	-.50	-1.20
5300.3	5300.9	D	9.0	97.	1.4	110.	48.	9.7	0.0	.70	1.50
5300.9	5301.9	C	17.5	94.	1.3	110.	48.	9.6	0.0	1.50	2.80
5306.6	5307.8	D	6.5	353.	1.3	108.	41.	9.4	0.0	.70	.00
5307.8	5308.7	C	32.4	275.	1.3	108.	37.	9.3	0.0	-2.00	-4.90
5312.0	5314.0	C	35.2	306.	1.2	106.	41.	9.5	0.0	.40	-4.60

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
5315.0	5315.9	C	30.1	282.	1.2	105.	49.	9.6	0.0	-2.20	-4.60
5319.0	5320.6	D	40.0	210.	1.2	103.	42.	9.6	0.0	-7.00	-3.00
5320.6	5320.9	D	43.9	217.	1.2	102.	43.	9.6	0.0	-8.00	-4.20
5320.9	5322.6	C	53.0	210.	1.2	102.	42.	9.6	0.0	-11.00	-4.90
5322.6	5324.3	C	52.7	207.	1.2	102.	36.	9.6	0.0	-11.00	-5.30
5338.5	5339.2	D	23.5	237.	1.1	98.	17.	9.5	0.0	-2.40	-3.40
5339.2	5341.0	D	19.3	215.	1.1	98.	21.	9.5	0.0	-2.70	-2.20
5344.0	5346.3	C	55.0	353.	1.1	97.	29.	9.6	0.0	10.40	.70
5355.0	5356.5	D	54.2	360.	1.1	96.	8.	9.8	0.0	11.60	6.10
5374.0	5374.4	C	22.8	27.	1.1	96.	5.	9.8	0.0	3.00	3.20
5374.4	5375.8	C	22.1	13.	1.1	96.	3.	9.9	0.0	3.20	2.70
5375.8	5376.8	C	17.6	26.	1.2	96.	2.	10.0	0.0	2.20	2.50
5376.8	5378.4	C	15.4	41.	1.2	96.	2.	10.0	0.0	1.50	2.40
5380.6	5380.8	C	11.4	354.	1.2	96.	0.	9.8	0.0	1.60	1.00
5382.3	5382.6	D	12.3	6.	1.2	94.	0.	9.9	0.0	1.70	1.40
5384.3	5384.7	C	12.9	4.	1.2	93.	0.	9.8	0.0	1.80	1.40
5386.1	5387.2	C	15.8	357.	1.2	92.	0.	9.8	0.0	2.30	1.50
5410.4	5412.0	C	25.0	72.	1.1	90.	2.	9.9	0.0	.70	3.90
5412.0	5412.7	C	18.0	75.	1.1	90.	2.	10.0	0.0	.30	2.70
5422.0	5423.3	C	19.5	42.	1.1	90.	0.	10.9	0.0	2.00	3.40
5423.3	5424.6	B	17.1	44.	1.1	90.	1.	11.0	0.0	1.70	3.00
5424.6	5425.8	C	10.6	340.	1.1	90.	6.	10.8	0.0	1.60	.50
5425.9	5428.0	C	12.6	357.	1.1	90.	12.	10.2	0.0	1.90	.90
5464.0	5466.0	C	45.1	24.	.9	81.	329.	11.1	0.0	4.10	9.70
5469.5	5470.2	D	44.0	326.	1.0	77.	314.	11.3	0.0	8.60	7.20
5470.2	5471.5	D	35.4	315.	1.0	79.	318.	11.1	0.0	6.60	4.00
5571.9	5573.0	D	34.6	72.	1.3	96.	2.	9.8	0.0	1.00	5.70
5585.0	5587.0	C	37.0	71.	1.3	101.	0.	9.9	0.0	1.00	6.20
5659.9	5661.6	C	17.9	13.	1.2	108.	15.	11.3	0.0	3.00	2.00
5663.0	5664.3	D	32.4	344.	1.2	105.	37.	10.5	0.0	4.10	-1.20
5688.0	5690.0	C	17.0	253.	.9	99.	334.	8.5	0.0	.60	-1.50
5692.0	5694.0	C	13.0	213.	.9	99.	298.	8.5	0.0	.30	-1.30
5694.0	5696.0	C	17.5	192.	.8	99.	286.	8.6	0.0	.10	-2.00
5710.0	5712.0	C	20.3	224.	1.1	101.	295.	9.5	0.0	1.30	-1.70
5716.0	5718.0	D	19.4	291.	1.2	104.	308.	9.9	0.0	2.80	1.00
5724.5	5726.0	C	22.1	357.	1.1	107.	285.	9.6	0.0	.40	3.00
5803.7	5805.0	C	22.6	10.	1.0	120.	315.	10.4	0.0	1.50	3.60
5960.0	5962.0	C	20.5	30.	1.0	150.	113.	9.5	0.0	.90	-2.00
6012.0	6015.0	C	18.4	156.	.3	110.	249.	9.7	0.0	.30	-2.30
6018.0	6022.0	C	22.6	130.	.4	110.	232.	9.8	0.0	-.20	-3.20