

STATE OF OREGON  
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES  
1069 State Office Building, Portland 1, Oregon

RECEIVED-PTLD  
SEP 2 1980

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator American Quasar Petroleum Co. Field Wildcat  
Well No. Investment Management 34-21 Sec. 34, T. 6N, R. 4W, W. B. & M.  
Location NE 1/4 NW 1/4 Elevation above sea level 572 feet  
All depth measurements taken from top of Kelly Bushing, which is 12 feet above ground

DEPT OF GEOLOGY  
& MINERAL INDUSTRIES

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date August 27, 1980 Signed John F. Sindelar  
Title Division Drlg. Supt.  
(President, Secretary or Agent)  
Engineer or Geologist \_\_\_\_\_ Superintendent \_\_\_\_\_

Commenced drilling August 20, 1980 Completed drilling August 25, 1980 Drilling tools Rotary  
Total depth 4080' Plugged depth Surface GEOLOGICAL MARKERS DEPTH  
Junk \_\_\_\_\_ Keasey \_\_\_\_\_ Surf \_\_\_\_\_  
Cowlitz \_\_\_\_\_ 717 \_\_\_\_\_  
C&W sh sand \_\_\_\_\_ 1655 \_\_\_\_\_  
Cowlitz sh \_\_\_\_\_ 2250-TD \_\_\_\_\_

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping  
(cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing ( A.P.L )	Depth of shoe	Top of casing	Weight of casing	New or sec- ond hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cement- ing if through perforations
7"	488'	GL	20#	New	Smls	J55	9-7/8"	225	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths \_\_\_\_\_ (Attach Copy of Log)