

# DRIFT LOG

COMPANY REICHOLD ENERGY CORP.  
 WELL DSC-LONGVIEW FIBRE NO. 1  
 FIELD NEHALEM BASIN  
 COUNTY COLUMBIA STATE OREGON

Location 1070' NORTH & 304' EAST FROM THE SOUTHWEST CORNER OF:  
 Sec. 11 Twp. 6N Rge. 5W

Permanent Datum G.L. or K.B. Elev. 833.6  
 Log Measured From K.B. or 11' Ft Above Perm. Datum Elev. K.B. 844.6  
 Drilling Measured From K.B. Elev. G.I. 833.6

Date 10-14-77  
 Run No. ONE  
 Depth - Driller 3060  
 Depth - Welex 3081  
 Btm. Log Inter. 3077  
 Top Log Inter. 387  
 Casing - Driller 7" @ 386  
 Casing - Welex 387  
 Bit Size 6 1/4  
 Type Fluid in Hole LIGNOSULF.

Dens. I Visc. 68.5 1.44  
 pH I Fluid Loss 10.0 14.6 ml  
 Source of Sample CIRCULATED  
 Rm @ Meas. Temp. 2.76 @ 60 °F  
 Rmf @ Meas. Temp. 2.3 @ 60 °F  
 Rmc @ Meas. Temp. 3.0 @ 60 °F  
 Source Rmf Rmc MEASURED  
 Rm @ BHT 1.4 @ 117 °F  
 Rmf @ BHT 1.17 @ 117 °F  
 Rmc @ BHT 1.56 @ 117 °F

Time Since Circ. 3 1/4 HRS.  
 Max. Rec. Temp. 117 °F @ BHT  
 Equip. I Location 8586 I WDLND  
 Recorded By MR. DOVE  
 Witnessed By MR. WES. BRUER

Service Ticket No. 00000004 Remarks


Change in Mud Type or Additional Samples

Date	Sample No.	I	F	Run No.	1	2	3	4
Depth - Driller				Tool Type	310 100			
Type Fluid in Hole				Tool Number	13100			
Dens. I Visc.				Pad Type	FDRX0			
pH Fluid Loss				Correlated By				
Source of Sample				Computed By				
Rm @ Meas. Temp.		@	F	Remarks				
Rmf @ Meas. Temp.		@	F					
Rmc @ Meas. Temp.		@	F					
Source: Rmf Rmc		I	I					
Rm @ BHT		1.41 @	117 F					
Rmf @ BHT		1.18 @	117 F					
Rmc @ BHT		1.56 @	117 F					

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses from the use thereof.

MEAS. DEPTH	DRIFT ANGLE	T.V.D.	HOLE BEARING	COURSE COORDINATES				TOTAL COORDINATES			
				NORTH	SOUTH	EAST	WEST	NORTH	SOUTH	EAST	WEST
387	0.0	387.00	N 80 E	0.0		0.0		0.0		0.0	
400	0.10	400.00	N 80 E	0.0		0.0		0.0		0.0	
600	0.20	600.00	S 17 W		0.3		0.3		0.3		0.3
800	0.0	800.00	S 11 E		0.3		0.1		0.7		0.4
1000	0.02	1000.00	S 11 E		0.0	0.0			0.7		0.4
1200	0.0	1200.00	N 29 E		0.0	0.0			0.7		0.4
1400	1.30	1399.98	N 29 E	2.0		1.1		1.3		0.7	
1600	1.70	1599.91	N 54 E	3.9		3.4		5.1		4.2	
1800	3.30	1799.71	N 76 E	3.7		7.9		8.8		12.0	
2000	4.00	1999.31	N 68 E	3.9		12.1		12.7		25.1	
2200	3.10	2198.92	N 69 E	3.5		11.5		17.3		35.7	
2400	2.70	2398.66	S 80 E		1.0	9.9		16.3		45.6	
2600	2.40	2598.47	S 70 E		2.3	8.6		14.0		54.2	
2800	2.00	2798.52	S 64 E		3.0	7.1		11.0		61.2	
3000	1.30	2998.23	S 75 E		2.0	5.3		9.1		66.7	
3077	1.60	3075.21	S 88 E		0.3	1.9		8.8		68.6	

HORIZONTAL DEPARTURE = 69.14 FEET AT NORTH 82 DEG. 42. MIN. EAST (GRID)



SCALE OF PLOT 1 INCH = 5 FEET  
 CLOSURE ANGLE N 82 ° 42 ' E  
 CLOSURE DIST 69.13