

SCANNED

RECEIVED-PTLD

NOV 10 1982

DEPT OF GEOLOGY
600 UNIVERSITY

*

* SCHLUMBERGER *

HIGH RESOLUTION

DIPMETER

CLUSTER LISTING

REICHHOLD ENERGY CORP.

MIST

COLUMBIA, OREGON

LABEL #12-14

RUN NO. ONE JOB NO. 7030

CLUSTER RESULTS ONLY

4 FT. CORR. - 2 FT. STEP

30 DEG. X2 SEARCH ANGLE

*

* SCHLUMBERGER *

HIGH RESOLUTION

DIPMETER

CLUSTER LISTING

REICHHOLD ENERGY CORP.

WIST

COLUMBIA, OREGON

LABEL #12-14

RUN NO. ONE JOB NO. 7030

CLUSTER RESULTS ONLY

4 FT. CORR. - 2 FT. STEP

30 DEG. X2 SEARCH ANGLE

* FORMATION * BOREHOLE * QUAL. *

* -----* INDEX *

* DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

* * *

* 436.0 0.4 101 7.6 8.0 *

* 438.0 0.3 109 6.9 8.8 *

* 440.0 0.3 105 6.6 8.8 *

* 442.0 0.3 91 6.6 8.5 *

* 444.0 0.3 81 6.4 8.3 *

* 446.0 0.4 71 6.3 8.2 *

* 448.0 0.4 55 6.4 7.6 *

* 450.0 0.4 39 6.3 6.7 *

* 452.0 43.7 32 0.4 33 6.2 6.3 D *

* 454.0 0.4 28 6.3 6.4 *

* 456.0 0.4 22 6.2 6.5 *

* 458.0 48.3 38 0.4 23 6.2 6.5 B *

* 460.0 0.5 31 6.2 6.6 *

* 462.0 40.7 38 0.5 38 6.2 6.6 D *

* 464.0 0.5 38 6.1 6.5 *

* 466.0 48.3 51 0.5 38 6.0 6.3 D *

* 468.0 0.5 38 6.0 6.3 *

* 470.0 44.4 49 0.5 36 6.0 6.4 D *

* 472.0 0.5 37 6.0 6.5 *

* 474.0 8.6 182 0.5 35 6.0 6.3 B *

* 476.0 4.5 201 0.5 28 6.1 6.2 D *

* 478.0 0.5 21 6.1 6.1 *

* 480.0 0.5 21 6.0 6.1 *

* 482.0 0.5 29 5.9 6.0 *

* 484.0 0.4 35 5.9 6.0 *

* 486.0 0.3 34 5.9 6.1 *

* 488.0 0.3 26 6.0 6.2 *

* 490.0 0.3 16 6.0 6.2 *

* 492.0 0.3 13 5.9 6.2 *

* 494.0 0.3 22 5.9 6.2 *

* 496.0 7.0 359 0.3 33 6.0 6.2 D *

* 498.0 0.3 37 6.1 6.2 *

* 500.0 4.0 271 0.3 33 6.0 6.2 D *

* 502.0 6.7 295 0.3 29 6.0 6.4 D *

* 504.0 7.4 288 0.3 26 6.2 6.5 B *

* 506.0 6.7 287 0.3 23 6.3 6.4 B *

* 508.0 9.0 252 0.3 21 6.2 6.4 D *

* 510.0 8.4 248 0.4 17 6.2 6.4 D *

* 512.0 3.6 230 0.4 15 6.2 6.4 A *

* 514.0 9.8 226 0.4 18 6.3 6.4 A *

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * * * AZI. * * * * * AZI. * 1-3 * 2-4 * =A *

* * * * *

* 516.0 9.1 231 0.4 23 6.3 6.4 A *

* 518.0 7.9 231 0.3 25 6.3 6.4 A *

* 520.0 7.3 234 0.3 26 6.3 6.4 A *

* 522.0 9.6 243 0.3 25 6.3 6.4 A *

* 524.0 8.9 238 0.3 24 6.3 6.4 A *

* 526.0 9.0 234 0.3 23 6.3 6.4 A *

* 528.0 4.8 252 0.3 20 6.3 6.4 D *

* 530.0 4.4 259 0.4 18 6.3 6.4 D *

* 532.0 4.6 257 0.4 19 6.3 6.4 B *

* 534.0 3.5 281 0.5 21 6.3 6.4 B *

* 536.0 3.6 297 0.4 22 6.2 6.4 B *

* 538.0 16.4 205 0.4 24 6.1 6.4 D *

* 540.0 0.4 24 5.9 6.3 *

* 542.0 0.4 20 5.8 6.3 *

* 544.0 0.4 13 5.7 6.2 *

* 546.0 7.9 206 0.4 9 5.9 6.2 D *

* 548.0 10.4 229 0.4 10 6.1 6.2 D *

* 550.0 3.1 248 0.4 5 6.1 6.1 D *

* 552.0 10.5 216 0.4 9 6.1 6.2 A *

* 554.0 9.9 221 0.4 20 6.2 6.4 A *

* 556.0 9.9 229 0.4 21 6.3 6.3 A *

* 558.0 11.6 232 0.4 16 6.3 6.3 A *

* 560.0 10.3 119 0.4 13 6.3 6.3 C *

* 562.0 14.5 233 0.4 11 6.3 6.4 A *

* 564.0 14.6 238 0.4 10 6.3 6.4 A *

* 566.0 11.2 242 0.4 9 6.3 6.4 A *

* 568.0 11.3 231 0.4 8 6.3 6.4 A *

* 570.0 9.0 228 0.4 8 6.3 6.4 A *

* 572.0 7.1 237 0.4 8 6.3 6.4 A *

* 574.0 10.7 239 0.3 6 6.3 6.4 A *

* 576.0 7.1 247 0.3 5 6.3 6.4 A *

* 578.0 10.8 254 0.3 6 6.2 6.3 A *

* 580.0 8.5 280 0.3 5 6.2 6.4 A *

* 582.0 8.0 276 0.3 5 6.2 6.3 A *

* 584.0 0.3 7 6.2 6.3 *

* 586.0 0.3 7 6.1 6.3 *

* 588.0 2.7 297 0.3 8 6.1 6.3 C *

* 590.0 5.2 271 0.3 11 6.2 6.4 A *

* 592.0 6.8 265 0.3 12 6.2 6.4 A *

* 594.0 9.4 264 0.3 14 6.2 6.4 A *

FORMATION			BOREHOLE				QUAL.		

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	A		

596.0	7.6	285	0.3	13	6.2	6.4	A		
598.0	6.3	289	0.3	13	6.2	6.4	A		
600.0	6.6	290	0.3	12	6.1	6.4	A		
602.0	5.7	288	0.3	14	6.1	6.4	A		
604.0	5.1	291	0.3	19	6.1	6.3	A		
606.0	5.7	293	0.3	22	6.1	6.3	A		
608.0	5.9	291	0.3	24	6.1	6.3	A		
610.0	6.0	282	0.4	28	6.1	6.3	A		
612.0	5.4	262	0.4	27	6.1	6.2	A		
614.0	6.1	296	0.4	28	6.1	6.2	A		
616.0	6.6	288	0.3	31	6.1	6.2	A		
618.0	6.2	288	0.3	36	6.3	6.3	A		
620.0	5.9	284	0.3	37	6.3	6.2	A		
622.0	5.2	273	0.3	35	6.3	6.2	A		
624.0	4.9	270	0.3	34	6.3	6.3	A		
626.0	4.5	266	0.3	35	6.3	6.4	A		
628.0	3.2	281	0.4	39	6.3	6.4	A		
630.0	3.9	288	0.4	43	6.3	6.4	A		
632.0	6.2	270	0.4	44	6.2	6.4	A		
634.0	24.5	145	0.4	41	6.1	6.4	B		
636.0	26.4	126	0.4	38	6.1	6.3	D		
638.0	28.7	105	0.4	38	6.0	6.3	B		
640.0	7.1	145	0.4	42	6.1	6.4	D		
642.0	6.9	116	0.4	41	6.2	6.4	D		
644.0			0.4	38	6.3	6.4			
646.0			0.5	36	6.3	6.4			
648.0	5.9	82	0.5	37	6.2	6.3	B		
650.0	5.5	101	0.5	40	6.2	6.3	B		
652.0	5.7	282	0.4	41	6.2	6.4	B		
654.0	8.8	285	0.4	44	6.2	6.3	D		
656.0	10.8	273	0.4	48	6.3	6.3	D		
658.0			0.4	49	6.3	6.3			
660.0			0.4	47	6.2	6.3			
662.0	4.0	310	0.4	46	6.1	6.3	B		
664.0	2.4	325	0.4	50	6.1	6.3	B		
666.0			0.4	52	6.3	6.2			
668.0	4.8	305	0.4	48	6.3	6.2	D		
670.0	4.7	296	0.4	43	6.2	6.3	B		
672.0	8.5	284	0.4	42	6.3	6.3	D		
674.0			0.4	40	6.3	6.3			

* FORMATION *				* BOREHOLE *				* QUAL. *	
----------*									
* DEPTH *	* DIP	DIP	* DEV.	DEV.	DIAM	DIAM	* BEST *		
* *		AZI.	* *	AZI.	1-3	2-4	* =A *		

* 676.0	4.0	30	0.4	41	6.2	6.3	D	*	
* 678.0	17.4	10	0.4	43	6.2	6.3	D	*	
* 680.0	12.0	289	0.4	44	6.2	6.3	A	*	
* 682.0	12.5	281	0.4	44	6.3	6.4	A	*	
* 684.0	14.8	276	0.4	43	6.3	6.4	A	*	
* 686.0	12.8	271	0.4	44	6.3	6.4	A	*	
* 688.0	12.4	267	0.4	46	6.3	6.4	A	*	
* 690.0	11.9	272	0.4	48	6.3	6.4	A	*	
* 692.0	12.0	275	0.4	46	6.2	6.4	A	*	
* 694.0	11.5	277	0.4	45	6.3	6.4	A	*	
* 696.0	9.0	275	0.4	46	6.3	6.4	A	*	
* 698.0	12.5	285	0.4	45	6.2	6.3	A	*	
* 700.0	11.0	261	0.5	43	6.2	6.3	A	*	
* 702.0	9.9	245	0.5	42	6.3	6.4	A	*	
* 704.0	8.6	249	0.4	45	6.3	6.4	A	*	
* 706.0	8.2	251	0.4	46	6.3	6.4	A	*	
* 708.0	7.7	254	0.4	47	6.3	6.3	A	*	
* 710.0	7.6	265	0.4	46	6.3	6.3	A	*	
* 712.0	8.3	269	0.4	44	6.3	6.4	A	*	
* 714.0	8.1	267	0.5	47	6.3	6.4	A	*	
* 716.0	7.5	273	0.5	48	6.4	6.4	A	*	
* 718.0	7.1	266	0.5	46	6.4	6.3	A	*	
* 720.0	7.0	256	0.5	43	6.4	6.3	A	*	
* 722.0	6.4	266	0.5	40	6.3	6.4	A	*	
* 724.0	5.8	263	0.5	39	6.3	6.4	A	*	
* 726.0	5.3	255	0.5	36	6.2	6.3	A	*	
* 728.0	5.1	248	0.5	32	6.2	6.3	A	*	
* 730.0	4.8	243	0.5	28	6.2	6.2	A	*	
* 732.0	5.1	250	0.5	31	6.4	6.3	A	*	
* 734.0	5.5	254	0.5	36	6.3	6.4	A	*	
* 736.0	6.0	249	0.6	37	6.1	6.3	A	*	
* 738.0	10.4	216	0.6	35	6.0	6.1	D	*	
* 740.0			0.6	38	6.0	6.1		*	
* 742.0	3.1	168	0.5	42	6.1	6.3	B	*	
* 744.0	14.0	15	0.5	41	6.2	6.4	B	*	
* 746.0	6.6	355	0.5	39	6.3	6.4	D	*	
* 748.0	2.5	265	0.6	38	6.3	6.4	B	*	
* 750.0	3.8	252	0.6	39	6.3	6.4	B	*	
* 752.0	10.7	195	0.6	43	6.3	6.4	D	*	
* 754.0	15.9	178	0.7	41	6.2	6.4	B	*	

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	
		AZI.		AZI.	1-3	2-4	#A	
756.0	12.1	165	0.7	36	6.2	6.3	D	
758.0	14.2	166	0.7	36	6.3	6.4	B	
760.0	14.4	165	0.7	37	6.3	6.4	D	
762.0			0.7	35	6.2	6.4		
764.0	30.0	167	0.7	33	6.2	6.3	D	
766.0	29.5	167	0.7	34	6.2	6.3	D	
768.0			0.7	34	6.2	6.4		
770.0			0.7	28	6.2	6.4		
772.0	23.9	331	0.7	24	6.2	6.4	B	
774.0	24.1	326	0.7	25	6.2	6.4	B	
776.0	14.5	289	0.7	28	6.2	6.4	A	
778.0	14.1	282	0.7	31	6.3	6.4	A	
780.0	13.4	288	0.7	30	6.3	6.4	A	
782.0	13.9	281	0.7	29	6.3	6.3	A	
784.0	15.4	280	0.7	32	6.3	6.3	A	
786.0	20.2	286	0.8	37	6.2	6.2	A	
788.0	13.6	286	0.8	36	6.2	6.2	A	
790.0	13.3	289	0.8	31	6.2	6.3	A	
792.0	10.6	279	0.9	25	6.2	6.4	A	
794.0	9.7	277	0.9	21	6.3	6.3	A	
796.0	9.2	278	0.9	23	6.3	6.3	A	
798.0	8.1	278	0.9	23	6.3	6.4	A	
800.0	9.6	283	0.9	23	6.3	6.4	A	
802.0	11.5	270	0.9	26	6.3	6.4	A	
804.0	8.6	279	0.8	25	6.3	6.4	A	
806.0	6.4	277	0.8	26	6.3	6.4	A	
808.0	7.9	262	0.8	27	6.3	6.4	A	
810.0	6.8	253	0.8	28	6.2	6.4	A	
812.0	6.2	253	0.8	29	6.2	6.4	A	
814.0	5.3	279	0.8	26	6.2	6.4	A	
816.0	6.3	272	0.8	23	6.2	6.4	A	
818.0	7.3	282	0.8	22	6.2	6.4	A	
820.0	7.5	271	0.7	22	6.3	6.4	A	
822.0	8.1	292	0.7	26	6.3	6.4	A	
824.0	8.2	286	0.8	30	6.3	6.4	A	
826.0			0.8	29	6.3	6.4		
828.0	26.2	295	0.8	28	6.3	6.4	B	
830.0	7.7	277	0.8	27	6.3	6.4	A	
832.0	4.2	269	0.8	29	6.3	6.4	A	
834.0	7.3	266	0.8	33	6.3	6.4	A	

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * AZI. * * AZI. * 1-3 * 2-4 * #A *

*

* 836.0 3.5 320 0.8 32 6.3 6.4 A *

* 838.0 4.3 315 0.8 31 6.3 6.4 A *

* 840.0 0.2 36 0.8 29 6.3 6.4 B *

* 842.0 11.8 349 0.8 28 6.3 6.4 D *

* 844.0 6.0 72 0.8 30 6.3 6.4 D *

* 846.0 3.5 85 0.8 35 6.4 6.4 B *

* 848.0 1.2 166 0.8 33 6.4 6.4 D *

* 850.0 0.8 29 6.4 6.4 *

* 852.0 9.0 300 0.8 30 6.4 6.4 D *

* 854.0 0.5 207 0.8 33 6.4 6.4 D *

* 856.0 4.4 81 0.8 35 6.4 6.4 D *

* 858.0 2.4 314 0.7 38 6.4 6.4 B *

* 860.0 0.7 37 6.4 6.4 *

* 862.0 8.3 9 0.6 35 6.4 6.4 A *

* 864.0 9.0 13 0.6 35 6.4 6.4 A *

* 866.0 2.6 299 0.6 35 6.4 6.4 A *

* 868.0 1.9 40 0.5 34 6.4 6.4 A *

* 870.0 1.2 68 0.5 30 6.4 6.4 C *

* 872.0 5.0 1 0.5 29 6.4 6.4 A *

* 874.0 7.9 359 0.5 33 6.4 6.4 C *

* 876.0 5.7 322 0.5 37 6.3 6.4 C *

* 878.0 2.9 337 0.5 37 6.3 6.4 C *

* 880.0 6.1 290 0.5 36 6.3 6.4 A *

* 882.0 5.2 280 0.5 35 6.3 6.4 A *

* 884.0 4.9 274 0.5 37 6.2 6.4 A *

* 886.0 3.8 242 0.5 41 6.2 6.4 C *

* 888.0 3.4 282 0.5 43 6.2 6.4 A *

* 890.0 4.8 290 0.5 42 6.2 6.4 A *

* 892.0 12.8 286 0.5 42 6.2 6.4 C *

* 894.0 8.4 278 0.5 42 6.2 6.4 A *

* 896.0 8.9 269 0.5 41 6.2 6.3 A *

* 898.0 7.6 356 0.5 39 6.2 6.3 D *

* 900.0 8.0 356 0.5 39 6.1 6.2 D *

* 902.0 0.5 38 6.1 6.2 *

* 904.0 41.8 257 0.5 36 6.1 6.4 D *

* 906.0 42.0 248 0.5 34 6.1 6.4 B *

* 908.0 7.7 248 0.5 36 6.1 6.4 B *

* 910.0 6.0 244 0.5 44 6.1 6.4 D *

* 912.0 0.5 47 6.2 6.4 *

* 914.0 1.6 242 0.5 49 6.3 6.4 B *

* FORMATION * BOREHOLE * QUAL. *									
* -----*-----* INDEX *									
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	=A		

916.0	3.2	233	0.5	49	6.3	6.3	D	*	*
918.0	2.2	233	0.5	46	6.3	6.3	A	*	*
920.0	2.2	226	0.5	45	6.3	6.4	A	*	*
922.0	2.0	227	0.5	47	6.3	6.4	A	*	*
924.0	2.4	237	0.5	49	6.3	6.3	A	*	*
926.0	5.1	231	0.5	55	6.2	6.2	A	*	*
928.0	6.0	275	0.6	60	6.2	6.1	A	*	*
930.0	6.6	275	0.6	56	6.1	6.0	A	*	*
932.0	3.4	190	0.6	52	5.9	5.9	A	*	*
934.0	13.6	187	0.6	48	6.0	6.1	C	*	*
936.0	15.8	177	0.6	44	6.2	6.2	C	*	*
938.0	0.7	99	0.6	43	6.3	6.3	A	*	*
940.0			0.6	44	6.2	6.3		*	*
942.0			0.5	42	6.1	6.3		*	*
944.0	12.5	154	0.5	44	6.0	6.4	D	*	*
946.0	13.2	161	0.5	48	6.0	6.4	D	*	*
948.0	9.2	170	0.5	51	6.1	6.3	B	*	*
950.0			0.5	57	6.2	6.4		*	*
952.0			0.5	57	6.2	6.5		*	*
954.0			0.5	53	6.3	6.5		*	*
956.0			0.5	49	6.3	6.5		*	*
958.0	8.8	171	0.5	49	6.2	6.4	D	*	*
960.0			0.5	51	6.3	6.4		*	*
962.0			0.5	48	6.3	6.4		*	*
964.0	61.8	120	0.5	39	6.3	6.4	B	*	*
966.0	9.6	149	0.5	34	6.2	6.4	D	*	*
968.0	10.8	156	0.5	33	6.0	6.3	B	*	*
970.0			0.5	32	6.0	6.4		*	*
972.0	4.7	180	0.5	34	6.2	6.5	D	*	*
974.0			0.5	35	6.3	6.5		*	*
976.0			0.5	33	6.2	6.4		*	*
978.0			0.5	29	6.2	6.4		*	*
980.0	9.1	169	0.4	28	6.3	6.4	D	*	*
982.0	8.4	162	0.4	26	6.3	6.4	D	*	*
984.0	1.8	89	0.4	24	6.3	6.4	A	*	*
986.0	1.4	83	0.4	24	6.3	6.4	A	*	*
988.0	0.9	140	0.4	25	6.3	6.4	A	*	*
990.0	1.1	180	0.4	25	6.3	6.4	C	*	*
992.0	1.7	118	0.4	21	6.3	6.4	C	*	*
994.0			0.4	18	6.3	6.5		*	*

FORMATION					BOREHOLE			QUAL.	

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	

	AZI.			AZI.	1-3	2-4	A		

996.0			0.4	22	6.3	6.5			*
998.0	1.6	220	0.4	23	6.3	6.5	B		*
1000.0	4.0	217	0.4	23	6.3	6.3	D		*
1002.0	5.3	164	0.4	25	6.3	6.1	D		*
1004.0	3.8	252	0.4	28	6.3	6.2	D		*
1006.0	8.1	250	0.4	29	6.3	6.5	D		*
1008.0			0.3	26	6.3	6.6			*
1010.0	7.6	260	0.3	22	6.3	6.6	D		*
1012.0	5.8	257	0.3	25	6.3	6.5	B		*
1014.0	5.5	239	0.3	37	6.3	6.4	B		*
1016.0	5.4	245	0.3	41	6.4	6.4	B		*
1018.0	6.2	268	0.3	37	6.4	6.4	A		*
1020.0	6.1	286	0.4	34	6.3	6.4	A		*
1022.0	6.8	283	0.4	36	6.3	6.4	A		*
1024.0	6.6	276	0.4	37	6.3	6.4	A		*
1026.0	6.1	272	0.4	33	6.4	6.3	A		*
1028.0	5.3	257	0.4	30	6.3	6.3	A		*
1030.0	24.3	318	0.4	31	6.3	6.3	A		*
1032.0	24.9	309	0.4	32	6.3	6.3	A		*
1034.0	23.2	308	0.3	36	6.3	6.3	A		*
1036.0	22.0	305	0.3	41	6.3	6.3	A		*
1038.0			0.3	49	6.3	6.3			*
1040.0			0.3	55	6.2	6.3			*
1042.0	8.7	317	0.3	54	6.3	6.3	D		*
1044.0	8.2	323	0.3	52	6.3	6.3	D		*
1046.0	9.2	314	0.3	53	6.3	6.3	D		*
1048.0	12.3	324	0.3	57	6.3	6.3	D		*
1050.0			0.4	59	6.3	6.3			*
1052.0			0.4	56	6.3	6.3			*
1054.0			0.4	52	6.3	6.3			*
1056.0			0.4	51	6.3	6.3			*
1058.0	7.9	226	0.4	50	6.3	6.3	A		*
1060.0	7.3	215	0.4	49	6.3	6.3	A		*
1062.0	7.2	214	0.4	50	6.3	6.4	A		*
1064.0	7.4	218	0.5	49	6.3	6.4	A		*
1066.0	7.9	218	0.5	46	6.3	6.4	A		*
1068.0	7.1	213	0.5	46	6.3	6.4	A		*
1070.0	7.7	202	0.5	47	6.3	6.4	A		*
1072.0	13.4	171	0.5	45	6.3	6.4	B		*
1074.0	9.0	152	0.4	44	6.3	6.3	D		*

* FORMATION * BOREHOLE * QUAL. *

* -----* INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * AZI. * AZI. * 1-3 * 2-4 * =A *

* * * *

* 1076.0 8.6 228 0.4 48 6.3 6.4 A *

* 1078.0 7.8 219 0.4 50 6.3 6.4 A *

* 1080.0 7.3 227 0.4 47 6.3 6.4 A *

* 1082.0 7.5 210 0.5 45 6.3 6.4 A *

* 1084.0 10.3 206 0.5 45 6.3 6.4 A *

* 1086.0 11.6 196 0.5 45 6.3 6.4 A *

* 1088.0 5.2 214 0.5 44 6.3 6.4 A *

* 1090.0 6.9 231 0.5 38 6.3 6.4 A *

* 1092.0 7.1 221 0.5 33 6.3 6.4 A *

* 1094.0 7.7 225 0.5 31 6.3 6.4 A *

* 1096.0 8.6 224 0.4 32 6.3 6.4 A *

* 1098.0 7.8 221 0.4 34 6.3 6.4 A *

* 1100.0 6.5 238 0.4 35 6.3 6.4 A *

* 1102.0 6.9 231 0.4 35 6.3 6.4 A *

* 1104.0 6.2 223 0.4 34 6.3 6.4 A *

* 1106.0 6.8 230 0.4 33 6.3 6.4 A *

* 1108.0 7.4 233 0.4 31 6.3 6.4 A *

* 1110.0 8.2 234 0.4 28 6.3 6.4 A *

* 1112.0 8.4 216 0.4 27 6.3 6.4 A *

* 1114.0 8.3 220 0.4 26 6.3 6.4 A *

* 1116.0 8.9 227 0.4 25 6.3 6.4 A *

* 1118.0 8.5 229 0.4 20 6.3 6.5 A *

* 1120.0 7.7 220 0.4 15 6.3 6.4 A *

* 1122.0 10.4 202 0.3 11 6.3 6.4 A *

* 1124.0 0.3 8 6.3 6.5 *

* 1126.0 6.2 265 0.3 5 6.3 6.4 C *

* 1128.0 6.9 243 0.3 2 6.3 6.4 A *

* 1130.0 7.3 235 0.3 4 6.3 6.4 A *

* 1132.0 9.3 211 0.3 6 6.3 6.4 A *

* 1134.0 10.5 200 0.3 6 6.3 6.4 A *

* 1136.0 8.6 206 0.3 4 6.3 6.4 A *

* 1138.0 0.3 359 6.3 6.4 *

* 1140.0 9.5 210 0.3 356 6.3 6.4 C *

* 1142.0 8.1 231 0.2 352 6.3 6.4 A *

* 1144.0 9.7 229 0.2 348 6.3 6.4 A *

* 1146.0 11.0 224 0.2 344 6.3 6.4 A *

* 1148.0 7.6 246 0.2 342 6.3 6.4 A *

* 1150.0 14.9 265 0.2 342 6.3 6.4 A *

* 1152.0 11.0 242 0.2 343 6.3 6.4 A *

* 1154.0 10.1 200 0.2 342 6.3 6.4 A *

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * * * AZI. * * * * * AZI. * 1-3 * 2-4 * =A *

* * * * *

* 1156.0 11.1 214 0.2 343 6.3 6.4 A *

* 1158.0 11.2 207 0.2 349 6.3 6.4 C *

* 1160.0 10.9 207 0.2 351 6.3 6.4 A *

* 1162.0 10.1 213 0.2 354 6.3 6.4 A *

* 1164.0 9.0 224 0.2 357 6.3 6.4 A *

* 1166.0 8.1 218 0.2 360 6.3 6.4 A *

* 1168.0 7.4 227 0.1 2 6.3 6.4 A *

* 1170.0 7.4 229 0.0 0 6.3 6.4 A *

* 1172.0 6.3 245 0.0 0 6.3 6.4 A *

* 1174.0 4.1 257 0.0 0 6.3 6.4 A *

* 1176.0 0.9 63 0.0 0 6.3 6.4 A *

* 1178.0 2.4 263 0.1 17 6.4 6.4 A *

* 1180.0 3.0 262 0.2 15 6.4 6.4 A *

* 1182.0 3.9 272 0.2 10 6.4 6.4 A *

* 1184.0 5.5 280 0.2 11 6.4 6.4 A *

* 1186.0 4.0 213 0.2 18 6.4 6.4 A *

* 1188.0 3.7 201 0.3 24 6.4 6.4 A *

* 1190.0 3.0 210 0.3 18 6.4 6.4 A *

* 1192.0 3.5 217 0.3 12 6.3 6.4 A *

* 1194.0 4.0 259 0.4 13 6.3 6.4 A *

* 1196.0 3.9 259 0.4 13 6.3 6.4 A *

* 1198.0 0.3 13 6.3 6.4 A *

* 1200.0 5.7 235 0.3 13 6.3 6.4 A *

* 1202.0 8.6 231 0.4 14 6.3 6.4 A *

* 1204.0 8.8 235 0.4 16 6.3 6.4 A *

* 1206.0 6.1 244 0.4 20 6.3 6.4 A *

* 1208.0 6.8 232 0.4 22 6.3 6.4 A *

* 1210.0 10.3 224 0.4 19 6.4 6.3 C *

* 1212.0 7.1 230 0.4 13 6.4 6.3 A *

* 1214.0 5.9 228 0.4 8 6.4 6.3 A *

* 1216.0 4.9 211 0.4 9 6.4 6.2 A *

* 1218.0 12.9 199 0.4 6 6.5 6.2 A *

* 1220.0 11.6 201 0.4 6 6.4 6.2 C *

* 1222.0 14.5 277 0.4 9 6.4 6.2 D *

* 1224.0 18.2 287 0.4 10 6.4 6.3 D *

* 1226.0 18.4 286 0.4 13 6.3 6.4 D *

* 1228.0 14.7 304 0.4 18 6.4 6.4 D *

* 1230.0 26.3 251 0.4 21 6.4 6.4 D *

* 1232.0 26.8 252 0.4 24 6.3 6.4 D *

* 1234.0 17.3 301 0.4 27 6.4 6.4 B *

FORMATION			BOREHOLE				QUAL.
*****			*****				INDEX
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A

1236.0	15.7	299	0.4	29	6.5	6.4	D
1238.0	17.0	294	0.4	29	6.5	6.3	D
1240.0	19.1	294	0.4	30	6.6	6.3	D
1242.0	17.3	292	0.4	30	6.7	6.3	D
1244.0	2.3	224	0.5	30	6.7	6.4	D
1246.0	2.2	241	0.5	31	6.6	6.4	B
1248.0			0.5	31	6.5	6.4	
1250.0			0.5	32	6.5	6.3	
1252.0			0.5	31	6.5	6.3	
1254.0	9.0	195	0.6	27	6.5	6.3	D
1256.0			0.6	24	6.4	6.3	
1258.0	20.6	298	0.6	23	6.4	6.4	B
1260.0	19.7	298	0.6	25	6.4	6.4	B
1262.0	16.4	279	0.7	27	6.4	6.4	A
1264.0	17.0	284	0.7	28	6.4	6.4	A
1266.0	17.8	281	0.7	31	6.5	6.4	A
1268.0	16.3	277	0.7	33	6.5	6.4	A
1270.0	14.8	283	0.7	36	6.4	6.4	A
1272.0	16.3	298	0.8	40	6.4	6.4	A
1274.0	15.7	297	0.8	40	6.4	6.4	C
1276.0	16.3	292	0.8	37	6.4	6.4	A
1278.0	16.7	281	0.8	41	6.4	6.3	A
1280.0	17.3	283	0.8	50	6.3	6.3	A
1282.0	20.0	289	0.9	52	6.4	6.3	A
1284.0	17.6	286	0.9	49	6.4	6.4	A
1286.0	12.1	268	1.0	46	6.4	6.4	C
1288.0	8.6	248	1.0	44	6.4	6.4	C
1290.0	17.1	288	1.0	43	6.4	6.4	A
1292.0	21.4	288	1.0	44	6.3	6.4	C
1294.0			1.1	46	6.3	6.4	
1296.0	12.0	275	1.0	49	6.3	6.4	A
1298.0	13.9	283	1.0	48	6.4	6.3	A
1300.0	15.7	290	1.1	47	6.3	6.3	A
1302.0	12.1	318	1.1	48	6.3	6.3	C
1304.0			1.2	49	6.3	6.3	
1306.0	18.4	317	1.2	47	6.4	6.4	D
1308.0	12.7	287	1.2	46	6.4	6.4	B
1310.0	14.3	303	1.3	49	6.3	6.4	D
1312.0			1.3	52	6.3	6.3	
1314.0	25.3	336	1.3	53	6.3	6.4	B

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	* INDEX *	
* *		* AZI. *	* AZI. *		* 1-3 *	* 2-4 *	* =A *	* *	

* 1316.0	18.8	318	1.3	56	6.2	6.4	B	*	
* 1318.0	18.6	312	1.3	60	6.2	6.2	B	*	
* 1320.0	18.8	307	1.4	57	6.3	6.2	B	*	
* 1322.0			1.3	54	6.2	6.2		*	
* 1324.0	23.0	304	1.4	57	6.2	6.2	B	*	
* 1326.0	27.6	306	1.4	60	6.2	6.3	B	*	
* 1328.0	28.8	311	1.4	60	6.2	6.3	B	*	
* 1330.0	26.2	299	1.4	58	6.2	6.3	D	*	
* 1332.0			1.4	60	6.3	6.3		*	
* 1334.0			1.4	63	6.2	6.3		*	
* 1336.0			1.4	66	6.2	6.4		*	
* 1338.0			1.4	65	6.2	6.4		*	
* 1340.0	25.8	305	1.4	59	6.2	6.3	D	*	
* 1342.0			1.4	56	6.2	6.2		*	
* 1344.0	24.4	287	1.4	59	6.2	6.2	D	*	
* 1346.0	25.6	274	1.5	60	6.2	6.2	B	*	
* 1348.0			1.5	60	6.2	6.2		*	
* 1350.0	16.2	36	1.5	59	6.2	6.3	D	*	
* 1352.0	17.7	52	1.5	57	6.2	6.3	D	*	
* 1354.0	19.9	39	1.4	59	6.1	6.3	B	*	
* 1356.0	22.5	285	1.4	57	6.1	6.4	B	*	
* 1358.0	24.1	269	1.5	56	6.2	6.4	B	*	
* 1372.0			1.6	71	6.2	6.2		*	
* 1374.0			2.7	64	10.9	5.0		*	
* 1376.0			1.6	67	6.3	6.2		*	
* 1378.0			1.6	67	6.3	6.3		*	
* 1380.0	14.4	225	1.6	66	6.3	6.3	D	*	
* 1382.0	25.9	42	1.6	62	6.2	6.2	D	*	
* 1384.0	25.6	33	1.6	63	6.2	6.2	D	*	
* 1386.0	15.5	211	1.6	68	6.2	6.1	B	*	
* 1388.0	16.9	214	1.6	67	6.2	6.2	B	*	
* 1390.0	24.9	27	1.6	64	6.2	6.2	D	*	
* 1392.0	13.2	199	1.6	62	6.2	6.2	D	*	
* 1394.0	7.8	234	1.6	59	6.1	6.1	D	*	
* 1396.0			1.6	56	6.1	6.1		*	
* 1398.0	18.2	211	1.6	57	6.2	6.2	D	*	
* 1400.0			1.6	61	6.2	6.3		*	
* 1402.0	23.0	208	1.6	67	6.2	6.3	D	*	
* 1404.0	20.1	209	1.6	69	6.3	6.3	B	*	
* 1406.0	18.7	213	1.6	69	6.2	6.3	B	*	

* FORMATION *			* BOREHOLE *				* QUAL. *		
----- INDEX *									
* DEPTH *	* DIP	DIP	* DEV.	DEV.	DIAM	DIAM	* BEST	*	
* * *		* AZI. *	* AZI. *		1-3	2-4	* #A *	*	

* 1408.0	15.0	233	1.6	66	6.2	6.2	B	*	
* 1410.0	13.1	265	1.6	64	6.3	6.3	B	*	
* 1412.0	12.0	268	1.6	62	6.2	6.3	B	*	
* 1414.0	23.6	250	1.6	60	6.2	6.3	D	*	
* 1416.0	25.4	220	1.6	56	6.2	6.2	D	*	
* 1418.0			1.6	57	6.3	6.2		*	
* 1420.0			1.6	62	6.3	6.2		*	
* 1422.0	12.3	275	1.6	63	6.3	6.3	D	*	
* 1424.0	13.1	273	1.6	61	6.4	6.3	D	*	
* 1426.0			1.6	67	6.3	6.2		*	
* 1428.0	11.7	270	1.6	72	6.3	6.2	D	*	
* 1430.0	15.0	235	1.6	72	6.3	6.2	D	*	
* 1432.0	15.8	245	1.6	71	6.3	6.2	B	*	
* 1434.0	15.5	244	1.6	64	6.3	6.3	B	*	
* 1436.0	15.9	237	1.6	60	6.2	6.2	D	*	
* 1438.0			1.7	60	6.3	6.0		*	
* 1440.0	13.6	274	1.7	59	6.3	6.0	B	*	
* 1442.0	24.0	290	1.7	58	6.4	6.2	B	*	
* 1444.0	25.9	296	1.7	56	6.4	6.2	D	*	
* 1446.0	27.7	293	1.7	55	6.4	6.1	D	*	
* 1448.0			1.7	56	6.3	6.1		*	
* 1450.0	27.5	228	1.7	53	6.3	6.1	D	*	
* 1452.0	26.3	226	1.7	57	6.1	6.1	D	*	
* 1454.0	24.0	302	1.7	63	6.1	6.1	B	*	
* 1456.0	24.0	295	1.8	62	6.2	6.1	B	*	
* 1458.0	27.3	299	1.8	62	6.1	6.3	C	*	
* 1460.0	26.6	291	1.8	58	6.2	6.4	A	*	
* 1462.0	27.7	294	1.8	52	6.2	6.3	C	*	
* 1464.0	27.1	293	1.8	48	6.2	6.2	C	*	
* 1466.0	19.7	262	1.8	46	6.2	6.2	B	*	
* 1468.0	16.0	301	1.9	51	6.3	6.3	A	*	
* 1470.0	18.3	315	1.9	61	6.2	6.4	A	*	
* 1472.0	25.0	308	2.0	65	6.2	6.4	A	*	
* 1474.0	32.0	309	2.0	64	6.3	6.5	A	*	
* 1476.0	28.5	302	2.1	62	6.3	6.4	A	*	
* 1478.0	29.1	295	2.1	59	6.3	6.3	A	*	
* 1480.0	25.9	299	2.1	59	6.2	6.3	A	*	
* 1482.0	26.8	298	2.1	54	6.2	6.3	A	*	
* 1484.0	25.6	306	2.1	52	6.2	6.4	A	*	
* 1486.0	25.3	296	2.2	54	6.1	6.4	A	*	

* FORMATION * BOREHOLE * QUAL. *									
* -----* INDEX *									
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	A		

1488.0	19.1	293	2.2	53	6.1	6.3	C		
1490.0	25.4	329	2.2	55	6.2	6.3	C		
1492.0	13.0	26	2.2	58	6.2	6.2	D		
1494.0			2.3	59	6.1	6.1			
1496.0	21.7	310	2.3	62	6.3	6.2	D		
1498.0	16.7	324	2.3	64	6.4	6.3	B		
1500.0	16.3	331	2.3	66	6.4	6.3	B		
1502.0	11.7	358	2.4	67	6.3	6.2	D		
1504.0			2.4	66	6.2	6.1			
1506.0			2.4	65	6.1	5.9			
1508.0	29.2	297	2.5	63	6.0	5.9	D		
1510.0	21.8	327	2.5	61	6.1	5.9	D		
1512.0			2.5	60	6.1	5.9			
1514.0			2.5	61	6.1	6.0			
1516.0			2.5	61	5.9	6.0			
1518.0			2.5	62	5.8	6.0			
1520.0			2.5	65	5.7	5.9			
1522.0	38.4	257	2.5	68	5.8	5.9	D		
1524.0			2.5	69	5.8	5.9			
1526.0	35.9	253	2.5	68	5.8	5.9	D		
1528.0	36.2	254	2.5	67	5.8	6.0	D		
1530.0			2.5	68	5.9	6.2			
1532.0			2.6	70	5.9	6.2			
1534.0			2.6	70	5.9	6.3			
1536.0			2.6	66	6.0	6.3			
1538.0	26.9	259	2.6	62	5.9	6.3	D		
1540.0	27.7	249	2.6	62	5.8	6.2	D		
1542.0	24.1	262	2.6	66	5.8	6.2	D		
1544.0			2.6	66	5.9	6.3			
1546.0			2.6	66	5.9	6.4			
1548.0			2.6	65	5.9	6.4			
1550.0			2.6	67	5.9	6.4			
1552.0			2.6	72	6.0	6.3			
1554.0			2.6	73	6.1	6.3			
1556.0			2.6	71	6.2	6.2			
1558.0	5.9	287	2.6	73	6.3	6.2	D		
1560.0	5.1	295	2.6	76	6.3	6.2	B		
1562.0	9.4	333	2.6	78	6.4	6.2	D		
1564.0			2.6	79	6.3	6.2			
1566.0			2.6	80	6.2	6.2			

* FORMATION * BOREHOLE * QUAL. *

* -----* INDEX *

* DEPTH * DIP * DIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

* *

* 1568.0 2.6 81 6.1 6.2 *

* 1570.0 7.2 310 2.6 78 6.1 6.2 D *

* 1572.0 2.7 75 6.2 6.2 *

* 1574.0 12.8 10 2.7 73 6.2 6.1 D *

* 1576.0 15.4 336 2.6 73 6.2 6.1 B *

* 1578.0 13.2 359 2.6 75 6.2 6.2 D *

* 1580.0 14.0 354 2.6 80 6.2 6.1 D *

* 1582.0 2.6 81 6.2 6.1 *

* 1584.0 14.1 360 2.6 81 6.1 6.1 D *

* 1586.0 2.6 80 6.1 6.1 *

* 1588.0 8.4 5 2.6 78 6.1 6.2 B *

* 1590.0 6.1 357 2.6 78 6.1 6.1 B *

* 1592.0 13.3 43 2.6 75 6.1 6.0 D *

* 1594.0 13.0 355 2.6 74 6.2 6.0 C *

* 1596.0 1.9 154 2.6 81 6.2 5.9 A *

* 1598.0 2.0 159 2.6 84 6.1 5.9 A *

* 1600.0 2.6 82 6.2 6.0 *

* 1602.0 7.4 317 2.6 79 6.4 6.0 C *

* 1604.0 8.3 314 2.6 79 6.5 5.9 A *

* 1606.0 2.8 297 2.6 81 6.5 5.9 A *

* 1608.0 2.6 18 2.5 84 6.5 6.0 A *

* 1610.0 13.3 48 2.5 86 6.5 6.1 B *

* 1612.0 12.1 359 2.5 87 6.5 6.1 A *

* 1614.0 10.0 356 2.5 88 6.4 6.1 A *

* 1616.0 8.1 347 2.5 88 6.4 6.1 A *

* 1618.0 5.6 342 2.5 87 6.2 6.2 A *

* 1620.0 5.1 332 2.5 84 6.3 6.2 B *

* 1622.0 5.2 315 2.5 80 6.4 6.2 D *

* 1624.0 8.7 306 2.5 82 6.4 6.1 D *

* 1626.0 7.5 324 2.5 85 6.4 6.1 B *

* 1628.0 7.0 318 2.5 83 6.3 6.1 B *

* 1630.0 6.2 286 2.5 83 6.3 6.0 D *

* 1632.0 8.7 272 2.5 82 6.4 6.0 D *

* 1634.0 2.5 79 6.3 6.0 *

* 1636.0 2.5 82 6.2 6.1 *

* 1638.0 4.4 348 2.5 86 6.2 6.2 D *

* 1640.0 2.5 89 6.1 6.3 *

* 1642.0 8.9 26 2.5 91 6.1 6.3 A *

* 1644.0 10.0 24 2.5 90 6.1 6.3 A *

* 1646.0 9.6 7 2.5 91 6.0 6.3 A *

FORMATION				BOREHOLE				QUAL.	

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	#A		

1648.0	2.0	7	2.5	94	6.0	6.3	A		
1650.0	8.5	34	2.5	96	6.0	6.3	A		
1652.0	9.1	9	2.5	95	6.1	6.2	A		
1654.0	9.3	12	2.5	96	6.2	6.1	A		
1656.0			2.5	97	6.2	6.1			
1658.0			2.5	96	6.1	6.2			
1660.0			2.5	93	6.0	6.3			
1662.0			2.5	89	5.9	6.0			
1664.0			2.5	88	6.0	5.9			
1666.0	3.1	310	2.6	87	6.0	6.0	B		
1668.0	5.7	312	2.6	88	5.9	6.0	D		
1670.0	6.2	330	2.6	92	5.9	6.0	D		
1672.0	36.5	207	2.6	94	6.0	6.1	D		
1674.0	38.1	201	2.6	91	6.0	6.1	D		
1676.0			2.6	88	5.9	5.8			
1678.0	46.3	245	2.6	89	5.9	5.9	D		
1680.0	47.2	240	2.7	89	5.9	5.9	D		
1682.0			2.7	89	5.9	5.9			
1684.0	49.5	312	2.7	91	5.9	5.9	B		
1686.0	41.9	307	2.7	92	6.1	5.9	B		
1688.0	39.0	307	2.6	93	6.2	6.0	B		
1690.0			2.6	95	6.1	6.0			
1692.0			2.6	95	6.0	5.9			
1694.0			2.5	95	6.0	5.9			
1696.0			2.5	96	6.0	6.0			
1698.0			2.5	95	6.0	6.0			
1700.0			2.5	97	6.0	6.0			
1702.0			2.5	99	6.1	5.9			
1704.0			2.4	99	6.2	5.9			
1706.0	30.2	231	2.4	98	6.2	6.0	D		
1708.0			2.3	99	6.1	6.0			
1710.0			2.3	101	6.0	6.0			
1712.0			2.3	99	6.0	6.0			
1714.0			2.3	97	6.0	6.0			
1716.0	28.9	223	2.3	95	5.9	6.1	B		
1718.0			2.3	91	6.0	6.1			
1720.0			2.3	87	6.0	6.2			
1722.0	12.9	315	2.3	87	6.1	6.2	D		
1724.0	11.1	114	2.4	90	6.1	6.1	B		
1726.0	9.4	120	2.4	93	6.1	6.1	D		

FORMATION			BOREHOLE				QUAL.		

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	A		

1728.0	8.2	303	2.4	92	6.0	6.1	D		
1730.0	10.7	264	2.4	88	6.0	6.0	B		
1732.0	10.8	261	2.4	86	5.9	6.1	B		
1734.0			2.4	86	5.9	6.2			
1736.0			2.4	86	5.9	6.2			
1738.0			2.4	86	6.0	6.2			
1740.0	11.1	345	2.4	84	6.0	6.3	D		
1742.0			2.4	81	6.0	6.3			
1744.0			2.4	82	6.1	6.3			
1746.0			2.4	85	6.0	6.3			
1748.0			2.4	88	6.0	6.1			
1750.0			2.4	89	6.0	6.1			
1752.0			2.4	88	6.0	6.1			
1754.0			2.4	87	6.0	6.0			
1756.0			2.4	86	6.0	6.0			
1758.0			2.4	86	5.9	6.1			
1760.0			2.4	85	5.9	6.1			
1762.0			2.4	84	6.0	6.1			
1764.0			2.4	83	6.0	6.1			
1766.0			2.4	82	6.0	6.2			
1768.0			2.4	81	6.1	6.3			
1770.0			2.5	78	6.1	6.2			
1772.0	8.0	210	2.5	75	6.1	6.2	B		
1774.0	14.5	200	2.5	81	6.1	6.3	D		
1776.0	8.7	170	2.5	82	6.2	6.2	D		
1778.0	8.5	166	2.5	79	6.2	6.3	D		
1780.0	8.3	208	2.5	76	6.2	6.4	B		
1782.0	6.9	200	2.5	73	6.2	6.5	A		
1784.0	8.3	205	2.4	75	6.2	6.5	A		
1786.0	9.8	201	2.4	75	6.1	6.4	A		
1788.0	5.9	184	2.4	73	6.1	6.3	A		
1790.0	3.3	195	2.4	75	6.1	6.4	A		
1792.0	8.9	190	2.4	79	6.1	6.4	C		
1794.0	5.4	208	2.4	81	6.2	6.3	C		
1796.0	3.6	214	2.4	81	6.4	6.3	A		
1798.0	4.2	217	2.4	82	6.4	6.3	A		
1800.0	6.3	219	2.4	83	6.3	6.3	A		
1802.0	4.3	265	2.4	82	6.2	6.3	A		
1804.0	2.6	240	2.4	80	6.2	6.3	C		
1806.0	3.5	253	2.4	77	6.2	6.3	C		

* FORMATION *			BOREHOLE				* QUAL. *		

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	

* AZI. *		* AZI. *		1-3		2-4		* =A *	

* 1808.0	4.4	258	2.4	79	6.3	6.4	A	*	
* 1810.0	4.6	259	2.4	82	6.3	6.4	A	*	
* 1812.0	3.1	275	2.3	82	6.3	6.4	C	*	
* 1814.0	8.6	233	2.3	84	6.4	6.3	A	*	
* 1816.0	9.2	222	2.3	81	6.3	6.3	A	*	
* 1818.0	14.4	222	2.3	72	6.3	6.2	A	*	
* 1820.0	13.1	212	2.3	68	6.3	6.4	A	*	
* 1822.0	5.7	251	2.3	68	6.2	6.5	A	*	
* 1824.0	6.1	246	2.3	70	6.1	6.4	A	*	
* 1826.0	5.1	223	2.3	72	6.1	6.4	A	*	
* 1828.0	6.2	175	2.3	72	6.2	6.3	C	*	
* 1830.0	8.4	180	2.4	74	6.2	6.3	A	*	
* 1832.0	11.7	244	2.4	78	6.1	6.4	A	*	
* 1834.0	28.9	20	2.4	81	6.1	6.4	D	*	
* 1836.0	25.0	15	2.4	78	6.0	6.3	B	*	
* 1838.0	26.6	275	2.4	77	6.1	6.3	D	*	
* 1840.0	26.4	273	2.4	82	6.1	6.4	D	*	
* 1842.0			2.4	84	6.1	6.4		*	
* 1844.0	10.4	225	2.4	80	6.1	6.4	A	*	
* 1846.0	10.7	218	2.4	77	6.1	6.4	A	*	
* 1848.0	14.4	229	2.4	79	6.1	6.4	A	*	
* 1850.0	14.5	232	2.5	82	6.2	6.4	C	*	
* 1852.0	9.1	234	2.5	84	6.2	6.3	A	*	
* 1854.0	8.6	235	2.5	86	6.2	6.3	A	*	
* 1856.0	10.6	252	2.5	84	6.2	6.4	A	*	
* 1858.0	11.5	245	2.5	80	6.3	6.2	A	*	
* 1860.0	11.3	118	2.5	77	6.2	6.1	D	*	
* 1862.0	12.1	122	2.4	76	6.1	6.1	B	*	
* 1864.0	6.5	209	2.4	78	6.1	6.2	A	*	
* 1866.0	7.0	274	2.4	82	6.1	6.1	A	*	
* 1868.0	7.3	264	2.4	78	6.1	6.1	D	*	
* 1870.0	4.9	267	2.4	68	6.0	6.2	D	*	
* 1872.0	5.6	268	2.4	65	6.0	6.2	D	*	
* 1874.0	11.9	224	2.5	68	6.1	6.2	D	*	
* 1876.0	8.0	331	2.5	71	6.2	6.2	D	*	
* 1878.0	9.1	318	2.5	71	6.3	6.3	D	*	
* 1880.0	8.3	315	2.5	70	6.4	6.3	D	*	
* 1882.0	5.0	340	2.5	70	6.3	6.2	D	*	
* 1884.0			2.5	70	6.3	6.1		*	
* 1886.0	12.5	305	2.5	70	6.3	6.2	D	*	

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	
* *		* AZI.	* *	* AZI.	* 1-3	* 2-4	* =A	* *	

* 1888.0	1.9	262	2.5	70	6.4	6.3	B	* *	
* 1890.0	2.0	254	2.5	69	6.3	6.3	B	* *	
* 1892.0	1.0	254	2.5	71	6.3	6.3	B	* *	
* 1894.0	2.9	172	2.5	74	6.3	6.3	D	* *	
* 1896.0			2.5	75	6.2	6.2		* *	
* 1898.0	1.4	75	2.5	75	6.2	6.1	B	* *	
* 1900.0	6.1	333	2.5	75	6.3	6.2	D	* *	
* 1902.0	11.9	346	2.5	71	6.3	6.3	D	* *	
* 1904.0	12.4	349	2.5	73	6.2	6.3	B	* *	
* 1906.0	13.2	348	2.5	77	6.2	6.4	B	* *	
* 1908.0	14.3	357	2.6	79	6.2	6.4	A	* *	
* 1910.0	13.9	357	2.6	77	6.2	6.4	A	* *	
* 1912.0	11.3	347	2.6	76	6.3	6.3	A	* *	
* 1914.0	9.5	343	2.6	76	6.3	6.3	A	* *	
* 1916.0	9.7	344	2.6	77	6.3	6.4	B	* *	
* 1918.0			2.7	77	6.3	6.4		* *	
* 1920.0	21.3	1	2.7	75	6.4	6.5	D	* *	
* 1922.0	23.1	355	2.7	74	6.3	6.5	B	* *	
* 1924.0	14.1	348	2.7	77	6.3	6.5	D	* *	
* 1926.0	11.7	348	2.7	80	6.2	6.5	D	* *	
* 1928.0	37.5	176	2.7	84	6.3	6.5	B	* *	
* 1930.0	38.7	179	2.6	88	6.2	6.4	B	* *	
* 1932.0	11.4	12	2.6	87	6.2	6.4	D	* *	
* 1934.0	11.6	7	2.6	85	6.3	6.5	A	* *	
* 1936.0	10.3	360	2.6	87	6.3	6.5	C	* *	
* 1938.0	10.8	10	2.6	87	6.3	6.5	A	* *	
* 1940.0	9.7	12	2.6	85	6.3	6.4	A	* *	
* 1942.0	13.6	360	2.6	82	6.2	6.4	A	* *	
* 1944.0	15.9	347	2.6	81	6.1	6.5	A	* *	
* 1946.0			2.7	81	6.0	6.4		* *	
* 1948.0			2.7	76	6.1	6.4		* *	
* 1950.0	12.6	327	2.7	73	6.3	6.4	C	* *	
* 1952.0	13.5	329	2.7	76	6.3	6.4	A	* *	
* 1954.0	11.7	346	2.7	81	6.3	6.3	A	* *	
* 1956.0	12.2	334	2.7	85	6.3	6.4	C	* *	
* 1958.0	11.1	358	2.7	85	6.2	6.3	C	* *	
* 1960.0	12.2	360	2.7	85	6.3	6.3	A	* *	
* 1962.0	11.8	356	2.7	83	6.3	6.3	A	* *	
* 1964.0	12.4	360	2.7	82	6.3	6.4	A	* *	
* 1966.0	12.4	5	2.6	84	6.3	6.4	A	* *	

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	* INDEX *	
* * *		* AZI. *	* * *		* 1-3 *	* 2-4 *	* =A *	* * *	

* 1968.0			2.6	83	6.2	6.4		*	
* 1970.0			2.6	83	6.1	6.3		*	
* 1972.0	13.6	360	2.6	84	6.2	6.3	C	*	
* 1974.0	13.6	2	2.5	85	6.2	6.2	C	*	
* 1976.0	11.5	1	2.5	86	6.2	6.2	A	*	
* 1978.0	11.7	353	2.5	87	6.2	6.2	A	*	
* 1980.0	12.8	348	2.5	90	6.3	6.3	A	*	
* 1982.0	14.4	359	2.5	92	6.3	6.3	A	*	
* 1984.0	11.8	6	2.5	92	6.3	6.2	A	*	
* 1986.0			2.5	93	6.3	6.2		*	
* 1988.0	6.5	25	2.4	92	6.2	6.3	B	*	
* 1990.0			2.4	91	6.3	6.3		*	
* 1992.0			2.4	90	6.2	6.3		*	
* 1994.0			2.4	89	6.1	6.3		*	
* 1996.0			2.4	87	6.0	6.3		*	
* 1998.0	9.2	56	2.4	86	6.1	6.3	D	*	
* 2000.0	9.1	50	2.5	90	6.1	6.3	D	*	
* 2002.0	11.7	36	2.5	98	6.0	6.3	B	*	
* 2004.0	11.4	24	2.5	101	6.0	6.2	B	*	
* 2006.0			2.5	92	5.9	6.0		*	
* 2008.0			2.5	88	6.0	5.9		*	
* 2010.0			2.5	89	6.0	6.0		*	
* 2012.0			2.5	90	6.0	6.0		*	
* 2014.0			2.4	95	6.0	5.9		*	
* 2016.0			2.4	94	6.0	5.9		*	
* 2018.0			2.4	91	6.0	6.0		*	
* 2020.0	6.9	37	2.5	93	6.0	6.0	D	*	
* 2022.0			2.5	93	6.0	6.0		*	
* 2024.0	7.7	11	2.5	89	6.0	6.0	D	*	
* 2026.0	13.9	50	2.5	86	6.0	6.1	B	*	
* 2028.0	14.2	40	2.5	86	6.0	6.1	B	*	
* 2030.0	16.7	28	2.5	89	6.0	6.1	D	*	
* 2032.0			2.5	87	6.0	6.1		*	
* 2034.0			2.5	83	6.0	6.1		*	
* 2036.0	35.9	274	2.5	82	6.0	6.1	D	*	
* 2038.0	36.8	277	2.4	81	6.0	6.1	D	*	
* 2040.0	35.6	272	2.4	82	6.0	6.1	D	*	
* 2042.0			2.4	86	6.0	6.0		*	
* 2044.0			2.4	84	6.0	6.0		*	
* 2046.0			2.4	85	6.0	6.0		*	

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP *	DIP	* DEV. *	DEV.	DIAM	DIAM	* BEST *	* INDEX *	
* * *		AZI.	* * *		1-3	2-4	* #A *	* * *	

* 2048.0			2.4	93	5.8	6.1		* *	
* 2050.0	36.3	271	2.4	95	5.8	6.1	D	* *	
* 2052.0			2.4	89	5.8	6.1		* *	
* 2054.0	17.7	137	2.4	90	5.8	6.1	B	* *	
* 2056.0			2.4	93	5.8	6.1		* *	
* 2058.0			2.4	90	5.8	6.1		* *	
* 2060.0			2.4	90	5.8	6.0		* *	
* 2062.0			2.5	81	5.9	6.0		* *	
* 2064.0			2.5	79	5.9	5.9		* *	
* 2066.0			2.5	87	5.8	6.0		* *	
* 2068.0			2.5	90	5.8	6.1		* *	
* 2070.0			2.5	91	5.9	6.1		* *	
* 2072.0	19.7	142	2.5	90	6.0	6.1	D	* *	
* 2074.0	8.3	348	2.5	88	5.9	6.1	D	* *	
* 2076.0	14.7	16	2.5	87	6.0	6.1	D	* *	
* 2078.0	13.3	13	2.5	88	6.0	6.1	B	* *	
* 2080.0	12.1	15	2.5	88	6.0	6.1	B	* *	
* 2082.0			2.5	88	6.0	6.1		* *	
* 2084.0	45.8	309	2.5	88	6.0	6.1	B	* *	
* 2086.0			2.5	87	6.0	6.1		* *	
* 2088.0	41.9	206	2.5	86	5.9	6.1	D	* *	
* 2090.0	40.4	210	2.5	88	5.9	6.0	D	* *	
* 2092.0			2.5	88	5.9	6.0		* *	
* 2094.0	13.8	11	2.5	87	5.9	6.1	D	* *	
* 2096.0	18.6	340	2.5	87	5.9	6.0	D	* *	
* 2098.0	16.6	344	2.5	87	5.9	6.0	D	* *	
* 2100.0			2.5	85	6.0	6.1		* *	
* 2102.0			2.5	81	5.9	6.1		* *	
* 2104.0			2.5	82	6.0	6.1		* *	
* 2106.0	10.0	357	2.5	83	6.0	6.1	B	* *	
* 2108.0	12.9	357	2.5	83	6.0	6.1	B	* *	
* 2110.0	15.3	357	2.5	84	5.9	6.1	B	* *	
* 2112.0	12.2	355	2.5	84	5.9	6.1	D	* *	
* 2114.0	13.7	357	2.6	86	5.9	6.0	C	* *	
* 2116.0	10.5	356	2.6	88	5.9	6.0	A	* *	
* 2118.0	9.6	358	2.6	85	5.9	6.1	A	* *	
* 2120.0	11.2	360	2.6	87	6.0	6.2	A	* *	
* 2122.0	9.8	358	2.6	91	6.0	6.3	A	* *	
* 2124.0	8.1	358	2.5	90	6.0	6.2	A	* *	
* 2126.0	8.5	355	2.5	88	6.0	6.1	A	* *	

FORMATION		BOREHOLE				QUAL.	
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	3-A
2128.0	8.0	353	2.5	88	6.0	6.2	A
2130.0	6.8	356	2.5	90	6.0	6.2	A
2132.0	6.2	357	2.5	89	6.0	6.1	A
2134.0			2.5	90	6.0	6.1	
2136.0	10.2	348	2.5	93	6.1	6.3	A
2138.0	8.1	350	2.5	94	6.1	6.4	C
2140.0	7.5	350	2.5	91	6.1	6.3	A
2142.0	6.5	344	2.5	88	6.0	6.2	A
2144.0	6.5	357	2.5	89	6.0	6.1	C
2146.0	9.2	1	2.5	89	5.9	6.1	A
2148.0	9.1	6	2.5	87	5.9	6.1	C
2150.0	2.8	324	2.5	86	6.0	6.1	A
2152.0	4.1	360	2.5	90	6.1	6.2	A
2154.0	6.7	5	2.5	91	6.1	6.3	A
2156.0	9.5	355	2.5	87	6.1	6.3	A
2158.0	13.2	2	2.5	86	6.1	6.2	C
2160.0	8.7	2	2.5	87	6.0	6.2	A
2162.0	8.7	2	2.5	89	6.0	6.2	A
2164.0	5.6	2	2.5	89	6.0	6.1	A
2166.0	9.3	16	2.5	88	5.9	6.0	A
2168.0	9.1	15	2.5	88	6.0	5.9	A
2170.0	8.0	21	2.5	90	6.0	6.0	A
2172.0	9.2	12	2.5	94	6.0	6.1	A
2174.0			2.5	96	6.0	6.1	
2176.0			2.5	96	5.9	6.1	
2178.0			2.4	94	6.0	6.1	
2180.0			2.4	91	6.0	6.0	
2182.0	10.9	40	2.4	87	6.0	6.1	A
2184.0	11.1	23	2.4	86	6.0	6.1	A
2186.0	12.4	15	2.4	87	6.1	6.1	A
2188.0	11.1	4	2.4	86	6.0	6.1	C
2190.0	9.8	18	2.4	93	6.0	6.0	A
2192.0	11.4	22	2.4	101	5.9	5.9	A
2194.0	10.0	22	2.4	97	5.9	5.9	A
2196.0	12.1	20	2.4	95	6.0	5.9	C
2198.0	13.5	18	2.4	99	6.0	6.0	A
2200.0	13.5	15	2.4	98	6.0	6.0	A
2202.0	8.3	24	2.4	97	6.1	6.0	A
2204.0	5.7	347	2.4	96	6.1	6.1	A
2206.0	7.6	333	2.4	96	6.2	6.2	A

* FORMATION * BOREHOLE * QUAL. *

* INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * AZI. * AZI. * 1-3 * 2-4 * #A *

* *

* 2208.0 9.1 339 2.4 96 6.2 6.2 A *

* 2210.0 8.8 331 2.4 96 6.2 6.1 A *

* 2212.0 7.4 343 2.4 99 6.1 6.1 A *

* 2214.0 6.8 345 2.4 97 6.1 6.0 A *

* 2216.0 6.2 334 2.4 95 6.1 6.1 A *

* 2218.0 6.4 325 2.4 96 6.2 6.1 A *

* 2220.0 6.3 315 2.4 96 6.1 6.1 A *

* 2222.0 5.9 331 2.4 95 6.0 6.0 A *

* 2224.0 6.7 316 2.4 97 5.9 6.0 C *

* 2226.0 7.1 283 2.4 98 5.9 6.0 C *

* 2228.0 12.7 314 2.4 100 5.9 5.9 C *

* 2230.0 13.3 300 2.4 103 5.9 6.0 C *

* 2232.0 15.0 319 2.4 102 5.8 6.0 C *

* 2234.0 9.3 336 2.4 98 5.9 5.9 C *

* 2236.0 9.6 329 2.4 97 5.9 5.9 A *

* 2238.0 8.1 320 2.4 101 5.9 6.0 A *

* 2240.0 14.3 331 2.4 104 5.9 6.0 C *

* 2242.0 9.6 338 2.4 106 5.8 5.9 A *

* 2244.0 10.1 311 2.4 109 5.8 5.9 C *

* 2246.0 10.7 341 2.4 106 5.9 5.9 A *

* 2248.0 10.2 345 2.4 101 5.9 6.0 A *

* 2250.0 8.4 342 2.4 99 6.0 6.0 A *

* 2252.0 6.3 331 2.5 98 5.9 6.0 A *

* 2254.0 7.0 331 2.5 101 5.8 6.0 A *

* 2256.0 8.7 321 2.4 98 5.8 5.9 A *

* 2258.0 10.0 308 2.5 95 5.8 5.9 A *

* 2260.0 2.5 99 5.6 5.9 *

* 2262.0 2.5 101 5.7 5.8 *

* 2264.0 2.5 108 5.9 5.9 *

* 2266.0 12.4 22 2.5 111 5.8 5.9 B *

* 2268.0 12.1 23 2.5 106 5.8 6.0 B *

* 2270.0 11.8 24 2.5 104 5.9 6.0 D *

* 2272.0 7.3 349 2.5 102 5.9 6.0 A *

* 2274.0 7.5 338 2.5 99 6.0 6.0 A *

* 2276.0 7.6 338 2.5 100 6.0 6.0 A *

* 2278.0 7.0 339 2.6 101 6.0 6.0 A *

* 2280.0 9.8 334 2.6 109 6.0 6.0 A *

* 2282.0 9.5 335 2.6 114 6.0 6.0 A *

* 2284.0 5.7 335 2.6 111 6.0 6.0 A *

* 2286.0 7.1 328 2.6 109 6.0 6.0 A *

FORMATION				BOREHOLE				QUAL.
								INDEX
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	
		AZI.		AZI.	1-3	2-4	#A	
2288.0	4.9	20	2.5	111	6.0	6.0	A	
2290.0	6.0	21	2.5	113	6.0	6.0	A	
2292.0	8.5	10	2.5	108	5.9	6.0	A	
2294.0	6.2	5	2.5	105	6.0	6.0	A	
2296.0	7.0	10	2.5	105	6.0	6.0	A	
2298.0	8.5	1	2.5	110	6.0	6.0	A	
2300.0	16.0	19	2.5	114	6.0	5.9	C	
2302.0	13.3	294	2.5	115	5.9	5.9	C	
2304.0	11.0	298	2.5	115	6.0	5.9	C	
2306.0	17.4	333	2.5	114	6.0	5.9	C	
2308.0	12.4	349	2.5	116	6.0	5.9	C	
2310.0	10.2	358	2.6	122	6.0	6.0	A	
2312.0	9.2	6	2.6	119	6.0	6.0	A	
2314.0	6.6	306	2.6	110	5.9	6.0	A	
2316.0	5.4	275	2.6	109	5.8	6.0	A	
2318.0	4.7	14	2.7	113	5.8	5.9	A	
2320.0	9.3	2	2.7	117	5.8	5.9	A	
2322.0	9.1	357	2.7	119	5.9	5.8	A	
2324.0	9.1	352	2.7	116	6.0	5.8	A	
2326.0	10.5	360	2.7	112	6.0	5.9	A	
2328.0	10.1	350	2.7	107	5.9	5.9	A	
2330.0	8.1	330	2.7	100	5.9	5.9	C	
2332.0	5.4	328	2.7	104	5.8	5.9	A	
2334.0	4.2	341	2.7	111	5.8	6.0	A	
2336.0	5.4	338	2.7	108	5.8	6.1	A	
2338.0	7.7	325	2.7	101	5.8	6.1	A	
2340.0	9.2	346	2.7	100	5.7	6.0	C	
2342.0	10.4	324	2.7	104	5.7	6.1	A	
2344.0	8.1	325	2.7	108	5.8	6.1	A	
2346.0	6.9	337	2.7	107	5.8	6.1	A	
2348.0	8.1	314	2.7	105	5.8	6.1	A	
2350.0	5.9	315	2.7	103	5.8	6.1	A	
2352.0	7.7	23	2.7	103	5.8	6.1	A	
2354.0	8.9	32	2.7	103	5.8	6.1	C	
2356.0	6.8	329	2.8	104	5.8	6.0	A	
2358.0	5.3	313	2.8	104	5.8	6.0	A	
2360.0	3.3	319	2.8	106	5.9	6.0	A	
2362.0	2.4	121	2.8	111	5.9	6.1	A	
2364.0	1.2	112	2.8	113	6.0	6.1	A	
2366.0			2.8	116	6.0	6.0		

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP *	DIP	* DEV. *	DEV.	DIAM	DIAM	* BEST *		
* *		AZI.	* *	AZI.	1-3	2-4	* #A *		

* 2368.0	4.9	103	2.7	118	6.0	5.9	C	*	
* 2370.0	3.4	346	2.7	113	6.0	6.0	A	*	
* 2372.0	19.4	334	2.7	112	5.9	6.0	D	*	
* 2374.0			2.7	112	6.0	6.0		*	
* 2376.0			2.8	112	6.0	5.9		*	
* 2378.0			2.8	111	6.0	6.0		*	
* 2380.0			2.8	110	6.0	6.0		*	
* 2382.0			2.8	112	6.0	6.1		*	
* 2384.0			2.8	111	6.0	6.1		*	
* 2386.0			2.9	110	5.9	6.1		*	
* 2388.0	15.0	316	2.9	110	5.9	6.0	B	*	
* 2390.0	14.1	326	2.9	109	5.8	6.0	B	*	
* 2392.0	13.1	328	2.9	108	5.8	6.0	D	*	
* 2394.0			2.9	107	5.8	6.0		*	
* 2396.0			3.0	108	5.8	6.0		*	
* 2398.0	30.9	34	2.9	110	5.9	6.0	D	*	
* 2400.0	35.0	34	2.9	112	5.8	6.0	D	*	
* 2402.0			2.9	113	5.9	6.0		*	
* 2404.0	17.9	352	2.9	107	6.0	6.0	D	*	
* 2406.0	16.2	336	2.9	102	6.0	6.0	D	*	
* 2408.0			2.9	102	5.9	6.0		*	
* 2410.0	14.9	337	2.9	104	5.8	6.0	D	*	
* 2412.0			2.9	106	5.9	6.0		*	
* 2414.0			2.9	107	5.9	6.0		*	
* 2416.0			3.0	106	6.0	6.1		*	
* 2418.0			3.0	104	6.0	6.2		*	
* 2420.0			3.0	103	6.0	6.3		*	
* 2422.0			3.0	99	6.0	6.2		*	
* 2424.0			3.0	93	6.0	6.2		*	
* 2426.0			3.0	93	5.9	6.2		*	
* 2428.0			3.0	101	5.9	6.2		*	
* 2430.0			3.0	106	6.0	6.1		*	
* 2432.0	7.0	357	3.0	107	6.1	6.2	D	*	
* 2434.0			3.0	110	6.0	6.0		*	
* 2436.0			3.1	105	5.9	6.0		*	
* 2438.0			3.1	96	6.0	6.2		*	
* 2440.0	14.1	348	3.1	96	6.1	6.2	D	*	
* 2442.0			3.0	96	6.1	6.3		*	
* 2444.0	4.9	87	3.0	95	6.1	6.2	D	*	
* 2446.0			3.0	91	6.1	6.1		*	

* FORMATION *			* BOREHOLE *				* QUAL. *		

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	
* * *		* AZI. *	* AZI. *		1-3	2-4	* #A *	* * *	

* 2448.0			3.0	87	6.1	6.2		*	
* 2450.0	6.0	357	3.0	84	6.2	6.3	B	*	
* 2452.0			3.0	89	6.1	6.3		*	
* 2454.0			3.0	99	6.0	6.1		*	
* 2456.0	9.4	349	3.0	101	5.9	6.0	A	*	
* 2458.0	8.8	354	3.0	101	6.0	6.1	A	*	
* 2460.0			3.0	101	6.0	6.1		*	
* 2462.0	5.3	38	3.0	100	6.0	6.1	C	*	
* 2464.0	11.0	360	3.0	99	6.0	6.1	C	*	
* 2466.0	13.5	351	3.0	100	6.0	6.1	A	*	
* 2468.0	10.6	336	3.0	98	6.0	6.1	A	*	
* 2470.0			3.0	96	6.0	6.1		*	
* 2472.0			3.0	98	6.0	6.1		*	
* 2474.0			3.0	102	6.0	6.1		*	
* 2476.0	4.3	286	3.0	103	6.1	6.1	D	*	
* 2478.0	5.8	221	3.0	103	6.1	6.1	B	*	
* 2480.0	6.2	245	3.0	102	6.0	6.1	B	*	
* 2482.0			3.0	100	5.9	6.0		*	
* 2484.0			3.0	99	5.9	6.0		*	
* 2486.0			3.1	99	6.0	6.0		*	
* 2488.0			3.1	100	6.0	6.0		*	
* 2490.0			3.1	101	6.0	6.1		*	
* 2492.0	10.4	16	3.1	103	6.0	6.1	A	*	
* 2494.0	13.7	6	3.2	103	6.0	6.1	A	*	
* 2496.0	13.5	9	3.1	104	6.0	6.1	A	*	
* 2498.0	3.3	360	3.1	103	6.0	6.1	A	*	
* 2500.0	6.0	42	3.0	104	6.0	6.1	A	*	
* 2502.0	7.1	68	3.0	105	6.0	6.0	A	*	
* 2504.0	8.0	73	3.0	104	6.0	6.0	C	*	
* 2506.0	6.6	359	3.0	102	6.0	6.0	C	*	
* 2508.0	8.8	341	3.0	102	6.0	6.0	C	*	
* 2510.0	8.7	348	3.0	104	6.0	6.0	A	*	
* 2512.0	10.4	346	3.0	104	6.0	6.0	A	*	
* 2514.0	11.3	344	3.0	104	6.0	6.0	A	*	
* 2516.0	8.4	346	3.0	104	6.0	6.0	C	*	
* 2518.0	5.8	347	3.0	102	6.0	6.0	A	*	
* 2520.0	10.5	347	3.0	102	5.9	6.0	A	*	
* 2522.0	13.8	5	3.0	104	6.0	6.0	D	*	
* 2524.0	8.4	337	3.0	105	6.0	6.0	D	*	
* 2526.0	8.4	300	3.0	106	6.0	6.0	D	*	

* FORMATION * BOREHOLE * QUAL. *

* -----# INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * AZI. * AZI. * 1-3 * 2-4 * #A *

* *

* 2528.0 13.0 355 3.0 108 6.0 6.0 D *

* 2530.0 4.5 41 3.0 108 6.0 6.0 B *

* 2532.0 4.5 31 2.9 105 6.0 5.9 D *

* 2534.0 8.5 335 2.9 103 6.0 5.9 B *

* 2536.0 7.7 340 2.9 102 6.0 5.9 B *

* 2538.0 9.1 348 2.9 98 6.0 5.9 D *

* 2540.0 9.6 334 2.9 97 6.0 5.9 D *

* 2542.0 6.1 317 2.8 103 6.0 5.9 D *

* 2544.0 2.8 108 6.0 5.9 *

* 2546.0 2.9 109 6.0 5.9 *

* 2548.0 7.5 80 2.8 109 5.9 5.9 D *

* 2550.0 7.0 24 2.8 110 5.9 6.0 B *

* 2552.0 5.9 360 2.8 110 6.0 6.0 B *

* 2554.0 1.6 283 2.8 114 6.0 6.0 B *

* 2556.0 10.7 31 2.8 117 5.9 6.0 D *

* 2558.0 6.9 46 2.8 112 6.0 6.0 D *

* 2560.0 10.4 347 2.8 110 6.0 6.0 D *

* 2562.0 6.7 340 2.8 110 5.9 6.0 D *

* 2564.0 16.1 198 2.8 109 5.9 6.0 B *

* 2566.0 9.5 332 2.8 111 5.9 6.0 D *

* 2568.0 7.5 344 2.8 115 6.0 5.9 A *

* 2570.0 7.1 350 2.8 116 5.9 5.9 A *

* 2572.0 8.5 343 2.8 117 5.9 5.9 A *

* 2574.0 9.4 354 2.8 116 6.0 5.9 A *

* 2576.0 7.0 332 2.8 113 6.0 5.9 A *

* 2578.0 4.8 311 2.8 113 5.9 5.9 A *

* 2580.0 5.1 318 2.8 119 5.9 5.9 A *

* 2582.0 7.8 328 2.7 124 6.0 5.8 A *

* 2584.0 8.9 334 2.7 126 5.9 5.8 A *

* 2586.0 9.3 310 2.7 128 5.9 5.9 C *

* 2588.0 10.5 349 2.8 125 5.8 5.9 A *

* 2590.0 10.3 354 2.8 120 5.8 5.9 A *

* 2592.0 11.8 355 2.7 118 5.9 5.9 C *

* 2594.0 16.0 354 2.8 118 5.9 6.0 A *

* 2596.0 12.1 360 2.8 118 5.9 6.0 A *

* 2598.0 8.7 334 2.8 115 5.8 5.9 A *

* 2600.0 9.7 340 2.9 111 5.8 5.7 A *

* 2602.0 13.4 340 2.9 111 5.9 5.6 A *

* 2604.0 11.2 2 3.0 109 6.0 5.5 C *

* 2606.0 3.0 113 5.8 5.6 *

* FORMATION *		* BOREHOLE *				* QUAL. *			

* INDEX *									
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	*	
*		* AZI. *	*		* AZI. *	* 1-3 *	* 2-4 *	* =A *	*

* 2608.0	10.8	325	3.0	116	5.7	5.7	A	*	
* 2610.0	6.7	355	3.0	113	5.7	5.7	A	*	
* 2612.0	7.9	13	2.9	117	5.7	5.7	A	*	
* 2614.0	8.2	358	2.9	118	5.7	5.6	A	*	
* 2616.0	9.3	354	2.8	117	5.7	5.7	A	*	
* 2618.0	9.5	18	2.8	117	5.7	5.9	A	*	
* 2620.0	10.5	15	2.7	117	5.7	6.0	A	*	
* 2622.0	8.9	14	2.7	119	5.7	6.0	A	*	
* 2624.0	7.1	18	2.7	120	5.8	6.0	A	*	
* 2626.0	8.0	6	2.7	120	5.9	6.0	A	*	
* 2628.0	10.9	24	2.7	118	5.9	5.9	C	*	
* 2630.0	8.9	359	2.7	117	5.9	5.9	A	*	
* 2632.0	9.0	359	2.7	119	5.9	6.0	A	*	
* 2634.0	11.7	346	2.7	119	5.9	6.0	C	*	
* 2636.0			2.7	119	5.8	6.0		*	
* 2638.0			2.7	119	5.8	6.0		*	
* 2640.0	7.0	336	2.7	118	5.9	5.9	C	*	
* 2642.0	11.8	348	2.7	116	5.8	5.9	A	*	
* 2644.0	12.3	360	2.7	116	5.8	5.9	A	*	
* 2646.0	7.3	10	2.7	116	5.9	5.9	A	*	
* 2648.0	8.4	356	2.6	112	5.9	5.9	A	*	
* 2650.0	12.5	341	2.6	108	5.9	5.8	A	*	
* 2652.0	12.4	349	2.6	107	5.9	5.8	C	*	
* 2654.0	12.8	352	2.6	107	5.9	5.8	A	*	
* 2656.0	8.2	352	2.7	109	5.9	5.9	A	*	
* 2658.0	10.5	353	2.7	112	5.9	6.0	A	*	
* 2660.0	12.0	351	2.7	112	5.9	6.0	A	*	
* 2662.0	9.9	353	2.7	112	5.9	6.1	A	*	
* 2664.0	10.3	347	2.7	108	5.9	6.0	A	*	
* 2666.0	10.0	353	2.7	104	5.9	6.0	A	*	
* 2668.0	7.8	2	2.7	107	5.9	6.0	A	*	

* FORMATION *		* BOREHOLE *					* QUAL. *		

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	
* * *		* AZI. *	* * *		* 1-3	* 2-4	* #A	* * *	

* 436.0			0.1	118	7.9	7.7		*	
* 438.0			0.2	135	8.8	7.0		*	
* 440.0	56.8	172	0.2	121	8.8	6.7	D	*	
* 442.0			0.2	77	8.5	6.7		*	
* 444.0			0.3	66	8.3	6.5		*	
* 446.0			0.4	68	8.1	6.4		*	
* 448.0			0.6	66	7.6	6.5		*	
* 450.0			0.7	59	6.6	6.4		*	
* 452.0			0.7	54	6.2	6.3		*	
* 454.0			0.8	50	6.3	6.3		*	
* 456.0			0.8	46	6.3	6.3		*	
* 458.0	49.3	34	0.8	49	6.4	6.2	D	*	
* 460.0	51.4	43	0.7	54	6.5	6.3	B	*	
* 462.0			0.7	56	6.5	6.3		*	
* 464.0			0.7	55	6.4	6.2		*	
* 466.0			0.7	54	6.3	6.1		*	
* 468.0			0.6	59	6.2	6.1		*	
* 470.0			0.6	62	6.2	6.1		*	
* 472.0			0.7	53	6.1	6.1		*	
* 474.0	11.2	214	0.7	47	6.1	6.1	B	*	
* 476.0	8.8	214	0.7	51	6.1	6.2	B	*	
* 478.0			0.6	52	6.0	6.2		*	
* 480.0			0.6	51	5.9	6.1		*	
* 482.0			0.7	56	5.9	6.0		*	
* 484.0			0.8	60	5.9	6.0		*	
* 486.0			0.8	55	5.9	6.0		*	
* 488.0			0.8	51	6.0	6.1		*	
* 490.0			0.8	54	6.0	6.1		*	
* 492.0			0.8	58	6.0	6.1		*	
* 494.0			0.7	57	6.0	6.1		*	
* 496.0			0.7	57	6.1	6.1		*	
* 498.0	7.6	275	0.6	56	6.1	6.2	B	*	
* 500.0	7.1	180	0.6	53	6.1	6.3	D	*	
* 502.0	6.0	279	0.6	52	6.2	6.2	D	*	
* 504.0	8.7	296	0.7	52	6.3	6.3	D	*	
* 506.0	7.6	294	0.8	51	6.3	6.3	D	*	
* 508.0	7.2	335	0.8	50	6.3	6.3	D	*	
* 510.0	6.8	351	0.7	50	6.3	6.3	D	*	
* 512.0	4.3	245	0.7	50	6.2	6.3	B	*	
* 514.0	8.0	239	0.6	51	6.3	6.3	A	*	

* FORMATION *				* BOREHOLE *				* QUAL. *	

* INDEX *									
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	=A		

516.0	8.7	245	0.6	51	6.4	6.3	A		
518.0	7.6	241	0.6	53	6.5	6.3	A		
520.0	8.1	255	0.6	57	6.6	6.3	A		
522.0	12.0	247	0.5	56	6.5	6.3	A		
524.0	8.8	243	0.5	51	6.4	6.3	A		
526.0	8.8	243	0.5	50	6.3	6.4	A		
528.0			0.6	52	6.3	6.4			
530.0			0.7	54	6.3	6.4			
532.0	3.9	266	0.7	54	6.3	6.4	A		
534.0	3.7	278	0.6	53	6.3	6.4	A		
536.0			0.6	51	6.2	6.4			
538.0			0.6	51	6.0	6.3			
540.0			0.6	54	5.9	6.3			
542.0			0.5	53	5.8	6.3			
544.0	12.0	194	0.5	46	5.8	6.3	C		
546.0	1.0	206	0.5	41	6.0	6.2	C		
548.0	8.6	267	0.5	40	6.1	6.2	A		
550.0	9.4	239	0.5	41	6.0	6.1	A		
552.0	12.0	229	0.5	44	6.1	6.3	A		
554.0	11.7	219	0.5	45	6.2	6.4	A		
556.0	11.3	233	0.5	45	6.3	6.3	A		
558.0	12.0	114	0.5	47	6.2	6.3	D		
560.0	16.6	181	0.5	49	6.2	6.4	C		
562.0	14.1	241	0.5	50	6.3	6.4	A		
564.0	14.7	239	0.5	50	6.3	6.4	A		
566.0	11.8	232	0.5	52	6.3	6.4	A		
568.0	10.9	228	0.5	52	6.3	6.4	A		
570.0	8.8	231	0.5	51	6.3	6.4	A		
572.0	6.8	239	0.5	52	6.3	6.4	A		
574.0	8.0	238	0.5	55	6.3	6.3	A		
576.0	11.8	258	0.5	57	6.2	6.3	A		
578.0	10.6	286	0.5	54	6.2	6.3	A		
580.0	7.9	285	0.5	48	6.2	6.3	A		
582.0			0.5	51	6.2	6.3			
584.0			0.5	53	6.1	6.3			
586.0			0.5	49	6.1	6.3			
588.0	6.3	277	0.5	47	6.2	6.3	A		
590.0	6.6	272	0.5	45	6.3	6.4	A		
592.0	6.6	256	0.5	44	6.3	6.4	A		
594.0	7.3	254	0.5	44	6.3	6.3	A		




```
*****
*          * FORMATION          *          * BOREHOLE          * QUAL. *
*          * -----*-----*          * INDEX *
* DEPTH *   DIP   DIP   * DEV.   DEV.   DIAM   DIAM * BEST *
*          *     AZI.   *     AZI.   1-3   2-4 *  =A  *
*****
*
* 596.0    7.3    278      0.5    44      6.3    6.3    A *
* 598.0    6.9    276      0.5    44      6.3    6.3    A *
* 600.0    6.2    283      0.5    43      6.3    6.3    A *
* 602.0    5.2    281      0.5    42      6.3    6.3    A *
* 604.0    5.2    283      0.5    42      6.3    6.3    A *
* 606.0    5.4    283      0.5    42      6.3    6.3    A *
* 608.0    5.4    282      0.5    44      6.3    6.3    A *
* 610.0    5.5    288      0.5    47      6.3    6.3    A *
* 612.0    4.8    286      0.5    44      6.3    6.3    A *
* 614.0    5.4    273      0.5    39      6.2    6.2    A *
*****
```


REICHOLD ENERGY CORP.

LIBEL #12-14

SUMMARY

```

*****
* DEPTH *   DIP   DIP   *   DEV   DEV   DIAM   DIAM * QUAL *
*       *       AZM   *       AZM   1-3   2-4 *      *
*****
*
* TOP
* 436.0   49.9   60.    0.4   101.    7.6   8.0   *   *
*
* BOTTOM
* 2668.0   7.8    2.    2.7   107.    5.9   6.0   A   *
*
* TOP
* 438.0    9.9   341.    0.2   135.    8.8   7.0   *   *
*
* BOTTOM
* 614.0    5.4   273.    0.5    39.    6.2   6.2   A   *
*
*****

```