

WELL SUMMARY REPORT
 (Submit in duplicate)

Operator American Quasar Petroleum Company Field Wildcat

Well No. M & P Farms 33-24 Sec. 33, T. 11S, R. 4W, Linn County W. B. & M.

Location SE 1/4 SW 1/4 Elevation above sea level 231 feet

All depth measurements taken from top of Kelly Bushing, which is 10.15 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date March 13, 1981

Signed John F. Works
John F. Works

Engineer or Geologist _____ Superintendent _____

Title Division Drilling Engineer
 (XXXXXXXXXXXXXXXXXXXX)

Commenced drilling 6:00 pm 2/24/81 Completed drilling 3/4/81 Drilling tools ~~XXXX~~ Rotary

Total depth	Plugged depth	GEOLOGICAL MARKERS	DEPTH
<u>4275</u>	<u>Surface</u>	<u>Eugene</u>	<u>170</u>
<u>None</u>		<u>Spencer</u>	<u>525</u>
<u>Well was plugged & abandoned</u>		<u>Fisher</u>	<u>1500</u>
		<u>Yamhill Sh</u>	<u>2625</u>

Commenced producing Dry Hole Date _____ Flowing/gas lift/pumping (cross out unnecessary words)

Initial production _____
 Production after 30 days _____

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
<u>14"</u>	<u>60'</u>	<u>Surf.</u>	<u>- Conductor</u>						
<u>7"</u>	<u>515'</u>	<u>"</u>	<u>20#</u>	<u>New</u>	<u>Seamless</u>	<u>K55</u>	<u>9-7/8"</u>	<u>225</u>	<u>Cmt'd to surface</u>

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				