STATE OF OREGON DEFARTMENT OF GEOLOGY AND MINERAL INDUSTRIES 1069 State Office Building Portland 1, Oregon

HISTORY OF OIL OR GAS WELL (Submit in duplicate)

In compliance with rules and regulations adopted pursuant to ORS 520.095 (Chapter 667 OL 1953)

Operator Ross R.Mitchell

Field

page # 1 Well No.

, Sec.

, T.

W.B. & M.

Signed

Jan. 4th - 60 Date

Title

(President, Secretary or Agent)

It is of the greatest importance to have a complete history of the well. Use this form in reporting the history of all important operations at the well, together with the dates thereof, prior to the first production. Include in your report such information as size of hole drilled to cementing or landing depth of casings, number of sacks of cement used in the plugging, number of sacks or number of feet of cement drilled out of casing, depth at which cement plugs started, and depth at which hard cement encountered. If the well was dynamited, give date, size, position and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position and results of pumping or bailing.

Date


10-2-59 spuded in , wrilled 10 in. hole set 70 ft. 8 in. ID pipe 10-5-59 | cemented with lo sacks cement top to bottom

drilled 8 in. hole 70 ft. to 275 drilled 5 in. hole 276 to 600 ft. filled hole with water to 85 ft. put in wood plug cemented back on top of woou plug 65 to 35 ft. with 9 sacks cement, filled hole with water of to 10 fc. erioged nole with paper sacks filled hole with cement a ft. or top cut & in.pipe

off a ft. down welded proper plate over 8 inch pipe. 10-31-59 completed plugging .

demarks: well was very dry , no show , sand was very tight all lime was soft and broken.

Poss P. Mitchell



STATE DEPT. OF SECLOGY & MINERAL INDS.