

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator Two States Oil & Gas Co. Field Vale

Well No. Vale City 1 SW1/4 Sec. 21, T 18S, R 45E, WM W. B. & M.

Location \_\_\_\_\_ Elevation above sea level \_\_\_\_\_ feet

All depth measurements taken from top of \_\_\_\_\_, which is \_\_\_\_\_ feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date Oct. 30, 1962 Signed Maynard J. Davies

Engineer or Geologist \_\_\_\_\_ Superintendent \_\_\_\_\_ Title President  
(President, Secretary or Agent)

Commenced drilling August 1961 Completed drilling October 24, 1962 Drilling tools Cable  
Rotary

Total depth	Plugged depth	GEOLOGICAL MARKERS	DEPTH
<u>1185'</u>	<u>0-20'</u>	<u>Idaho Fm.</u>	<u>0-760'</u>
		<u>Grassy Mt basalt</u>	<u>760-1030'</u>
		<u>Idaho Fm.</u>	<u>1030-1090'</u>
		<u>Deer Butte SS (?)</u>	<u>1090-1130'</u>

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping  
(cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing ( A.P.L )	Depth of shoe	Top of casing	Weight of casing	New or sec- ond hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cement- ing if through perforations
<u>16"</u>	<u>200'</u>	<u>0</u>						<u>Driven</u>	
<u>12"</u>	<u>430'</u>	<u>0</u>						<u>50 Sacks</u>	<u>Annular space</u>

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				