

Oregon Seismic Status Report - 2018



Oregon law requires school districts and education service districts to provide DOGAMI with notice of construction projects that may affect a school's seismic risk.

This report was generated by DOGAMI from submitted data.

School District/ESD: Coos Bay 9

County: COOS

Contact Name: RICK ROBERTS

Contact Email: rickr@coos-bay.k12.or.us

Structures Replaced? No

Name and Address: N/A

Kind of Structure:

Type of
Replacement:

Max Occupancy:

Date Occupied:

Structures Modified? Yes

Name and Address: Marshfield High School, 10th & Ingersoll, Coos Bay, OR. 97420

Kind of Structure:
Auditorium
East Gymnasium

Type of Modification: See Notes.

Date Re-occupied: 8/13/2018

Optional:

Engineering Report? No *If yes, attachments are appended to this report.*

Cost of Rehab: Gymnasium: \$1,500,000.00
Auditorium: \$963,779

Method of Funding: Seismic Rehabilitation Grant Program

Notes: Seismic upgrade work for both facilities include floor and roof framing strapping and anchoring, shear-wall bracing, roof sheathing, roof truss / wall connections, anchoring and other structural strengthening items. Work also includes complete roof replacement for both buildings as part of the seismic upgrade. The Gymnasium is 95% complete and the auditorium is 65% complete as of August 8th, 2018 The auditorium is being upgraded to the life safety standard and the gymnasium is being upgraded to the immediate occupancy standard.

Submission Date: 08/08/18