

11. Run on flat surface

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	30	37.0%	37.0%
Once or less in past year	19	23.5%	60.5%
Weekly	16	19.8%	80.2%
Monthly	11	13.6%	93.8%
Daily	4	4.9%	98.8%
Never	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9373
Max	6	Variance	0.8786
Range	5	Skewness	2.0340
Mode	3	Kurtosis	1.5071
Median	3.00	95% Conf.	3.22 to 3.62
Mean	3.42		

Scale 2 - Maximum Distance in Feet			
Response (n = 81)	Frequency	Percent	
50	7	8.6%	
1000	4	4.9%	
100	14	17.3%	
300	14	17.3%	
637.5	1	1.2%	
150	3	3.7%	
500	7	8.6%	
400	3	3.7%	
600	5	6.2%	
30	2	2.5%	
60	2	2.5%	
1500	2	2.5%	
250	1	1.2%	
2000	1	1.2%	
75	1	1.2%	
200	6	7.4%	
20	1	1.2%	
800	2	2.5%	
528	0	0.0%	
0	0	0.0%	
350	0	0.0%	
415	0	0.0%	
70	0	0.0%	
900	0	0.0%	
720	0	0.0%	
700	0	0.0%	
788	0	0.0%	
750	0	0.0%	
No Response	5	6.2%	
Min	20	Std. Dev.	324.5426
Max	2000	Variance	105327.8669
Range	1980	Skewness	3.4306
Mode	100 (b)	Kurtosis	10.8455
Median	300.00	95% Conf.	283.12 to 429.05
Mean	356.09		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	21	25.9%	25.9%
Mild to Moderate	19	23.5%	49.4%
Moderate	14	17.3%	66.7%
Mild	10	12.3%	79.0%
None	8	9.9%	88.9%
Disastrous	7	8.6%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	1.0069
Max	6	Variance	1.0139
Range	5	Skewness	1.8104
Mode	5	Kurtosis	0.5669
Median	4.00	95% Conf.	3.42 to 3.87
Mean	3.65		

12. Walk continuously

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	59	72.8%	72.8%
Weekly	11	13.6%	86.4%
Never	5	6.2%	92.6%
Several times per year	3	3.7%	96.3%
Monthly	2	2.5%	98.8%
Once or less in past year	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5619
Max	6	Variance	0.3157
Range	5	Skewness	1.1644
Mode	6	Kurtosis	-1.6441
Median	6.00	95% Conf.	5.22 to 5.47
Mean	5.35		

Scale 2 - Maximum Time in Hours			
Response (n = 81)	Frequency	Percent	
2	17	21.0%	
7	6	7.4%	
4	13	16.0%	
5	7	8.6%	
6	8	9.9%	
3	6	7.4%	
8	8	9.9%	
16	1	1.2%	
1	3	3.7%	
3.5	1	1.2%	
7.5	1	1.2%	
0.5	1	1.2%	
12	0	0.0%	
20	0	0.0%	
0.15	0	0.0%	
10	0	0.0%	
14	0	0.0%	
9.5	0	0.0%	
No Response	9	11.1%	
Min	1	Std. Dev.	2.0470
Max	16	Variance	4.1903
Range	16	Skewness	3.3147
Mode	2	Kurtosis	12.3236
Median	4.00	95% Conf.	4.02 to 4.97
Mean	4.49		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	18	22.2%	22.2%
Moderately High	18	22.2%	44.4%
Mild	16	19.8%	64.2%
Mild to Moderate	10	12.3%	76.5%
None	8	9.9%	86.4%
Disastrous	7	8.6%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	1.0428
Max	6	Variance	1.0875
Range	5	Skewness	1.8260
Mode	4 (b)	Kurtosis	0.6407
Median	4.00	95% Conf.	3.33 to 3.79
Mean	3.56		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	18	22.2%	22.2%
Mild to Moderate	17	21.0%	43.2%
Moderately High	14	17.3%	60.5%
Mild	12	14.8%	75.3%
None	8	9.9%	85.2%
Disastrous	8	9.9%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	1.0358
Max	6	Variance	1.0728
Range	5	Skewness	1.9308
Mode	4	Kurtosis	1.0442
Median	4.00	95% Conf.	3.31 to 3.78
Mean	3.55		

13. Stand continuously

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	66	81.5%	81.5%
Several times per year	6	7.4%	88.9%
Weekly	5	6.2%	95.1%
Never	2	2.5%	97.5%
Once or less in past year	1	1.2%	98.8%
Monthly	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.4374
Max	6	Variance	0.1913
Range	5	Skewness	1.1005
Mode	6	Kurtosis	-1.7885
Median	6.00	95% Conf.	5.42 to 5.61
Mean	5.52		

14. Walk up/down stairs

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	65	80.2%	80.2%
Several times per year	5	6.2%	86.4%
Weekly	4	4.9%	91.4%
Monthly	3	3.7%	95.1%
Never	2	2.5%	97.5%
Once or less in past year	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.4785
Max	6	Variance	0.2290
Range	5	Skewness	1.1097
Mode	6	Kurtosis	-1.7687
Median	6.00	95% Conf.	5.36 to 5.57
Mean	5.47		

Scale 2 - Maximum Time in Hours			
Response (n = 81)	Frequency	Percent	
8	11	13.6%	
16	2	2.5%	
1	13	16.0%	
2	15	18.5%	
7	4	4.9%	
5	3	3.7%	
3	8	9.9%	
2.5	1	1.2%	
6	9	11.1%	
4	6	7.4%	
0.5	1	1.2%	
3.5	2	2.5%	
7.5	1	1.2%	
20	1	1.2%	
12	0	0.0%	
0.1	0	0.0%	
10	0	0.0%	
14	0	0.0%	
9.5	0	0.0%	
No Response	4	4.9%	
Min	1	Std. Dev.	3.0289
Max	20	Variance	9.1741
Range	20	Skewness	3.4967
Mode	2	Kurtosis	11.8542
Median	3.50	95% Conf.	3.81 to 5.16
Mean	4.49		

Scale 2 - Maximum Number of Flights			
Response (n = 81)	Frequency	Percent	
2	21	25.9%	
3	12	14.8%	
1	11	13.6%	
8	2	2.5%	
4	13	16.0%	
5	10	12.3%	
6	2	2.5%	
15	1	1.2%	
32	1	1.2%	
20	2	2.5%	
10	1	1.2%	
16	1	1.2%	
24	0	0.0%	
40	0	0.0%	
30	0	0.0%	
12	0	0.0%	
50	0	0.0%	
36	0	0.0%	
No Response	4	4.9%	
Min	1	Std. Dev.	4.5592
Max	32	Variance	20.7861
Range	31	Skewness	4.4519
Mode	2	Kurtosis	19.5975
Median	3.00	95% Conf.	3.29 to 5.33
Mean	4.31		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	22	27.2%	27.2%
Mild to Moderate	20	24.7%	51.9%
Moderate	14	17.3%	69.1%
None	8	9.9%	79.0%
Mild	7	8.6%	87.7%
Disastrous	7	8.6%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.9786
Max	6	Variance	0.9576
Range	5	Skewness	1.7998
Mode	5	Kurtosis	0.5316
Median	4.00	95% Conf.	3.50 to 3.94
Mean	3.72		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild	20	24.7%	24.7%
None	19	23.5%	48.1%
Mild to Moderate	15	18.5%	66.7%
Moderate	13	16.0%	82.7%
Moderately High	7	8.6%	91.4%
Disastrous	4	4.9%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	1.1300
Max	6	Variance	1.2768
Range	5	Skewness	2.1672
Mode	2	Kurtosis	2.1875
Median	2.50	95% Conf.	2.51 to 3.01
Mean	2.76		

15. Sit continuously (car, desk, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	60	74.1%	74.1%
Weekly	6	7.4%	81.5%
Several times per year	5	6.2%	87.7%
Never	4	4.9%	92.6%
Monthly	4	4.9%	97.5%
Once or less in past year	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6094
Max	6	Variance	0.3714
Range	5	Skewness	1.1548
Mode	6	Kurtosis	-1.6665
Median	6.00	95% Conf.	5.16 to 5.43
Mean	5.30		

16. Run up/down stairs

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	28	34.6%	34.6%
Never	16	19.8%	54.3%
Once or less in past year	14	17.3%	71.6%
Daily	10	12.3%	84.0%
Monthly	7	8.6%	92.6%
Weekly	6	7.4%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2114
Max	6	Variance	1.4676
Range	5	Skewness	2.1922
Mode	3	Kurtosis	2.0260
Median	3.00	95% Conf.	2.77 to 3.30
Mean	3.04		

Scale 2 - Maximum Number of Hours			
Response (n = 81)	Frequency	Percent	
7	2	2.5%	
16	2	2.5%	
1	10	12.3%	
2	20	24.7%	
8	14	17.3%	
6	6	7.4%	
1.5	2	2.5%	
4	9	11.1%	
5	3	3.7%	
0.5	1	1.2%	
3	5	6.2%	
7.5	1	1.2%	
12	0	0.0%	
10	0	0.0%	
6.5	0	0.0%	
9	0	0.0%	
14	0	0.0%	
9.5	0	0.0%	
No Response	6	7.4%	
Min	1	Std. Dev.	2.6328
Max	16	Variance	6.9314
Range	16	Skewness	2.9957
Mode	2	Kurtosis	8.4430
Median	3.00	95% Conf.	3.68 to 4.88
Mean	4.28		

Scale 2 - Maximum Number of Flights			
Response (n = 81)	Frequency	Percent	
2	15	18.5%	
3	10	12.3%	
1	11	13.6%	
8	1	1.2%	
4	14	17.3%	
5	10	12.3%	
15	1	1.2%	
32	1	1.2%	
10	1	1.2%	
6	0	0.0%	
30	0	0.0%	
20	0	0.0%	
No Response	17	21.0%	
Min	1	Std. Dev.	3.9724
Max	32	Variance	15.7803
Range	31	Skewness	6.1321
Mode	2	Kurtosis	38.5472
Median	3.00	95% Conf.	2.81 to 4.75
Mean	3.78		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	29	35.8%	35.8%
Mild to Moderate	12	14.8%	50.6%
None	11	13.6%	64.2%
Moderate	9	11.1%	75.3%
Mild	8	9.9%	85.2%
Disastrous	7	8.6%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	1.0321
Max	6	Variance	1.0652
Range	5	Skewness	1.6169
Mode	5	Kurtosis	-0.1433
Median	4.00	95% Conf.	3.53 to 4.00
Mean	3.76		

17. Walk/run on irregular, potentially hazardous surfaces (slick, muddy, rocky, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	34	42.0%	42.0%
Once or less in past year	15	18.5%	60.5%
Daily	14	17.3%	77.8%
Monthly	8	9.9%	87.7%
Weekly	7	8.6%	96.3%
Never	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.1304
Max	6	Variance	1.2777
Range	5	Skewness	2.0229
Mode	3	Kurtosis	1.2361
Median	3.00	95% Conf.	3.28 to 3.78
Mean	3.53		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	22	27.2%	27.2%
Moderately High	20	24.7%	51.9%
Mild to Moderate	16	19.8%	71.6%
None	9	11.1%	82.7%
Mild	6	7.4%	90.1%
Disastrous	6	7.4%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.9247
Max	6	Variance	0.8551
Range	5	Skewness	1.8767
Mode	4	Kurtosis	0.8761
Median	4.00	95% Conf.	3.51 to 3.91
Mean	3.71		

18. Climb or pull oneself over a vertical obstacle

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	49	60.5%	60.5%
Once or less in past year	21	25.9%	86.4%
Several times per year	6	7.4%	93.8%
Monthly	3	3.7%	97.5%
Weekly	2	2.5%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8251
Max	5	Variance	0.6808
Range	4	Skewness	3.0049
Mode	1	Kurtosis	7.2741
Median	1.00	95% Conf.	1.44 to 1.80
Mean	1.62		

Scale 2 - Max. Height of Obstacle in Feet			
Response (n = 81)	Frequency	Percent	
8	3	3.7%	
3	3	3.7%	
6	11	13.6%	
2	2	2.5%	
4	5	6.2%	
0	6	7.4%	
5	3	3.7%	
10	2	2.5%	
15	1	1.2%	
9	1	1.2%	
30	0	0.0%	
12	0	0.0%	
20	0	0.0%	
No Response	44	54.3%	
Min	0	Std. Dev.	2.4225
Max	15	Variance	5.8687
Range	15	Skewness	2.8459
Mode	6	Kurtosis	6.8597
Median	5.00	95% Conf.	4.14 to 5.70
Mean	4.92		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	36	44.4%	44.4%
Mild	9	11.1%	55.6%
Moderate	9	11.1%	66.7%
Moderately High	9	11.1%	77.8%
Mild to Moderate	7	8.6%	86.4%
Disastrous	1	1.2%	87.7%
No Response	10	12.3%	100.0%
Min	1	Std. Dev.	1.2565
Max	6	Variance	1.5788
Range	5	Skewness	2.0195
Mode	1	Kurtosis	1.3722
Median	1.00	95% Conf.	1.99 to 2.57
Mean	2.28		

19. Crawl under an obstacle

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	34	42.0%	42.0%
Once or less in past year	28	34.6%	76.5%
Several times per year	10	12.3%	88.9%
Weekly	6	7.4%	96.3%
Monthly	2	2.5%	98.8%
Daily	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0382
Max	6	Variance	1.0779
Range	5	Skewness	2.7428
Mode	1	Kurtosis	5.1709
Median	2.00	95% Conf.	1.80 to 2.25
Mean	2.02		

Scale 2 - Lowest Distance in Inches			
Response (n = 81)	Frequency	Percent	
12	4	4.9%	
24	10	12.3%	
30	3	3.7%	
10	1	1.2%	
18	7	8.6%	
20	1	1.2%	
36	8	9.9%	
16	1	1.2%	
42	1	1.2%	
25	1	1.2%	
15	1	1.2%	
17	0	0.0%	
28	0	0.0%	
No Response	43	53.1%	
Min	10	Std. Dev.	6.4296
Max	42	Variance	41.3401
Range	32	Skewness	1.9647
Mode	24	Kurtosis	1.0814
Median	24.00	95% Conf.	22.17 to 26.25
Mean	24.21		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	28	34.6%	34.6%
Mild	14	17.3%	51.9%
Mild to Moderate	13	16.0%	67.9%
Moderately High	9	11.1%	79.0%
Moderate	8	9.9%	88.9%
Disastrous	1	1.2%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev.	1.1508
Max	6	Variance	1.3243
Range	5	Skewness	2.0890
Mode	1	Kurtosis	1.7299
Median	2.00	95% Conf.	2.17 to 2.70
Mean	2.44		

20. Climb steps, railings, or over other external features/obstacles

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	24	29.6%	29.6%
Once or less in past year	19	23.5%	53.1%
Several times per year	15	18.5%	71.6%
Never	14	17.3%	88.9%
Weekly	5	6.2%	95.1%
Monthly	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.4354
Max	6	Variance	2.0604
Range	5	Skewness	1.6968
Mode	6	Kurtosis	-0.0777
Median	3.00	95% Conf.	3.17 to 3.79
Mean	3.48		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	22	27.2%	27.2%
None	16	19.8%	46.9%
Mild	15	18.5%	65.4%
Moderately High	12	14.8%	80.2%
Moderate	11	13.6%	93.8%
Disastrous	1	1.2%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	1.0099
Max	6	Variance	1.0199
Range	5	Skewness	2.0373
Mode	3	Kurtosis	1.4588
Median	3.00	95% Conf.	2.66 to 3.11
Mean	2.88		

21. Climb up/down ladder

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	34	42.0%	42.0%
Never	19	23.5%	65.4%
Several times per year	18	22.2%	87.7%
Monthly	6	7.4%	95.1%
Weekly	2	2.5%	97.5%
Daily	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9186
Max	6	Variance	0.8439
Range	5	Skewness	2.8152
Mode	2	Kurtosis	6.2958
Median	2.00	95% Conf.	2.11 to 2.51
Mean	2.31		

Scale 2 - Max. Height of Ladder in Feet		
Response (n = 81)	Frequency	Percent
8	6	7.4%
15	4	4.9%
20	12	14.8%
12	8	9.9%
6	7	8.6%
10	12	14.8%
17	1	1.2%
24	1	1.2%
5	1	1.2%
16	2	2.5%
18	1	1.2%
9	1	1.2%
30	1	1.2%
25	0	0.0%

Response (n = 81)	Frequency	Percent
14	0	0.0%
4	0	0.0%
7	0	0.0%
No Response	24	29.6%
Min	5	Std. Dev. 4.3773
Max	30	Variance 19.1607
Range	25	Skewness 2.2643
Mode	10 (b)	Kurtosis 3.2298
Median	12.00	95% Conf. 11.86 to 14.14
Mean	13.00	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild	20	24.7%	24.7%
None	16	19.8%	44.4%
Mild to Moderate	15	18.5%	63.0%
Moderately High	12	14.8%	77.8%
Moderate	7	8.6%	86.4%
Disastrous	3	3.7%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev. 1.1556	
Max	6	Variance 1.3354	
Range	5	Skewness 2.0507	
Mode	2	Kurtosis 1.4941	
Median	3.00	95% Conf. 2.57 to 3.10	
Mean	2.84		

22. Climb up/down from elevated surface

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	28	34.6%	34.6%
Once or less in past year	21	25.9%	60.5%
Several times per year	17	21.0%	81.5%
Daily	8	9.9%	91.4%
Weekly	6	7.4%	98.8%
Monthly	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev. 1.3292	
Max	6	Variance 1.7668	
Range	5	Skewness 2.3400	
Mode	1	Kurtosis 2.7267	
Median	2.00	95% Conf. 2.22 to 2.80	
Mean	2.51		

Scale 2 - Max. Distance in Feet		
Response (n = 81)	Frequency	Percent
10	7	8.6%
15	4	4.9%
12	3	3.7%
3	2	2.5%
20	3	3.7%
8	5	6.2%
5	5	6.2%
6	3	3.7%
2	4	4.9%
30	2	2.5%
7	1	1.2%

Response (n = 81)	Frequency	Percent
4	1	1.2%
0	0	0.0%
No Response	41	50.6%
Min	2	Std. Dev. 5.6415
Max	30	Variance 31.8263
Range	28	Skewness 2.8670
Mode	10	Kurtosis 6.2250
Median	8.00	95% Conf. 8.10 to 11.60
Mean	9.85	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	27	33.3%	33.3%
Mild to Moderate	12	14.8%	48.1%
Moderate	12	14.8%	63.0%
Mild	11	13.6%	76.5%
Moderately High	9	11.1%	87.7%
Disastrous	2	2.5%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev. 1.1793	
Max	6	Variance 1.3907	
Range	5	Skewness 1.9977	
Mode	1	Kurtosis 1.3783	
Median	2.00	95% Conf. 2.33 to 2.87	
Mean	2.60		

23. Lift objects up off the ground

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	30	37.0%	37.0%
Weekly	21	25.9%	63.0%
Several times per year	16	19.8%	82.7%
Once or less in past year	6	7.4%	90.1%
Monthly	5	6.2%	96.3%
Never	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev. 0.9223	
Max	6	Variance 0.8506	
Range	5	Skewness 1.5097	
Mode	6	Kurtosis -0.6500	
Median	5.00	95% Conf. 4.34 to 4.74	
Mean	4.54		

Scale 2 - Max. Lift-Height in Inches		
Response (n = 81)	Frequency	Percent
48	10	12.3%
36	27	33.3%
24	8	9.9%
2	1	1.2%
72	4	4.9%
4	1	1.2%
25	1	1.2%
80	1	1.2%
30	6	7.4%
28	1	1.2%
70	1	1.2%
5	3	3.7%
40	4	4.9%
32	1	1.2%
12	1	1.2%
45	1	1.2%
42	1	1.2%
67	1	1.2%
3	1	1.2%
6	1	1.2%

Response (n = 81)	Frequency	Percent
60	0	0.0%
35	0	0.0%
50	0	0.0%
52	0	0.0%
No Response	6	7.4%
Min 2	Std. Dev. 12.0952	
Max 80	Variance 146.2935	
Range 78	Skewness 2.7347	
Mode 36	Kurtosis 5.1360	
Median 36.00	95% Conf. 33.30 to 38.78	
Mean 36.04		

Scale 3 - Max. Weight of Object in Pounds			
Response (n = 81)	Frequency	Percent	
20	4	4.9%	
25	8	9.9%	
50	19	23.5%	
70	3	3.7%	
35	2	2.5%	
60	3	3.7%	
30	6	7.4%	
10	3	3.7%	
65	1	1.2%	
15	2	2.5%	
40	8	9.9%	
75	5	6.2%	
200	1	1.2%	
5	2	2.5%	
150	2	2.5%	
100	2	2.5%	
7	1	1.2%	
80	0	0.0%	
160	0	0.0%	
175	0	0.0%	
85	0	0.0%	
4	0	0.0%	
250	0	0.0%	
2	0	0.0%	
No Response	9	11.1%	
Min 5	Std. Dev. 28.1481		
Max 200	Variance 792.3141		
Range 195	Skewness 3.8964		
Mode 50	Kurtosis 14.6134		
Median 45.00	95% Conf. 40.82 to 53.82		
Mean 47.32			

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	21	25.9%	25.9%
Mild	16	19.8%	45.7%
Moderate	16	19.8%	65.4%
Moderately High	15	18.5%	84.0%
None	10	12.3%	96.3%
Disastrous	1	1.2%	97.5%
No Response	2	2.5%	100.0%
Min 1	Std. Dev. 0.9456		
Max 6	Variance 0.8941		
Range 5	Skewness 1.8933		
Mode 3	Kurtosis 0.8909		
Median 3.00	95% Conf. 2.96 to 3.37		
Mean 3.16			

24. Push/pull objects			
Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	16	19.8%	19.8%
Daily	16	19.8%	39.5%
Never	15	18.5%	58.0%
Several times per year	15	18.5%	76.5%
Weekly	14	17.3%	93.8%
Monthly	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min 1	Std. Dev. 1.3414		
Max 6	Variance 1.7993		
Range 5	Skewness 1.7235		
Mode 2 (b)	Kurtosis 0.0888		
Median 3.00	95% Conf. 3.13 to 3.72		
Mean 3.43			

Scale 2 - Max. Distance in Inches		
Response (n = 81)	Frequency	Percent
120	4	4.9%
96	3	3.7%
24	6	7.4%
200	2	2.5%
3600	3	3.7%
36	10	12.3%
48	4	4.9%
25	1	1.2%
100	2	2.5%
1	1	1.2%
30	2	2.5%
40	1	1.2%
6	1	1.2%
65	1	1.2%
300	1	1.2%
72	6	7.4%
500	2	2.5%
60	1	1.2%
5	1	1.2%
37	1	1.2%
1200	3	3.7%
12	3	3.7%
2700	1	1.2%
2400	1	1.2%
0	1	1.2%
20	0	0.0%
240	0	0.0%
144	0	0.0%
50	0	0.0%
180	0	0.0%
1600	0	0.0%
1800	0	0.0%
2340	0	0.0%
75	0	0.0%
720	0	0.0%
No Response	19	23.5%
Min 0	Std. Dev. 835.4420	
Max 3600	Variance 697963.3350	
Range 3600	Skewness 3.4411	
Mode 36	Kurtosis 9.4150	
Median 48.00	95% Conf. 173.19 to 589.10	
Mean 381.15		

Scale 3 - Max. Weight in Pounds			
Response (n = 81)	Frequency	Percent	
15	3	3.7%	
50	14	17.3%	
20	2	2.5%	
250	1	1.2%	
60	2	2.5%	
30	2	2.5%	
65	1	1.2%	
100	7	8.6%	
40	7	8.6%	
150	5	6.2%	
10	2	2.5%	
70	1	1.2%	
25	1	1.2%	
200	3	3.7%	
75	1	1.2%	
80	1	1.2%	
0	1	1.2%	
120	1	1.2%	
275	0	0.0%	
230	0	0.0%	
350	0	0.0%	
45	0	0.0%	
300	0	0.0%	
85	0	0.0%	
160	0	0.0%	
35	0	0.0%	
180	0	0.0%	
No Response	26	32.1%	
Min	0	Std. Dev.	46.6221
Max	250	Variance	2173.6176
Range	250	Skewness	2.6151
Mode	50	Kurtosis	4.6897
Median	50.00	95% Conf.	60.41 to 85.05
Mean	72.73		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	22	27.2%	27.2%
None	17	21.0%	48.1%
Mild	12	14.8%	63.0%
Moderate	12	14.8%	77.8%
Moderately High	8	9.9%	87.7%
Disastrous	1	1.2%	88.9%
No Response	9	11.1%	100.0%
Min	1	Std. Dev.	0.9771
Max	6	Variance	0.9547
Range	5	Skewness	2.1220
Mode	3	Kurtosis	1.9728
Median	3.00	95% Conf.	2.57 to 3.02
Mean	2.79		

25. Assisted carry of an unresisting inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	35	43.2%	43.2%
Several times per year	27	33.3%	76.5%
Never	13	16.0%	92.6%
Monthly	5	6.2%	98.8%
Weekly	1	1.2%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6423
Max	5	Variance	0.4125
Range	4	Skewness	2.3641
Mode	2	Kurtosis	3.9396
Median	2.00	95% Conf.	2.19 to 2.47
Mean	2.33		

Scale 2 - Maximum Weight in Pounds			
Response (n = 81)	Frequency	Percent	
220	3	3.7%	
300	11	13.6%	
200	21	25.9%	
185	1	1.2%	
250	13	16.0%	
175	2	2.5%	
350	3	3.7%	
125	1	1.2%	
150	2	2.5%	
400	1	1.2%	
165	1	1.2%	
110	1	1.2%	
275	1	1.2%	
225	1	1.2%	
230	1	1.2%	
180	1	1.2%	
290	1	1.2%	
130	1	1.2%	
285	0	0.0%	
160	0	0.0%	
500	0	0.0%	
260	0	0.0%	
190	0	0.0%	
100	0	0.0%	
No Response	15	18.5%	
Min	110	Std. Dev.	43.8313
Max	400	Variance	1921.1861
Range	290	Skewness	2.3430
Mode	200	Kurtosis	3.4168
Median	220.00	95% Conf.	223.14 to 244.29
Mean	233.71		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	26	32.1%	32.1%
Mild to Moderate	17	21.0%	53.1%
Moderate	13	16.0%	69.1%
None	10	12.3%	81.5%
Mild	6	7.4%	88.9%
Disastrous	5	6.2%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.9695
Max	6	Variance	0.9399
Range	5	Skewness	1.7042
Mode	5	Kurtosis	0.1823
Median	4.00	95% Conf.	3.48 to 3.92
Mean	3.70		

Response (n = 81)	Frequency	Percent	
180	0	0.0%	
600	0	0.0%	
2340	0	0.0%	
80	0	0.0%	
10	0	0.0%	
12	0	0.0%	
64	0	0.0%	
No Response	17	21.0%	
Min	5	Std. Dev.	685.4753
Max	3600	Variance	469876.3584
Range	3595	Skewness	4.3261
Mode	36	Kurtosis	16.6845
Median	68.50	95% Conf.	126.09 to 461.97
Mean	294.03		

26. Carry and place objects

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	27	33.3%	33.3%
Several times per year	15	18.5%	51.9%
Monthly	11	13.6%	65.4%
Once or less in past year	10	12.3%	77.8%
Never	9	11.1%	88.9%
Weekly	9	11.1%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2013
Max	6	Variance	1.4432
Range	5	Skewness	1.5914
Mode	6	Kurtosis	-0.4189
Median	4.00	95% Conf.	3.75 to 4.27
Mean	4.01		

Scale 3 - Max. Weight in Pounds			
Response (n = 81)	Frequency	Percent	
20	7	8.6%	
25	2	2.5%	
50	19	23.5%	
30	6	7.4%	
10	3	3.7%	
60	2	2.5%	
65	1	1.2%	
40	9	11.1%	
15	1	1.2%	
150	3	3.7%	
5	3	3.7%	
75	2	2.5%	
70	1	1.2%	
200	1	1.2%	
100	4	4.9%	
45	1	1.2%	
175	0	0.0%	
160	0	0.0%	
35	0	0.0%	
90	0	0.0%	
80	0	0.0%	
3	0	0.0%	
No Response	16	19.8%	
Min	5	Std. Dev.	31.8218
Max	200	Variance	1012.6253
Range	195	Skewness	3.3698
Mode	50	Kurtosis	9.7468
Median	50.00	95% Conf.	42.11 to 57.58
Mean	49.85		

Scale 2 - Max. Distance in Inches		
Response (n = 81)	Frequency	Percent
36	11	13.6%
96	4	4.9%
5	1	1.2%
3600	2	2.5%
72	4	4.9%
60	3	3.7%
25	1	1.2%
200	1	1.2%
100	3	3.7%
30	3	3.7%
120	6	7.4%
500	3	3.7%
40	2	2.5%
65	1	1.2%
50	3	3.7%
48	4	4.9%
24	1	1.2%
720	1	1.2%
92	1	1.2%
1200	2	2.5%
150	1	1.2%
240	1	1.2%
15	1	1.2%
2700	1	1.2%
42	1	1.2%
300	1	1.2%
360	1	1.2%
20	0	0.0%
144	0	0.0%
1800	0	0.0%

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	22	27.2%	27.2%
Mild	19	23.5%	50.6%
Moderate	16	19.8%	70.4%
None	14	17.3%	87.7%
Moderately High	6	7.4%	95.1%
Disastrous	0	0.0%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.8622
Max	5	Variance	0.7434
Range	4	Skewness	2.0404
Mode	3	Kurtosis	1.5630
Median	3.00	95% Conf.	2.56 to 2.95
Mean	2.75		

27. Lift objects down from elevated surface (waist high or above) and place on ground or floor

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Weekly	23	28.4%	28.4%
Several times per year	17	21.0%	49.4%
Once or less in past year	13	16.0%	65.4%
Daily	12	14.8%	80.2%
Monthly	8	9.9%	90.1%
Never	7	8.6%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	1.0845
Max	6	Variance	1.1762
Range	5	Skewness	1.6974
Mode	5	Kurtosis	0.0863
Median	4.00	95% Conf.	3.55 to 4.03
Mean	3.79		

Scale 2 - Maximum Weight in Pounds			
Response (n = 81)	Frequency	Percent	
20	5	6.2%	
50	20	24.7%	
25	5	6.2%	
30	9	11.1%	
10	6	7.4%	
60	4	4.9%	
40	11	13.6%	
5	2	2.5%	
15	1	1.2%	
70	1	1.2%	
75	2	2.5%	
29	1	1.2%	
200	2	2.5%	
0	1	1.2%	
100	2	2.5%	
45	1	1.2%	
175	0	0.0%	
160	0	0.0%	
35	0	0.0%	
No Response	8	9.9%	
Min	0	Std. Dev.	28.9671
Max	200	Variance	839.0935
Range	200	Skewness	4.6768
Mode	50	Kurtosis	21.3133
Median	40.00	95% Conf.	36.56 to 49.85
Mean	43.21		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	24	29.6%	29.6%
Mild	16	19.8%	49.4%
Moderate	16	19.8%	69.1%
None	15	18.5%	87.7%
Moderately High	7	8.6%	96.3%
Disastrous	0	0.0%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.8700
Max	5	Variance	0.7569
Range	4	Skewness	2.0366
Mode	3	Kurtosis	1.5178
Median	3.00	95% Conf.	2.60 to 2.99
Mean	2.79		

28. Jump/vault over ditch, hole, or other depression

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	40	49.4%	49.4%
Once or less in past year	31	38.3%	87.7%
Several times per year	5	6.2%	93.8%
Weekly	3	3.7%	97.5%
Daily	2	2.5%	100.0%
Monthly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9734
Max	6	Variance	0.9475
Range	5	Skewness	3.5288
Mode	1	Kurtosis	10.5088
Median	2.00	95% Conf.	1.57 to 1.99
Mean	1.78		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	31	38.3%	38.3%
Mild	13	16.0%	54.3%
Mild to Moderate	13	16.0%	70.4%
Moderate	13	16.0%	86.4%
Moderately High	3	3.7%	90.1%
Disastrous	0	0.0%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev.	0.9945
Max	5	Variance	0.9891
Range	4	Skewness	1.9933
Mode	1	Kurtosis	1.3611
Median	2.00	95% Conf.	2.00 to 2.46
Mean	2.23		

29. Jump/vault over raised barrier

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	48	59.3%	59.3%
Once or less in past year	26	32.1%	91.4%
Several times per year	3	3.7%	95.1%
Weekly	3	3.7%	98.8%
Monthly	0	0.0%	98.8%
Daily	0	0.0%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.7736
Max	5	Variance	0.5985
Range	4	Skewness	3.6831
Mode	1	Kurtosis	12.5276
Median	1.00	95% Conf.	1.38 to 1.72
Mean	1.55		

Scale 2 - Maximum Height in Inches		
Response (n = 81)	Frequency	Percent
12	3	3.7%
96	1	1.2%
36	9	11.1%
72	3	3.7%
48	8	9.9%
24	2	2.5%
45	1	1.2%
40	2	2.5%
60	3	3.7%
30	1	1.2%
18	1	1.2%
0	1	1.2%
62	0	0.0%
6	0	0.0%

Response (n = 81)	Frequency	Percent
16	0	0.0%
No Response	46	56.8%
Min	0	Std. Dev. 14.4224
Max	96	Variance 208.0048
Range	96	Skewness 2.6029
Mode	36	Kurtosis 4.9175
Median	40.00	95% Conf. 36.85 to 46.41
Mean	41.63	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	37	45.7%	45.7%
Mild	11	13.6%	59.3%
Mild to Moderate	11	13.6%	72.8%
Moderate	11	13.6%	86.4%
Moderately High	3	3.7%	90.1%
Disastrous	0	0.0%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev. 1.0299	
Max	5	Variance 1.0606	
Range	4	Skewness 2.0817	
Mode	1	Kurtosis 1.7273	
Median	1.00	95% Conf. 1.83 to 2.30	
Mean	2.07		

30. Jump up/down from elevated surface

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	32	39.5%	39.5%
Once or less in past year	27	33.3%	72.8%
Several times per year	13	16.0%	88.9%
Weekly	5	6.2%	95.1%
Daily	3	3.7%	98.8%
Monthly	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev. 1.1178	
Max	6	Variance 1.2495	
Range	5	Skewness 2.7666	
Mode	1	Kurtosis 5.3257	
Median	2.00	95% Conf. 1.88 to 2.37	
Mean	2.12		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	28	34.6%	34.6%
Mild to Moderate	18	22.2%	56.8%
Mild	14	17.3%	74.1%
Moderate	11	13.6%	87.7%
Moderately High	4	4.9%	92.6%
Disastrous	0	0.0%	92.6%
No Response	6	7.4%	100.0%
Min	1	Std. Dev. 0.9593	
Max	5	Variance 0.9203	
Range	4	Skewness 2.0637	
Mode	1	Kurtosis 1.7523	
Median	2.00	95% Conf. 2.10 to 2.54	
Mean	2.32		

31. Grip and hold an inmate to maintain physical control

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	37	45.7%	45.7%
Once or less in past year	17	21.0%	66.7%
Monthly	10	12.3%	79.0%
Weekly	8	9.9%	88.9%
Daily	5	6.2%	95.1%
Never	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev. 0.9467	
Max	6	Variance 0.8963	
Range	5	Skewness 2.3877	
Mode	3	Kurtosis 3.1784	
Median	3.00	95% Conf. 2.99 to 3.40	
Mean	3.20		

Scale 2 - Max. Time in Minutes		
Response (n = 81)	Frequency	Percent
5	29	35.8%
30	2	2.5%
2	8	9.9%
15	6	7.4%
1	1	1.2%
12	1	1.2%
3	6	7.4%
10	14	17.3%
0	1	1.2%
20	1	1.2%
7	2	2.5%
4	1	1.2%
35	1	1.2%
No Response	8	9.9%
Min	0	Std. Dev. 5.6956
Max	35	Variance 32.4403
Range	35	Skewness 3.5817
Mode	5	Kurtosis 11.6383
Median	5.00	95% Conf. 6.30 to 8.91
Mean	7.60	

Scale 3 - Max. Weight in Pounds		
Response (n = 81)	Frequency	Percent
220	5	6.2%
300	15	18.5%
200	12	14.8%
225	2	2.5%
150	1	1.2%
175	1	1.2%
350	3	3.7%
160	2	2.5%
250	14	17.3%
100	1	1.2%
180	3	3.7%
400	2	2.5%
155	1	1.2%
275	1	1.2%
230	3	3.7%
185	1	1.2%
450	1	1.2%
240	1	1.2%
290	1	1.2%
140	1	1.2%
210	1	1.2%
500	0	0.0%
260	0	0.0%

Response (n = 81)	Frequency	Percent
190	0	0.0%
165	0	0.0%
280	0	0.0%
No Response	9	11.1%
Min 100	Std. Dev.	48.6212
Max 450	Variance	2364.0242
Range 350	Skewness	2.6450
Mode 300	Kurtosis	5.3927
Median 250.00	95% Conf.	234.88 to 257.34
Mean 246.11		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	35	43.2%	43.2%
Disastrous	22	27.2%	70.4%
Mild to Moderate	8	9.9%	80.2%
Moderate	6	7.4%	87.7%
None	4	4.9%	92.6%
Mild	3	3.7%	96.3%
No Response	3	3.7%	100.0%
Min 1	Std. Dev.	0.7382	
Max 6	Variance	0.5449	
Range 5	Skewness	1.6726	
Mode 5	Kurtosis	-0.0584	
Median 5.00	95% Conf.	4.52 to 4.84	
Mean 4.68			

32. Extract/place a struggling inmate in/from a cell

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	29	35.8%	35.8%
Once or less in past year	21	25.9%	61.7%
Never	12	14.8%	76.5%
Monthly	10	12.3%	88.9%
Weekly	9	11.1%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 1	Std. Dev.	0.8651	
Max 5	Variance	0.7484	
Range 4	Skewness	2.2224	
Mode 3	Kurtosis	2.2700	
Median 3.00	95% Conf.	2.60 to 2.98	
Mean 2.79			

Scale 2 - Max. Time in Minutes		
Response (n = 81)	Frequency	Percent
5	25	30.9%
10	15	18.5%
25	2	2.5%
20	5	6.2%
15	4	4.9%
3	5	6.2%
4	1	1.2%
2	3	3.7%
8	0	0.0%
1	0	0.0%
6	0	0.0%
No Response	21	25.9%
Min 2	Std. Dev.	4.8860
Max 25	Variance	23.8729
Range 23	Skewness	2.5774
Mode 5	Kurtosis	4.2239
Median 5.00	95% Conf.	7.26 to 9.74
Mean 8.50		

Scale 3 - Max. Weight in Pounds		
Response (n = 81)	Frequency	Percent
220	4	4.9%
300	14	17.3%
200	12	14.8%
225	2	2.5%
250	14	17.3%
175	1	1.2%
350	3	3.7%
450	2	2.5%
180	4	4.9%
400	2	2.5%
275	1	1.2%
230	2	2.5%
240	1	1.2%
290	1	1.2%
140	1	1.2%
210	1	1.2%
160	0	0.0%
500	0	0.0%
260	0	0.0%
190	0	0.0%
165	0	0.0%
280	0	0.0%
No Response	16	19.8%
Min 140	Std. Dev.	51.4453
Max 450	Variance	2646.6192
Range 310	Skewness	2.7440
Mode 250 (b)	Kurtosis	5.7150
Median 250.00	95% Conf.	244.26 to 269.28
Mean 256.77		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	37	45.7%	45.7%
Disastrous	22	27.2%	72.8%
None	9	11.1%	84.0%
Mild to Moderate	6	7.4%	91.4%
Moderate	3	3.7%	95.1%
Mild	0	0.0%	95.1%
No Response	4	4.9%	100.0%
Min 1	Std. Dev.	0.7859	
Max 6	Variance	0.6176	
Range 5	Skewness	1.6093	
Mode 5	Kurtosis	-0.2493	
Median 5.00	95% Conf.	4.45 to 4.80	
Mean 4.62			

33. Hold/restrain a struggling inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	31	38.3%	38.3%
Once or less in past year	23	28.4%	66.7%
Monthly	11	13.6%	80.2%
Never	8	9.9%	90.1%
Weekly	8	9.9%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 1	Std. Dev.	0.8070	
Max 5	Variance	0.6512	
Range 4	Skewness	2.2843	
Mode 3	Kurtosis	2.5840	
Median 3.00	95% Conf.	2.68 to 3.03	
Mean 2.85			

Scale 2 - Max. Time in Minutes			
Response (n = 81)	Frequency	Percent	
1	1	1.2%	
20	4	4.9%	
2	5	6.2%	
15	2	2.5%	
4	1	1.2%	
3	9	11.1%	
10	18	22.2%	
5	23	28.4%	
7	1	1.2%	
30	0	0.0%	
8	0	0.0%	
No Response	17	21.0%	
Min	1	Std. Dev.	3.8695
Max	20	Variance	14.9734
Range	19	Skewness	2.7477
Mode	5	Kurtosis	5.5019
Median	5.00	95% Conf.	6.15 to 8.04
Mean	7.09		

Scale 3 - Max. Weight in Pounds			
Response (n = 81)	Frequency	Percent	
220	5	6.2%	
300	14	17.3%	
200	12	14.8%	
225	2	2.5%	
150	1	1.2%	
175	1	1.2%	
350	3	3.7%	
250	16	19.8%	
180	3	3.7%	
165	1	1.2%	
400	2	2.5%	
275	1	1.2%	
230	2	2.5%	
170	1	1.2%	
450	1	1.2%	
240	1	1.2%	
290	1	1.2%	
140	1	1.2%	
210	1	1.2%	
185	0	0.0%	
160	0	0.0%	
260	0	0.0%	
190	0	0.0%	
280	0	0.0%	
No Response	12	14.8%	
Min	140	Std. Dev.	47.2082
Max	450	Variance	2228.6114
Range	310	Skewness	2.7230
Mode	250	Kurtosis	5.8411
Median	250.00	95% Conf.	239.08 to 261.36
Mean	250.22		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	39	48.1%	48.1%
Disastrous	21	25.9%	74.1%
None	6	7.4%	81.5%
Mild to Moderate	6	7.4%	88.9%
Moderate	4	4.9%	93.8%
Mild	1	1.2%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.7061
Max	6	Variance	0.4986
Range	5	Skewness	1.7021
Mode	5	Kurtosis	0.0511
Median	5.00	95% Conf.	4.56 to 4.87
Mean	4.71		

34. Physically defend against and control an attacking inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	43	53.1%	53.1%
Never	21	25.9%	79.0%
Several times per year	15	18.5%	97.5%
Monthly	2	2.5%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5474
Max	4	Variance	0.2997
Range	3	Skewness	2.4950
Mode	2	Kurtosis	3.9815
Median	2.00	95% Conf.	1.86 to 2.09
Mean	1.98		

Scale 2 - Max. Time in Minutes			
Response (n = 81)	Frequency	Percent	
5	19	23.5%	
10	11	13.6%	
2	8	9.9%	
3	13	16.0%	
4	1	1.2%	
20	1	1.2%	
0	2	2.5%	
1	2	2.5%	
15	2	2.5%	
8	0	0.0%	
No Response	22	27.2%	
Min	0	Std. Dev.	3.3159
Max	20	Variance	10.9950
Range	20	Skewness	2.8545
Mode	5	Kurtosis	6.7558
Median	5.00	95% Conf.	4.51 to 6.20
Mean	5.36		

Scale 3 - Max. Weight in Pounds		
Response (n = 81)	Frequency	Percent
220	3	3.7%
300	12	14.8%
200	9	11.1%
225	3	3.7%
175	1	1.2%
350	3	3.7%
250	13	16.0%
450	2	2.5%
180	2	2.5%
0	2	2.5%
400	2	2.5%

Response (n = 81)	Frequency	Percent	
275	1	1.2%	
230	1	1.2%	
240	2	2.5%	
290	1	1.2%	
140	1	1.2%	
160	0	0.0%	
195	0	0.0%	
260	0	0.0%	
190	0	0.0%	
165	0	0.0%	
280	0	0.0%	
No Response	23	28.4%	
Min	0	Std. Dev.	55.6961
Max	450	Variance	3102.0519
Range	450	Skewness	2.5983
Mode	250	Kurtosis	4.7539
Median	250.00	95% Conf.	238.86 to 267.52
Mean	253.19		

Response (n = 81)	Frequency	Percent	
275	1	1.2%	
230	2	2.5%	
240	1	1.2%	
290	1	1.2%	
140	1	1.2%	
210	1	1.2%	
160	0	0.0%	
195	0	0.0%	
260	0	0.0%	
190	0	0.0%	
165	0	0.0%	
280	0	0.0%	
No Response	14	17.3%	
Min	140	Std. Dev.	49.7427
Max	450	Variance	2474.3362
Range	310	Skewness	2.8558
Mode	250 (b)	Kurtosis	6.6658
Median	250.00	95% Conf.	240.10 to 263.93
Mean	252.01		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	39	48.1%	48.1%
Moderately High	19	23.5%	71.6%
None	12	14.8%	86.4%
Mild to Moderate	3	3.7%	90.1%
Moderate	3	3.7%	93.8%
Mild	0	0.0%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.8998
Max	6	Variance	0.8096
Range	5	Skewness	1.3550
Mode	6	Kurtosis	-1.1426
Median	6.00	95% Conf.	4.56 to 4.97
Mean	4.76		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	30	37.0%	37.0%
Moderately High	29	35.8%	72.8%
Moderate	6	7.4%	80.2%
None	5	6.2%	86.4%
Mild to Moderate	4	4.9%	91.4%
Mild	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.7203
Max	6	Variance	0.5189
Range	5	Skewness	1.5533
Mode	6	Kurtosis	-0.5630
Median	5.00	95% Conf.	4.71 to 5.03
Mean	4.87		

35. Take down and subdue a resisting inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	36	44.4%	44.4%
Several times per year	27	33.3%	77.8%
Never	11	13.6%	91.4%
Monthly	6	7.4%	98.8%
Weekly	1	1.2%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6406
Max	5	Variance	0.4104
Range	4	Skewness	2.3614
Mode	2	Kurtosis	3.8212
Median	2.00	95% Conf.	2.24 to 2.52
Mean	2.38		

36. Handcuff - mechanically restrain an inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	24	29.6%	29.6%
Weekly	17	21.0%	50.6%
Daily	17	21.0%	71.6%
Monthly	13	16.0%	87.7%
Once or less in past year	6	7.4%	95.1%
Never	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0079
Max	6	Variance	1.0159
Range	5	Skewness	1.7552
Mode	3	Kurtosis	0.2346
Median	4.00	95% Conf.	3.82 to 4.26
Mean	4.04		

Scale 2 - Maximum Weight in Pounds		
Response (n = 81)	Frequency	Percent
220	5	6.2%
300	14	17.3%
200	12	14.8%
225	3	3.7%
150	1	1.2%
175	1	1.2%
350	3	3.7%
180	4	4.9%
250	14	17.3%
450	2	2.5%
400	1	1.2%

Scale 2 - Maximum Weight in Pounds		
Response (n = 81)	Frequency	Percent
220	6	7.4%
300	15	18.5%
200	13	16.0%
225	2	2.5%
150	1	1.2%
350	4	4.9%
250	14	17.3%
450	2	2.5%
180	5	6.2%
400	1	1.2%

Response (n = 81)	Frequency	Percent	
165	1	1.2%	
275	1	1.2%	
230	1	1.2%	
240	2	2.5%	
375	1	1.2%	
290	1	1.2%	
140	1	1.2%	
160	1	1.2%	
25	0	0.0%	
210	0	0.0%	
175	0	0.0%	
260	0	0.0%	
190	0	0.0%	
280	0	0.0%	
No Response	9	11.1%	
Min	140	Std. Dev.	51.1527
Max	450	Variance	2616.6026
Range	310	Skewness	2.6733
Mode	300	Kurtosis	5.4411
Median	250.00	95% Conf.	241.45 to 265.08
Mean	253.26		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	34	42.0%	42.0%
Moderate	17	21.0%	63.0%
Disastrous	13	16.0%	79.0%
Mild to Moderate	7	8.6%	87.7%
None	4	4.9%	92.6%
Mild	3	3.7%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.7352
Max	6	Variance	0.5405
Range	5	Skewness	1.7723
Mode	5	Kurtosis	0.4863
Median	5.00	95% Conf.	4.29 to 4.61
Mean	4.45		

37. Tackle a fleeing inmate to stop flight

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	40	49.4%	49.4%
Once or less in past year	34	42.0%	91.4%
Several times per year	6	7.4%	98.8%
Daily	1	1.2%	100.0%
Monthly	0	0.0%	100.0%
Weekly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6617
Max	6	Variance	0.4379
Range	5	Skewness	4.3423
Mode	1	Kurtosis	22.2091
Median	2.00	95% Conf.	1.49 to 1.77
Mean	1.63		

Scale 2 - Maximum Weight in Pounds			
Response (n = 81)	Frequency	Percent	
220	3	3.7%	
300	11	13.6%	
200	8	9.9%	
225	2	2.5%	
150	1	1.2%	
350	3	3.7%	
250	9	11.1%	
450	2	2.5%	
180	2	2.5%	
400	1	1.2%	
275	1	1.2%	
230	1	1.2%	
0	1	1.2%	
160	1	1.2%	
290	1	1.2%	
210	0	0.0%	
175	0	0.0%	
190	0	0.0%	
165	0	0.0%	
280	0	0.0%	
No Response	34	42.0%	
Min	0	Std. Dev.	55.7309
Max	450	Variance	3105.9314
Range	450	Skewness	2.5957
Mode	300	Kurtosis	4.8050
Median	250.00	95% Conf.	240.98 to 272.85
Mean	256.91		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	30	37.0%	37.0%
Disastrous	18	22.2%	59.3%
None	14	17.3%	76.5%
Moderate	6	7.4%	84.0%
Mild	3	3.7%	87.7%
Mild to Moderate	3	3.7%	91.4%
No Response	7	8.6%	100.0%
Min	1	Std. Dev.	1.0285
Max	6	Variance	1.0578
Range	5	Skewness	1.5073
Mode	5	Kurtosis	-0.5522
Median	5.00	95% Conf.	3.97 to 4.44
Mean	4.20		

38. Use hand weapon(s) (other than firearm) to subdue inmate in physical confrontation

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	33	40.7%	40.7%
Once or less in past year	25	30.9%	71.6%
Several times per year	17	21.0%	92.6%
Monthly	3	3.7%	96.3%
Weekly	2	2.5%	98.8%
Daily	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8874
Max	6	Variance	0.7875
Range	5	Skewness	2.8441
Mode	1	Kurtosis	6.7360
Median	2.00	95% Conf.	1.81 to 2.19
Mean	2.00		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	26	32.1%	32.1%
Moderately High	25	30.9%	63.0%
None	12	14.8%	77.8%
Mild to Moderate	4	4.9%	82.7%
Moderate	4	4.9%	87.7%
Mild	2	2.5%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev.	0.9846
Max	6	Variance	0.9695
Range	5	Skewness	1.4629
Mode	6	Kurtosis	-0.7609
Median	5.00	95% Conf.	4.23 to 4.68
Mean	4.45		

39. Use chemical weapon to subdue an inmate in a physical confrontation

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	32	39.5%	39.5%
Once or less in past year	17	21.0%	60.5%
Never	16	19.8%	80.2%
Monthly	10	12.3%	92.6%
Weekly	4	4.9%	97.5%
Daily	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8901
Max	6	Variance	0.7923
Range	5	Skewness	2.5702
Mode	3	Kurtosis	4.6250
Median	3.00	95% Conf.	2.50 to 2.89
Mean	2.69		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	30	37.0%	37.0%
Disastrous	21	25.9%	63.0%
Moderate	10	12.3%	75.3%
None	8	9.9%	85.2%
Mild to Moderate	6	7.4%	92.6%
Mild	2	2.5%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.8535
Max	6	Variance	0.7284
Range	5	Skewness	1.6020
Mode	5	Kurtosis	-0.2690
Median	5.00	95% Conf.	4.30 to 4.68
Mean	4.49		

Scale 3 - Maximum weight of inmate		
Response (n = 81)	Frequency	Percent
220	3	3.7%
165	1	1.2%
200	11	13.6%
100	1	1.2%
150	1	1.2%
175	1	1.2%
300	13	16.0%
350	3	3.7%
250	13	16.0%
450	2	2.5%
180	3	3.7%
400	1	1.2%
275	1	1.2%
225	1	1.2%
230	1	1.2%

Response (n = 81)	Frequency	Percent	
240	1	1.2%	
375	1	1.2%	
320	1	1.2%	
270	1	1.2%	
290	1	1.2%	
140	1	1.2%	
210	1	1.2%	
160	0	0.0%	
260	0	0.0%	
190	0	0.0%	
280	0	0.0%	
No Response	18	22.2%	
Min	100	Std. Dev.	52.5096
Max	450	Variance	2757.2581
Range	350	Skewness	2.6393
Mode	250 (b)	Kurtosis	5.1859
Median	250.00	95% Conf.	242.03 to 267.97
Mean	255.00		

40. Use weapon (firearm, other) after pursuit, running, fighting-defending, or other strenuous physical activity

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	50	61.7%	61.7%
Once or less in past year	30	37.0%	98.8%
Weekly	1	1.2%	100.0%
Several times per year	0	0.0%	100.0%
Monthly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5353
Max	5	Variance	0.2865
Range	4	Skewness	4.2172
Mode	1	Kurtosis	22.5297
Median	1.00	95% Conf.	1.30 to 1.54
Mean	1.42		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	34	42.0%	42.0%
None	19	23.5%	65.4%
Moderately High	13	16.0%	81.5%
Moderate	3	3.7%	85.2%
Mild	2	2.5%	87.7%
Mild to Moderate	2	2.5%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev.	1.2467
Max	6	Variance	1.5543
Range	5	Skewness	1.3536
Mode	6	Kurtosis	-1.1283
Median	5.00	95% Conf.	3.96 to 4.53
Mean	4.25		

41. Use firearms in physical confrontation with inmate

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	56	69.1%	69.1%
Once or less in past year	22	27.2%	96.3%
Several times per year	1	1.2%	97.5%
Weekly	1	1.2%	98.8%
Monthly	0	0.0%	98.8%
Daily	0	0.0%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.5664
Max	5	Variance	0.3208
Range	4	Skewness	4.1213
Mode	1	Kurtosis	20.2245
Median	1.00	95% Conf.	1.23 to 1.47
Mean	1.35		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	44	54.3%	54.3%
None	20	24.7%	79.0%
Moderately High	4	4.9%	84.0%
Mild	3	3.7%	87.7%
Mild to Moderate	1	1.2%	88.9%
Moderate	1	1.2%	90.1%
No Response	8	9.9%	100.0%
Min	1	Std. Dev.	1.3050
Max	6	Variance	1.7029
Range	5	Skewness	1.2592
Mode	6	Kurtosis	-1.4061
Median	6.00	95% Conf.	4.04 to 4.64
Mean	4.34		

42. Continue to function effectively after exposure to chemical weapons

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	31	38.3%	38.3%
Several times per year	24	29.6%	67.9%
Never	18	22.2%	90.1%
Monthly	7	8.6%	98.8%
Daily	1	1.2%	100.0%
Weekly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.7576
Max	6	Variance	0.5740
Range	5	Skewness	2.6960
Mode	2	Kurtosis	6.6010
Median	2.00	95% Conf.	2.13 to 2.46
Mean	2.30		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	27	33.3%	33.3%
Disastrous	20	24.7%	58.0%
Mild to Moderate	12	14.8%	72.8%
None	8	9.9%	82.7%
Moderate	8	9.9%	92.6%
Mild	2	2.5%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.9304
Max	6	Variance	0.8657
Range	5	Skewness	1.5870
Mode	5	Kurtosis	-0.3165
Median	5.00	95% Conf.	4.14 to 4.56
Mean	4.35		

43. Physically intervene to break up inmate fights/physical confrontations

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	36	44.4%	44.4%
Once or less in past year	21	25.9%	70.4%
Weekly	9	11.1%	81.5%
Monthly	8	9.9%	91.4%
Never	6	7.4%	98.8%
Daily	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8367
Max	6	Variance	0.7000
Range	5	Skewness	2.4557
Mode	3	Kurtosis	3.5022
Median	3.00	95% Conf.	2.77 to 3.13
Mean	2.95		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	36	44.4%	44.4%
Disastrous	18	22.2%	66.7%
Moderate	10	12.3%	79.0%
Mild to Moderate	8	9.9%	88.9%
None	5	6.2%	95.1%
Mild	1	1.2%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.7282
Max	6	Variance	0.5303
Range	5	Skewness	1.7279
Mode	5	Kurtosis	0.2115
Median	5.00	95% Conf.	4.44 to 4.76
Mean	4.60		

44. Dodge/evade blows, thrown objects

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	52	64.2%	64.2%
Never	16	19.8%	84.0%
Several times per year	9	11.1%	95.1%
Monthly	2	2.5%	97.5%
Weekly	1	1.2%	98.8%
Daily	0	0.0%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.5737
Max	5	Variance	0.3291
Range	4	Skewness	3.4860
Mode	2	Kurtosis	11.2559
Median	2.00	95% Conf.	1.87 to 2.13
Mean	2.00		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	35	43.2%	43.2%
Disastrous	20	24.7%	67.9%
None	10	12.3%	80.2%
Mild to Moderate	5	6.2%	86.4%
Moderate	4	4.9%	91.4%
Mild	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.8663
Max	6	Variance	0.7505
Range	5	Skewness	1.5631
Mode	5	Kurtosis	-0.3669
Median	5.00	95% Conf.	4.28 to 4.67
Mean	4.47		

45. Exposure to hazardous materials (drugs, chemicals, infectious diseases, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	25	30.9%	30.9%
Daily	22	27.2%	58.0%
Several times per year	18	22.2%	80.2%
Never	6	7.4%	87.7%
Weekly	6	7.4%	95.1%
Monthly	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.3452
Max	6	Variance	1.8095
Range	5	Skewness	1.7447
Mode	2	Kurtosis	0.0986
Median	3.00	95% Conf.	3.26 to 3.85
Mean	3.56		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	29	35.8%	35.8%
Moderately High	26	32.1%	67.9%
Moderate	10	12.3%	80.2%
Mild to Moderate	7	8.6%	88.9%
None	4	4.9%	93.8%
Mild	3	3.7%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.7780
Max	6	Variance	0.6053
Range	5	Skewness	1.5654
Mode	6	Kurtosis	-0.4932
Median	5.00	95% Conf.	4.58 to 4.92
Mean	4.75		

46. Pursue fleeing inmate on foot, negotiating barriers and hazards (running, jumping, climbing, etc.), struggle with and subdue after pursuit/evasion

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	45	55.6%	55.6%
Once or less in past year	32	39.5%	95.1%
Several times per year	3	3.7%	98.8%
Monthly	1	1.2%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5089
Max	4	Variance	0.2590
Range	3	Skewness	2.7848
Mode	1	Kurtosis	7.3468
Median	1.00	95% Conf.	1.40 to 1.62
Mean	1.51		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	29	35.8%	35.8%
None	15	18.5%	54.3%
Disastrous	15	18.5%	72.8%
Mild to Moderate	7	8.6%	81.5%
Moderate	6	7.4%	88.9%
Mild	2	2.5%	91.4%
No Response	7	8.6%	100.0%
Min	1	Std. Dev.	1.0746
Max	6	Variance	1.1547
Range	5	Skewness	1.5286
Mode	5	Kurtosis	-0.4757
Median	5.00	95% Conf.	3.80 to 4.29
Mean	4.04		

47. Subdue and physically/mechanically restrain, lift/carry/drag inmate to/from cell or holding area

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	26	32.1%	32.1%
Once or less in past year	25	30.9%	63.0%
Never	16	19.8%	82.7%
Monthly	12	14.8%	97.5%
Weekly	2	2.5%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.7620
Max	5	Variance	0.5806
Range	4	Skewness	2.1432
Mode	3	Kurtosis	2.2785
Median	2.00	95% Conf.	2.33 to 2.66
Mean	2.49		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	41	50.6%	50.6%
Disastrous	16	19.8%	70.4%
Moderate	8	9.9%	80.2%
None	6	7.4%	87.7%
Mild	3	3.7%	91.4%
Mild to Moderate	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.6977
Max	6	Variance	0.4868
Range	5	Skewness	1.7460
Mode	5	Kurtosis	0.3292
Median	5.00	95% Conf.	4.46 to 4.78
Mean	4.62		

48. Transport inmate (resisting, not resisting) within the facility, maintaining physical control, negotiating stairs, doorways, obstacles and other features

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	22	27.2%	27.2%
Weekly	19	23.5%	50.6%
Daily	17	21.0%	71.6%
Once or less in past year	10	12.3%	84.0%
Monthly	7	8.6%	92.6%
Never	6	7.4%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0982
Max	6	Variance	1.2060
Range	5	Skewness	1.6871
Mode	3	Kurtosis	-0.0042
Median	4.00	95% Conf.	3.67 to 4.15
Mean	3.91		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	33	40.7%	40.7%
Moderate	17	21.0%	61.7%
Mild to Moderate	11	13.6%	75.3%
Disastrous	11	13.6%	88.9%
None	6	7.4%	96.3%
Mild	0	0.0%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.7664
Max	6	Variance	0.5873
Range	5	Skewness	1.7514
Mode	5	Kurtosis	0.4407
Median	5.00	95% Conf.	4.16 to 4.50
Mean	4.33		

49. Being struck by, and/or striking inmates (physical altercations)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	43	53.1%	53.1%
Never	23	28.4%	81.5%
Several times per year	12	14.8%	96.3%
Monthly	1	1.2%	97.5%
Weekly	1	1.2%	98.8%
Daily	0	0.0%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.5940
Max	5	Variance	0.3528
Range	4	Skewness	3.1972
Mode	2	Kurtosis	9.6055
Median	2.00	95% Conf.	1.79 to 2.06
Mean	1.93		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	29	35.8%	35.8%
Disastrous	28	34.6%	70.4%
None	8	9.9%	80.2%
Moderate	4	4.9%	85.2%
Mild	3	3.7%	88.9%
Mild to Moderate	2	2.5%	91.4%
No Response	7	8.6%	100.0%
Min	1	Std. Dev.	0.8150
Max	6	Variance	0.6642
Range	5	Skewness	1.5160
Mode	5	Kurtosis	-0.6326
Median	5.00	95% Conf.	4.53 to 4.90
Mean	4.72		

50. Physically struggling with multiple inmates

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	37	45.7%	45.7%
Never	33	40.7%	86.4%
Several times per year	10	12.3%	98.8%
Weekly	1	1.2%	100.0%
Monthly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5952
Max	5	Variance	0.3543
Range	4	Skewness	3.2115
Mode	2	Kurtosis	10.4909
Median	2.00	95% Conf.	1.62 to 1.88
Mean	1.75		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	37	45.7%	45.7%
Moderately High	21	25.9%	71.6%
None	13	16.0%	87.7%
Mild	2	2.5%	90.1%
Moderate	2	2.5%	92.6%
Mild to Moderate	1	1.2%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.9495
Max	6	Variance	0.9015
Range	5	Skewness	1.3641
Mode	6	Kurtosis	-1.1031
Median	5.00	95% Conf.	4.46 to 4.88
Mean	4.67		

51. Falling/being knocked down in struggle or pursuit - recovering to feet - resuming struggle/pursuit

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	42	51.9%	51.9%
Never	33	40.7%	92.6%
Several times per year	4	4.9%	97.5%
Monthly	2	2.5%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5186
Max	4	Variance	0.2689
Range	3	Skewness	3.1194
Mode	2	Kurtosis	8.9105
Median	2.00	95% Conf.	1.58 to 1.80
Mean	1.69		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	33	40.7%	40.7%
Moderately High	23	28.4%	69.1%
None	12	14.8%	84.0%
Moderate	4	4.9%	88.9%
Mild	2	2.5%	91.4%
Mild to Moderate	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.9405
Max	6	Variance	0.8845
Range	5	Skewness	1.4153
Mode	6	Kurtosis	-0.9427
Median	5.00	95% Conf.	4.41 to 4.83
Mean	4.62		

52. Operating, servicing and maintaining agricultural equipment and tools (powered and unpowered)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Never	56	69.1%	69.1%
Once or less in past year	13	16.0%	85.2%
Daily	4	4.9%	90.1%
Weekly	3	3.7%	93.8%
Several times per year	2	2.5%	96.3%
Monthly	1	1.2%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	1.2378
Max	6	Variance	1.5322
Range	5	Skewness	3.0931
Mode	1	Kurtosis	7.0072
Median	1.00	95% Conf.	1.39 to 1.93
Mean	1.66		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
None	31	38.3%	38.3%
Mild	11	13.6%	51.9%
Moderately High	9	11.1%	63.0%
Mild to Moderate	8	9.9%	72.8%
Disastrous	6	7.4%	80.2%
Moderate	5	6.2%	86.4%
No Response	11	13.6%	100.0%
Min	1	Std. Dev.	1.4159
Max	6	Variance	2.0048
Range	5	Skewness	2.0303
Mode	1	Kurtosis	1.3559
Median	2.00	95% Conf.	2.21 to 2.87
Mean	2.54		

53. Loading, unloading, driving transport vehicles (cars, vans, buses), while maintaining control of inmates

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Weekly	22	27.2%	27.2%
Several times per year	16	19.8%	46.9%
Daily	16	19.8%	66.7%
Never	11	13.6%	80.2%
Once or less in past year	11	13.6%	93.8%
Monthly	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	1.1845
Max	6	Variance	1.4031
Range	5	Skewness	1.6189
Mode	5	Kurtosis	-0.2288
Median	4.00	95% Conf.	3.53 to 4.05
Mean	3.79		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	29	35.8%	35.8%
Disastrous	14	17.3%	53.1%
Moderate	10	12.3%	65.4%
None	9	11.1%	76.5%
Mild to Moderate	9	11.1%	87.7%
Mild	6	7.4%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.9751
Max	6	Variance	0.9508
Range	5	Skewness	1.6102
Mode	5	Kurtosis	-0.1811
Median	5.00	95% Conf.	3.90 to 4.33
Mean	4.12		

54. Participate in Defensive Tactics Training (DT's)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	74	91.4%	91.4%
Several times per year	3	3.7%	95.1%
Never	2	2.5%	97.5%
Monthly	2	2.5%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.3562
Max	4	Variance	0.1269
Range	3	Skewness	4.7137
Mode	2	Kurtosis	20.7260
Median	2.00	95% Conf.	1.98 to 2.14
Mean	2.06		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	26	32.1%	32.1%
Moderately High	19	23.5%	55.6%
Mild to Moderate	13	16.0%	71.6%
Disastrous	11	13.6%	85.2%
Mild	7	8.6%	93.8%
None	3	3.7%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.8618
Max	6	Variance	0.7427
Range	5	Skewness	1.9133
Mode	4	Kurtosis	0.9368
Median	4.00	95% Conf.	3.87 to 4.25
Mean	4.06		

55. Continuing to function in a physical confrontation after being struck/injured

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	48	59.3%	59.3%
Never	25	30.9%	90.1%
Several times per year	6	7.4%	97.5%
Monthly	1	1.2%	98.8%
Weekly	1	1.2%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5531
Max	5	Variance	0.3059
Range	4	Skewness	3.8507
Mode	2	Kurtosis	15.0341
Median	2.00	95% Conf.	1.71 to 1.95
Mean	1.83		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Disastrous	30	37.0%	37.0%
Moderately High	28	34.6%	71.6%
None	9	11.1%	82.7%
Moderate	5	6.2%	88.9%
Mild	3	3.7%	92.6%
Mild to Moderate	2	2.5%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.8456
Max	6	Variance	0.7150
Range	5	Skewness	1.4918
Mode	6	Kurtosis	-0.7077
Median	5.00	95% Conf.	4.50 to 4.88
Mean	4.69		

56. Maintain a state of hypervigilance (acute sensory awareness over protracted period of time (hours))

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	39	48.1%	48.1%
Once or less in past year	14	17.3%	65.4%
Never	11	13.6%	79.0%
Several times per year	10	12.3%	91.4%
Monthly	4	4.9%	96.3%
Weekly	2	2.5%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	1.3337
Max	6	Variance	1.7787
Range	5	Skewness	1.4068
Mode	6	Kurtosis	-1.0146
Median	5.00	95% Conf.	3.82 to 4.40
Mean	4.11		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	35	43.2%	43.2%
Moderate	17	21.0%	64.2%
Disastrous	15	18.5%	82.7%
None	7	8.6%	91.4%
Mild	2	2.5%	93.8%
Mild to Moderate	2	2.5%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.7519
Max	6	Variance	0.5654
Range	5	Skewness	1.7308
Mode	5	Kurtosis	0.2905
Median	5.00	95% Conf.	4.32 to 4.65
Mean	4.49		

57. Cope with the physical effects of acute emotional stress (fear, anger, etc) (self)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	26	32.1%	32.1%
Several times per year	21	25.9%	58.0%
Daily	15	18.5%	76.5%
Weekly	9	11.1%	87.7%
Never	7	8.6%	96.3%
Monthly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2962
Max	6	Variance	1.6801
Range	5	Skewness	1.9053
Mode	2	Kurtosis	0.7409
Median	3.00	95% Conf.	3.04 to 3.60
Mean	3.32		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	21	25.9%	25.9%
Moderate	19	23.5%	49.4%
Disastrous	18	22.2%	71.6%
Mild to Moderate	11	13.6%	85.2%
None	6	7.4%	92.6%
Mild	3	3.7%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.9113
Max	6	Variance	0.8304
Range	5	Skewness	1.6993
Mode	5	Kurtosis	0.0571
Median	4.50	95% Conf.	4.08 to 4.48
Mean	4.28		

58. Cope with physical effects of acute emotional stress (others)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	23	28.4%	28.4%
Daily	19	23.5%	51.9%
Once or less in past year	18	22.2%	74.1%
Weekly	8	9.9%	84.0%
Never	7	8.6%	92.6%
Monthly	5	6.2%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	1.2773
Max	6	Variance	1.6314
Range	5	Skewness	1.7888
Mode	3	Kurtosis	0.2823
Median	3.00	95% Conf.	3.30 to 3.85
Mean	3.58		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	27	33.3%	33.3%
Moderate	18	22.2%	55.6%
Disastrous	13	16.0%	71.6%
Mild to Moderate	12	14.8%	86.4%
None	4	4.9%	91.4%
Mild	4	4.9%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.8325
Max	6	Variance	0.6930
Range	5	Skewness	1.7544
Mode	5	Kurtosis	0.3625
Median	5.00	95% Conf.	4.08 to 4.45
Mean	4.27		

59. Cope with the physical effects of chronic (cumulative) emotional stress (self)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	22	27.2%	27.2%
Once or less in past year	21	25.9%	53.1%
Daily	17	21.0%	74.1%
Never	15	18.5%	92.6%
Monthly	3	3.7%	96.3%
Weekly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.3917
Max	6	Variance	1.9369
Range	5	Skewness	2.0043
Mode	3	Kurtosis	1.0790
Median	3.00	95% Conf.	2.81 to 3.41
Mean	3.11		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	30	37.0%	37.0%
Moderate	15	18.5%	55.6%
Disastrous	10	12.3%	67.9%
None	8	9.9%	77.8%
Mild	8	9.9%	87.7%
Mild to Moderate	7	8.6%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.9273
Max	6	Variance	0.8599
Range	5	Skewness	1.6635
Mode	5	Kurtosis	0.0504
Median	5.00	95% Conf.	3.83 to 4.24
Mean	4.04		

60. Cope with the chronic (cumulative) emotional stress (others)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	29	35.8%	35.8%
Daily	23	28.4%	64.2%
Once or less in past year	12	14.8%	79.0%
Never	7	8.6%	87.7%
Weekly	5	6.2%	93.8%
Monthly	3	3.7%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	1.2876
Max	6	Variance	1.6579
Range	5	Skewness	1.7263
Mode	3	Kurtosis	0.0208
Median	3.00	95% Conf.	3.43 to 3.99
Mean	3.71		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	25	30.9%	30.9%
Moderate	22	27.2%	58.0%
Disastrous	10	12.3%	70.4%
Mild	9	11.1%	81.5%
Mild to Moderate	9	11.1%	92.6%
None	3	3.7%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.8458
Max	6	Variance	0.7153
Range	5	Skewness	1.8081
Mode	5	Kurtosis	0.5897
Median	4.00	95% Conf.	3.93 to 4.30
Mean	4.12		

61. Cope with the chronic physical effects of shift-work

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	37	45.7%	45.7%
Several times per year	18	22.2%	67.9%
Never	9	11.1%	79.0%
Weekly	8	9.9%	88.9%
Once or less in past year	6	7.4%	96.3%
Monthly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.1709
Max	6	Variance	1.3709
Range	5	Skewness	1.4147
Mode	6	Kurtosis	-0.9740
Median	5.00	95% Conf.	4.05 to 4.56
Mean	4.31		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	27	33.3%	33.3%
Moderate	20	24.7%	58.0%
Mild to Moderate	13	16.0%	74.1%
Mild	9	11.1%	85.2%
Disastrous	7	8.6%	93.8%
None	3	3.7%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.8317
Max	6	Variance	0.6918
Range	5	Skewness	1.8034
Mode	5	Kurtosis	0.6128
Median	4.00	95% Conf.	3.83 to 4.20
Mean	4.01		

62. Cope with the emotional and physical results of being struck by - exposed to bodily fluids

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	40	49.4%	49.4%
Never	22	27.2%	76.5%
Several times per year	15	18.5%	95.1%
Daily	2	2.5%	97.5%
Monthly	1	1.2%	98.8%
Weekly	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8363
Max	6	Variance	0.6994
Range	5	Skewness	3.5287
Mode	2	Kurtosis	11.6469
Median	2.00	95% Conf.	1.89 to 2.26
Mean	2.07		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	40	49.4%	49.4%
None	11	13.6%	63.0%
Moderate	11	13.6%	76.5%
Disastrous	9	11.1%	87.7%
Mild to Moderate	5	6.2%	93.8%
Mild	1	1.2%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.8237
Max	6	Variance	0.6784
Range	5	Skewness	1.5911
Mode	5	Kurtosis	-0.1027
Median	5.00	95% Conf.	4.05 to 4.42
Mean	4.23		

63. Cope with the emotional and physical impact of being subjected to verbal threats of violence

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	34	42.0%	42.0%
Daily	13	16.0%	58.0%
Once or less in past year	12	14.8%	72.8%
Monthly	11	13.6%	86.4%
Weekly	7	8.6%	95.1%
Never	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0933
Max	6	Variance	1.1952
Range	5	Skewness	2.0610
Mode	3	Kurtosis	1.4236
Median	3.00	95% Conf.	3.31 to 3.78
Mean	3.54		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	27	33.3%	33.3%
Moderately High	27	33.3%	66.7%
Mild	8	9.9%	76.5%
Mild to Moderate	8	9.9%	86.4%
None	6	7.4%	93.8%
Disastrous	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.7921
Max	6	Variance	0.6275
Range	5	Skewness	1.8117
Mode	4 (b)	Kurtosis	0.6568
Median	4.00	95% Conf.	3.74 to 4.09
Mean	3.91		

64. Cope with the emotional impact witnessing sexual acts among inmates

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	36	44.4%	44.4%
Never	26	32.1%	76.5%
Several times per year	16	19.8%	96.3%
Daily	2	2.5%	98.8%
Monthly	1	1.2%	100.0%
Weekly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8062
Max	6	Variance	0.6500
Range	5	Skewness	3.6260
Mode	2	Kurtosis	13.0967
Median	2.00	95% Conf.	1.82 to 2.18
Mean	2.00		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	26	32.1%	32.1%
Mild to Moderate	16	19.8%	51.9%
None	12	14.8%	66.7%
Moderately High	12	14.8%	81.5%
Mild	8	9.9%	91.4%
Disastrous	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.8991
Max	6	Variance	0.8083
Range	5	Skewness	1.9140
Mode	4	Kurtosis	1.2046
Median	4.00	95% Conf.	3.11 to 3.52
Mean	3.32		

65. Cope with the emotional impact of coping with seriously mentally ill inmates

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	29	35.8%	35.8%
Several times per year	19	23.5%	59.3%
Weekly	12	14.8%	74.1%
Never	8	9.9%	84.0%
Once or less in past year	8	9.9%	93.8%
Monthly	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	1.1775
Max	6	Variance	1.3864
Range	5	Skewness	1.5124
Mode	6	Kurtosis	-0.6585
Median	5.00	95% Conf.	3.88 to 4.40
Mean	4.14		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	27	33.3%	33.3%
Moderately High	24	29.6%	63.0%
Mild to Moderate	10	12.3%	75.3%
None	9	11.1%	86.4%
Mild	6	7.4%	93.8%
Disastrous	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.8426
Max	6	Variance	0.7099
Range	5	Skewness	1.8274
Mode	4	Kurtosis	0.7110
Median	4.00	95% Conf.	3.60 to 3.97
Mean	3.79		

66. Cope with the emotional impact of verbal abuse from inmates

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Several times per year	30	37.0%	37.0%
Daily	21	25.9%	63.0%
Monthly	13	16.0%	79.0%
Once or less in past year	7	8.6%	87.7%
Weekly	7	8.6%	96.3%
Never	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0951
Max	6	Variance	1.1993
Range	5	Skewness	1.7975
Mode	3	Kurtosis	0.2935
Median	4.00	95% Conf.	3.71 to 4.19
Mean	3.95		

Scale 2 - Impact/Importance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	28	34.6%	34.6%
Moderate	22	27.2%	61.7%
Mild to Moderate	12	14.8%	76.5%
Mild	8	9.9%	86.4%
None	7	8.6%	95.1%
Disastrous	3	3.7%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.8314
Max	6	Variance	0.6913
Range	5	Skewness	1.7276
Mode	5	Kurtosis	0.2957
Median	4.00	95% Conf.	3.63 to 3.99
Mean	3.81		

67. Kneel, squat and recover to feet repeatedly

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	30	37.0%	37.0%
Once or less in past year	16	19.8%	56.8%
Several times per year	14	17.3%	74.1%
Weekly	10	12.3%	86.4%
Never	8	9.9%	96.3%
Monthly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2748
Max	6	Variance	1.6250
Range	5	Skewness	1.5084
Mode	6	Kurtosis	-0.6808
Median	4.00	95% Conf.	3.72 to 4.28
Mean	4.00		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	25	30.9%	30.9%
Moderately High	20	24.7%	55.6%
Mild to Moderate	15	18.5%	74.1%
None	7	8.6%	82.7%
Mild	7	8.6%	91.4%
Disastrous	4	4.9%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.8505
Max	6	Variance	0.7233
Range	5	Skewness	1.9052
Mode	4	Kurtosis	1.0381
Median	4.00	95% Conf.	3.53 to 3.91
Mean	3.72		

68. Repetitive hand movement (e.g., typing, writing, car code scanning, etc.) for up to several hours per day.

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	49	60.5%	60.5%
Weekly	10	12.3%	72.8%
Never	7	8.6%	81.5%
Monthly	6	7.4%	88.9%
Several times per year	5	6.2%	95.1%
Once or less in past year	4	4.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8508
Max	6	Variance	0.7238
Range	5	Skewness	1.2754
Mode	6	Kurtosis	-1.3716
Median	6.00	95% Conf.	4.73 to 5.10
Mean	4.91		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Mild to Moderate	25	30.9%	30.9%
Moderate	23	28.4%	59.3%
Mild	12	14.8%	74.1%
Moderately High	11	13.6%	87.7%
None	4	4.9%	92.6%
Disastrous	1	1.2%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.7779
Max	6	Variance	0.6051
Range	5	Skewness	2.0337
Mode	3	Kurtosis	1.7181
Median	3.00	95% Conf.	3.19 to 3.54
Mean	3.37		

69. Bending over from waist at or below waist level

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	55	67.9%	67.9%
Weekly	11	13.6%	81.5%
Several times per year	5	6.2%	87.7%
Monthly	5	6.2%	93.8%
Once or less in past year	4	4.9%	98.8%
Never	1	1.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5834
Max	6	Variance	0.3404
Range	5	Skewness	1.2065
Mode	6	Kurtosis	-1.5447
Median	6.00	95% Conf.	5.17 to 5.42
Mean	5.30		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	23	28.4%	28.4%
Mild to Moderate	20	24.7%	53.1%
Moderately High	19	23.5%	76.5%
Mild	12	14.8%	91.4%
None	4	4.9%	96.3%
Disastrous	1	1.2%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.8010
Max	6	Variance	0.6416
Range	5	Skewness	1.8378
Mode	4	Kurtosis	0.7026
Median	4.00	95% Conf.	3.38 to 3.73
Mean	3.56		

70. Crawling on hands and knees

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	29	35.8%	35.8%
Never	23	28.4%	64.2%
Several times per year	17	21.0%	85.2%
Weekly	5	6.2%	91.4%
Monthly	4	4.9%	96.3%
Daily	1	1.2%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.9642
Max	6	Variance	0.9297
Range	5	Skewness	2.6010
Mode	2	Kurtosis	4.6392
Median	2.00	95% Conf.	2.05 to 2.48
Mean	2.27		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	19	23.5%	23.5%
Mild	16	19.8%	43.2%
Mild to Moderate	16	19.8%	63.0%
None	15	18.5%	81.5%
Moderately High	8	9.9%	91.4%
Disastrous	2	2.5%	93.8%
No Response	5	6.2%	100.0%
Min	1	Std. Dev.	0.9972
Max	6	Variance	0.9945
Range	5	Skewness	2.0326
Mode	4	Kurtosis	1.6775
Median	3.00	95% Conf.	2.71 to 3.16
Mean	2.93		

71. Cardio-vascular endurance (sustained high-demand physical exertion for longer than three minutes)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Once or less in past year	31	38.3%	38.3%
Several times per year	19	23.5%	61.7%
Never	14	17.3%	79.0%
Monthly	10	12.3%	91.4%
Weekly	4	4.9%	96.3%
Daily	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9997
Max	6	Variance	0.9994
Range	5	Skewness	2.5108
Mode	2	Kurtosis	4.1156
Median	2.00	95% Conf.	2.39 to 2.82
Mean	2.60		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	23	28.4%	28.4%
Moderate	19	23.5%	51.9%
Disastrous	13	16.0%	67.9%
Mild to Moderate	9	11.1%	79.0%
Mild	7	8.6%	87.7%
None	6	7.4%	95.1%
No Response	4	4.9%	100.0%
Min	1	Std. Dev.	0.9263
Max	6	Variance	0.8580
Range	5	Skewness	1.7411
Mode	5	Kurtosis	0.2681
Median	4.00	95% Conf.	3.90 to 4.31
Mean	4.10		

72. Accurately visually detect and resolve images, facial and body features, and movement of persons and objects in varying light conditions, at distances up to 100 feet

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	50	61.7%	61.7%
Several times per year	10	12.3%	74.1%
Once or less in past year	8	9.9%	84.0%
Never	6	7.4%	91.4%
Weekly	5	6.2%	97.5%
Monthly	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9877
Max	6	Variance	0.9755
Range	5	Skewness	1.2585
Mode	6	Kurtosis	-1.4123
Median	6.00	95% Conf.	4.54 to 4.97
Mean	4.75		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	28	34.6%	34.6%
Mild to Moderate	18	22.2%	56.8%
Moderate	14	17.3%	74.1%
Disastrous	8	9.9%	84.0%
Mild	7	8.6%	92.6%
None	4	4.9%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.8770
Max	6	Variance	0.7692
Range	5	Skewness	1.7486
Mode	5	Kurtosis	0.3809
Median	4.00	95% Conf.	3.81 to 4.19
Mean	4.00		

73. Accurately determine full-range colors (clothing, substances, skin tones, etc) in varying light conditions

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	55	67.9%	67.9%
Several times per year	8	9.9%	77.8%
Never	7	8.6%	86.4%
Once or less in past year	6	7.4%	93.8%
Weekly	3	3.7%	97.5%
Monthly	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9215
Max	6	Variance	0.8492
Range	5	Skewness	1.2052
Mode	6	Kurtosis	-1.5469
Median	6.00	95% Conf.	4.69 to 5.09
Mean	4.89		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	22	27.2%	27.2%
Moderately High	19	23.5%	50.6%
Mild to Moderate	18	22.2%	72.8%
Mild	11	13.6%	86.4%
None	5	6.2%	92.6%
Disastrous	4	4.9%	97.5%
No Response	2	2.5%	100.0%
Min	1	Std. Dev.	0.8755
Max	6	Variance	0.7665
Range	5	Skewness	1.9179
Mode	4	Kurtosis	1.0847
Median	4.00	95% Conf.	3.45 to 3.84
Mean	3.65		

74. Resolve and understand faint auditory signals (whispers, transients, air movement, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	51	63.0%	63.0%
Several times per year	10	12.3%	75.3%
Once or less in past year	8	9.9%	85.2%
Never	5	6.2%	91.4%
Weekly	4	4.9%	96.3%
Monthly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9571
Max	6	Variance	0.9161
Range	5	Skewness	1.2491
Mode	6	Kurtosis	-1.4377
Median	6.00	95% Conf.	4.59 to 5.01
Mean	4.80		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	26	32.1%	32.1%
Mild to Moderate	16	19.8%	51.9%
Moderately High	16	19.8%	71.6%
Mild	11	13.6%	85.2%
None	7	8.6%	93.8%
Disastrous	2	2.5%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.8452
Max	6	Variance	0.7143
Range	5	Skewness	1.9036
Mode	4	Kurtosis	1.0909
Median	4.00	95% Conf.	3.31 to 3.69
Mean	3.50		

75. Resolve and understand speech in the presence of a wide range of environmental surrounds, including high levels of ambient background noise

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	57	70.4%	70.4%
Several times per year	9	11.1%	81.5%
Once or less in past year	6	7.4%	88.9%
Weekly	5	6.2%	95.1%
Monthly	2	2.5%	97.5%
Never	1	1.2%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.6901
Max	6	Variance	0.4763
Range	5	Skewness	1.1776
Mode	6	Kurtosis	-1.6136
Median	6.00	95% Conf.	5.04 to 5.34
Mean	5.19		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	27	33.3%	33.3%
Moderately High	21	25.9%	59.3%
Mild to Moderate	15	18.5%	77.8%
Mild	10	12.3%	90.1%
None	4	4.9%	95.1%
Disastrous	3	3.7%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.7931
Max	6	Variance	0.6290
Range	5	Skewness	1.9185
Mode	4	Kurtosis	1.1035
Median	4.00	95% Conf.	3.58 to 3.92
Mean	3.75		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	22	27.2%	27.2%
Moderately High	22	27.2%	54.3%
Mild to Moderate	17	21.0%	75.3%
Mild	9	11.1%	86.4%
None	5	6.2%	92.6%
Disastrous	5	6.2%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.8633
Max	6	Variance	0.7453
Range	5	Skewness	1.8841
Mode	4 (b)	Kurtosis	0.9229
Median	4.00	95% Conf.	3.59 to 3.96
Mean	3.78		

76. Detect and resolve faint and/or odd odors

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	40	49.4%	49.4%
Several times per year	10	12.3%	61.7%
Once or less in past year	9	11.1%	72.8%
Monthly	9	11.1%	84.0%
Weekly	9	11.1%	95.1%
Never	3	3.7%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.9678
Max	6	Variance	0.9367
Range	5	Skewness	1.3797
Mode	6	Kurtosis	-1.0810
Median	5.50	95% Conf.	4.44 to 4.86
Mean	4.65		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderate	27	33.3%	33.3%
Moderately High	17	21.0%	54.3%
Mild to Moderate	15	18.5%	72.8%
Mild	9	11.1%	84.0%
Disastrous	7	8.6%	92.6%
None	5	6.2%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.8749
Max	6	Variance	0.7655
Range	5	Skewness	2.0107
Mode	4	Kurtosis	1.4188
Median	4.00	95% Conf.	3.60 to 3.98
Mean	3.79		

77. Accurately resolve visual images in low-light conditions

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	50	61.7%	61.7%
Several times per year	11	13.6%	75.3%
Once or less in past year	9	11.1%	86.4%
Weekly	6	7.4%	93.8%
Monthly	3	3.7%	97.5%
Never	2	2.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8889
Max	6	Variance	0.7901
Range	5	Skewness	1.2621
Mode	6	Kurtosis	-1.4050
Median	6.00	95% Conf.	4.68 to 5.07
Mean	4.88		

78. Three-dimensional vision, sufficient for accurate depth perception, image placement and location sufficient for complex visual tasks (driving a vehicle in emergency conditions, pursuit of inmate over complex surfaces in unpredictable conditions, stairs, steps, obstacles, weapons use, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	26	32.1%	32.1%
Once or less in past year	17	21.0%	53.1%
Several times per year	17	21.0%	74.1%
Never	13	16.0%	90.1%
Weekly	5	6.2%	96.3%
Monthly	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.4190
Max	6	Variance	2.0136
Range	5	Skewness	1.6489
Mode	6	Kurtosis	-0.2468
Median	3.00	95% Conf.	3.28 to 3.90
Mean	3.59		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	24	29.6%	29.6%
Moderate	18	22.2%	51.9%
Mild to Moderate	14	17.3%	69.1%
Mild	8	9.9%	79.0%
None	7	8.6%	87.7%
Disastrous	7	8.6%	96.3%
No Response	3	3.7%	100.0%
Min	1	Std. Dev.	0.9260
Max	6	Variance	0.8575
Range	5	Skewness	1.7893
Mode	5	Kurtosis	0.5106
Median	4.00	95% Conf.	3.63 to 4.04
Mean	3.83		

79. Accurately visually detect and resolve transitory and subtle changes in "body language" (pupil constriction/dilation, skin color, respiration changes, etc.)

Scale 1 - Frequency			
Response (n = 81)	Frequency	Percent	Cumulation
Daily	46	56.8%	56.8%
Once or less in past year	11	13.6%	70.4%
Several times per year	8	9.9%	80.2%
Weekly	8	9.9%	90.1%
Monthly	5	6.2%	96.3%
Never	3	3.7%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9487
Max	6	Variance	0.9001
Range	5	Skewness	1.3073
Mode	6	Kurtosis	-1.2837
Median	6.00	95% Conf.	4.55 to 4.96
Mean	4.75		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 81)	Frequency	Percent	Cumulation
Moderately High	30	37.0%	37.0%
Mild to Moderate	17	21.0%	58.0%
Moderate	14	17.3%	75.3%
Mild	9	11.1%	86.4%
Disastrous	6	7.4%	93.8%
None	4	4.9%	98.8%
No Response	1	1.2%	100.0%
Min	1	Std. Dev.	0.8675
Max	6	Variance	0.7525
Range	5	Skewness	1.7185
Mode	5	Kurtosis	0.2813
Median	4.00	95% Conf.	3.75 to 4.13
Mean	3.94		